

Saad Mekhilef

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1698492/saad-mekhilef-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

545 papers	21,345 citations	74 h-index	133 g-index
640 ext. papers	27,713 ext. citations	5.1 avg, IF	7.81 L-index

#	Paper	IF	Citations
545	Simple Lossless Inductive Snubbers-Assisted Series Load Resonant Inverter Operating under ZCS-PDM Scheme for High-Frequency Induction Heating Fixed Roller. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 1122	2.6	1
544	Optimized Support Vector Regression-Based Model for Solar Power Generation Forecasting on the Basis of Online Weather Reports. <i>IEEE Access</i> , 2022 , 10, 15594-15604	3.5	
543	Machine learning algorithms used for short-term PV solar irradiation and temperature forecasting at microgrid 2022 , 1-17		
542	Generators revenue augmentation in highly penetrated renewable M2M coordinated power systems 2022 , 19-31		
541	Islanding detection techniques for grid-connected photovoltaic systems-A review. <i>Renewable and Sustainable Energy Reviews</i> , 2022 , 154, 111854	16.2	7
540	Performance evaluation of metaheuristic techniques for optimal sizing of a stand-alone hybrid PV/wind/battery system. <i>Applied Energy</i> , 2022 , 305, 117823	10.7	11
539	High-Efficiency Long-Distance Wireless Power Transfer using BaO and GaN Magnetron's Cathode. <i>IEEE Transactions on Industry Applications</i> , 2022 , 1-1	4.3	
538	Wide Power Dynamic Range CMOS RF-DC Rectifier for RF Energy Harvesting System: A Review. <i>IEEE Access</i> , 2022 , 10, 23948-23963	3.5	6
537	Power Electronics for Renewable Energy Systems 2022 , 81-117		0
536	A Review on Global Emissions by E-Products Based Waste: Technical Management for Reduced Effects and Achieving Sustainable Development Goals. <i>Sustainability</i> , 2022 , 14, 4036	3.6	1
535	An Hour-Ahead PV Power Forecasting Method Based on an RNN-LSTM Model for Three Different PV Plants. <i>Energies</i> , 2022 , 15, 2243	3.1	3
534	Estimation of Parameters of Different Equivalent Circuit Models of Solar Cells and Various Photovoltaic Modules Using Hybrid Variants of Honey Badger Algorithm and Artificial Gorilla Troops Optimizer. <i>Mathematics</i> , 2022 , 10, 1057	2.3	4
533	Energy policies shaping the solar photovoltaics business models in Malaysia with some insights on Covid-19 pandemic effect. <i>Energy Policy</i> , 2022 , 164, 112918	7.2	2
532	Integration of hydrogen technology and energy management comparison for DC-Microgrid including renewable energies and energy storage system. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 52, 102121	4.7	1
531	Hybrid islanding detection technique for distribution network considering the dynamic behavior of power and load. <i>International Journal of Circuit Theory and Applications</i> , 2022 , 50, 1317-1341	2	0
530	A Comparative Harmonic Suppression Analysis of Single Phase Half Bridge Grid Connected Inverter in Rotatory Frame of Reference with Integral Control Strategy. <i>Lecture Notes in Electrical Engineering</i> , 2022 , 365-375	0.2	
529	Photovoltaic Performance Using Modify Back Propagation Neural Network Based On 3 Different Solar Panels. <i>IOP Conference Series: Earth and Environmental Science</i> , 2022 , 1008, 012010	0.3	

528	Analysis and Design of Series-LC-Switch Capacitor Multistage High Gain DC-DC Boost Converter for Electric Vehicle Applications. <i>Sustainability</i> , 2022 , 14, 4495	3.6	2
527	Compact Quadratic Boost Switched-Capacitor Inverter. <i>IEEE Transactions on Industry Applications</i> , 2022 , 1-1	4.3	0
526	Interleaved step-up soft-switching DCDC Boost converter without auxiliary switches. <i>Energy Reports</i> , 2022 , 8, 6499-6511	4.6	3
525	Predictive Current Control for Three-Level Four-Leg Indirect Matrix Converter under Unbalanced Input Voltage. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2022 , 1-1	5.6	0
524	A 9 and 13-Level Switched-Capacitor-Based Multilevel Inverter with enhanced Self-Balanced Capacitor Voltage Capability. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2022 , 1-1	5.6	3
523	Single Diode Solar Cells Improved Model and Exact Current Voltage Analytical Solution Based on Lambert W Function. <i>Sensors</i> , 2022 , 22, 4173	3.8	1
522	Fuzzy Logic-Based Direct Power Control Method for PV Inverter of Grid-Tied AC Microgrid without Phase-Locked Loop. <i>Electronics (Switzerland)</i> , 2021 , 10, 3095	2.6	1
521	Submodule fault-tolerant control based adaptive carrier-PDPWM for modular multilevel converters. <i>Energy Reports</i> , 2021 , 7, 7288-7296	4.6	1
520	Artificial Neural Networks Based Optimization Techniques: A Review. <i>Electronics (Switzerland)</i> , 2021 , 10, 2689	2.6	25
519	Predictive Maximum Power Point Tracking for Proton Exchange Membrane Fuel Cell System. <i>IEEE Access</i> , 2021 , 9, 157384-157397	3.5	2
518	A multi-objective model predictive current control with two-step horizon for double-stage grid-connected inverter PEMFC system. <i>International Journal of Hydrogen Energy</i> , 2021 , 47, 2685-2685	6.7	3
517	A hybrid deep learning method for an hour ahead power output forecasting of three different photovoltaic systems. <i>Applied Energy</i> , 2021 , 307, 118185	10.7	5
516	Hybrid Global Maximum Power Tracking Method with Partial Shading Detection Technique for PV Systems. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 1-1	5.6	3
515	. <i>IEEE Access</i> , 2021 , 9, 168907-168921	3.5	0
514	Single-Phase Boost Switched-Capacitor Based Multilevel Inverter Topology with Reduced Switching Devices. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 1-1	5.6	6
513	A novel approach for sizing battery storage system for enhancing resilience ability of a microgrid. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e13142	2.2	3
512	A New Configuration of Nine-Level Boost Inverter with Reduced Component Count. <i>E-Prime</i> , 2021 , 1, 100010		0
511	Space-vector current control of cascaded half-bridge three-phase three-wire voltage source inverter. <i>IET Power Electronics</i> , 2021 , 14, 201-210	2.2	1

510	Resilience-oriented service restoration modelling interdependent critical loads in distribution systems with integrated distributed generators. <i>IET Generation, Transmission and Distribution</i> , 2021 , 15, 1257-1272	2.5	1
509	Experimental validation of nine-level switched-capacitor inverter topology with high voltage gain. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 2479	2	3
508	Accurate Prediction of Hourly Energy Consumption in a Residential Building Based on the Occupancy Rate Using Machine Learning Approaches. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 2229	2.6	3
507	Two novel approaches of adaptive finite-time sliding mode control for a class of single-input multiple-output uncertain nonlinear systems. <i>IET Cyber-Systems and Robotics</i> , 2021 , 3, 173-183	1.6	4
506	Maximum power point tracking based on adaptive neuro-fuzzy inference systems for a photovoltaic system with fast varying load conditions. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e12904	2.2	5
505	Second-order sliding mode control of wind turbines to enhance the fault-ride through capability under unbalanced grid faults. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 1959-1986	2	3
504	Stability assessment and performance analysis of new controller for power quality conditioning in microgrids. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e12891	2.2	3
503	An energy balancing strategy for modular multilevel converter based grid-connected photovoltaic systems. <i>IET Power Electronics</i> , 2021 , 14, 2115-2126	2.2	2
502	Fixed-Time Adaptive Robust Synchronization with a State Observer of Chaotic Support Structures for Offshore Wind Turbines. <i>Journal of Control, Automation and Electrical Systems</i> , 2021 , 32, 942-955	1.5	2
501	A twice boost nine-level switched-capacitor multilevel (2B-9L-SCMLI) inverter with self-voltage balancing capability. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 2578	2	3
500	A new family of boost active neutral point clamped inverter topology with reduced switch count. <i>IET Power Electronics</i> , 2021 , 14, 1433-1443	2.2	2
499	Current Status, Scenario, and Prospective of Renewable Energy in Algeria: A Review. <i>Energies</i> , 2021 , 14, 2354	3.1	9
498	A novel power management strategies in PV-wind-based grid connected hybrid renewable energy system using proportional distribution algorithm. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e12931	2.2	1
497	Lithium-ion Battery Model Parameter Identification Using Modified Adaptive Forgetting Factor-Based Recursive Least Square Algorithm 2021 ,		2
496	Reliability assessment for DFIG-based WECS considering the impact of 3-phase fault and lightning impulse voltage. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e12952	2.2	0
495	An improved power control strategy for grid-connected hybrid microgrid without park transformation and phase-locked loop system. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e12922	2.2	2
494	Overview and Exploitation of Haptic Tele-Weight Device in Virtual Shopping Stores. <i>Sustainability</i> , 2021 , 13, 7253	3.6	2
493	A new cascaded asymmetrical multilevel inverter based on switched dc voltage sources. <i>International Journal of Electrical Power and Energy Systems</i> , 2021 , 128, 106730	5.1	10

492	State and disturbance observers-based chattering-free fixed-time sliding mode control for a class of high-order nonlinear systems. <i>Advanced Control for Applications</i> , 2021 , 3, e81	0.9	3
491	An Improved Single-Phase Asymmetrical Multilevel Inverter Structure With Reduced Number of Switches and Higher Power Quality. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 2092-2096	3.5	1
490	A memory-based gravitational search algorithm for solving economic dispatch problem in micro-grid. <i>Ain Shams Engineering Journal</i> , 2021 , 12, 1985-1994	4.4	23
489	Bond graph modeling, design and experimental validation of a photovoltaic/fuel cell/ electrolyzer/battery hybrid power system. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 24011-24027	6.7	6
488	Islanding Classification Mechanism for Grid-Connected Photovoltaic Systems. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 1966-1975	5.6	18
487	An Improved Discontinuous Space Vector Modulation for Z-Source Inverter With Reduced Power Losses. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 3479-3488	5.6	5
486	Improved-Team-Game-Optimization-Algorithm-Based Solar MPPT With Fast Convergence Speed and Fast Response to Load Variations. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 7093-7103	8.9	11
485	Single-Phase Step-Up Switched-Capacitor-Based Multilevel Inverter Topology With SHEPWM. <i>IEEE Transactions on Industry Applications</i> , 2021 , 57, 3107-3119	4.3	42
484	Progress on the demand side management in smart grid and optimization approaches. <i>International Journal of Energy Research</i> , 2021 , 45, 36-64	4.5	43
483	Transmission line fault location by solving line differential equations. <i>Electric Power Systems Research</i> , 2021 , 192, 106912	3.5	7
482	Advancement of voltage equalizer topologies for serially connected solar modules as partial shading mitigation technique: A comprehensive review. <i>Journal of Cleaner Production</i> , 2021 , 285, 124824	10.3	3
481	A Novel SMCCLCC Compensation for Three-Coil WPT to Improve Misalignment and Energy Efficiency Stiffness of Wireless Charging System. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 1341-1355	7.2	29
480	Real-time fault detection in PV systems under MPPT using PMU and high-frequency multi-sensor data through online PCA-KDE-based multivariate KL divergence. <i>International Journal of Electrical Power and Energy Systems</i> , 2021 , 125, 106457	5.1	16
479	Compact Seven-Level Boost Type Inverter Topology. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 1358-1362	3.5	11
478	Shading fault detection in a grid-connected PV system using vertices principal component analysis. <i>Renewable Energy</i> , 2021 , 164, 1527-1539	8.1	15
477	Maximum Power Point Tracking Using Modified Butterfly Optimization Algorithm for Partial Shading, Uniform Shading, and Fast Varying Load Conditions. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 5569-5581	7.2	41
476	Dual Phase LLC Resonant Converter With Variable Frequency Zero Circulating Current Phase-Shift Modulation for Wide Input Voltage Range Applications. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 2793-2807	7.2	18
475	A New Coil Structure of Dual Transmitters and Dual Receivers with Integrated Decoupling Coils for Increasing Power Transfer & Misalignment Tolerance of Wireless EV Charging System. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1	8.9	5

474	Performance Investigation of Deadbeat Predictive Controllers for Three-Level Neutral Point Clamped Inverter. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 1-1	5.6	3
473	Implementation and Analysis of a 15-Level Inverter Topology With Reduced Switch Count. <i>IEEE Access</i> , 2021 , 9, 40623-40634	3.5	6
472	Comparative Study for Different Types of MPPT Algorithms Using Direct Control Method. <i>Lecture Notes in Electrical Engineering</i> , 2021 , 253-264	0.2	1
471	Fuzzy Approximation-Based Fractional-Order Nonsingular Terminal Sliding Mode Controller for DC-DC Buck Converters. <i>IEEE Transactions on Power Electronics</i> , 2021 , 1-1	7.2	4
470	Improved Proportional-Integral Coordinated MPPT Controller with Fast Tracking Speed for Grid-Tied PV Systems under Partially Shaded Conditions. <i>Sustainability</i> , 2021 , 13, 830	3.6	4
469	. <i>IEEE Access</i> , 2021 , 9, 108754-108771	3.5	1
468	An Improved 15-Level Asymmetrical Multilevel Inverter with Reduced Switch Count. <i>Lecture Notes in Electrical Engineering</i> , 2021 , 709-718	0.2	0
467	. <i>IEEE Transactions on Industry Applications</i> , 2021 , 1-1	4.3	1
466	. <i>IEEE Access</i> , 2021 , 9, 67648-67659	3.5	1
465	Recent trends and review on switched-capacitor-based single-stage boost multilevel inverter. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e12730	2.2	12
464	Energy performance investigation of nanofluid-based concentrated photovoltaic / thermal-thermoelectric generator hybrid system. <i>International Journal of Energy Research</i> , 2021 , 45, 9039-9057 ¹¹	4.5	11
463	A novel global MPPT technique based on squirrel search algorithm for PV module under partial shading conditions. <i>Energy Conversion and Management</i> , 2021 , 230, 113773	10.6	21
462	Asymmetrical multilevel inverter topology with low total standing voltage and reduced switches count. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 1757-1775	2	6
461	A grid-tied photovoltaic transformer-less inverter with reduced leakage current. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021 , 673, 012016	0.3	1
460	Combined State of Charge and State of Energy Estimation of Lithium-Ion Battery Using Dual Forgetting Factor-Based Adaptive Extended Kalman Filter for Electric Vehicle Applications. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 1200-1215	6.8	29
459	Autonomous Fuzzy Controller Design for the Utilization of Hybrid PV-Wind Energy Resources in Demand Side Management Environment. <i>Electronics (Switzerland)</i> , 2021 , 10, 1618	2.6	7
458	A New Multilevel Inverter Topology with Reduced DC Sources. <i>Energies</i> , 2021 , 14, 4709	3.1	5
457	A Coordinated Charging Scheduling of Electric Vehicles Considering Optimal Charging Time for Network Power Loss Minimization. <i>Energies</i> , 2021 , 14, 5336	3.1	5

456	Dual-axis schedule tracker with an adaptive algorithm for a strong scattering of sunbeam. <i>Solar Energy</i> , 2021 , 224, 285-297	6.8	1
455	Optimal control of grid-connected microgrid PV-based source under partially shaded conditions. <i>Energy</i> , 2021 , 230, 120649	7.9	6
454	Energy Management System in Microgrids: A Comprehensive Review. <i>Sustainability</i> , 2021 , 13, 10492	3.6	10
453	Economical-technical-environmental operation of power networks with wind-solar-hydropower generation using analytic hierarchy process and improved grey wolf algorithm. <i>Ain Shams Engineering Journal</i> , 2021 , 12, 2717-2734	4.4	23
452	Cascaded Predictive Flux Control for a 3-L Active NPC Fed IM Drives Without Weighting Factor. <i>IEEE Transactions on Energy Conversion</i> , 2021 , 36, 1797-1807	5.4	5
451	A Fast GMPPT Scheme Based on Collaborative Swarm Algorithm for Partially Shaded Photovoltaic System. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 5571-5580	5.6	7
450	Impacts assessment of random solar irradiance and temperature on the cooperation of the energy management with power control of an isolated cluster of DC-Microgrids. <i>Sustainable Energy Technologies and Assessments</i> , 2021 , 47, 101484	4.7	1
449	Most Valuable Player Algorithm based Maximum Power Point Tracking for a Partially Shaded PV Generation System. <i>IEEE Transactions on Sustainable Energy</i> , 2021 , 12, 1876-1890	8.2	18
448	Improved Social Ski Driver-Based MPPT for Partial Shading Conditions Hybridized With Constant Voltage Method for Fast Response to Load Variations. <i>IEEE Transactions on Sustainable Energy</i> , 2021 , 12, 2255-2267	8.2	2
447	Voltage Track Optimizer Based Maximum Power Point Tracker Under Challenging Partially Shaded Photovoltaic Systems. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 13817-13825	7.2	2
446	Increasing Voltage Support Using Smart Power Converter Based Energy Storage System and Load Control. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 12364-12374	8.9	2
445	Logarithmic PSO Based Global/Local Maximum Power Point Tracker for Partially Shaded Photovoltaic Systems. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 1-1	5.6	8
444	A Day-Ahead Power Output Forecasting of Three PV Systems Using Regression, Machine Learning and Deep Learning Techniques. <i>Studies in Infrastructure and Control</i> , 2021 , 1-14		1
443	Economic and Environmental Analysis of a Solar-Powered EV Charging System in India: A Case Study. <i>Lecture Notes in Electrical Engineering</i> , 2021 , 301-315	0.2	1
442	Asynchronous Particle Swarm Optimization-Genetic Algorithm (APSO-GA) based Selective Harmonic Elimination in a Cascaded H-Bridge Multilevel Inverter. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1	8.9	30
441	A Review on Primary and Secondary Controls of Inverter-interfaced Microgrid. <i>Journal of Modern Power Systems and Clean Energy</i> , 2021 , 9, 969-985	4	5
440	Islanding Detection Review Using Intelligence Classifier in Distribution Network. <i>Lecture Notes in Electrical Engineering</i> , 2021 , 317-347	0.2	1
439	Analysis and Small Signal Modeling of Five-Level Series Resonant Inverter. <i>IEEE Access</i> , 2021 , 9, 109384-109395	5.9	2

438	Solar tracker transcriptA review. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31,	2.2	4
437	Optimization of Antireflection Coating Design Using PC1D Simulation for c-Si Solar Cell Application. <i>Electronics (Switzerland)</i> , 2021 , 10, 3132	2.6	0
436	A Novel Hybrid Feature Selection Method for Day-Ahead Electricity Price Forecasting. <i>Energies</i> , 2021 , 14, 8455	3.1	2
435	Optimal Allocation and Economic Analysis of Battery Energy Storage Systems: Self-Consumption Rate and Hosting Capacity Enhancement for Microgrids with High Renewable Penetration. <i>Sustainability</i> , 2020 , 12, 10144	3.6	14
434	A Review of Optimal Charging Strategy for Electric Vehicles under Dynamic Pricing Schemes in the Distribution Charging Network. <i>Sustainability</i> , 2020 , 12, 10160	3.6	14
433	Optimized Single-Axis Schedule Solar Tracker in Different Weather Conditions. <i>Energies</i> , 2020 , 13, 5226	3.1	18
432	Fuzzy Adaptive Fixed-time Sliding Mode Control with State Observer for A Class of High-order Mismatched Uncertain Systems. <i>International Journal of Control, Automation and Systems</i> , 2020 , 18, 2492-2508	2.9	20
431	Optimal Design of Photovoltaic Power Plant Using Hybrid Optimisation: A Case of South Algeria. <i>Energies</i> , 2020 , 13, 2776	3.1	8
430	Chattering-Free Trajectory Tracking Robust Predefined-Time Sliding Mode Control for a Remotely Operated Vehicle. <i>Journal of Control, Automation and Electrical Systems</i> , 2020 , 31, 1177-1195	1.5	6
429	Dual asymmetrical dc voltage source based switched capacitor boost multilevel inverter topology. <i>IET Power Electronics</i> , 2020 , 13, 1481-1486	2.2	23
428	Dual input switched-capacitor-based single-phase hybrid boost multilevel inverter topology with reduced number of components. <i>IET Power Electronics</i> , 2020 , 13, 881-891	2.2	31
427	Wave Excitation Force Estimation Using an Electrical-Based Extended Kalman Filter for Point Absorber Wave Energy Converters. <i>IEEE Access</i> , 2020 , 8, 49823-49836	3.5	4
426	Modeling of PV system and parameter extraction based on experimental data: Review and investigation. <i>Solar Energy</i> , 2020 , 199, 742-760	6.8	51
425	Novel technique for transmission line parameters estimation using synchronised sampled data. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 506-515	2.5	7
424	Adaptive Carrier-Based PDPWM Control for Modular Multilevel Converter With Fault-Tolerant Capability. <i>IEEE Access</i> , 2020 , 8, 26739-26748	3.5	10
423	Design and stability analysis of interleaved flyback converter control using Lyapunov direct method with FPGA implementation. <i>Electrical Engineering</i> , 2020 , 102, 1651-1665	1.5	1
422	New grid synchronization and power control scheme of doubly-fed induction generator based wind turbine system using fuzzy logic control.. <i>Computers and Electrical Engineering</i> , 2020 , 84, 106647	4.3	13
421	New Switched-Capacitor based Boost Seven-Level ANPC (7L-ANPC) Boost Inverter Topology 2020 ,		2

420	Medium Voltage Large-Scale Grid-Connected Photovoltaic Systems Using Cascaded H-Bridge and Modular Multilevel Converters: A Review. <i>IEEE Access</i> , 2020 , 8, 223686-223699	3.5	19
419	Switched-Capacitor Based Seven-Level Triple Voltage Gain Boost Inverter (7L-TVG-BI) 2020 ,		4
418	High-Efficiency Magnetron using GaN Cathode for High Frequency and Low Power Modulated Microwave Generation 2020 ,		2
417	Hybrid Islanding Detection Technique for Malaysian Power Distribution System 2020 ,		3
416	Advanced Control Strategy with Voltage Sag Classification for Single-Phase Grid-Connected Photovoltaic System. <i>IEEE Journal of Emerging and Selected Topics in Industrial Electronics</i> , 2020 , 1-1	2.6	17
415	Switched-capacitor-based boost multilevel inverter topology with higher voltage gain. <i>IET Power Electronics</i> , 2020 , 13, 3209-3212	2.2	9
414	Voltage control using smart transformer via dynamic optimal setpoints and limit tolerance in a residential distribution network with PV sources. <i>IET Generation, Transmission and Distribution</i> , 2020 , 14, 5143-5151	2.5	4
413	The efficiency of the on-grid solar power plant in the Chechen Republic. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 578, 012044	0.3	1
412	Combined SOC and SOE Estimation of Lithium-ion battery for Electric Vehicle Applications 2020 ,		2
411	A Reduced Switch Count Boost Inverter (RSC- BI) Topology with Triple Voltage Gain 2020 ,		2
410	Seven-Level Switched-Capacitor Based Multilevel Inverter With Lesser Number of Power Electronic Components and Reduced Voltage Stress 2020 ,		1
409	Modified deterministic Jaya (DM-Jaya)-based MPPT algorithm under partially shaded conditions for PV system. <i>IET Power Electronics</i> , 2020 , 13, 4625-4632	2.2	11
408	New switched-capacitor-based boost inverter topology with reduced switch count. <i>Journal of Power Electronics</i> , 2020 , 20, 926-937	0.9	7
407	Induction motor fault detection based on multi-sensory control and wavelet analysis. <i>IET Electric Power Applications</i> , 2020 , 14, 2051-2061	1.8	3
406	7L-SCBI topology with minimal semiconductor device count. <i>IET Power Electronics</i> , 2020 , 13, 3199-3203	2.2	10
405	Reduced switch count-based N -level boost inverter topology for higher voltage gain. <i>IET Power Electronics</i> , 2020 , 13, 3505-3509	2.2	13
404	Design and implementation of a new unity gain nine-level active neutral point clamped multilevel inverter topology. <i>IET Power Electronics</i> , 2020 , 13, 3204-3208	2.2	10
403	Single-phase hybrid multilevel inverter topology with low switching frequency modulation techniques for lower order harmonic elimination. <i>IET Power Electronics</i> , 2020 , 13, 4117-4127	2.2	7

402	High step-up interleaved zero-voltage transition DCDC converter with coupled inductors. <i>IET Power Electronics</i> , 2020 , 13, 4518-4531	2.2	4
401	Recent developments of MPPT techniques for PV systems under partial shading conditions: a critical review and performance evaluation. <i>IET Renewable Power Generation</i> , 2020 , 14, 3401-3417	2.9	12
400	Solar chimney power plant and its correlation with ambient wind effect. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 141, 649-668	4.1	13
399	A Single DC Source Nine-Level Switched-Capacitor Boost Inverter Topology With Reduced Switch Count. <i>IEEE Access</i> , 2020 , 8, 5840-5851	3.5	36
398	Present Status and Potential of Biomass Energy in Pakistan Based on Existing and Future Renewable Resources. <i>Sustainability</i> , 2020 , 12, 249	3.6	28
397	. <i>IEEE Access</i> , 2020 , 8, 201835-201846	3.5	14
396	Experimental investigation of power management and control of a PV/wind/fuel cell/battery hybrid energy system microgrid. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 29110-29122	6.7	49
395	Advancement of lithium-ion battery cells voltage equalization techniques: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2020 , 134, 110227	16.2	34
394	Network reconfiguration and DG output including real time optimal switching sequence for system improvement. <i>Australian Journal of Electrical and Electronics Engineering</i> , 2020 , 17, 157-172	0.6	1
393	A Novel Switched-Capacitor Multilevel Inverter Topology for Energy Storage and Smart Grid Applications. <i>Electronics (Switzerland)</i> , 2020 , 9, 1703	2.6	13
392	Classical Control for Unequal DC Sources Five-Level Inverter-Based SHE Technique. <i>Energies</i> , 2020 , 13, 4715	3.1	
391	. <i>IEEE Access</i> , 2020 , 8, 188726-188741	3.5	20
390	A fast and accurate generalized analytical approach for PV arrays modeling under partial shading conditions. <i>Solar Energy</i> , 2020 , 208, 753-765	6.8	14
389	An Integrated Approach to Optimal Charging Scheduling of Electric Vehicles Integrated with Improved Medium-Voltage Network Reconfiguration for Power Loss Minimization. <i>Sustainability</i> , 2020 , 12, 9211	3.6	10
388	Optimization of distributed generation size based on line sensitivity using transmission congestion cost. <i>International Transactions on Electrical Energy Systems</i> , 2020 , 31, e12695	2.2	1
387	Performance assessment of three grid-connected photovoltaic systems with combined capacity of 6.575 kWp in Malaysia. <i>Journal of Cleaner Production</i> , 2020 , 277, 123242	10.3	13
386	Mitigating Power Fluctuations for Energy Storage in Wind Energy Conversion System Using Supercapacitors. <i>IEEE Access</i> , 2020 , 8, 189747-189760	3.5	6
385	Chattering-free fixed-time sliding mode control for bilateral teleoperation under unknown time-varying delay via disturbance and state observers. <i>Advanced Control for Applications</i> , 2020 , 2, e52	0.9	2

384	Assessment of maximum power point trackers performance using direct and indirect control methods. <i>International Transactions on Electrical Energy Systems</i> , 2020 , 30, e12565	2.2	6
383	A Sustainable Distributed Building Integrated Photo-Voltaic System Architecture with a Single Radial Movement Optimization Based MPPT Controller. <i>Sustainability</i> , 2020 , 12, 6687	3.6	1
382	Chattering-Free Adaptive Finite-Time Sliding Mode Control for Trajectory Tracking of MEMS Gyroscope. <i>Automatic Control and Computer Sciences</i> , 2020 , 54, 335-345	0.7	1
381	An improved asymmetrical multilevel inverter topology with reduced semiconductor device count. <i>International Transactions on Electrical Energy Systems</i> , 2020 , 30, e12587	2.2	12
380	A Novel Multilevel DC-Link Three-Phase T-Type Inverter. <i>Energies</i> , 2020 , 13, 4186	3.1	0
379	A New Eight Switch Seven Level Boost Active Neutral Point Clamped (8S-7L-BANPC) Inverter. <i>IEEE Access</i> , 2020 , 8, 203972-203981	3.5	8
378	2020 ,		2
377	DQ-axis Synchronous Reference Frame based P-Q Control of Grid Connected AC Microgrid 2020 ,		1
376	A new single-phase cascaded multilevel inverter topology with reduced number of switches and voltage stress. <i>International Transactions on Electrical Energy Systems</i> , 2020 , 30, e12191	2.2	21
375	Status of renewable energy potential and utilization in Algeria. <i>Journal of Cleaner Production</i> , 2020 , 246, 119011	10.3	52
374	. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2020 , 8, 4440-4456	5.6	17
373	A New Switched Capacitor 7L Inverter With Triple Voltage Gain and Low Voltage Stress. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2020 , 67, 1294-1298	3.5	56
372	Reduced Switch Count Based Single Source 7L Boost Inverter Topology. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2020 , 67, 3252-3256	3.5	27
371	Selective harmonic elimination method for unequal DC sources of multilevel inverters. <i>Automatika</i> , 2019 , 60, 378-384	1.6	2
370	An Automated Intelligent Solar Tracking Control System With Adaptive Algorithm for Different Weather Conditions 2019 ,		7
369	Role of immersive visualization tools in renewable energy system development. <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 115, 109363	16.2	6
368	Energy Management and Optimization of a PV/Diesel/Battery Hybrid Energy System Using a Combined Dispatch Strategy. <i>Sustainability</i> , 2019 , 11, 683	3.6	84
367	New ARMO-based MPPT Technique to Minimize Tracking Time and Fluctuation at Output of PV Systems under Rapidly Changing Shading Conditions. <i>IEEE Transactions on Industrial Informatics</i> , 2019 , 1-1	11.9	31

366	A data-driven algorithm for online detection of component and system faults in modern wind turbines at different operating zones. <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 103, 546-555	16.2	21
365	Design and Implementation of a Hybrid Single T-Type Double H-Bridge Multilevel Inverter (STDH-MLI) Topology. <i>Energies</i> , 2019 , 12, 1810	3.1	14
364	Lyapunov model predictive control to optimise computational burden, reference tracking and THD of three-phase four-leg inverter. <i>IET Power Electronics</i> , 2019 , 12, 1061-1070	2.2	5
363	Enhancing power system resilience leveraging microgrids: A review. <i>Journal of Renewable and Sustainable Energy</i> , 2019 , 11, 035503	2.5	31
362	A New Multilevel Inverter Topology With Reduce Switch Count. <i>IEEE Access</i> , 2019 , 7, 58584-58594	3.5	82
361	Review on forecasting of photovoltaic power generation based on machine learning and metaheuristic techniques. <i>IET Renewable Power Generation</i> , 2019 , 13, 1009-1023	2.9	123
360	Robust Speed Control of PMSM Using Sliding Mode Control (SMC) A Review. <i>Energies</i> , 2019 , 12, 1669	3.1	44
359	Addendum: Abubakar, U.; Mekhilef, S.; Mokhlis, H.; Seyedmahmoudian, M.; Horan, B.; Stojcevski, A.; Bassi, H.; Rawa, M.J.H. Transient Faults in Wind Energy Conversion Systems: Analysis, Modelling Methodologies and Remedies. <i>Energies</i> 2018, 11, 2249. <i>Energies</i> , 2019 , 12, 286	3.1	
358	Short-term PV power forecasting using hybrid GASVM technique. <i>Renewable Energy</i> , 2019 , 140, 367-379	8.1	92
357	Optimal Design of a New Cascaded Multilevel Inverter Topology With Reduced Switch Count. <i>IEEE Access</i> , 2019 , 7, 24498-24510	3.5	117
356	Sensorless second-order switching surface for a three-level boost converter. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , 2019 , 27, 11-23	0.9	2
355	Increased Absorption with Al Nanoparticle at Front Surface of Thin Film Silicon Solar Cell. <i>Energies</i> , 2019 , 12, 2602	3.1	8
354	Low Switching Frequency Based Asymmetrical Multilevel Inverter Topology With Reduced Switch Count. <i>IEEE Access</i> , 2019 , 7, 86374-86383	3.5	72
353	Application of Fractional Order Sliding Mode Control for Speed Control of Permanent Magnet Synchronous Motor. <i>IEEE Access</i> , 2019 , 7, 101765-101774	3.5	31
352	Overview of model-based online state-of-charge estimation using Kalman filter family for lithium-ion batteries. <i>Renewable and Sustainable Energy Reviews</i> , 2019 , 113, 109233	16.2	148
351	An Interoperable Component-Based Architecture for Data-Driven IoT System. <i>Sensors</i> , 2019 , 19,	3.8	6
350	Nonparametric Kullback-divergence-PCA for intelligent mismatch detection and power quality monitoring in grid-connected rooftop PV. <i>Energy</i> , 2019 , 189, 116366	7.9	19
349	Power management and coordinated control of standalone active PV generator for isolated agriculture area-case study in the South of Algeria. <i>Journal of Renewable and Sustainable Energy</i> , 2019 , 11, 015305	2.5	2

348	Enhanced soft-switching strategy for flyback-based microinverter in PV power systems. <i>IET Renewable Power Generation</i> , 2019 , 13, 2830-2839	2.9	4
347	Fractional order PID controller for DC link voltage regulation in hybrid system including wind turbine- and battery packs-experimental validation. <i>International Journal of Power Electronics</i> , 2019 , 10, 289	0.2	4
346	Comparative Study of Different Transformer-less Inverter Topologies for Grid-tied Photovoltaic System 2019 ,		2
345	Power management and DC link voltage regulation in renewable energy system 2019 ,		3
344	Comparative Analysis of Optimal and Fixed Input DC Sources with Selective Harmonic Elimination Pulse Width Modulation 2019 ,		6
343	SHEPWM Based New Hybrid Multilevel Inverter Topology with Reduced Switch Count 2019 ,		1
342	A New Single Phase Single Switched-Capacitor Based Nine-Level Boost Inverter Topology With Reduced Switch Count and Voltage Stress. <i>IEEE Access</i> , 2019 , 7, 174178-174188	3.5	46
341	A New Single-Phase Single Source Nine Level Boost Inverter Topology 2019 ,		2
340	Prediction PV Power Based on Artificial Neural Networks. <i>Lecture Notes in Networks and Systems</i> , 2019 , 122-128	0.5	0
339	Experimental evaluation of model predictive current control for a modified three-level four-leg indirect matrix converter. <i>IET Electric Power Applications</i> , 2018 , 12, 114-123	1.8	9
338	. <i>IEEE Transactions on Industrial Informatics</i> , 2018 , 14, 4322-4333	11.9	129
337	Performance evaluation of hybrid adaptive neuro-fuzzy inference system models for predicting monthly global solar radiation. <i>Applied Energy</i> , 2018 , 213, 247-261	10.7	89
336	Flexible hybrid renewable energy system design for a typical remote village located in tropical climate. <i>Journal of Cleaner Production</i> , 2018 , 177, 908-924	10.3	66
335	A design method for developing a high misalignment tolerant wireless charging system for electric vehicles. <i>Measurement: Journal of the International Measurement Confederation</i> , 2018 , 118, 237-245	4.6	18
334	Minimum switching losses for solving distribution NR problem with distributed generation. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 1790-1801	2.5	28
333	Improved UFLS with consideration of power deficit during shedding process and flexible load selection. <i>IET Renewable Power Generation</i> , 2018 , 12, 565-575	2.9	22
332	A PSO-DQ Current Control Scheme for Performance Enhancement of Z-Source Matrix Converter to Drive IM Fed by Abnormal Voltage. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 1666-1681	7.2	61
331	Multi-Objective Network Reconfiguration with Optimal DG Output Using Meta-Heuristic Search Algorithms. <i>Arabian Journal for Science and Engineering</i> , 2018 , 43, 2673-2686	2.5	8

330	Ramp-rate control approach based on dynamic smoothing parameter to mitigate solar PV output fluctuations. <i>International Journal of Electrical Power and Energy Systems</i> , 2018 , 96, 296-305	5.1	28
329	A Simplified Time-Domain Modulation Scheme-Based Maximum Boost Control for Three-Phase Quasi-Z Source Inverters. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2018 , 6, 760-769	5.6	23
328	Forecasting of photovoltaic power generation and model optimization: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 81, 912-928	16.2	338
327	Modeling and characterization of a grid-connected photovoltaic system under tropical climate conditions. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 82, 2094-2105	16.2	10
326	Selective harmonic elimination in inverters using bio-inspired intelligent algorithms for renewable energy conversion applications: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 82, 2235-2253	16.2	77
325	A new method for intermediate power point tracking for PV generator under partially shaded conditions in hybrid system. <i>Solar Energy</i> , 2018 , 170, 974-987	6.8	16
324	A New Under-Frequency Load Shedding Scheme Based on Adaptive Neuro-Fuzzy Inference System and Evolutionary Programming Shedding Priority. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018 , 164, 012015	0.3	
323	Selective harmonic elimination in multilevel inverter using hybrid APSO algorithm. <i>IET Power Electronics</i> , 2018 , 11, 1673-1680	2.2	47
322	Short-Term Forecasting of the Output Power of a Building-Integrated Photovoltaic System Using a Metaheuristic Approach. <i>Energies</i> , 2018 , 11, 1260	3.1	27
321	A Four-Level T-Type Neutral Point Piloted Inverter for Solar Energy Applications. <i>Energies</i> , 2018 , 11, 1546	9.1	5
320	Maximum Power Point Tracking for Photovoltaic Systems under Partial Shading Conditions Using Bat Algorithm. <i>Sustainability</i> , 2018 , 10, 1347	3.6	41
319	Performance Evaluation of Maximum Power Point Tracking Approaches and Photovoltaic Systems. <i>Energies</i> , 2018 , 11, 365	3.1	65
318	Application of the hybrid ANFIS models for long term wind power density prediction with extrapolation capability. <i>PLoS ONE</i> , 2018 , 13, e0193772	3.7	23
317	Mitigation of Power Quality Issues Due to High Penetration of Renewable Energy Sources in Electric Grid Systems Using Three-Phase APF/STATCOM Technologies: A Review. <i>Energies</i> , 2018 , 11, 1494	3.1	22
316	Performance Analysis of Multi-Photovoltaic (PV)-Grid Tied Plant in Malaysia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018 , 164, 012013	0.3	1
315	Energy management and performance evaluation of grid connected PV-battery hybrid system with inherent control scheme. <i>Sustainable Cities and Society</i> , 2018 , 41, 490-504	10.1	23
314	Single phase symmetrical and asymmetrical design of multilevel inverter topology with reduced number of switches 2018 ,		7
313	A Fuzzy Logic Controller Based on Maximum Power Point Tracking Algorithm for Partially Shaded PV Array-Experimental Validation. <i>Elektronika Ir Elektrotechnika</i> , 2018 , 24,	1.7	14

312	A high-performance control scheme for photovoltaic pumping system under sudden irradiance and load changes. <i>Solar Energy</i> , 2018 , 159, 353-368	6.8	36
311	Adaptive Terminal Sliding Mode Control of Hyper-Chaotic Uncertain 4-Order system with One Control Input 2018 ,		4
310	Asymmetrical Multilevel Inverter Topology with Reduced Number of Components 2018 ,		6
309	A New Routing Approach for Mobile Ad Hoc Systems Based on Fuzzy Petri Nets and Ant System. <i>IEEE Access</i> , 2018 , 6, 65705-65720	3.5	14
308	A state-of-the-art review of hydropower in Malaysia as renewable energy: Current status and future prospects. <i>Energy Strategy Reviews</i> , 2018 , 22, 426-437	9.8	35
307	Implementation of BAT Algorithm as Maximum Power Point Tracking Technique for Photovoltaic System Under Partial Shading Conditions 2018 ,		11
306	Modelling of ASEAN Power Grid Using Publicly Available Data 2018 ,		1
305	Hybrid renewable energy supply for rural healthcare facilities: An approach to quality healthcare delivery. <i>Sustainable Energy Technologies and Assessments</i> , 2018 , 30, 121-138	4.7	71
304	Fault detection in a grid-connected photovoltaic system using adaptive thresholding method. <i>Solar Energy</i> , 2018 , 174, 762-769	6.8	12
303	Improved energy conversion performance of a novel design of concentrated photovoltaic system combined with thermoelectric generator with advance cooling system. <i>Energy Conversion and Management</i> , 2018 , 177, 19-29	10.6	32
302	The Prospective Non-Conventional Alternate and Renewable Energy Sources in Pakistan: A Focus on Biomass Energy for Power Generation, Transportation, and Industrial Fuel. <i>Energies</i> , 2018 , 11, 2431	3.1	26
301	Analysis of LC-LC2 Compensated Inductive Power Transfer for High Efficiency and Load Independent Voltage Gain. <i>Energies</i> , 2018 , 11, 2883	3.1	4
300	Two Novel Approaches of NTSMC and ANTSMC Synchronization for Smart Grid Chaotic Systems. <i>Technology and Economics of Smart Grids and Sustainable Energy</i> , 2018 , 3, 1	2.1	8
299	Transient Faults in Wind Energy Conversion Systems: Analysis, Modelling Methodologies and Remedies. <i>Energies</i> , 2018 , 11, 2249	3.1	6
298	A New Chaotic System with Stable Equilibrium: Entropy Analysis, Parameter Estimation, and Circuit Design. <i>Entropy</i> , 2018 , 20,	2.8	21
297	Application of Hybrid Meta-Heuristic Techniques for Optimal Load Shedding Planning and Operation in an Islanded Distribution Network Integrated with Distributed Generation. <i>Energies</i> , 2018 , 11, 1134	3.1	16
296	High Performance Modified Model Predictive Control of a Voltage Source Inverter. <i>Electric Power Components and Systems</i> , 2018 , 46, 600-613	1	6
295	Fault-tolerant power extraction strategy for photovoltaic energy systems. <i>Solar Energy</i> , 2018 , 169, 594-608	6.8	15

294	An Online Transformerless Uninterruptible Power Supply (UPS) System With a Smaller Battery Bank for Low-Power Applications. <i>IEEE Transactions on Power Electronics</i> , 2017 , 32, 233-247	7.2	44
293	Evaluating the reliability of crystalline silicon photovoltaic modules in harsh environment. <i>Renewable Energy</i> , 2017 , 109, 66-72	8.1	34
292	Optimal reconfiguration of distribution system connected with distributed generations: A review of different methodologies. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 73, 854-867	16.2	102
291	Performance analysis of hybrid PV/diesel/battery system using HOMER: A case study Sabah, Malaysia. <i>Energy Conversion and Management</i> , 2017 , 144, 322-339	10.6	173
290	Mix-mode energy management strategy and battery sizing for economic operation of grid-tied microgrid. <i>Energy</i> , 2017 , 118, 1322-1333	7.9	80
289	Proportional-Resonant and Slide Mode Control for Single-Phase UPS Inverter. <i>Electric Power Components and Systems</i> , 2017 , 45, 11-21	1	8
288	A transformerless reduced switch counts three-phase APF-assisted smart EV charger 2017 ,		1
287	A resonant double stage flyback microinverter for PV applications 2017 ,		4
286	Investigation into transmission options for cross-border power trading in ASEAN power grid. <i>Energy Policy</i> , 2017 , 108, 91-101	7.2	16
285	Fuzzy-Logic-Based UPFC and Laboratory Prototype Validation for Dynamic Power Flow Control in Transmission Lines. <i>IEEE Transactions on Industrial Electronics</i> , 2017 , 64, 9538-9548	8.9	32
284	Highly efficient flyback microinverter for grid-connected rooftop PV system. <i>Solar Energy</i> , 2017 , 146, 511-522	6.8	25
283	A Frequency Adaptive Phase Shift Modulation Control Based LLC Series Resonant Converter for Wide Input Voltage Applications. <i>IEEE Transactions on Power Electronics</i> , 2017 , 32, 8360-8370	7.2	45
282	Active power filter (APF) for mitigation of power quality issues in grid integration of wind and photovoltaic energy conversion system. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 70, 635-655	16.2	88
281	Digital predictive current control of multi-level four-leg voltage-source inverter under balanced and unbalanced load conditions. <i>IET Electric Power Applications</i> , 2017 , 11, 1499-1508	1.8	12
280	A simplified structure for three-phase 4-level inverter employing fundamental frequency switching technique. <i>IET Power Electronics</i> , 2017 , 10, 1870-1877	2.2	5
279	Optimal switching sequence path for distribution network reconfiguration considering different types of distributed generation. <i>IEEE Transactions on Electrical and Electronic Engineering</i> , 2017 , 12, 874-882	1	5
278	2017 ,		1
277	Application of extreme learning machine for short term output power forecasting of three grid-connected PV systems. <i>Journal of Cleaner Production</i> , 2017 , 167, 395-405	10.3	117

276	Grid-connected isolated PV microinverters: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 67, 1065-1080	16.2	97
275	ASEAN power grid: A secure transmission infrastructure for clean and sustainable energy for South-East Asia. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 67, 1420-1435	16.2	39
274	Performance evaluation of a stand-alone PV-wind-diesel-battery hybrid system feasible for a large resort center in South China Sea, Malaysia. <i>Sustainable Cities and Society</i> , 2017 , 28, 358-366	10.1	176
273	. <i>IEEE Transactions on Industrial Electronics</i> , 2017 , 64, 14-21	8.9	13
272	Inertia response and frequency control techniques for renewable energy sources: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 69, 144-155	16.2	335
271	Energy management for a gird connected hybrid renewable energy system 2017 ,		2
270	Two novel AOTSMC of Photovoltaic system using VSC model in smart grid 2017 ,		1
269	Proposed new N-multilevel family of topologies for T-type inverter. <i>IEICE Electronics Express</i> , 2017 , 14, 20170342-20170342	0.5	5
268	Dual bridge LLC resonant converter with frequency adaptive phase-shift modulation control for wide voltage gain range 2017 ,		3
267	A discrete pulse group control-based series resonant inverter with complete ZCS-assisted inductors for consumer high frequency IH application 2017 ,		1
266	A Study of balancer-less EDLC stack in a new power electric motor-driven capacitor scooter system 2017 ,		1
265	Application of Meta-Heuristic Techniques for Optimal Load Shedding in Islanded Distribution Network with High Penetration of Solar PV Generation. <i>Energies</i> , 2017 , 10, 150	3.1	16
264	A High-Frequency Isolated Online Uninterruptible Power Supply (UPS) System with Small Battery Bank for Low Power Applications. <i>Energies</i> , 2017 , 10, 418	3.1	1
263	Dynamic Charging of Electric Vehicle with Negligible Power Transfer Fluctuation. <i>Energies</i> , 2017 , 10, 701	3.1	13
262	SVR-Based Model to Forecast PV Power Generation under Different Weather Conditions. <i>Energies</i> , 2017 , 10, 876	3.1	50
261	Frequency Regulation Strategies in Grid Integrated Offshore Wind Turbines via VSC-HVDC Technology: A Review. <i>Energies</i> , 2017 , 10, 1244	3.1	17
260	A Fuzzy-Based PI Controller for Power Management of a Grid-Connected PV-SOFC Hybrid System. <i>Energies</i> , 2017 , 10, 1720	3.1	12
259	Near State Vector Selection-Based Model Predictive Control with Common Mode Voltage Mitigation for a Three-Phase Four-Leg Inverter. <i>Energies</i> , 2017 , 10, 2129	3.1	2

258	Experimental Verification of a Battery Energy Storage System for Integration with Photovoltaic Generators. <i>Advances in Power Electronics</i> , 2017 , 2017, 1-10		2
257	Wind Farm Management using Artificial Intelligent Techniques. <i>International Journal of Electrical and Computer Engineering</i> , 2017 , 7, 1133	1.4	3
256	Real Time Implementation of 3-Phase 4-Wire Shunt Hybrid Active Power Filter Based on PI Controller. <i>Journal of Testing and Evaluation</i> , 2017 , 45, 20150168	1	5
255	A reduced leakage current transformerless photovoltaic inverter. <i>Renewable Energy</i> , 2016 , 86, 1103-1118.	1	21
254	Modified Model Predictive Control of a Bidirectional AC/DC Converter Based on Lyapunov Function for Energy Storage Systems. <i>IEEE Transactions on Industrial Electronics</i> , 2016 , 63, 704-715	8.9	111
253	New single stage AC/DC converter with high frequency link isolation for high power application 2016 ,		1
252	A simple modulation based maximum boost control strategy for three-phase quasi Z-source inverter 2016 ,		5
251	Review: Uninterruptible Power Supply (UPS) system. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 58, 1395-1410	16.2	63
250	Shunt hybrid active power filter under nonideal voltage based on fuzzy logic controller. <i>International Journal of Electronics</i> , 2016 , 1-13	1.2	4
249	Solar cell parameters extraction based on single and double-diode models: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 56, 494-509	16.2	272
248	Efficient Single Phase Transformerless Inverter for Grid-Tied PVG System With Reactive Power Control. <i>IEEE Transactions on Sustainable Energy</i> , 2016 , 7, 1205-1215	8.2	53
247	Mitigating methods of power fluctuation of photovoltaic (PV) sources A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 59, 1170-1184	16.2	188
246	Hybrid renewable power supply for rural health clinics (RHC) in six geo-political zones of Nigeria. <i>Sustainable Energy Technologies and Assessments</i> , 2016 , 13, 1-12	4.7	65
245	Experimental investigation on thermo physical properties of single walled carbon nanotube nanofluids. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 93, 862-871	4.9	78
244	Efficient Transformerless MOSFET Inverter for a Grid-Tied Photovoltaic System. <i>IEEE Transactions on Power Electronics</i> , 2016 , 31, 6305-6316	7.2	75
243	Extended maximum boost control scheme based on single-phase modulator for three-phase Z-source inverter. <i>IET Power Electronics</i> , 2016 , 9, 669-679	2.2	13
242	Mathematical modelling and experimental validation of solar drying of mushrooms. <i>International Journal of Green Energy</i> , 2016 , 13, 344-351	3	15
241	Global Solar Radiation Forecasting Based on SVM-Wavelet Transform Algorithm. <i>International Journal of Intelligent Systems and Applications</i> , 2016 , 8, 19-26	1.5	2

240	Optimal Placement of Unified Power Flow Controller by Dynamic Implementation of System-Variable-Based Voltage-Stability Indices to Enhance Voltage Stability. <i>Journal of Testing and Evaluation</i> , 2016 , 44, 20140512	1	2
239	Largely-Reduced Switching Noise Buck Type DC/DC Converter Embedding A Novel Delta-Sigma Modulation Control Scheme with White Noise Sequence. <i>Journal of the Japan Institute of Power Electronics</i> , 2016 , 42, 80-88	0	
238	A Current Control Approach for an Abnormal Grid Supplied Ultra Sparse Z-Source Matrix Converter with a Particle Swarm Optimization Proportional-Integral Induction Motor Drive Controller. <i>Energies</i> , 2016 , 9, 899	3.1	3
237	Design of ramp-time current control with dynamic fuzzy bandwidth for wireless power transmission. <i>International Journal of Microwave and Wireless Technologies</i> , 2016 , 8, 1173-1182	0.8	1
236	Highly efficient three-phase three-level multilevel inverter employing different commutation strategies. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , 2016 , 24, 76-87	0.9	3
235	Temperature Regulation of Photovoltaic Module Using Phase Change Material: A Numerical Analysis and Experimental Investigation. <i>International Journal of Photoenergy</i> , 2016 , 2016, 1-8	2.1	47
234	Three-phase multilevel inverter with high value of resolution per switch employing a space vector modulation control scheme. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , 2016 , 24, 1993-2009	0.9	7
233	Coil Design for High Misalignment Tolerant Inductive Power Transfer System for EV Charging. <i>Energies</i> , 2016 , 9, 937	3.1	34
232	Environmental and exergy benefit of nanofluid-based hybrid PV/T systems. <i>Energy Conversion and Management</i> , 2016 , 123, 431-444	10.6	144
231	State of the art artificial intelligence-based MPPT techniques for mitigating partial shading effects on PV systems [A review]. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 64, 435-455	16.2	180
230	Design of super-rapid charging capacitor scooter with EDLC power supply and pulse power charger 2016 ,		2
229	Soft-switching active-clamp flyback microinverter for PV applications 2016 ,		7
228	Transformer-less 3P3W SAPF (three-phase three-wire shunt active power filter) with line-interactive UPS (uninterruptible power supply) and battery energy storage stage. <i>Energy</i> , 2016 , 109, 525-536	7.9	18
227	Energy management strategies in hybrid renewable energy systems: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 62, 821-835	16.2	284
226	2016 ,		4
225	A cascade nanofluid-based PV/T system with optimized optical and thermal properties. <i>Energy</i> , 2016 , 112, 963-975	7.9	94
224	Dust as an unalterable deteriorative factor affecting PV panel's efficiency: Why and how. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 65, 1267-1278	16.2	125
223	Progress and latest developments of evacuated tube solar collectors. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 51, 1038-1054	16.2	205

222	A wireless vehicle charging system using Class $\frac{2}{\pi}$ -inverter 2015 ,		2
221	The Optimization of Solar Drying of Grain by Using a Genetic Algorithm. <i>International Journal of Green Energy</i> , 2015 , 12, 1222-1231	3	15
220	A new correlation for predicting the thermal conductivity of nanofluids; using dimensional analysis. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 90, 121-130	4.9	69
219	A new high efficient transformerless inverter for single phase grid-tied photovoltaic system with reactive power control 2015 ,		6
218	High-Gain Zero-Voltage Switching Bidirectional Converter With a Reduced Number of Switches. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2015 , 62, 816-820	3.5	45
217	Simulation and Hardware Implementation of New Maximum Power Point Tracking Technique for Partially Shaded PV System Using Hybrid DEPSO Method. <i>IEEE Transactions on Sustainable Energy</i> , 2015 , 6, 850-862	8.2	186
216	H6-type transformerless single-phase inverter for grid-tied photovoltaic system. <i>IET Power Electronics</i> , 2015 , 8, 636-644	2.2	87
215	A support vector machine-firefly algorithm-based model for global solar radiation prediction. <i>Solar Energy</i> , 2015 , 115, 632-644	6.8	217
214	Inductively coupled power transfer (ICPT) for electric vehicle charging [A review. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 47, 462-475	16.2	93
213	Experimental validation of minimum cost function-based model predictive converter control with efficient reference tracking. <i>IET Power Electronics</i> , 2015 , 8, 278-287	2.2	32
212	Enhancing power transfer capability through flexible AC transmission system devices: a review. <i>Frontiers of Information Technology and Electronic Engineering</i> , 2015 , 16, 658-678	2.2	35
211	Modified scalar discontinuous pulse-width modulation method for two-level three-wire voltage source inverters under unbalanced and distorted conditions. <i>IET Power Electronics</i> , 2015 , 8, 1339-1348	2.2	7
210	Adaptive neuro-fuzzy approach for solar radiation prediction in Nigeria. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 51, 1784-1791	16.2	115
209	Energy performance of an evacuated tube solar collector using single walled carbon nanotubes nanofluids. <i>Energy Conversion and Management</i> , 2015 , 105, 1377-1388	10.6	145
208	Current harmonics compensation with three-phase four-wire shunt hybrid active power filter based on modified DQ theory. <i>IET Power Electronics</i> , 2015 , 8, 2265-2280	2.2	19
207	Energy, economic, and environmental analysis of a flat-plate solar collector operated with SiO ₂ nanofluid. <i>Clean Technologies and Environmental Policy</i> , 2015 , 17, 1457-1473	4.3	71
206	A Fast-Converging MPPT Technique for Photovoltaic System Under Fast-Varying Solar Irradiation and Load Resistance. <i>IEEE Transactions on Industrial Informatics</i> , 2015 , 11, 176-186	11.9	141
205	Fuzzy swinging-up with sliding mode control for third order cart-inverted pendulum system. <i>International Journal of Control, Automation and Systems</i> , 2015 , 13, 238-248	2.9	25

204	Simulation of unsteady heat and mass transport with heatline and massline in a partially heated open cavity. <i>Applied Mathematical Modelling</i> , 2015 , 39, 1597-1615	4.5	19
203	Design and real time implementation of single phase boost power factor correction converter. <i>ISA Transactions</i> , 2015 , 55, 267-74	5.5	22
202	A 12-Sector Space Vector Switching Scheme for Performance Improvement of Matrix-Converter-Based DTC of IM Drive. <i>IEEE Transactions on Power Electronics</i> , 2015 , 30, 3804-3817	7.2	42
201	An improved particle swarm optimization based maximum power point tracking strategy with variable sampling time. <i>International Journal of Electrical Power and Energy Systems</i> , 2015 , 64, 761-770	5.1	44
200	Implementation of fuzzy unified power flow controller to control power flow dynamically in transmission line 2015 ,		5
199	Techno-economic analysis of hybrid PVdieselBattery and PVwinddieselBattery power systems for mobile BTS: the way forward for rural development. <i>Energy Science and Engineering</i> , 2015 , 3, 271-285 ^{3.4}		109
198	Multiple output LC tank varactor VCO with ultra-low power consumption and low-phase noise 2015 ,		1
197	Analysis and comparison of different grid-tied transformerless inverters for PV system 2015 ,		1
196	Optimal placement of unified power flow controllers to improve dynamic voltage stability using power system variable based voltage stability indices. <i>PLoS ONE</i> , 2015 , 10, e0123802	3.7	13
195	Current Controllers of Active Power Filter for Power Quality Improvement: A Technical Analysis. <i>Automatika</i> , 2015 , 56, 42-54	1.6	16
194	An improved active-front-end rectifier using model predictive control 2015 ,		6
193	Model predictive control of bidirectional isolated DCDC converter for energy conversion system. <i>International Journal of Electronics</i> , 2015 , 102, 1407-1427	1.2	22
192	Model predictive control of induction motor with delay time compensation: An experimental assessment 2015 ,		10
191	Performance Evaluation of a Solar Powered Air Dryer for White Oyster Mushroom Drying. <i>International Journal of Green Energy</i> , 2015 , 12, 1113-1121	3	11
190	Economic evaluation of hybrid energy systems for rural electrification in six geo-political zones of Nigeria. <i>Renewable Energy</i> , 2015 , 83, 435-446	8.1	151
189	Techno-economic feasibility of hybrid renewable energy system for rural health centre (RHC): The wayward for quality health delivery 2015 ,		4
188	A novel PV power conditioner operating under time-sharing sinewave tracking boost chopper-fed inverter and its extended bidirectional topology 2015 ,		2
187	An industrial optimum current control scheme for IM drive fed by Ultra Sparse Z-source Matrix Converter under abnormal input voltage 2015 ,		2

186	An adaptive Neuro-Fuzzy controller for maximum power point tracking of photovoltaic systems 2015 ,		8
185	Semi-Z-source inverter topology for grid-connected photovoltaic system. <i>IET Power Electronics</i> , 2015 , 8, 63-75	2.2	27
184	Experimental verification of P&O MPPT algorithm with direct control based on Fuzzy logic control using CUK converter. <i>International Transactions on Electrical Energy Systems</i> , 2015 , 25, 3492-3508	2.2	42
183	Performance enhancement of a Flat Plate Solar collector using Titanium dioxide nanofluid and Polyethylene Glycol dispersant. <i>Journal of Cleaner Production</i> , 2015 , 92, 343-353	10.3	172
182	Single phase transformerless inverter topologies for grid-tied photovoltaic system: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2015 , 45, 69-86	16.2	135
181	Unsteady mixed convection in a porous media filled lid-driven cavity heated by a semi-circular heaters. <i>Thermal Science</i> , 2015 , 19, 1761-1768	1.2	9
180	Model Predictive Control of Bidirectional AC-DC Converter for Energy Storage System. <i>Journal of Electrical Engineering and Technology</i> , 2015 , 10, 165-175	1.4	27
179	Imposed Weighting Factor Optimization Method for Torque Ripple Reduction of IM Fed by Indirect Matrix Converter with Predictive Control Algorithm. <i>Journal of Electrical Engineering and Technology</i> , 2015 , 10, 227-242	1.4	18
178	Modeling and Experimental Validation of 5-level Hybrid H-bridge Multilevel Inverter Fed DTC-IM Drive. <i>Journal of Electrical Engineering and Technology</i> , 2015 , 10, 574-585	1.4	7
177	Stability and Performance Investigations of Model Predictive Controlled Active-Front-End (AFE) Rectifiers for Energy Storage Systems. <i>Journal of Power Electronics</i> , 2015 , 15, 202-215	0.9	21
176	Switching Noise Peaks Reduction Characteristics of High-Frequency Switched Mode Buck DC/DC Converter Embedding Advanced Delta-Sigma Modulation Processing. <i>Journal of the Japan Institute of Power Electronics</i> , 2015 , 41, 95-103	0	
175	Unsteady natural convection in Al ₂ O ₃ /water nanoliquid filled in isosceles triangular enclosure with sinusoidal thermal boundary condition on bottom wall. <i>Superlattices and Microstructures</i> , 2014 , 67, 181-198	2.8	14
174	Biomass energy in Bangladesh: Current status and prospects. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 30, 504-517	16.2	83
173	High efficiency transformerless MOSFET inverter for grid-tied photovoltaic system 2014 ,		12
172	New management structure of active and reactive power of a large wind farm based on multilevel converter. <i>Renewable Energy</i> , 2014 , 68, 814-828	8.1	20
171	Augmentation of natural convection heat transfer in triangular shape solar collector by utilizing water based nanofluids having a corrugated bottom wall. <i>International Communications in Heat and Mass Transfer</i> , 2014 , 50, 117-127	5.8	43
170	Modified incremental conductance MPPT algorithm to mitigate inaccurate responses under fast-changing solar irradiation level. <i>Solar Energy</i> , 2014 , 101, 333-342	6.8	246
169	Numerical Simulation of Unsteady Heat Transfer in a Half-Moon Shape Enclosure with Variable Thermal Boundary Condition for Different Nanofluids. <i>Numerical Heat Transfer, Part B: Fundamentals</i> , 2014 , 65, 282-301	1.3	13

168	Implementation of a modified incremental conductance MPPT algorithm with direct control based on a fuzzy duty cycle change estimator using dSPACE. <i>Solar Energy</i> , 2014 , 110, 325-337	6.8	135
167	An improved transformerless grid connected photovoltaic inverter with reduced leakage current. <i>Energy Conversion and Management</i> , 2014 , 88, 854-862	10.6	33
166	An Improved Transformerless Grid Connected Photovoltaic Inverter with Common Mode Leakage Current Elimination 2014 ,		10
165	A placement method of fuzzy based unified power flow controller to enhance voltage stability margin 2014 ,		13
164	Model predictive control of a bidirectional AC-DC converter for V2G and G2V applications in electric vehicle battery charger 2014 ,		14
163	Predictive indirect matrix converter fed torque ripple minimization with weighting factor optimization 2014 ,		8
162	Malaysia's renewable energy policies and programs with green aspects. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 40, 497-504	16.2	80
161	Modified Incremental Conductance Algorithm for Photovoltaic System Under Partial Shading Conditions and Load Variation. <i>IEEE Transactions on Industrial Electronics</i> , 2014 , 61, 5384-5392	8.9	274
160	Model Predictive Torque Ripple Reduction with Weighting Factor Optimization Fed by an Indirect Matrix Converter. <i>Electric Power Components and Systems</i> , 2014 , 42, 1059-1069	1	30
159	D-Q model of Fuzzy based UPFC to control power flow in transmission network 2014 ,		8
158	Synchronous reference frame based control technique for shunt hybrid active power filter under non-ideal voltage 2014 ,		8
157	Effect of solid volume fraction and tilt angle in a quarter circular solar thermal collectors filled with CNT/water nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2014 , 57, 79-90	5.8	42
156	Long-Term Wind Speed Forecasting and General Pattern Recognition Using Neural Networks. <i>IEEE Transactions on Sustainable Energy</i> , 2014 , 5, 546-553	8.2	141
155	Fuzzy based controller for dynamic Unified Power Flow Controller to enhance power transfer capability. <i>Energy Conversion and Management</i> , 2014 , 79, 652-665	10.6	31
154	Performance study of different solar dryers: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 34, 463-470	16.2	110
153	An approach to improve active power flow capability by using dynamic unified power flow controller 2014 ,		17
152	System identification and control of robot manipulator based on fuzzy adaptive differential evolution algorithm. <i>Advances in Engineering Software</i> , 2014 , 78, 60-66	3.6	29
151	Three-phase hybrid multilevel inverter with less power electronic components using space vector modulation. <i>IET Power Electronics</i> , 2014 , 7, 1256-1265	2.2	68

150	A review of reliable and energy efficient direct torque controlled induction motor drives. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 37, 919-932	16.2	70
149	Optimization of micro-grid system using MOPSO. <i>Renewable Energy</i> , 2014 , 71, 295-306	8.1	215
148	Robotic System Development for Cooperative Orthopedic Drilling Assistance. <i>Advances in Mechanical Engineering</i> , 2014 , 6, 437485	1.2	2
147	Optimal sizing of hybrid energy system for a remote telecom tower: A case study in Nigeria 2014 ,		16
146	Maximum power point tracking of partial shaded photovoltaic array using an evolutionary algorithm: A particle swarm optimization technique. <i>Journal of Renewable and Sustainable Energy</i> , 2014 , 6, 023102	2.5	46
145	A review on the applications of driving data and traffic information for vehicles? energy conservation. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 37, 822-833	16.2	33
144	Active neutral point clamped converter for equal loss distribution. <i>IET Power Electronics</i> , 2014 , 7, 1859-1867		14
143	A finite element analysis on combined convection and conduction in a channel with a thick walled cavity. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2014 , 24, 1888-1905	4.5	5
142	Novel configuration for multilevel DC-link three-phase five-level inverter. <i>IET Power Electronics</i> , 2014 , 7, 3052-3061	2.2	34
141	Boundary control of dual-output boost converter using state-energy plane. <i>IET Power Electronics</i> , 2014 , 7, 2310-2321	2.2	6
140	Stator resistance estimation scheme using fuzzy logic system for direct torque controlled induction motor drive. <i>Journal of Intelligent and Fuzzy Systems</i> , 2014 , 27, 1631-1638	1.6	3
139	A Differential Evolution Based MPPT Method for Photovoltaic Modules under Partial Shading Conditions. <i>International Journal of Photoenergy</i> , 2014 , 2014, 1-10	2.1	44
138	A Single Phase Doubly Grounded Semi-Z-Source Inverter for Photovoltaic (PV) Systems with Maximum Power Point Tracking (MPPT). <i>Energies</i> , 2014 , 7, 3618-3641	3.1	12
137	A New Five-level Single-phase Inverter Employing a Space Vector Current Control. <i>Electric Power Components and Systems</i> , 2014 , 42, 1121-1130	1	8
136	A review on high frequency resonant inverter technologies for wireless power transfer using magnetic resonance coupling 2014 ,		16
135	Robust Sensorless Sliding Mode Flux Observer for DTC-SVM-based Drive with Inverter Nonlinearity Compensation. <i>Journal of Power Electronics</i> , 2014 , 14, 125-134	0.9	12
134	Effect of Lewis Number on Unsteady Double Diffusive Buoyancy Induced Flow in a Triangular Solar Collector with Corrugated Wall. <i>Procedia Engineering</i> , 2014 , 90, 418-424		3
133	Modeling of Unsteady Natural Convection for Double-Pipe in a Partially Cooled Enclosure. <i>Numerical Heat Transfer; Part A: Applications</i> , 2014 , 66, 582-603	2.3	1

132	Techno-economic evaluation of energy efficiency measures in high rise residential buildings in Malaysia. <i>Clean Technologies and Environmental Policy</i> , 2014 , 16, 23-35	4.3	5
131	New Three-Phase Multilevel Inverter With Reduced Number of Power Electronic Components. <i>IEEE Transactions on Power Electronics</i> , 2014 , 29, 6018-6029	7.2	50
130	A combined compact genetic algorithm and local search method for optimizing the ARMA(1,1) model of a likelihood estimator. <i>ScienceAsia</i> , 2014 , 40S, 78	1.4	2
129	Modeling and Experimental Verification of ANN Based Online Stator Resistance Estimation in DTC-IM Drive. <i>Journal of Electrical Engineering and Technology</i> , 2014 , 9, 550-558	1.4	7
128	Design and Implementation of a New Multilevel DC-Link Three-phase Inverter. <i>Journal of Power Electronics</i> , 2014 , 14, 292-301	0.9	6
127	A Review on Favourable Maximum Power Point Tracking Systems in Solar Energy Application. <i>Telkomnika (Telecommunication Computing Electronics and Control)</i> , 2014 , 12, 6	1.4	2
126	Solar energy harvesting with the application of nanotechnology. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 26, 837-852	16.2	137
125	Performance, materials and coating technologies of thermochromic thin films on smart windows. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 26, 353-364	16.2	222
124	Online stator resistance estimation using artificial neural network for direct torque controlled induction motor drive 2013 ,		3
123	Energy, economic and environmental analysis of metal oxides nanofluid for flat-plate solar collector. <i>Energy Conversion and Management</i> , 2013 , 76, 162-168	10.6	209
122	Finite element solution of MHD mixed convection in a channel with a fully or partially heated cavity. <i>Computers and Fluids</i> , 2013 , 79, 53-64	2.8	59
121	2013 ,		1
120	Novel three-phase asymmetrical cascaded multilevel voltage source inverter. <i>IET Power Electronics</i> , 2013 , 6, 1696-1706	2.2	68
119	A FCS-MPC of an induction motor fed by indirect matrix converter with unity power factor control 2013 ,		12
118	Hybrid technique of ant colony and particle swarm optimization for short term wind energy forecasting. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2013 , 123, 163-170	3.7	84
117	MPPT with Inc.Cond Method using Conventional Interleaved Boost Converter. <i>Energy Procedia</i> , 2013 , 42, 24-32	2.3	40
116	Simple and low cost incremental conductance maximum power point tracking using buck-boost converter. <i>Journal of Renewable and Sustainable Energy</i> , 2013 , 5, 023106	2.5	29
115	. <i>IEEE Transactions on Industrial Informatics</i> , 2013 , 9, 2052-2062	11.9	14

114	Model predictive control of an active front end rectifier with unity displacement factor 2013 ,		10
113	Digital Control of Three Phase Three-Stage Hybrid Multilevel Inverter. <i>IEEE Transactions on Industrial Informatics</i> , 2013 , 9, 719-727	11.9	42
112	Unsteady buoyancy-driven heat transfer enhancement of nanofluids in an inclined triangular enclosure. <i>International Communications in Heat and Mass Transfer</i> , 2013 , 49, 115-127	5.8	13
111	Development of a transformer-based multilevel inverter topology for stand-alone photovoltaic system 2013 ,		1
110	Double-diffusive buoyancy induced flow in a triangular cavity with corrugated bottom wall: Effects of geometrical parameters. <i>International Communications in Heat and Mass Transfer</i> , 2013 , 45, 64-74	5.8	23
109	Active damping network in DC distributed power system driven by photovoltaic system. <i>Solar Energy</i> , 2013 , 87, 254-267	6.8	11
108	The application of solar technologies for sustainable development of agricultural sector. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 18, 583-594	16.2	81
107	Progress and recent trends of wind energy technology. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 21, 456-468	16.2	216
106	. <i>IEEE Transactions on Power Electronics</i> , 2013 , 28, 650-660	7.2	44
105	Potential application of renewable energy for rural electrification in Malaysia. <i>Renewable Energy</i> , 2013 , 59, 210-219	8.1	107
104	Potential of Size Reduction of Flat-Plate Solar Collectors when Applying Al ₂ O ₃ Nanofluid. <i>Advanced Materials Research</i> , 2013 , 832, 149-153	0.5	16
103	Potential of size reduction of flat-plate solar collectors when applying MWCNT nanofluid. <i>IOP Conference Series: Earth and Environmental Science</i> , 2013 , 16, 012004	0.3	28
102	Analyzing the Optical Performance of Intelligent Thin Films Applied to Architectural Glazing and Solar Collectors. <i>Smart Innovation, Systems and Technologies</i> , 2013 , 813-826	0.5	1
101	Analytical Modeling of Partially Shaded Photovoltaic Systems. <i>Energies</i> , 2013 , 6, 128-144	3.1	114
100	Maximum Power Point Tracking With Improved Incremental Conductance Method for Fast Changing Solar Irradiation Level. <i>IOP Conference Series: Earth and Environmental Science</i> , 2013 , 16, 012017 ^{0.3}		
99	Photovoltaic System Modeling with Fuzzy Logic Based Maximum Power Point Tracking Algorithm. <i>International Journal of Photoenergy</i> , 2013 , 2013, 1-10	2.1	42
98	IMPLEMENTATION OF FUZZY LOGIC MAXIMUM POWER POINT TRACKING CONTROLLER FOR PHOTOVOLTAIC SYSTEM. <i>American Journal of Applied Sciences</i> , 2013 , 10, 209-218	0.8	34
97	Decoupled Third-order Fuzzy Sliding Model Control For Cart-Inverted Pendulum System. <i>Applied Mathematics and Information Sciences</i> , 2013 , 7, 193-201	2.4	11

96	Multistage Inverters Control Using Surface Hysteresis Comparators. <i>Journal of Power Electronics</i> , 2013 , 13, 59-69	0.9	5
95	A review on exergy analysis of biomass based fuels. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 1217-1222	16.2	98
94	Exergy analysis of solar energy applications. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 350-356	16.2	141
93	Solar energy in Malaysia: Current state and prospects. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 386-396	16.2	182
92	Applications of variable speed drive (VSD) in electrical motors energy savings. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 543-550	16.2	113
91	Comparative study of different fuel cell technologies. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 981-989	16.2	419
90	Effect of dust, humidity and air velocity on efficiency of photovoltaic cells. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 2920-2925	16.2	335
89	A review on the relation between the energy and exergy efficiency analysis and the technical characteristic of the renewable energy systems. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 3131-3135	16.2	26
88	. <i>IEEE Transactions on Power Electronics</i> , 2012 , 27, 3627-3638	7.2	571
87	Parameter extraction of solar photovoltaic modules using penalty-based differential evolution. <i>Applied Energy</i> , 2012 , 99, 297-308	10.7	253
86	Fuzzy logic controller optimized by particle swarm optimization for DC motor speed control 2012 ,		8
85	A modified simulation method of photovoltaic module in simulink environment 2012 ,		1
84	DC link capacitor voltage balancing in three level neutral point clamped inverter 2012 ,		8
83	Potential applications of bacteriorhodopsin mutants. <i>Bioengineered</i> , 2012 , 3, 326-8	5.7	13
82	A novel type high-efficiency high-frequency-linked full-bridge DC-DC converter operating under secondary-side series resonant principle for high-power PV generation 2012 ,		4
81	A comprehensive review on biodiesel as an alternative energy resource and its characteristics. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 2070-2093	16.2	1126
80	Distributed Control Scheme for Voltage Regulation in Smart Grids. <i>International Journal of Smart Grid and Clean Energy</i> , 2012 , 53-59	1.4	3
79	Power optimization and static performance investigation of an island-mode doubly-fed induction generator (DFIG) 2011 ,		5

78	Implementation of incremental conductance method with direct control 2011 ,		18
77	Simulation of grid connected THIPWM-three-phase inverter using SIMULINK 2011 ,		4
76	Simulation and Hardware Implementation of Incremental Conductance MPPT With Direct Control Method Using Cuk Converter. <i>IEEE Transactions on Industrial Electronics</i> , 2011 , 58, 1154-1161	8.9	587
75	Incremental conductance MPPT method for PV systems 2011 ,		37
74	Dc-Dc buck and boost converter design issues in recent VLSI platform 2011 ,		1
73	Buck and boost converter design optimization parameters in modern VLSI technology 2011 ,		2
72	A novel MPPT algorithm for load protection based on output sensing control 2011 ,		12
71	Modeling and control of photovoltaic panels base perturbation and observation MPPT method 2011 ,		9
70	Active and reactive power control for a hybrid system with photovoltaic panel, wind turbine, fuel cells, electrolyzer and super capacitor in off-grid mode 2011 ,		5
69	. <i>IEEE Transactions on Industrial Electronics</i> , 2011 , 58, 1339-1349	8.9	74
68	A review on prospect of Jatropha curcas for biodiesel in Indonesia. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 3733-3756	16.2	221
67	An overview of different distillation methods for small scale applications. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 4756-4764	16.2	39
66	A review on global fuel economy standards, labels and technologies in the transportation sector. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 4586-4610	16.2	132
65	An application of energy and exergy analysis in agricultural sector of Malaysia. <i>Energy Policy</i> , 2011 , 39, 7922-7929	7.2	40
64	Voltage vector approximation control of multistage - multilevel inverter using simplified logic implementation 2011 ,		3
63	A new 98% soft-switching full-bridge DC-DC converter based on secondary-side LC resonant principle for PV generation systems 2011 ,		2
62	A review on energy saving strategies in industrial sector. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 150-168	16.2	457
61	A review on palm oil biodiesel as a source of renewable fuel. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 1937-1949	16.2	204

60	A review on solar energy use in industries. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 1777-1790.	16.2	575
59	A review on electrical and thermal energy for industries. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 2073-2086	16.2	24
58	A review on biomass as a fuel for boilers. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 2262-2289.	16.2	945
57	Biomass energy in Malaysia: Current state and prospects. <i>Renewable and Sustainable Energy Reviews</i> , 2011 , 15, 3360-3370	16.2	136
56	Assessment of off-shore wind farms in Malaysia 2011 ,		3
55	Single-phase Hybrid Active Power Filter with Adaptive Notch Filter for Harmonic Current Estimation. <i>IETE Journal of Research</i> , 2011 , 57, 20	0.9	18
54	Three phase grid connected anti-islanding controller based on distributed generation interconnection 2010 ,		6
53	Voltage Control of Three-Stage Hybrid Multilevel Inverter Using Vector Transformation. <i>IEEE Transactions on Power Electronics</i> , 2010 , 25, 2599-2606	7.2	73
52	New multilevel inverter topology with minimum number of switches 2010 ,		13
51	Robust hybrid anti-islanding method for inverter-based distributed generation 2010 ,		4
50	High efficiency THIPWM three-phase inverter for grid connected system 2010 ,		5
49	Voltage vector control of a hybrid three-stage 18-level inverter by vector decomposition. <i>IET Power Electronics</i> , 2010 , 3, 601	2.2	39
48	Energy use, energy savings and emission analysis in the Malaysian rubber producing industries. <i>Applied Energy</i> , 2010 , 87, 2746-2758	10.7	61
47	Effects of a Static Synchronous Series Compensator (SSSC) Based on a Soft Switching 48-Pulse PWM Inverter on the Power Demand from the Grid. <i>Journal of Power Electronics</i> , 2010 , 10, 85-90	0.9	26
46	Dual Vector Control Strategy for a Three-Stage Hybrid Cascaded Multilevel Inverter. <i>Journal of Power Electronics</i> , 2010 , 10, 155-164	0.9	28
45	Mechanical surface treatment of steel-Optimization parameters of regime. <i>Physics Procedia</i> , 2009 , 2, 1213-1221		13
44	End-use energy analysis in the Malaysian industrial sector. <i>Energy</i> , 2009 , 34, 153-158	7.9	71
43	Energy and emission analysis for industrial motors in Malaysia. <i>Energy Policy</i> , 2009 , 37, 3650-3658	7.2	85

42	2009,		6
41	2009,		10
40	Voltage rise due to inter-connection of embedded generators to distribution network on weak feeder 2009,		1
39	2009,		3
38	Distributed Generation System using Parallel Inverters Supplied by Unstable DC Source. <i>Journal of Applied Sciences</i> , 2009 , 9, 2045-2055	0.3	2
37	2008,		2
36	Performance of grid connected photovoltaic inverter with maximum power point tracker and power factor control. <i>Canadian Conference on Electrical and Computer Engineering</i> , 2008,		6
35	Modeling of Three-Phase Uniform Symmetrical Sampling Digital PWM for Power Converter. <i>IEEE Transactions on Industrial Electronics</i> , 2007 , 54, 427-432	8.9	21
34	Direct Torque Control Permanent Magnet Synchronous Motor drive with asymmetrical multilevel inverter supply 2007,		3
33	Comparison of Basic Direct Torque Control Designs for Permanent Magnet Synchronous Motor 2007,		3
32	Load Response Towards Voltage In TNB Power System Using The Measurement Approach 2006,		1
31	2006,		5
30	2006,		1
29	Fuzzy-Controlled Battery Charger State-of-Charge Controller. <i>International Journal of Modelling and Simulation</i> , 2006 , 26, 106-111	1.5	2
28	Xilinx FPGA Based Multilevel PWM Single Phase Inverter 2006,		16
27	FUZZY-CONTROLLED BATTERY CHARGER STATE-OF-CHARGE CONTROLLER. <i>International Journal of Modelling and Simulation</i> , 2006 , 26,	1.5	1
26	Digital Control of High DC Voltage Converter Based on Cockcroft Walton Voltage Multiplier Circuit 2005,		7
25	A New Approach for Harmonic Compensation Using Single- phase Hybrid Active Power Filter 2005,		3

24	Implementation of the problem-based learning approach in the Department of Electrical Engineering, University of Malaya. <i>European Journal of Engineering Education</i> , 2005 , 30, 129-136	1.5	17
23	Three-phase synchronous PWM for flyback converter with power-factor correction using FPGA ASIC design. <i>IEEE Transactions on Industrial Electronics</i> , 2004 , 51, 96-106	8.9	21
22	Microprocessor implementation of three phase PWM switching strategies 1999 ,		6
21	An improved topology of digitally-controlled single-phase single-stage high DC voltage converter		2
20	A single-phase active power filter for harmonic compensation		1
19	FPGA based ASIC power-factor control for three-phase inverter		1
18	Modelling of three-phase uniform symmetrical sampling digital PWM for power converter		1
17	Implementation of grid-connected photovoltaic system with power factor control and islanding detection		5
16	Modelling of three-phase uniform symmetrical sampling digital PWM for power converter		2
15	Single-phase single-stage high DC voltage multiple converter		1
14	Xilinx FPGA based three-phase PWM inverter and its application for utility connected PV system		12
13	Implementation of three-phase grid connected inverter for photovoltaic solar power generation system		13
12			22
11	Maximum power point tracking in a solar PV system: Current trends towards nature-inspired optimization techniques. <i>International Transactions on Electrical Energy Systems</i> , e13197	2.2	
10	A switched-capacitor multilevel inverter topology employing a novel variable structure nearest-level modulation. <i>International Transactions on Electrical Energy Systems</i> , e13151	2.2	2
9	Current Status, Scenario, and Prospective of Renewable Energy in Algeria: A Review		3
8	Study of high efficiency, low noise sputtered magnetron's cathode using GaN and SiC semiconductors for modulated microwave power transmission. <i>International Journal of Microwave and Wireless Technologies</i> , 1-9	0.8	
7	Analysis and implementation of a new asymmetric double H-bridge multilevel inverter. <i>International Journal of Circuit Theory and Applications</i> ,	2	2

6	Numerical simulation of the effect of chimney configuration on the performance of a solar chimney power plant. <i>Journal of Thermal Analysis and Calorimetry</i> ,1	4.1	2
5	A neural network-based selective harmonic elimination scheme for five-level inverter. <i>International Journal of Circuit Theory and Applications</i> ,	2	2
4	A Novel Hybrid MPPT Controller Based on Bond Graph and Fuzzy Logic in Proton Exchange Membrane Fuel Cell System: Experimental Validation. <i>Arabian Journal for Science and Engineering</i> ,1	2.5	0
3	Development and experimental validation of novel robust MPPT controller based on bond graph and fuzzy logic for PV system under variable weather conditions. <i>International Transactions on Electrical Energy Systems</i> ,e13091	2.2	0
2	State feedback control for stabilization of PMSM-based servo-drive with parametric uncertainty using interval analysis. <i>International Transactions on Electrical Energy Systems</i> ,e13099	2.2	0
1	Model-based state of X estimation of lithium-ion battery for electric vehicle applications. <i>International Journal of Energy Research</i> ,	4.5	2