
## Tome Ikezoe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1699325/publications.pdf Version: 2024-02-01



TOME LEEZOE

#	Article	IF	CITATIONS
1	Relationship Between Muscle Swelling and Hypertrophy Induced by Resistance Training. Journal of Strength and Conditioning Research, 2022, 36, 359-364.	2.1	24
2	Acute effects of ankle plantar flexor force-matching exercises on postural strategy during single leg standing in healthy adults. Gait and Posture, 2022, 92, 428-434.	1.4	2
3	Ultrasonographic Changes of the Knee Joint Reflect Symptoms of Early Knee Osteoarthritis in General Population; The Nagahama Study. Cartilage, 2022, 13, 194760352210774.	2.7	4
4	Systemic chronic diseases coexist with and affect locomotive syndrome: The Nagahama Study. Modern Rheumatology, 2022, , .	1.8	0
5	Chronic Effects of a Static Stretching Program on Hamstring Strength. Journal of Strength and Conditioning Research, 2021, 35, 1924-1929.	2.1	11
6	Physical Activity Mediates the Relationship between Gait Function and Fall Incidence after Total Knee Arthroplasty. Journal of Knee Surgery, 2021, 34, 1205-1211.	1.6	8
7	Extracellular-to-intracellular water ratios are associated with functional disability levels in patients with knee osteoarthritis: results from the Nagahama Study. Clinical Rheumatology, 2021, 40, 2889-2896.	2.2	12
8	Relationship between postural sway on an unstable platform and ankle plantar flexor force steadiness in community-dwelling older women. Gait and Posture, 2021, 84, 227-231.	1.4	10
9	Coexistence of low back pain and lumbar kyphosis is associated with increased functional disability in knee osteoarthritis: the Nagahama Study. Arthritis Care and Research, 2021, , .	3.4	1
10	Acute effects of repetitive peripheral magnetic stimulation following low-intensity isometric exercise on muscle swelling for selective muscle in healthy young men. Electromagnetic Biology and Medicine, 2021, 40, 420-427.	1.4	1
11	Ageâ€related changes in gait speeds and asymmetry during circular gait and straightâ€line gait in older individuals aged 60–79 years. Geriatrics and Gerontology International, 2021, 21, 404-410.	1.5	7
12	Regional differential stretching of the pectoralis major muscle: An ultrasound elastography study. Journal of Biomechanics, 2021, 121, 110416.	2.1	10
13	Cut-off Values for Lower Limb Muscle Thickness to Detect Low Muscle Mass for Sarcopenia in Older Adults. Clinical Interventions in Aging, 2021, Volume 16, 1215-1222.	2.9	25
14	Prevalence and physical characteristics of locomotive syndrome stages as classified by the new criteria 2020 in older Japanese people: results from the Nagahama study. BMC Geriatrics, 2021, 21, 489.	2.7	27
15	Effective muscle elongation positions for the neck extensor muscles: An ultrasonic shear wave elastography study. Journal of Electromyography and Kinesiology, 2021, 60, 102569.	1.7	5
16	Weak hip flexor strength predicts progression of functional capacity decline due to locomotor system dysfunction in community-dwelling older adults: A longitudinal cohort study. Archives of Gerontology and Geriatrics, 2021, 97, 104499.	3.0	2
17	Effects of Low-Load, Higher-Repetition vs. High-Load, Lower-Repetition Resistance Training Not Performed to Failure on Muscle Strength, Mass, and Echo Intensity in Healthy Young Men: A Time-Course Study. Journal of Strength and Conditioning Research, 2020, 34, 3439-3445.	2.1	35
18	Relationship of low muscle mass and obesity with physical function in community dwelling older adults: Results from the Nagahama study. Archives of Gerontology and Geriatrics, 2020, 88, 103987.	3.0	7

Томе Ікегое

#	Article	IF	CITATIONS
19	Response to a letter to the editor from Dr. Timur Ekiz regarding our article "Age-related changes in muscle thickness and echo intensity of trunk muscles in healthy women: comparison of 20–60s age groups''. European Journal of Applied Physiology, 2020, 120, 2561-2563.	2.5	0
20	Age-related changes in muscle thickness and echo intensity of trunk muscles in healthy women: comparison of 20–60s age groups. European Journal of Applied Physiology, 2020, 120, 1805-1814.	2.5	22
21	Relationship between ankle plantar flexor force steadiness and postural stability on stable and unstable platforms. European Journal of Applied Physiology, 2020, 120, 1075-1082.	2.5	19
22	Age-Related Change in Muscle Characteristics and Resistance Training for Older Adults. Physical Therapy Research, 2020, 23, 99-105.	0.9	9
23	Acute effects of low-load resistance exercise with different rest periods on muscle swelling in healthy young men. The Journal of Physical Fitness and Sports Medicine, 2019, 8, 165-171.	0.3	2
24	Effects of ankle position during static stretching for the hamstrings on the decrease in passive stiffness. Journal of Biomechanics, 2019, 96, 109358.	2.1	5
25	Gait asymmetry assessment for older adults by measuring circular gait speed. Geriatrics and Gerontology International, 2019, 19, 736-739.	1.5	3
26	Effect of static stretching with different rest intervals on muscle stiffness. Journal of Biomechanics, 2019, 90, 128-132.	2.1	7
27	Association of Pain History and Current Pain With Sagittal Spinal Alignment and Muscle Stiffness and Muscle Mass of the Back Muscles in Middle-aged and Elderly Women. Clinical Spine Surgery, 2019, 32, E346-E352.	1.3	7
28	Static stretching duration needed to decrease passive stiffness of hamstring muscle-tendon unit. The Journal of Physical Fitness and Sports Medicine, 2019, 8, 113-116.	0.3	16
29	Menstrual cycle variation and gender difference in muscle stiffness of triceps surae. Clinical Biomechanics, 2019, 61, 222-226.	1.2	28
30	Investigation of joint angle specificity in low-load hip abductor isometric training: a randomized controlled trial. The Journal of Physical Fitness and Sports Medicine, 2019, 8, 107-111.	0.3	0
31	Improvement in muscle strength with lowâ€load isotonic training depends on fascicle length but not joint angle. Muscle and Nerve, 2018, 57, 83-89.	2.2	9
32	Gait strategies to reduce the dynamic joint load in the lower limbs during a loading response in young healthy adults. Human Movement Science, 2018, 58, 260-267.	1.4	9
33	Association of physical activity with age-related changes in muscle echo intensity in older adults: a 4-year longitudinal study. Journal of Applied Physiology, 2018, 125, 1468-1474.	2.5	26
34	Acute effects of static stretching on the shear elastic moduli of the medial and lateral gastrocnemius muscles in young and elderly women. Musculoskeletal Science and Practice, 2017, 32, 98-103.	1.3	27
35	Increase in echo intensity and extracellular-to-intracellular water ratio is independently associated with muscle weakness in elderly women. European Journal of Applied Physiology, 2017, 117, 2001-2007.	2.5	70
36	The reliability of shear elastic modulus measurement of the ankle plantar flexion muscles is higher at dorsiflexed position of the ankle. Journal of Foot and Ankle Research, 2017, 10, 18.	1.9	39

Томе Ікегое

#	Article	IF	CITATIONS
37	Correlation between movement complexity during static standing and balance function in in institutionalized older adults. Clinical Interventions in Aging, 2017, Volume 12, 499-503.	2.9	29
38	Acute effect of static stretching on passive and active properties of the gastrocnemius muscle–tendon unit: an investigation based on different repetition durations and numbers. Japanese Journal of Physical Fitness and Sports Medicine, 2017, 66, 163-168.	0.0	3
39	The effects of a 4-week static stretching programme on the individual muscles comprising the hamstrings. Journal of Sports Sciences, 2016, 34, 2155-2159.	2.0	51
40	Association between physical function and the load pattern during stepping-up motion in community-dwelling elderly women. Archives of Gerontology and Geriatrics, 2016, 66, 205-210.	3.0	3
41	Shear elastic modulus is a reproducible index reflecting the passive mechanical properties of medial gastrocnemius muscle belly. Acta Radiologica Open, 2016, 5, 205846011560400.	0.6	14
42	Association of walking speed with sagittal spinal alignment, muscle thickness, and echo intensity of lumbar back muscles in middle-aged and elderly women. Aging Clinical and Experimental Research, 2016, 28, 429-434.	2.9	28
43	Association between walking ability and trunk and lower-limb muscle atrophy in institutionalized elderly women: a longitudinal pilot study. Journal of Physiological Anthropology, 2015, 34, 31.	2.6	34
44	Effects of Movement Velocity and Contraction Pattern of Resistance Training on Muscle Damage. Journal of the Japanese Physical Therapy Association, 2015, 18, 36-36.	0.1	0
45	Association of sagittal spinal alignment with thickness and echo intensity of lumbar back muscles in middle-aged and elderly women. Archives of Gerontology and Geriatrics, 2015, 61, 197-201.	3.0	53
46	Acute effects of static stretching on the hamstrings using shear elastic modulus determined by ultrasound shear wave elastography: Differences in flexibility between hamstring muscle components. Manual Therapy, 2015, 20, 610-613.	1.6	55
47	Effect of hip and knee position on tensor fasciae latae elongation during stretching: An ultrasonic shear wave elastography study. Clinical Biomechanics, 2015, 30, 1056-1059.	1.2	33
48	Age-Related Ultrasound Changes in Muscle Quantity and Quality in Women. Ultrasound in Medicine and Biology, 2015, 41, 3013-3017.	1.5	98
49	The effect of hip rotation on shear elastic modulus of the medial and lateral hamstrings during stretching. Manual Therapy, 2015, 20, 134-137.	1.6	35
50	Relationship between Muscle Stiffness Measured by the Muscle Hardness Meter and Passive Torque or Myotendinous Junction Displacement. Journal of the Japanese Physical Therapy Association, 2014, 17, 51-51.	0.1	0
51	Acute Effects of Static Stretching on Muscle Hardness of the Medial Gastrocnemius Muscle Belly in Humans: An Ultrasonic Shear-Wave Elastography Study. Ultrasound in Medicine and Biology, 2014, 40, 1991-1997.	1.5	105
52	Daytime physical activity patterns and physical fitness in institutionalized elderly women: An exploratory study. Archives of Gerontology and Geriatrics, 2013, 57, 221-225.	3.0	48
53	Effects of Pelvic Floor Muscle and Transversus Abdominis Muscle Training for Young Women. Rigakuryoho Kagaku, 2013, 28, 823-827.	0.1	2
54	Associations of muscle stiffness and thickness with muscle strength and muscle power in elderly women. Geriatrics and Gerontology International, 2012, 12, 86-92.	1.5	55

Томе Ікегое

#	Article	IF	CITATIONS
55	Atrophy of the lower limbs in elderly women: is it related to walking ability?. European Journal of Applied Physiology, 2011, 111, 989-995.	2.5	79
56	Age-related muscle atrophy in the lower extremities and daily physical activity in elderly women. Archives of Gerontology and Geriatrics, 2011, 53, e153-e157.	3.0	94
57	Dual-Task Balance Test: Aging and the Relationship of Falls and Cognitive Impairment in Institutionalized Elderly. Rigakuryoho Kagaku, 2009, 24, 841-845.	0.1	1
58	Postural Control on a Wobble Board and Stable Surface of Young and Elderly People. Rigakuryoho Kagaku, 2009, 24, 81-85.	0.1	7
59	Low Intensity Training for Frail Elderly Women: Long-term Effects on Motor Function and Mobility. Journal of Physical Therapy Science, 2005, 17, 43-49.	0.6	27
60	The Relationship between Quadriceps Strength and Balance to Fall of Elderly Admitted to a Nursing Home. Journal of Physical Therapy Science, 2003, 15, 75-79.	0.6	33
61	Influence of High Intensity Pedaling-Training by Bicycle Ergometer on Muscle Function Rigakuryoho Kagaku, 2002, 17, 101-106.	0.1	0
62	Electromyographic Analysis of Hip Muscles during Isotonic Exercise: Effects of Exercise Position and Load Condition on Muscle Activity Rigakuryoho Kagaku, 2001, 16, 65-70.	0.1	1
63	Muscle Activities of Muscles of the Hip Joint during Bridging Rigakuryoho Kagaku, 1998, 13, 79-83.	0.1	5
64	Muscle Strength and Muscle Endurance Required for Independent Walking in the Elderly Journal of Physical Therapy Science, 1997, 9, 19-22.	0.6	16
65	Knee Extensor Strength for Independent Locomotion in the Elderly Rigakuryoho Kagaku, 1997, 12, 179-181.	0.1	5
66	Relationship between Falls and Knee Extension Strength in the Elderly Journal of Physical Therapy Science, 1996, 8, 45-48.	0.6	9