

Marc Hamoir

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1699679/marc-hamoir-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

5,634
citations

39
h-index

73
g-index

128
ext. papers

6,641
ext. citations

3.6
avg, IF

4.95
L-index

#	Paper	IF	Citations
114	Cervical Lymph Node Metastases from Central Nervous System Tumors: A Systematic Review.. <i>Cancer Management and Research</i> , 2022 , 14, 1099-1111	3.6	0
113	Prognostic role of intraparotid lymph node metastasis in primary parotid cancer: Systematic review. <i>Head and Neck</i> , 2021 , 43, 997-1008	4.2	10
112	Perioperative Complications after Parotidectomy Using a Standardized Grading Scale Classification System. <i>Surgeries</i> , 2021 , 2, 20-34	0.4	
111	Improved survival in patients with head and neck cancer treated in higher volume centres: A population-based study in Belgium. <i>European Journal of Cancer</i> , 2020 , 130, 81-91	7.5	5
110	Incidence of Occult Lymph Node Metastasis in Primary Larynx Squamous Cell Carcinoma, by Subsite, T Classification and Neck Level: A Systematic Review. <i>Cancers</i> , 2020 , 12,	6.6	10
109	Management of the Neck in Well-Differentiated Thyroid Cancer. <i>Current Oncology Reports</i> , 2020 , 23, 1	6.3	8
108	Prospective validation of an institutional treatment strategy for T1N0M0 glottic carcinoma. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1188-1195	3.6	1
107	Elective neck dissection in oral squamous cell carcinoma: Past, present and future. <i>Oral Oncology</i> , 2019 , 90, 87-93	4.4	32
106	An evidence-based analysis of the management of N0 neck in patients with cancer of the parotid gland. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 899-908	3.5	8
105	Immune cell infiltration in head and neck squamous cell carcinoma and patient outcome: a retrospective study. <i>Acta Oncologica</i> , 2018 , 57, 1165-1172	3.2	26
104	Selective neck dissection in surgically treated head and neck squamous cell carcinoma patients with a clinically positive neck: Systematic review. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 395-403	3.6	25
103	Expression of Contactin 4 Is Associated With Malignant Behavior in Pheochromocytomas and Paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 46-55	5.6	13
102	The Current Role of Salvage Surgery in Recurrent Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2018 , 10,	6.6	49
101	Delineation of the primary tumour Clinical Target Volumes (CTV-P) in laryngeal, hypopharyngeal, oropharyngeal and oral cavity squamous cell carcinoma: AIRO, CACA, DAHANCA, EORTC, GEORCC, GORTEC, HKNPCSG, HNCIG, IAG-KHT, LPRHHT, NCIC CTG, NCRI, NRG Oncology, PHNS, SBRT, SOMERA, SRO, SSHNO, TROG consensus guidelines. <i>Radiotherapy and Oncology</i> , 2018 , 126, 3-24	5.3	134
100	Carotid blowout syndrome: modern trends in management. <i>Cancer Management and Research</i> , 2018 , 10, 5617-5628	3.6	50
99	Surgical quality assurance in head and neck cancer trials: an EORTC Head and Neck Cancer Group position paper based on the EORTC 1420 Best of Rand 24954 Larynx preservation study. <i>European Journal of Cancer</i> , 2018 , 103, 69-77	7.5	10
98	Quality assurance in head and neck surgery: special considerations to catch up. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 2145-2149	3.5	3

97	Salvage surgery in recurrent head and neck squamous cell carcinoma: Oncologic outcome and predictors of disease free survival. <i>Oral Oncology</i> , 2017 , 67, 1-9	4.4	53
96	and are the most frequently mutated genes in paraganglioma and pheochromocytoma tumors. <i>Endocrine-Related Cancer</i> , 2017 , 24, L57-L61	5.7	6
95	The role of PET for predicting nodal response in locally advanced (LA) head and neck squamous cell carcinoma (HNSCC) treated with chemoradiotherapy (CRT): Results of a prospective multicenter trial.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 6013-6013	2.2	1
94	Technical description of a modified jet ventilation injector for airway laser surgery in neonates and infants: retrospective analysis of 20 cases. <i>Journal of Clinical Anesthesia</i> , 2016 , 32, 142-7	1.9	2
93	Cervical Lymph Node Metastasis in High-Grade Transformation of Head and Neck Adenoid Cystic Carcinoma: A Collective International Review. <i>Advances in Therapy</i> , 2016 , 33, 357-68	4.1	45
92	Multidisciplinary Management of Hypopharyngeal Carcinoma 2016 , 511-537		
91	Cervical lymph node metastases from remote primary tumor sites. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E237-485	4.4	54
90	Cervical lymph node metastasis in adenoid cystic carcinoma of oral cavity and oropharynx: A collective international review. <i>Auris Nasus Larynx</i> , 2016 , 43, 477-84	2.2	20
89	Cervical Lymph Node Metastasis in Adenoid Cystic Carcinoma of the Larynx: A Collective International Review. <i>Advances in Therapy</i> , 2016 , 33, 553-79	4.1	14
88	Management of the Neck 2016 , 738-762.e4		
87	Advances in diagnostic modalities to detect occult lymph node metastases in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 1829-39	4.2	47
86	Current philosophy in the surgical management of neck metastases for head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 915-26	4.2	39
85	Impact of prophylactic central neck dissection on oncologic outcomes of papillary thyroid carcinoma: a review. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 1577-86	3.5	11
84	Cyclin D1 in well differentiated thyroid tumour of uncertain malignant potential. <i>Diagnostic Pathology</i> , 2015 , 10, 32	3	13
83	Delineation of the neck node levels for head and neck tumors: a 2013 update. DAHANCA, EORTC, HKNPCSG, NCIC CTG, NCRI, RTOG, TROG consensus guidelines. <i>Radiotherapy and Oncology</i> , 2014 , 110, 172-81	5.3	383
82	Is elective neck dissection indicated during salvage surgery for head and neck squamous cell carcinoma?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 3111-9	3.5	21
81	Policy statement on multidisciplinary cancer care. <i>European Journal of Cancer</i> , 2014 , 50, 475-80	7.5	191
80	Vascularized tissue to reduce fistula following salvage total laryngectomy: a systematic review. <i>Laryngoscope</i> , 2014 , 124, 1848-53	3.6	83

79	Targeted therapies for squamous cell carcinoma of the head and neck: current knowledge and future directions. <i>Cancer Treatment Reviews</i> , 2014 , 40, 390-404	14.4	64
78	Carotid body paragangliomas: a systematic study on management with surgery and radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 23-34	3.5	58
77	The role of neck dissection in squamous cell carcinoma of the head and neck. <i>Current Treatment Options in Oncology</i> , 2014 , 15, 611-24	5.4	24
76	Submandibular intraglandular calcified nodule. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014 , 140, 375-6	3.9	
75	Strategies to reduce long-term postchemoradiation dysphagia in patients with head and neck cancer: an evidence-based review. <i>Head and Neck</i> , 2014 , 36, 431-43	4.2	83
74	An innovative approach to tracheotomy in patients with major obstruction of the upper airway. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2014 , 35, 445-8	2.8	3
73	The controversy in the management of the N0 neck for squamous cell carcinoma of the maxillary sinus. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 899-904	3.5	25
72	Causes of death of patients with laryngeal cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 425-34	3.5	25
71	Advances in the management of squamous cell carcinoma of the head and neck. <i>F1000prime Reports</i> , 2014 , 6, 44		61
70	Follow-up strategies in head and neck cancer other than upper aerodigestive tract squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1981-9	3.5	18
69	Superselective neck dissection: rationale, indications, and results. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 2815-21	3.5	20
68	Extended voice-sparing surgery in selected pyriform sinus carcinoma: techniques and outcomes. <i>Head and Neck</i> , 2013 , 35, 1482-9	4.2	8
67	The evolving role of selective neck dissection for head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1195-202	3.5	29
66	A dose escalation study with intensity modulated radiation therapy (IMRT) in T2N0, T2N1, T3N0 squamous cell carcinomas (SCC) of the oropharynx, larynx and hypopharynx using a simultaneous integrated boost (SIB) approach. <i>Radiotherapy and Oncology</i> , 2013 , 106, 333-40	5.3	56
65	Post-therapeutic surveillance strategies in head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1569-80	3.5	43
64	Tumour response and safety of cetuximab in a window pre-operative study in patients with squamous cell carcinoma of the head and neck. <i>Annals of Oncology</i> , 2013 , 24, 2261-6	10.3	21
63	The role of neck dissection in the setting of chemoradiation therapy for head and neck squamous cell carcinoma with advanced neck disease. <i>Oral Oncology</i> , 2012 , 48, 203-10	4.4	63
62	Management of the neck in the setting of definitive chemoradiation: is there a consensus? A GETTEC study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2311-9	3.1	13

61	Management of salivary gland tumors. <i>Expert Review of Anticancer Therapy</i> , 2012 , 12, 1161-8	3.5	47
60	Concomitant chemoradiotherapy versus acceleration of radiotherapy with or without concomitant chemotherapy in locally advanced head and neck carcinoma (GORTEC 99-02): an open-label phase 3 randomised trial. <i>Lancet Oncology, The</i> , 2012 , 13, 145-53	21.7	235
59	Distant metastases from head and neck squamous cell carcinoma. Part II. Diagnosis. <i>Oral Oncology</i> , 2012 , 48, 780-6	4.4	27
58	Distant metastases from head and neck squamous cell carcinoma. Part III. Treatment. <i>Oral Oncology</i> , 2012 , 48, 787-93	4.4	33
57	Assessment of p53 functional activity in tumor cells and histologically normal mucosa from patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2012 , 34, 1542-50	4.2	10
56	Phase II study of figitumumab in patients with recurrent and/or metastatic squamous cell carcinoma of the head and neck: clinical activity and molecular response (GORTEC 2008-02). <i>Annals of Oncology</i> , 2012 , 23, 2153-2161	10.3	59
55	Prevalence and spectrum of SDHx mutations in pheochromocytoma and paraganglioma in patients from Belgium: an update. <i>Hormone and Metabolic Research</i> , 2012 , 44, 349-53	3.1	6
54	Management of the Neck 2012 , 731-755		
53	Gefitinib plus cisplatin and radiotherapy in previously untreated head and neck squamous cell carcinoma: a phase II, randomized, double-blind, placebo-controlled study. <i>Radiotherapy and Oncology</i> , 2011 , 100, 62-9	5.3	43
52	Schwannoma-like pleomorphic adenoma of the parotid. <i>Rare Tumors</i> , 2011 , 3, e40	1.1	6
51	Multidisciplinary Management of Hypopharyngeal Carcinoma 2011 , 431-455		2
50	Positron emission tomography with [18F]fluorodeoxyglucose improves staging and patient management in patients with head and neck squamous cell carcinoma: a multicenter prospective study. <i>Journal of Clinical Oncology</i> , 2010 , 28, 1190-5	2.2	185
49	Reply to V. Paleri et al and J.A. de Souza et al. <i>Journal of Clinical Oncology</i> , 2010 , 28, e517-e517	2.2	
48	Automated cell disruption is a reliable and effective method of isolating RNA from fresh snap-frozen normal and malignant oral mucosa samples. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 294-301	5.9	1
47	Prognostic index for patients with parotid carcinoma: international external validation in a Belgian-German database. <i>Cancer</i> , 2009 , 115, 540-50	6.4	58
46	Results of selective neck dissection in the primary management of head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009 , 266, 437-43	3.5	56
45	A simple technique for closure of persistent tracheoesophageal fistula after total laryngectomy. <i>Otolaryngology - Head and Neck Surgery</i> , 2009 , 140, 601-3	5.5	15
44	Randomized trial of postoperative reirradiation combined with chemotherapy after salvage surgery compared with salvage surgery alone in head and neck carcinoma. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5518-23	2.2	261

43	High prevalence of SDHB mutations in head and neck paraganglioma in Belgium. <i>Journal of Hypertension</i> , 2008 , 26, 1395-401	1.9	8
42	Anatomical bases for the radiological delineation of lymph node areas. Major collecting trunks, head and neck. <i>Radiotherapy and Oncology</i> , 2007 , 85, 146-55	5.3	37
41	Proposal for the delineation of the nodal CTV in the node-positive and the post-operative neck. <i>Radiotherapy and Oncology</i> , 2006 , 79, 15-20	5.3	268
40	Aggressive soft tissue myoepithelial carcinoma in the neck: A case report. <i>Oral Oncology</i> , 2006 , 42, 295-299		4
39	Primary combined squamous and small cell carcinoma of the larynx: Report of two cases and discussion of treatment modalities. <i>European Archives of Oto-Rhino-Laryngology</i> , 2006 , 263, 786-90	3.5	25
38	Frontal sinus tumor as the first sign of adenocarcinoma of the lung. <i>Otolaryngology - Head and Neck Surgery</i> , 2005 , 132, 816-7	5.5	6
37	The evolving role of surgery in the management of head and neck tumors. <i>Current Opinion in Oncology</i> , 2005 , 17, 241-8	4.2	20
36	Intraoperative validation of CT-based lymph nodal levels, sublevels IIa and IIb: is it of clinical relevance in selective radiation therapy?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 62, 690-9	4	6
35	Prevalence of lymph nodes in the apex of level V: a plea against the necessity to dissect the apex of level V in mucosal head and neck cancer. <i>Head and Neck</i> , 2005 , 27, 963-9; discussion 969	4.2	11
34	Carotid stenting for impending carotid blowout: suitable supportive care for head and neck cancer patients?. <i>Palliative Medicine</i> , 2005 , 19, 427-9	5.5	19
33	Tumor volume in pharyngolaryngeal squamous cell carcinoma: comparison at CT, MR imaging, and FDG PET and validation with surgical specimen. <i>Radiology</i> , 2004 , 233, 93-100	20.5	537
32	Laryngeal web as a cause of upper airway obstruction in children. <i>Paediatric Anaesthesia</i> , 2004 , 14, 528-9	1.8	4
31	Rotterdam and Brussels CT-based neck nodal delineation compared with the surgical levels as defined by the American Academy of Otolaryngology-Head and Neck Surgery. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 58, 113-23	4	62
30	Postcricoid hemangioma: an overlooked cause of dysphagia in infants?-a case report. <i>Dysphagia</i> , 2004 , 19, 48-51	3.7	8
29	Parapharyngeal lymph node metastasis: an unusual presentation of papillary thyroid carcinoma. <i>Head and Neck</i> , 2004 , 26, 1089-90; author reply 1090	4.2	2
28	Role of 11-C-methionine positron emission tomography for the delineation of the tumor volume in pharyngo-laryngeal squamous cell carcinoma: comparison with FDG-PET and CT. <i>Radiotherapy and Oncology</i> , 2004 , 71, 267-73	5.3	65
27	Predictive value of the fraction of cancer cells immunolabeled for proliferating cell nuclear antigen or Ki67 in biopsies of head and neck carcinomas to identify lymph node metastasis: comparison with clinical and radiologic examinations. <i>Head and Neck</i> , 2003 , 25, 280-8	4.2	46
26	Postoperative pain and side effects after uvulopalatopharyngoplasty, laser-assisted uvulopalatoplasty, and radiofrequency tissue volume reduction in primary snoring. <i>Laryngoscope</i> , 2003 , 113, 2169-73	3.6	68

25	CT-based delineation of lymph node levels and related CTVs in the node-negative neck: DAHANCA, EORTC, GORTEC, NCIC, RTOG consensus guidelines. <i>Radiotherapy and Oncology</i> , 2003 , 69, 227-36	5.3	519
24	Acute tonsillitis as the first manifestation of post-transplant lymphoproliferative disorder. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2002 , 111, 165-8	2.1	12
23	A proposal for redefining the boundaries of level V in the neck: is dissection of the apex of level V necessary in mucosal squamous cell carcinoma of the head and neck?. <i>JAMA Otolaryngology</i> , 2002 , 128, 1381-3		18
22	Preoperative tracheoscopy in neonates with esophageal atresia. <i>Anesthesia and Analgesia</i> , 2002 , 95, 1823-8	3.8	4
21	A phase I study of fludarabine combined with radiotherapy in patients with intermediate to locally advanced head and neck squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2002 , 63, 187-93	5.3	18
20	Management of pharyngoesophageal (Zenker's) diverticulum: which technique?. <i>Annals of Thoracic Surgery</i> , 2002 , 74, 1677-82; discussion 1682-3	2.7	108
19	Lymphatic malformations of the head and neck: a retrospective review and a support for staging. <i>Head and Neck</i> , 2001 , 23, 326-37	4.2	46
18	Selection and delineation of lymph node target volumes in head and neck conformal radiotherapy. Proposal for standardizing terminology and procedure based on the surgical experience. <i>Radiotherapy and Oncology</i> , 2000 , 56, 135-50	5.3	281
17	Stretched radial forearm flap for reconstruction of the laryngopharynx: an alternative conservation procedure for radiation-failure carcinoma of the pyriform sinus. <i>Laryngoscope</i> , 1999 , 109, 1339-43	3.6	11
16	Cost-minimization analysis of treatment options for T1N0 glottic squamous cell carcinoma: comparison between external radiotherapy, laser microsurgery and partial laryngectomy. <i>Radiotherapy and Oncology</i> , 1999 , 53, 1-13	5.3	32
15	Congenital fistula of the fourth branchial pouch. <i>European Archives of Oto-Rhino-Laryngology</i> , 1998 , 255, 322-4	3.5	21
14	Comparison of external radiotherapy, laser microsurgery and partial laryngectomy for the treatment of T1N0M0 glottic carcinomas: a retrospective evaluation. <i>Radiotherapy and Oncology</i> , 1998 , 48, 175-83	5.3	83
13	Meningioma of the infratemporal fossa: report of a case. <i>Acta Clinica Belgica</i> , 1998 , 53, 282-4	1.8	2
12	Papillary thyroid carcinoma: the last steps for an optimal treatment?. <i>Radiotherapy and Oncology</i> , 1997 , 44, 199-202	5.3	
11	Posterior cordectomy and subtotal arytenoidectomy for the treatment of bilateral vocal fold immobility: functional results. <i>Journal of Voice</i> , 1996 , 10, 314-9	1.9	31
10	Caustic burns of the upper digestive and respiratory tracts. <i>European Journal of Pediatrics</i> , 1991 , 150, 700-3	4.1	16
9	Gax-collagen injection to correct aspiration problems after subtotal laryngectomy. <i>Laryngoscope</i> , 1990 , 100, 663-9	3.6	29
8	Correction of glottic insufficiency by collagen injection. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 1990 , 99, 438-44	2.1	44

7	Initial long-term results of collagen injection for vocal and laryngeal rehabilitation. <i>Archives of Oto-rhino-laryngology</i> , 1989 , 246, 403-6		14
6	Juvenile laryngeal papillomatosis and epidermoid carcinoma. <i>Journal of Pediatrics</i> , 1989 , 114, 269-72	3.6	14
5	Surgical management of parapharyngeal cystic hygroma causing sudden airway obstruction. <i>Head & Neck</i> , 1988 , 10, 406-10		9
4	Reconstruction of the floor of the mouth after total glossectomy by free transfer of a gastro-omental flap. <i>Head & Neck</i> , 1988 , 10, S12-S16		3
3	The challenge of upper airway obstruction in pediatric intensive care. <i>Intensive Care Medicine</i> , 1986 , 12, 412-5	14.5	3
2	Tumor of the hypopharynx: free jejunal transfer with conservation of the larynx: a case report. <i>Journal of Reconstructive Microsurgery</i> , 1986 , 2, 153-7	2.5	3
1	Cholesteatoma surgery of the middle ear: Reflections on recurrences. <i>Archives of Oto-rhino-laryngology</i> , 1982 , 237, 77-82		1