

# Qian Sun

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1700501/publications.pdf>

Version: 2024-02-01

18  
papers

512  
citations

759233

12  
h-index

839539

18  
g-index

18  
all docs

18  
docs citations

18  
times ranked

662  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid and selective adsorption of cationic dyes by a unique metal-organic framework with decorated pore surface. <i>Applied Surface Science</i> , 2018, 440, 1219-1226.	6.1	137
2	Metal-Organic Framework Based on $[Zn_4O(COO)_6]$ Clusters: Rare 3D KagomÃ© Topology and Luminescence. <i>Crystal Growth and Design</i> , 2010, 10, 44-47.	3.0	50
3	Magnetic Ordering in Three-Dimensional Metal-Organic Frameworks Based on Carboxylate Bridged Square-Grid Layers. <i>Inorganic Chemistry</i> , 2011, 50, 8144-8152.	4.0	46
4	Entangled Metal-Organic Frameworks of <i>m</i> -Phenylenediacrylate Modulated by Bis(pyridyl) Ligands. <i>Crystal Growth and Design</i> , 2012, 12, 2234-2241.	3.0	41
5	Europium metal-organic framework containing helical metal-carboxylate chains for fluorescence sensing of nitrobenzene and nitrofurans antibiotics. <i>Journal of Solid State Chemistry</i> , 2020, 292, 121701.	2.9	41
6	Layered and pillar-layered metal-organic frameworks based on pinwheel trinuclear zinc-carboxylate clusters. <i>CrystEngComm</i> , 2011, 13, 2721.	2.6	32
7	Highly efficient fluorescent chemosensor for nitro antibiotic detection based on luminescent coordination polymers with 2,6-di(4-carboxyphenyl)pyrazine. <i>CrystEngComm</i> , 2021, 23, 3167-3174.	2.6	29
8	Tuning adsorption capacity through ligand pre-modification in functionalized Zn-MOF analogues. <i>Materials Chemistry and Physics</i> , 2020, 243, 122601.	4.0	27
9	Charge-Switchable Cu <sub>2</sub> O Nanozyme with Peroxidase and Near-Infrared Light Enhanced Photothermal Activity for Wound Antibacterial Application. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 25042-25049.	8.0	23
10	Dual functions of pH-sensitive cation Zr-MOF for 5-Fu: large drug-loading capacity and high-sensitivity fluorescence detection. <i>Dalton Transactions</i> , 2021, 50, 10524-10532.	3.3	17
11	Chiral or achiral: four isomeric Cd(II) coordination polymers based on phenylenediacrylate ligands. <i>CrystEngComm</i> , 2015, 17, 1389-1397.	2.6	15
12	A neodymium coordination polymer with mixed <i>m</i> -phenylenediacrylate and formate bridges: Synthesis, unprecedented topology, and magnetism. <i>Inorganic Chemistry Communication</i> , 2009, 12, 426-429.	3.9	12
13	PB@UiO-67-CDC-(CH <sub>3</sub> ) <sub>2</sub> as an Ultrasensitive Ratiometric Fluorescence Sensor: Visible "Turn-On" Effect for Detecting Preservatives and Amino Acids. <i>Crystal Growth and Design</i> , 2021, 21, 7218-7229.	3.0	10
14	Activatable NIR-II Fluorescent Nanoprobe for Rapid Detection and Imaging of Methylglyoxal Facilitated by the Local Nonpolar Microenvironment. <i>Analytical Chemistry</i> , 2022, 94, 1076-1084.	6.5	10
15	Determination of Parathion-methyl in Vegetables by Fluorescent-Labeled Molecular Imprinted Polymer. <i>Chinese Journal of Chemistry</i> , 2011, 29, 2134-2140.	4.9	9
16	Electrochemical reduction of benzoylformic acid in ionic liquid. <i>Chinese Journal of Chemistry</i> , 2003, 21, 1229-1230.	4.9	7
17	A Novel Copper-Functionalized MOF Modified Composite Electrode for High-Efficiency Detection of Nitrite and Histamine. <i>Journal of the Electrochemical Society</i> , 2022, 169, 077511.	2.9	5
18	Manganese(II) and cobalt(II) coordination polymers with <i>m</i> -phenylenediacrylate: Synthesis, structures, and magnetic properties. <i>Inorganica Chimica Acta</i> , 2017, 462, 106-111.	2.4	1