Li Qi

List of Publications by Citations

Source: https://exaly.com/author-pdf/1700847/li-qi-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46 3,110 31 144 g-index h-index citations papers 5.67 151 3,474 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
144	A colorimetric sensor for determination of cysteine by carboxymethyl cellulose-functionalized gold nanoparticles. <i>Analytica Chimica Acta</i> , 2010 , 671, 80-4	6.6	134
143	Polarity-Reversed Allylations of Aldehydes, Ketones, and Imines Enabled by Hantzsch Ester in Photoredox Catalysis. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13312-13315	16.4	120
142	Folic acid-functionalized fluorescent gold nanoclusters with polymers as linkers for cancer cell imaging. <i>Chemical Communications</i> , 2013 , 49, 8030-2	5.8	110
141	Simple hydrothermal synthesis of mesoporous spinel NiCo2O4 nanoparticles and their catalytic behavior in CH3OH electro-oxidation and H2O2 electro-reduction. <i>Catalysis Science and Technology</i> , 2013 , 3, 3207-3215	5.5	97
140	Facile one-pot synthesis of L-proline-stabilized fluorescent gold nanoclusters and its application as sensing probes for serum iron. <i>Biosensors and Bioelectronics</i> , 2013 , 49, 249-55	11.8	97
139	A facile and cost-effective synthesis of mesoporous NiCo2O4 nanoparticles and their capacitive behavior in electrochemical capacitors. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 3621-3633	2.6	79
138	Poly(2-vinyl-4,4-dimethylazlactone)-functionalized magnetic nanoparticles as carriers for enzyme immobilization and its application. <i>ACS Applied Materials & District Materials</i> (2014), 6, 21346-54	9.5	75
137	A novel glycidyl methacrylate-based monolith with sub-micron skeletons and well-defined macropores. <i>Journal of Materials Chemistry</i> , 2009 , 19, 767-772		72
136	Facile synthesis of mesoporous MnO2 microspheres for high performance AC//MnO2 aqueous hybrid supercapacitors. <i>Electrochimica Acta</i> , 2013 , 108, 497-505	6.7	71
135	Immobilization of trypsin via reactive polymer grafting from magnetic nanoparticles for microwave-assisted digestion. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 2260-2267	7.3	53
134	Novel oligo(ethylene glycol)-based molecularly imprinted magnetic nanoparticles for thermally modulated capture and release of lysozyme. <i>ACS Applied Materials & Discourse amp; Interfaces</i> , 2014 , 6, 17289-95	9.5	52
133	Construction of fluorescent polymeric nano-thermometers for intracellular temperature imaging: A review. <i>Biosensors and Bioelectronics</i> , 2016 , 85, 403-413	11.8	51
132	Facile preparation and performance of mesoporous manganese oxide for supercapacitors utilizing neutral aqueous electrolytes. <i>RSC Advances</i> , 2012 , 2, 3298	3.7	51
131	Ionic liquids with amino acids as cations: novel chiral ligands in chiral ligand-exchange capillary electrophoresis. <i>Talanta</i> , 2012 , 97, 349-54	6.2	46
130	Ratiometric Fluorescent Polymeric Thermometer for Thermogenesis Investigation in Living Cells. <i>Analytical Chemistry</i> , 2015 , 87, 10535-41	7.8	43
129	One-pot synthesis of tyrosine-stabilized fluorescent gold nanoclusters and their application as turn-on sensors for Al3+ ions and turn-off sensors for Fe3+ ions. <i>Analytical Methods</i> , 2014 , 6, 6445	3.2	41
128	Preparation of poly(N-isopropylacrylamide)-grafted polymer monolith for hydrophobic interaction chromatography of proteins. <i>Journal of Chromatography A</i> , 2009 , 1216, 2404-11	4.5	41

127	Intracellular temperature sensing by a ratiometric fluorescent polymer thermometer. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 7544-7550	7.3	40	
126	Chiral CE of aromatic amino acids by ligand-exchange with zinc(II)-L-lysine complex. <i>Electrophoresis</i> , 2007 , 28, 2629-34	3.6	40	
125	Thermal responsive fluorescent block copolymer for intracellular temperature sensing. <i>Journal of Materials Chemistry</i> , 2012 , 22, 11543		39	
124	New chiral ligand exchange capillary electrophoresis system with chiral amino amide ionic liquids as ligands. <i>Talanta</i> , 2017 , 175, 451-456	6.2	38	
123	Porous NiCo2O4 as an anode material for 4.5 V hybrid Li-ion capacitors. <i>RSC Advances</i> , 2013 , 3, 12581	3.7	35	
122	Polarity-Reversed Allylations of Aldehydes, Ketones, and Imines Enabled by Hantzsch Ester in Photoredox Catalysis. <i>Angewandte Chemie</i> , 2016 , 128, 13506-13509	3.6	34	
121	Incorporation of flow injection analysis or capillary electrophoresis with resonance Rayleigh scattering detection for inorganic ion analysis. <i>Journal of Chromatography A</i> , 2006 , 1110, 235-9	4.5	34	
120	Preparation of macroporous monolith with three dimensional bicontinuous skeleton structure by atom transfer radical polymerization for HPLC. <i>Polymer</i> , 2010 , 51, 1703-1708	3.9	33	
119	Folic acid-conjugated fluorescent polymer for up-regulation folate receptor expression study via targeted imaging of tumor cells. <i>Biosensors and Bioelectronics</i> , 2016 , 78, 147-153	11.8	32	
118	Hydrothermal and soft-templating synthesis of mesoporous NiCo2O4 nanomaterials for high-performance electrochemical capacitors. <i>Journal of Applied Electrochemistry</i> , 2013 , 43, 903-910	2.6	32	
117	Chiral ligand-exchange CE assays for separation of amino acid enantiomers and determination of enzyme kinetic constant. <i>Electrophoresis</i> , 2009 , 30, 2266-72	3.6	32	
116	Preparation and characterization of monolithic column by grafting pH-responsive polymer. <i>Talanta</i> , 2009 , 79, 739-45	6.2	32	
115	Trypsin immobilization in ordered porous polymer membranes for effective protein digestion. <i>Analytica Chimica Acta</i> , 2016 , 906, 156-164	6.6	31	
114	Construction of a D-amino acid oxidase reactor based on magnetic nanoparticles modified by a reactive polymer and its application in screening enzyme inhibitors. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 12979-87	9.5	31	
113	Preparation of porous polymer monolithic column using functionalized graphene oxide as a functional crosslinker for high performance liquid chromatography separation of small molecules. <i>Analyst, The</i> , 2013 , 138, 5470-8	5	31	
112	Design and Fabrication of a Three Dimensional Spiral Micromixer. <i>Chinese Journal of Chemistry</i> , 2013 , 31, 209-214	4.9	30	
111	Development of new chiral ligand exchange capillary electrophoresis system with amino acid ionic liquids ligands and its application in studying the kinetics of L-amino acid oxidase. <i>Analytica Chimica Acta</i> , 2014 , 821, 97-102	6.6	28	
110	Chiral separation using capillary electromigration techniques based on ligand exchange principle. Journal of Separation Science, 2012, 35, 1236-48	3.4	28	

109	A chiral ligand exchange CE essay with zinc(II)-L-valine complex for determining enzyme kinetic constant of L-amino acid oxidase. <i>Talanta</i> , 2010 , 81, 1554-9	6.2	28
108	High-performance affinity monolith chromatography for chiral separation and determination of enzyme kinetic constants. <i>Talanta</i> , 2010 , 82, 1332-7	6.2	28
107	Fluorescence turn-on assay for detection of serum D-penicillamine based on papain@AuNCs-Cu complex. <i>Analytica Chimica Acta</i> , 2018 , 1026, 133-139	6.6	27
106	Immobilization of trypsin on sub-micron skeletal polymer monolith. <i>Analytica Chimica Acta</i> , 2011 , 692, 131-7	6.6	27
105	Anatase TiO as a Na-Storage Anode Active Material for Dual-Ion Batteries. <i>ACS Applied Materials & Amp; Interfaces</i> , 2019 , 11, 30453-30459	9.5	26
104	A novel chiral ligand exchange capillary electrophoresis system with amino acid ionic liquid as ligand and its application in screening D-amino-acid oxidase inhibitors. <i>Analyst, The</i> , 2012 , 137, 4235-40	5	26
103	Thermoresponsive oligo(ethylene glycol)-based polymer brushes on polymer monoliths for all-aqueous chromatography. <i>ACS Applied Materials & amp; Interfaces</i> , 2013 , 5, 12441-8	9.5	26
102	Determination of sodium benzoate by chiral ligand exchange CE based on its inhibitory activity in D-amino acid oxidase mediated oxidation of D-serine. <i>Analytica Chimica Acta</i> , 2011 , 691, 103-9	6.6	26
101	Simultaneous Monitoring of Mitochondrial Temperature and ATP Fluctuation Using Fluorescent Probes in Living Cells. <i>Analytical Chemistry</i> , 2018 , 90, 12553-12558	7.8	26
100	Facile preparation of surface-exchangeable core@shell iron oxide@gold nanoparticles for magnetic solid-phase extraction: use of gold shell as the intermediate platform for versatile adsorbents with varying self-assembled monolayers. <i>Analytica Chimica Acta</i> , 2014 , 811, 36-42	6.6	25
99	Fluorescent probe for turn-on sensing of L-cysteine by ensemble of AuNCs and polymer protected AuNPs. <i>Analytica Chimica Acta</i> , 2015 , 879, 97-103	6.6	25
98	Assay of aromatic amino acid enantiomers in rice-brewed suspensions by chiral ligand-exchange CE. <i>Electrophoresis</i> , 2007 , 28, 4150-5	3.6	25
97	Development of a capillary electrophoresis system with Mn(II) complexes and Eyclodextrin as the dual chiral selectors for enantioseparation of dansyl amino acids and its application in screening enzyme inhibitors. RSC Advances, 2015, 5, 28762-28768	3.7	24
96	Ratiometric Fluorescent Pattern for Sensing Proteins Using Aqueous Polymer-Pyrene/ECyclodextrin Inclusion Complexes. <i>Analytical Chemistry</i> , 2016 , 88, 1821-6	7.8	24
95	A facile hard-templating synthesis of mesoporous spinel CoFe2O4 nanostructures as promising electrocatalysts for the H2O2 reduction reaction. <i>RSC Advances</i> , 2014 , 4, 1754-1760	3.7	24
94	Preparation of sub-micron skeletal monoliths with high capacity for liquid chromatography. <i>Journal of Separation Science</i> , 2010 , 33, 475-83	3.4	24
93	Construction of OVA-stabilized fluorescent gold nanoclusters for sensing glucose. <i>Science China Chemistry</i> , 2015 , 58, 1508-1514	7.9	23
92	Online Proteolysis and Glycopeptide Enrichment with Thermoresponsive Porous Polymer Membrane Reactors for Nanoflow Liquid Chromatography-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> 2019, 90, 3134, 3131	7.8	23

91	MoS2II/graphite, an electric energy storage device using Na+-based organic electrolytes. <i>RSC Advances</i> , 2015 , 5, 15431-15437	3.7	22
90	Preparation of well-defined environmentally responsive polymer brushes on monolithic surface by two-step atom transfer radical polymerization method for HPLC. <i>Polymer</i> , 2011 , 52, 3725-3731	3.9	22
89	Monolith and coating enzymatic microreactors of L-asparaginase: kinetics study by MCE-LIF for potential application in acute lymphoblastic leukemia (ALL) treatment. <i>Analyst, The</i> , 2011 , 136, 2077-83	5	22
88	Enantioseparation of dansyl amino acids and dipeptides by chiral ligand exchange capillary electrophoresis based on Zn(II)-L-hydroxyproline complexes coordinating with Ecyclodextrins. <i>Analytica Chimica Acta</i> , 2014 , 846, 68-74	6.6	21
87	Hierarchical porous NiCo2O4 nanomaterials with excellent cycling behavior for electrochemical capacitors via a hard-templating route. <i>Journal of Applied Electrochemistry</i> , 2012 , 42, 1033-1043	2.6	21
86	Fast and accurate measurement of diffusion coefficient by Taylor⊠ dispersion analysis. <i>Science Bulletin</i> , 2007 , 52, 3325-3332		21
85	A fluorescent probe for sensing ferric ions in bean sprouts based on L-histidine-stabilized gold nanoclusters. <i>Analytical Methods</i> , 2015 , 7, 684-689	3.2	20
84	Microchip CE-LIF method for the hydrolysis of L-glutamine by using L-asparaginase enzyme reactor based on gold nanoparticle. <i>Electrophoresis</i> , 2013 , 34, 409-16	3.6	20
83	A chiral ligand exchange CE system for monitoring inhibitory effect of kojic acid on tyrosinase. <i>Talanta</i> , 2013 , 116, 1121-5	6.2	19
82	Cotton-assisted preparation of mesoporous manganese oxide for supercapacitors. <i>RSC Advances</i> , 2012 , 2, 6741	3.7	19
81	Preparation of Polymer@AuNPs with Droplets Approach for Sensing Serum Copper Ions. <i>Analytical Chemistry</i> , 2017 , 89, 2080-2085	7.8	18
80	Recent progress in plant-gold nanoparticles fabrication methods and bio-applications. <i>Talanta</i> , 2021 , 223, 121396	6.2	18
79	Enzyme Reactor Based on Reversible pH-Controlled Catalytic Polymer Porous Membrane. <i>ACS Applied Materials & District Materials & Distr</i>	9.5	17
78	Copper nanoclusters as probes for turn-on fluorescence sensing of L-lysine. <i>Talanta</i> , 2018 , 182, 595-599	96.2	17
77	Development of alanine aminotransferase reactor based on polymer@FeO nanoparticles for enzyme inhibitors screening by chiral ligand exchange capillary electrophoresis. <i>Talanta</i> , 2018 , 182, 600	-605	16
76	Preparation of amino acid-based polymer functionalized magnetic nanoparticles as adsorbents for analysis of plant growth regulators in bean sprouts. <i>Talanta</i> , 2016 , 158, 229-234	6.2	16
<i>75</i>	Study on the decrease of renal D-amino acid oxidase activity in the rat after renal ischemia by chiral ligand exchange capillary electrophoresis. <i>Amino Acids</i> , 2012 , 42, 337-45	3.5	16
74	Reactive polymer as a versatile toolbox for construction of multifunctional superparamagnetic nanocomposites. <i>Chemistry - A European Journal</i> , 2012 , 18, 13755-61	4.8	16

73	Capillary electrophoretic determination of glucosamine in osteoarthritis tablets via microwave-accelerated dansylation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1620-4	₁ 3.5	16
72	A novel amphipathic block copolymer coating forming micelle-like aggregates for separation of steroids in open tubular capillary electrochromatography. <i>Talanta</i> , 2011 , 84, 501-7	6.2	15
71	Construction of chiral ligand exchange capillary electrochromatography for d,l-amino acids enantioseparation and its application in glutaminase kinetics study. <i>Journal of Chromatography A</i> , 2018 , 1548, 104-110	4.5	14
70	Macroporous polymer monoliths with a well-defined three dimensional skeletal morphology derived from a novel phase separator for HPLC. <i>Polymer</i> , 2012 , 53, 4128-4134	3.9	14
69	Chiral ligand exchange capillary electrochromatography with dual ligands for enantioseparation of D,L-amino acids. <i>Talanta</i> , 2019 , 194, 430-436	6.2	14
68	Green synthesis of gold nanoclusters using papaya juice for detection of l-lysine. <i>Chinese Chemical Letters</i> , 2019 , 30, 660-663	8.1	14
67	Dual-functional polymer-modified magnetic nanoparticles for isolation of lysozyme. <i>Analytica Chimica Acta</i> , 2018 , 1035, 70-76	6.6	13
66	Robust Production of Well-Controlled Microdroplets in a 3D-Printed Chimney-Shaped Milli-Fluidic Device. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900457	6.8	13
65	L-Lysine-derived ionic liquids as chiral ligands of Zn(II) complexes used in ligand-exchange CE. <i>Electrophoresis</i> , 2013 , 34, 846-53	3.6	13
64	Properties of a nanocomposite polymer electrolyte from an amorphous comb-branch polymer and nanoparticles. <i>Journal of Solid State Electrochemistry</i> , 2004 , 8, 283-289	2.6	13
63	Simultaneous Monitoring of Temperature and Ca Concentration Variation by Fluorescent Polymer during Intracellular Heat Production. <i>Analytical Chemistry</i> , 2020 , 92, 8579-8583	7.8	12
62	Ovalbumin-stabilized gold nanoclusters with ascorbic acid as reducing agent for detection of serum copper. <i>Chinese Chemical Letters</i> , 2018 , 29, 366-370	8.1	12
61	Influence of ionic liquids as electrolyte additives on chiral separation of dansylated amino acids by using Zn(II) complex mediated chiral ligand exchange CE. <i>Journal of Separation Science</i> , 2013 , 36, 886-91	3.4	12
60	d-Proline capped gold nanoclusters for turn-on detection of serum Raltitrexed. <i>Chinese Chemical Letters</i> , 2019 , 30, 1627-1630	8.1	11
59	Facile fabrication of mesoporous manganese oxides as advanced electrode materials for supercapacitors. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 2579-2588	2.6	11
58	Determination of preservatives in soft drinks by capillary electrophoresis with ionic liquids as the electrolyte additives. <i>Journal of Separation Science</i> , 2014 , 37, 2248-52	3.4	10
57	A new chiral ligand exchange capillary electrophoresis system based on Zn(II)II-leucine complexes coordinating with Eyclodextrin and its application in screening tyrosinase inhibitors. <i>RSC Advances</i> , 2014 , 4, 55280-55285	3.7	10
56	Study on alanine aminotransferase kinetics by microchip electrophoresis. <i>Analytical Biochemistry</i> , 2012 , 421, 499-505	3.1	10

(2020-2009)

55	Open tubular CEC with novel block copolymer coatings for separation of aromatic amines. <i>Journal of Separation Science</i> , 2009 , 32, 3936-44	3.4	10
54	Synthesis and characterization of novel polythiophenes containing poly(ethylene oxide) side chains. Journal of Applied Polymer Science, 2006 , 102, 1803-1808	2.9	10
53	Fabrication of enzyme reactor utilizing magnetic porous polymer membrane for screening D-Amino acid oxidase inhibitors. <i>Talanta</i> , 2017 , 165, 251-257	6.2	9
52	Synthesis of polymer protected AuNPs for silver ions detection. Science China Chemistry, 2015, 58, 1065	- 1 . <u>0</u> 72	9
51	Enhancement of gold nanoclusters-based peroxidase nanozymes for detection of tetracycline. <i>Microchemical Journal</i> , 2020 , 157, 104871	4.8	9
50	Preparation of a novel polymer monolith with functional polymer brushes by two-step atom-transfer radical polymerization for trypsin immobilization. <i>Journal of Separation Science</i> , 2014 , 37, 3411-7	3.4	9
49	A micro-sized Si © NT anode for practical application via a one-step, low-cost and green method. <i>RSC Advances</i> , 2017 , 7, 54844-54851	3.7	9
48	A well-defined block copolymer serving as surfactants in separation of 1,4-dihydropyridines by open-tubular capillary eletrochromatography. <i>Electrophoresis</i> , 2012 , 33, 2019-27	3.6	9
47	Study on amino amides and enzyme kinetics of L-asparaginase by MCE. <i>Electrophoresis</i> , 2010 , 31, 1565-7	73 .6	8
46	Synthesis of ficin-protected AuNCs in a droplet-based microreactor for sensing serum ferric ions. <i>Talanta</i> , 2019 , 200, 547-552	6.2	7
45	Preparation of an amino acid-based polymer monolith for trimodal liquid chromatography. <i>RSC Advances</i> , 2015 , 5, 61436-61439	3.7	7
44	A versatile method for the preparation of poly-acrylamide derivative functionalized thermo-responsive gold nanoparticles. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 5756-5761	7.3	7
43	Facile Fabrication of Polymeric Ionic Liquid Grafted Porous Polymer Monolith for Mixed-Mode High Performance Liquid Chromatography. <i>Chinese Journal of Chemistry</i> , 2014 , 32, 619-625	4.9	7
42	Assay of vitamin B in urine by capillary electrochromatography with methacrylate-based monolithic column. <i>Electrophoresis</i> , 2010 , 31, 3227-32	3.6	7
41	Coordination-driven self-assembly of ML metal-organic bi-capped square antiprisms with adaptable cavities. <i>Dalton Transactions</i> , 2019 , 48, 17713-17717	4.3	7
40	Open tubular capillary electrochromatography with block co-polymer coating for separation of Elactam antibiotics. <i>Chinese Chemical Letters</i> , 2019 , 30, 349-352	8.1	7
39	Colorimetric detection of serum doxycycline with d-histidine-functionalized gold nanoclusters as nanozymes. <i>Analyst, The</i> , 2020 , 145, 3564-3568	5	7
38	Fluorescence turn-off-on for highly selective detection of serum l-cysteine based on AuNCs-AuNPs ensembles. <i>Analyst, The</i> , 2020 , 145, 2233-2237	5	6

37	Chiral ligand exchange capillary electrophoresis with L-dipeptides as chiral ligands for separation of Dns-D,L-amino acids. <i>Talanta</i> , 2020 , 217, 121069	6.2	6
36	Construction of a thermoresponsive magnetic porous polymer membrane enzyme reactor for glutaminase kinetics study. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 5211-5218	4.4	6
35	Nanofiber membrane based on ionic liquids as high-performance polymer electrolyte for sodium electrochemical device. <i>Ionics</i> , 2013 , 19, 1595-1602	2.7	6
34	Norfloxacin detection based on the peroxidase-like activity enhancement of gold nanoclusters. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 979-985	4.4	6
33	Polyacrylamide-protected gold nanoparticles for the determination of manganese ions. <i>Analytical Methods</i> , 2015 , 7, 9906-9911	3.2	5
32	Carbon nano-beads collected from candle soot as an anode material with a highly pseudocapacitive Na+ storage capability for dual-ion batteries. <i>Ionics</i> , 2020 , 26, 4533-4542	2.7	5
31	Rate Acceleration of the Baylis-Hillman Reaction within Microreactors. <i>Chinese Journal of Chemistry</i> , 2011 , 29, 2385-2388	4.9	5
30	Structural, thermal, and impedance properties of a gel polymer electrolyte containing ionic liquid. <i>Polymers for Advanced Technologies</i> , 2010 , 21, 153-157	3.2	5
29	Non-enzymatic detection of serum glucose using a fluorescent nanopolymer probe. <i>Mikrochimica Acta</i> , 2019 , 186, 366	5.8	4
28	Preparation and Characterization of Temperature-responsive Porous Monoliths. <i>Chinese Journal of Chemistry</i> , 2009 , 27, 2229-2236	4.9	4
27	Use of MEKC for the analysis of reactant and product of Baylis-Hillman reaction. <i>Journal of Separation Science</i> , 2009 , 32, 1480-6	3.4	4
26	Boosting the peroxidase-like activity of gold nanoclusters for the colorimetric detection of oxytetracycline in rat serum. <i>Analyst, The</i> , 2021 , 146, 5061-5066	5	4
25	Fabrication of a porous polymer membrane enzyme reactor and its enzymatic kinetics study in an artificial kidney model. <i>Talanta</i> , 2020 , 216, 120963	6.2	3
24	Separation of antipyretic analgesics by open tubular capillary electrochromatography with homopolymer coatings. <i>Journal of Separation Science</i> , 2019 , 42, 3016-3022	3.4	3
23	Development of a new open-tubular capillary electrochromatography method for in vitro monitoring of toxic aromatic amines distribution in rat blood. <i>Journal of Separation Science</i> , 2011 , 34, 3538-45	3.4	3
22	Thermoresponsive Porous Polymer Membrane as a Switchable Enzyme Reactor for d-Amino Acid Oxidase Kinetics Study. <i>ACS Applied Bio Materials</i> , 2021 , 4, 966-973	4.1	3
21	Dual protein ligand-modified gold nanoclusters for selective detection of serum sodium copper chlorophyllin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 243, 118798	4.4	3
20	Design of Switchable Enzyme Carriers Based on Stimuli-Responsive Porous Polymer Membranes for Bioapplications <i>ACS Applied Bio Materials</i> , 2021 , 4, 4706-4719	4.1	3

19	Selective Capture and in Situ Controllable Detection of d-Glucose in Cerebral Systems. <i>Analytical Chemistry</i> , 2020 , 92, 4445-4450	7.8	2
18	Reduction of 4-Nitrophenol Using Ficin Capped Gold Nanoclusters as Catalyst. <i>Chemical Research in Chinese Universities</i> , 2019 , 35, 636-640	2.2	2
17	An l-glutaminase enzyme reactor based on porous bamboo sticks and its application in enzyme inhibitors screening. <i>Talanta</i> , 2019 , 205, 120126	6.2	2
16	Separation of aromatic amines by an open-tubular capillary electrochromatography method. <i>Journal of Separation Science</i> , 2013 , 36, 3629-34	3.4	2
15	Relaxation time and conductivity of comb-like gel polymer electrolytes. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 576-584	2.9	2
14	Electrochemical behavior of Ekeggin-type nanoparticles, Co(en)3(PMo12O40), in polyethylene glycol. <i>Journal of Solid State Electrochemistry</i> , 2003 , 7, 337-343	2.6	2
13	Enzyme immobilization on a pH-responsive porous polymer membrane for enzymatic kinetics study. <i>Chinese Chemical Letters</i> , 2021 ,	8.1	2
12	In Situ Determination of Sialic Acid on Cell Surface with a pH-Regulated Polymer Enzyme Nanoreactor. <i>Analytical Chemistry</i> , 2021 , 93, 7317-7322	7.8	2
11	Colorimetric monitoring of serum dopamine with promotion activity of gold nanocluster-based nanozymes. <i>Analyst, The</i> , 2021 , 146, 6615-6620	5	2
10	Study on controllable enzymolysis by chiral capillary electrophoresis with an ultraviolet-visible responsive polymer membrane based l-asparaginase reactor. <i>Talanta</i> , 2021 , 234, 122676	6.2	2
9	Emulsion-cryogelation technique for fabricating a versatile toolbox of hierarchical polymeric monolith and its application in chromatography. <i>Talanta</i> , 2016 , 152, 244-50	6.2	1
8	A Passive Mixer with Changeable Mixing Mechanism. <i>Chinese Journal of Chemistry</i> , 2012 , 30, 1793-1796	4.9	1
7	Dual-stimuli-responsive porous polymer enzyme reactor for tuning enzymolysis efficiency. <i>Mikrochimica Acta</i> , 2021 , 188, 435	5.8	1
6	Advances in stimuli-responsive polymeric coatings for open-tubular capillary electrochromatography <i>Journal of Chromatography A</i> , 2022 , 1670, 462957	4.5	1
5	Enantioseparation of EQuaternary Amino Amides by Capillary Electrophoresis with Human Serum Albumin. <i>Analytical Letters</i> , 2003 , 36, 1451-1462	2.2	0
4	Simultaneous Monitoring of Intracellular Temperature and Norepinephrine Variation by Fluorescent Probes during Norepinephrine Reuptake. <i>Analytical Chemistry</i> , 2021 , 93, 14743-14747	7.8	O
3	Fabrication of polymer-modified magnetic nanoparticle based adsorbents for the capture and release of quinolones by manipulating the metal-coordination interaction. <i>Journal of Separation Science</i> , 2018 , 41, 2976	3.4	О
2	Poly(styrene-co-N-methacryloyl-l-phenylalanine methyl ester)-functionalized magnetic nanoparticles as sorbents for the analysis of sodium benzoate in beverages. <i>Journal of Separation Science</i> , 2017 , 40, 466-471	3.4	

Design and Preparation of Stimuli-responsive AIE Fluorescent Polymers-based Probes for Cells Imaging **2022**, 243-267