## Leland E Dibble

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1702819/leland-e-dibble-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77	3,389	32	57
papers	citations	h-index	g-index
82	3,867 ext. citations	3.3	5.09
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
77	Control of Linear Head and Trunk Acceleration During Gait After Unilateral Vestibular Deficits. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2021</b> , 102, 456-462	2.8	1
76	Cost-Effectiveness of Operative Versus Nonoperative Management of Patients With Intra-articular Calcaneal Fractures. <i>Journal of Orthopaedic Trauma</i> , <b>2020</b> , 34, 382-388	3.1	O
75	Test-Retest Reliability and Response Stability of Gaze Stabilization, Postural Sway, and Dynamic Balance Tests in Persons with Multiple Sclerosis and Controls. <i>International Journal of MS Care</i> , <b>2020</b> , 22, 136-142	2.3	
74	Caring Rehabilitation Climate, the Tripartite Efficacy Framework, and Adherence to Rehabilitation Programs Among Individuals With Parkinson Disease: A Multiple Mediation Analysis. <i>Journal of Geriatric Physical Therapy</i> , <b>2020</b> , 43, E16-E24	3.2	1
73	Dopamine replacement improves motor learning of an upper extremity task in people with Parkinson disease. <i>Behavioural Brain Research</i> , <b>2020</b> , 377, 112213	3.4	9
<del>72</del>	Protective stepping in multiple sclerosis: Impacts of a single session of in-place perturbation practice. <i>Multiple Sclerosis and Related Disorders</i> , <b>2019</b> , 30, 17-24	4	11
71	Reproducibility and responsiveness of gait initiation in Parkinson's disease. <i>Journal of Biomechanics</i> , <b>2019</b> , 87, 197-201	2.9	4
70	Short-term Effects of Manual Therapy in Patients After Surgical Fixation of Ankle and/or Hindfoot Fracture: A Randomized Clinical Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2019</b> , 49, 310-	3 <sup>4</sup> 1 <sup>-3</sup>	2
69	Moving Beyond Effectiveness. <i>Journal of Neurologic Physical Therapy</i> , <b>2019</b> , 43, 1-2	4.1	4
68	Predicting Motor Sequence Learning in People With Parkinson Disease. <i>Journal of Neurologic Physical Therapy</i> , <b>2019</b> , 43, 33-41	4.1	7
67	Predictors of self-perceived stigma in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , <b>2019</b> , 60, 76-80	3.6	12
66	Reduced Purposeful Head Movements During Community Ambulation Following Unilateral Vestibular Loss. <i>Neurorehabilitation and Neural Repair</i> , <b>2018</b> , 32, 309-316	4.7	14
65	Home-based step training using videogame technology in people with Parkinson disease: a single-blinded randomised controlled trial. <i>Clinical Rehabilitation</i> , <b>2018</b> , 32, 299-311	3.3	33
64	Gaze Stability, Dynamic Balance and Participation Deficits in People with Multiple Sclerosis at Fall-Risk. <i>Anatomical Record</i> , <b>2018</b> , 301, 1852-1860	2.1	14
63	Dopamine Replacement Medication Does Not Influence Implicit Learning of a Stepping Task in People With Parkinson Disease. <i>Neurorehabilitation and Neural Repair</i> , <b>2018</b> , 32, 1031-1042	4.7	4
62	Feasibility and Validity of Discriminating Yaw Plane Head-on-Trunk Motion Using Inertial Wearable Sensors. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , <b>2017</b> , 25, 2347-2354	4.8	4
61	Characterization of Head-Trunk Coordination Deficits After Unilateral Vestibular Hypofunction Using Wearable Sensors. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , <b>2017</b> , 143, 1008-1014	3.9	14

## (2015-2017)

60	Adaptation of postural recovery responses to a vestibular sensory illusion in individuals with Parkinson disease and healthy controls. <i>Clinical Biomechanics</i> , <b>2017</b> , 48, 73-79	2.2	5
59	Are the average gait speeds during the 10meter and 6minute walk tests redundant in Parkinson disease?. <i>Gait and Posture</i> , <b>2017</b> , 52, 178-182	2.6	14
58	Identifying clinical measures that most accurately reflect the progression of disability in Parkinson disease. <i>Parkinsonism and Related Disorders</i> , <b>2016</b> , 25, 65-71	3.6	32
57	Two-Year Trajectory of Fall Risk in People With Parkinson Disease: A Latent Class Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, 372-379.e1	2.8	16
56	The Association Between Knee Extensor Force Steadiness, Force Accuracy, and Mobility in Older Adults Who Have Fallen. <i>Journal of Geriatric Physical Therapy</i> , <b>2016</b> , 39, 1-7	3.2	13
55	Measurement instruments to assess posture, gait, and balance in Parkinson disease: Critique and recommendations. <i>Movement Disorders</i> , <b>2016</b> , 31, 1342-55	7	133
54	Obtaining Reliable Estimates of Ambulatory Physical Activity in People with Parkinson's Disease. Journal of Parkinson's Disease, <b>2016</b> , 6, 301-5	5.3	13
53	Detecting and predicting balance decline in Parkinson disease: a prospective cohort study. <i>Journal of Parkinsonts Disease</i> , <b>2015</b> , 5, 131-9	5.3	15
52	Effects of practice on variability of muscle force. Perceptual and Motor Skills, 2015, 120, 475-90	2.2	3
51	Toward Understanding Ambulatory Activity Decline in Parkinson Disease. <i>Physical Therapy</i> , <b>2015</b> , 95, 1142-50	3.3	42
50	Acute effects of muscle fatigue on anticipatory and reactive postural control in older individuals: a systematic review of the evidence. <i>Journal of Geriatric Physical Therapy</i> , <b>2015</b> , 38, 40-8	3.2	17
49	Exercise and medication effects on persons with Parkinson disease across the domains of disability: a randomized clinical trial. <i>Journal of Neurologic Physical Therapy</i> , <b>2015</b> , 39, 85-92	4.1	31
48	Age-related difference in postural control during recovery from posterior and anterior perturbations. <i>Anatomical Record</i> , <b>2015</b> , 298, 346-53	2.1	8
47	Effects of age and acute muscle fatigue on reactive postural control in healthy adults. <i>Clinical Biomechanics</i> , <b>2015</b> , 30, 1108-13	2.2	14
46	Balance differences in people with Parkinson disease with and without freezing of gait. <i>Gait and Posture</i> , <b>2015</b> , 42, 306-9	2.6	18
45	Does Dopamine Replacement Medication Affect Postural Sequence Learning in Parkinson Volume Disease?. <i>Motor Control</i> , <b>2015</b> , 19, 325-40	1.3	11
44	Implicit Motor Sequence Learning in Individuals with Parkinson Disease: A Meta-Analysis. <i>Journal of Parkinsonts Disease</i> , <b>2015</b> , 5, 549-60	5.3	17
43	External validation of a simple clinical tool used to predict falls in people with Parkinson disease. <i>Parkinsonism and Related Disorders</i> , <b>2015</b> , 21, 960-3	3.6	26

42	Efficacy and Feasibility of Functional Upper Extremity Task-Specific Training for Older Adults With and Without Cognitive Impairment. <i>Neurorehabilitation and Neural Repair</i> , <b>2015</b> , 29, 636-44	4.7	29
41	Eccentric exercise in rehabilitation: safety, feasibility, and application. <i>Journal of Applied Physiology</i> , <b>2014</b> , 116, 1426-34	3.7	103
40	Effects of dopamine replacement therapy on lower extremity kinetics and kinematics during a rapid force production task in persons with Parkinson disease. <i>Gait and Posture</i> , <b>2014</b> , 39, 638-40	2.6	19
39	Utility of disease-specific measures and clinical balance tests in prediction of falls in persons with multiple sclerosis. <i>Journal of Neurologic Physical Therapy</i> , <b>2013</b> , 37, 99-104	4.1	37
38	Barriers to exercise in people with Parkinson disease. <i>Physical Therapy</i> , <b>2013</b> , 93, 628-36	3.3	165
37	Comparative utility of the BESTest, mini-BESTest, and brief-BESTest for predicting falls in individuals with Parkinson disease: a cohort study. <i>Physical Therapy</i> , <b>2013</b> , 93, 542-50	3.3	79
36	Predictors of gait speeds and the relationship of gait speeds to falls in men and women with Parkinson disease. <i>Parkinsonts Disease</i> , <b>2013</b> , 2013, 141720	2.6	27
35	Rehabilitation and Parkinson's disease 2013. Parkinson's Disease, 2013, 2013, 506375	2.6	1
34	The effects of practice on the concurrent performance of a speech and postural task in persons with Parkinson disease and healthy controls. <i>Parkinsonts Disease</i> , <b>2013</b> , 2013, 987621	2.6	10
33	Rehabilitation and Parkinson's disease. <i>Parkinson's Disease</i> , <b>2012</b> , 2012, 371406	2.6	5
32	Accuracy of fall prediction in Parkinson disease: six-month and 12-month prospective analyses. <i>Parkinsonts Disease</i> , <b>2012</b> , 2012, 237673	2.6	54
31	Capturing ambulatory activity decline in Parkinson's disease. <i>Journal of Neurologic Physical Therapy</i> , <b>2012</b> , 36, 51-7	4.1	90
30	Inflammation, aging, and adiposity: implications for physical therapists. <i>Journal of Geriatric Physical Therapy</i> , <b>2012</b> , 35, 86-94	3.2	20
29	Intramuscular adipose tissue, sarcopenia, and mobility function in older individuals. <i>Journal of Aging Research</i> , <b>2012</b> , 2012, 629637	2.3	172
28	The 9-hole PEG test of upper extremity function: average values, test-retest reliability, and factors contributing to performance in people with Parkinson disease. <i>Journal of Neurologic Physical Therapy</i> , <b>2011</b> , 35, 157-63	4.1	86
27	Ambulatory activity in individuals with multiple sclerosis. <i>Journal of Neurologic Physical Therapy</i> , <b>2011</b> , 35, 26-33	4.1	73
26	Development of a scale to assess avoidance behavior due to a fear of falling: the Fear of Falling Avoidance Behavior Questionnaire. <i>Physical Therapy</i> , <b>2011</b> , 91, 1253-65	3.3	42
25	Factors associated with exercise behavior in people with Parkinson disease. <i>Physical Therapy</i> , <b>2011</b> , 91, 1838-48	3.3	112

## (2006-2010)

24	Bidirectional interference between speech and postural stability in individuals with Parkinson disease. <i>International Journal of Speech-Language Pathology</i> , <b>2010</b> , 12, 446-54	2.1	24
23	Charting the progression of disability in Parkinson disease: study protocol for a prospective longitudinal cohort study. <i>BMC Neurology</i> , <b>2010</b> , 10, 110	3.1	35
22	Effects of early progressive eccentric exercise on muscle size and function after anterior cruciate ligament reconstruction: a 1-year follow-up study of a randomized clinical trial. <i>Physical Therapy</i> , <b>2009</b> , 89, 51-9	3.3	105
21	Increased strength and physical performance with eccentric training in women with impaired glucose tolerance: a pilot study. <i>Journal of Woments Health</i> , <b>2009</b> , 18, 253-60	3	31
20	The effects of exercise on balance in persons with Parkinson's disease: a systematic review across the disability spectrum. <i>Journal of Neurologic Physical Therapy</i> , <b>2009</b> , 33, 14-26	4.1	155
19	Reversing muscle and mobility deficits 1 to 4 years after TKA: a pilot study. <i>Clinical Orthopaedics and Related Research</i> , <b>2009</b> , 467, 1493-500	2.2	62
18	High intensity eccentric resistance training decreases bradykinesia and improves Quality Of Life in persons with Parkinson disease: a preliminary study. <i>Parkinsonism and Related Disorders</i> , <b>2009</b> , 15, 752	2-3-6	143
17	The impact of breast reduction surgery on low-back compressive forces and function in individuals with macromastia. <i>Plastic and Reconstructive Surgery</i> , <b>2009</b> , 124, 1393-1399	2.7	35
16	The Long-Term Contribution of Muscle Activation and Muscle Size to Quadriceps Weakness Following Total Knee Arthroplasty. <i>Journal of Geriatric Physical Therapy</i> , <b>2009</b> , 32, 35-38	3.2	33
15	Regional muscle and whole-body composition factors related to mobility in older individuals: a review. <i>Physiotherapy Canada Physiotherapie Canada</i> , <b>2009</b> , 61, 197-209	0.8	24
14	Diagnosis of fall risk in Parkinson disease: an analysis of individual and collective clinical balance test interpretation. <i>Physical Therapy</i> , <b>2008</b> , 88, 323-32	3.3	77
13	Comparison of combined aerobic and high-force eccentric resistance exercise with aerobic exercise only for people with type 2 diabetes mellitus. <i>Physical Therapy</i> , <b>2008</b> , 88, 1345-54	3.3	87
12	Total knee arthroplasty: muscle impairments, functional limitations, and recommended rehabilitation approaches. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2008</b> , 38, 246-56	4.2	175
11	It's not just about the score: using the full clinical picture to identify future fallers. <i>Journal of Neurologic Physical Therapy</i> , <b>2008</b> , 32, 148-9	4.1	1
10	Safety, feasibility, and efficacy of negative work exercise via eccentric muscle activity following anterior cruciate ligament reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2007</b> , 37, 10-8	4.2	79
9	Effects of early progressive eccentric exercise on muscle structure after anterior cruciate ligament reconstruction. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2007</b> , 89, 559-70	5.6	71
8	High-intensity resistance training amplifies muscle hypertrophy and functional gains in persons with Parkinson disease. <i>Movement Disorders</i> , <b>2006</b> , 21, 1444-52	7	206
7	Development of a quantitative in-shoe measurement system for assessing balance: sixteen-sensor insoles. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , <b>2006</b> , 2006, 6041-4		9

6	Early application of negative work via eccentric ergometry following anterior cruciate ligament reconstruction: a case report. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2006</b> , 36, 298-307	4.2	28
5	Motor learning and Parkinson disease: Refinement of movement velocity and endpoint excursion in a limits of stability balance task. <i>Neurorehabilitation and Neural Repair</i> , <b>2006</b> , 20, 459-67	4.7	47
4	The safety and feasibility of high-force eccentric resistance exercise in persons with Parkinson disease. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2006</b> , 87, 1280-2	2.8	44
3	Predicting falls in individuals with Parkinson disease: a reconsideration of clinical balance measures. <i>Journal of Neurologic Physical Therapy</i> , <b>2006</b> , 30, 60-7	4.1	126
2	Systems model guided balance rehabilitation in an individual with declarative memory deficits and a total knee arthroplasty: a case report. <i>Journal of Neurologic Physical Therapy</i> , <b>2005</b> , 29, 43-9	4.1	1
1	Sensory cueing effects on maximal speed gait initiation in persons with Parkinson's disease and healthy elders. <i>Gait and Posture</i> , <b>2004</b> , 19, 215-25	2.6	103