

Jenny Ling-Yu Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1702827/publications.pdf>

Version: 2024-02-01

21
papers

289
citations

933410

10
h-index

888047

17
g-index

24
all docs

24
docs citations

24
times ranked

499
citing authors

#	ARTICLE	IF	CITATIONS
1	Differential clinical characteristics, treatment response and prognosis of locally advanced adenocarcinoma/adenosquamous carcinoma and squamous cell carcinoma of cervix treated with definitive radiotherapy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 661-668.	2.8	57
2	Hippocampal avoidance whole-brain radiotherapy without memantine in preserving neurocognitive function for brain metastases: a phase II blinded randomized trial. <i>Neuro-Oncology</i> , 2021, 23, 478-486.	1.2	33
3	Evaluation of antitumor immunity by a combination treatment of high-dose irradiation, anti-PDL1, and anti-angiogenic therapy in murine lung tumors. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 391-404.	4.2	25
4	High mammographic breast density predicts locoregional recurrence after modified radical mastectomy for invasive breast cancer: a case-control study. <i>Breast Cancer Research</i> , 2016, 18, 120.	5.0	20
5	Response assessment of stereotactic body radiation therapy using dynamic contrast-enhanced integrated MR-PET in non-small cell lung cancer patients. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 191-199.	3.4	19
6	Intensity-modulated radiation therapy achieves better local control compared to three-dimensional conformal radiation therapy for T4-stage nasopharyngeal carcinoma. <i>Oncotarget</i> , 2017, 8, 14068-14077.	1.8	18
7	Outcome analysis of cervical adenosquamous carcinoma compared with adenocarcinoma. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1158-1166.	2.8	14
8	Prone breast forward intensity-modulated radiotherapy for Asian women with early left breast cancer: factors for cardiac sparing and clinical outcomes. <i>Journal of Radiation Research</i> , 2013, 54, 899-908.	1.6	14
9	Impact of adjuvant radiotherapy on the survival of women with optimally resected stage III endometrial cancer in the era of modern radiotherapy: a retrospective study. <i>Radiation Oncology</i> , 2020, 15, 72.	2.7	14
10	Prominin-1-Specific Binding Peptide-Modified Apoferritin Nanoparticle Carrying Irinotecan as a Novel Radiosensitizer for Colorectal Cancer Stem-Like Cells. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1600424.	2.3	11
11	Predicting tumor responses and patient survival in chemoradiotherapy-treated patients with non-small-cell lung cancer using dynamic contrast-enhanced integrated magnetic resonance-positron-emission tomography. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 707-718.	2.0	10
12	First Asian population study of stereotactic body radiation therapy for ventricular arrhythmias. <i>Scientific Reports</i> , 2021, 11, 10360.	3.3	10
13	Radiosensitization in esophageal squamous cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 260-268.	2.0	8
14	Impact of smoking cessation on clinical outcomes in patients with head and neck squamous cell carcinoma receiving curative chemoradiotherapy: A prospective study. <i>Head and Neck</i> , 2019, 41, 3201-3210.	2.0	8
15	Preclinical evaluation of PEGylated liposomal doxorubicin as an effective radiosensitizer in chemoradiotherapy for lung cancer. <i>Strahlentherapie Und Onkologie</i> , 2021, 197, 1131-1142.	2.0	7
16	Assessing tumor angiogenesis using dynamic contrast-enhanced integrated magnetic resonance-positron emission tomography in patients with non-small-cell lung cancer. <i>BMC Cancer</i> , 2021, 21, 348.	2.6	6
17	Extended-field bone marrow sparing radiotherapy for primary chemoradiotherapy in cervical cancer patients with para-aortic lymphadenopathy: Volumetric-modulated arc therapy versus helical tomotherapy. <i>Journal of X-Ray Science and Technology</i> , 2020, 28, 111-124.	1.0	6
18	Persistently elevated soluble MHC class I polypeptide-related sequence A and transforming growth factor- β 1 levels are poor prognostic factors in head and neck squamous cell carcinoma after definitive chemoradiotherapy. <i>PLoS ONE</i> , 2018, 13, e0202224.	2.5	5

#	ARTICLE	IF	CITATIONS
19	A retrospective study of clinicopathologic and molecular features of inoperable early-stage non-small cell lung cancer treated with stereotactic ablative radiotherapy. Journal of the Formosan Medical Association, 2021, 120, 2176-2185.	1.7	2
20	Real-World Evaluation of Modern Adjuvant Radiotherapy in Women with Stage IB Endometrial Cancer. Cancers, 2021, 13, 1386.	3.7	1
21	Outcome analysis of locally advanced adenocarcinoma/adenosquamous carcinoma and squamous cell carcinoma of cervix after definitive radiotherapy.. Journal of Clinical Oncology, 2013, 31, e16503-e16503.	1.6	0