

Sergio Svistonoff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1703048/publications.pdf>

Version: 2024-02-01

60
papers

3,027
citations

230014

27
h-index

198040

52
g-index

64
all docs

64
docs citations

64
times ranked

3270
citing authors

#	ARTICLE	IF	CITATIONS
1	Roles of Arbuscular Mycorrhizal Fungi on Plant Growth and Performance: Importance in Biotic and Abiotic Stressed Regulation. <i>Diversity</i> , 2020, 12, 370.	0.7	198
2	Effect of Casuarina Plantations Inoculated with Arbuscular Mycorrhizal Fungi and Frankia on the Diversity of Herbaceous Vegetation in Saline Environments in Senegal. <i>Diversity</i> , 2020, 12, 293.	0.7	11
3	Advances in Frankia genome studies and molecular aspects of tolerance to environmental stresses. , 2020, , 381-389.		3
4	Effect of Plant Growth Promoting Rhizobacteria (PGPR) and Arbuscular Mycorrhizal Fungi (AMF) on Salt Stress Tolerance of <i>Casuarina obesa</i> (Miq.). <i>Frontiers in Sustainable Food Systems</i> , 2020, 4, .	1.8	42
5	Establishment of Actinorhizal Symbiosis in Response to Ethylene, Salicylic Acid, and Jasmonate. <i>Methods in Molecular Biology</i> , 2020, 2085, 117-130.	0.4	1
6	Draft Genome Sequence of the Symbiotic <i>Frankia</i> sp. strain B2 isolated from root nodules of <i>Casuarina cunninghamiana</i> found in Algeria. <i>Journal of Genomics</i> , 2020, 8, 11-15.	0.6	3
7	Effect of Casuarina Crushed Nodules, Rhizospheric Soil and Leaves Compost on Salt Tolerance of <i>Casuarina equisetifolia</i> L. and <i>Casuarina obesa</i> Miq.. <i>Open Journal of Soil Science</i> , 2020, 10, 359-373.	0.3	0
8	Molecular Methods for Research on Actinorhiza. <i>Rhizosphere Biology</i> , 2019, , 35-59.	0.4	5
9	Chitotetraose activates the fungal-dependent endosymbiotic signaling pathway in actinorhizal plant species. <i>PLoS ONE</i> , 2019, 14, e0223149.	1.1	2
10	The plant-growth-promoting actinobacteria of the genus <i>Nocardia</i> induces root nodule formation in <i>Casuarina glauca</i> . <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 75-90.	0.7	24
11	Signalling in actinorhizal root nodule symbioses. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 23-29.	0.7	11
12	Effect of native and allochthonous arbuscular mycorrhizal fungi on <i>Casuarina equisetifolia</i> growth and its root bacterial community. <i>Arid Land Research and Management</i> , 2018, 32, 212-228.	0.6	11
13	Actinorhizal Signaling Molecules: Frankia Root Hair Deforming Factor Shares Properties With NIN Inducing Factor. <i>Frontiers in Plant Science</i> , 2018, 9, 1494.	1.7	46
14	Phylogenomics reveals multiple losses of nitrogen-fixing root nodule symbiosis. <i>Science</i> , 2018, 361, .	6.0	339
15	Cell remodeling and subtilase gene expression in the actinorhizal plant <i>Discaria trinervis</i> highlight host orchestration of intercellular <i>Frankia</i> colonization. <i>New Phytologist</i> , 2018, 219, 1018-1030.	3.5	29
16	Selection of arbuscular mycorrhizal fungal strains to improve <i>Casuarina equisetifolia</i> L. and <i>Casuarina glauca</i> Sieb. tolerance to salinity. <i>Annals of Forest Science</i> , 2018, 75, 1.	0.8	17
17	Genetic diversity and symbiotic efficiency of rhizobial strains isolated from nodules of peanut (<i>Arachis hypogaea</i> L.) in Senegal. <i>Agriculture, Ecosystems and Environment</i> , 2018, 265, 384-391.	2.5	6
18	Symbiotic Performance of Diverse Frankia Strains on Salt-Stressed <i>Casuarina glauca</i> and <i>Casuarina equisetifolia</i> Plants. <i>Frontiers in Plant Science</i> , 2016, 7, 1331.	1.7	43

#	ARTICLE	IF	CITATIONS
19	Tolerance to environmental stress by the nitrogen-fixing actinobacterium Frankia and its role in actinorhizal plants adaptation. Symbiosis, 2016, 70, 17-29.	1.2	42
20	Chitinase-resistant hydrophilic symbiotic factors secreted by Frankia activate both Ca ²⁺ spiking and NIN gene expression in the actinorhizal plant Casuarina glauca. New Phytologist, 2016, 209, 86-93.	3.5	62
21	Intraspecies variation in sodium partitioning, potassium and proline accumulation under salt stress in Casuarina equisetifolia Forst. Symbiosis, 2016, 70, 117-127.	1.2	7
22	The Casuarina NIN gene is transcriptionally activated throughout Frankia root infection as well as in response to bacterial diffusible signals. New Phytologist, 2015, 208, 887-903.	3.5	87
23	Inhibition of Auxin Signaling in Frankia Species-Infected Cells in Casuarina glauca Nodules Leads to Increased Nodulation. Plant Physiology, 2015, 167, 1149-1157.	2.3	25
24	Identification of potential transcriptional regulators of actinorhizal symbioses in Casuarina glauca and Alnus glutinosa. BMC Plant Biology, 2014, 14, 342.	1.6	34
25	Role of auxin during intercellular infection of Discaria trinervis by Frankia. Frontiers in Plant Science, 2014, 5, 399.	1.7	19
26	Actinorhizal root nodule symbioses: what is signalling telling on the origins of nodulation?. Current Opinion in Plant Biology, 2014, 20, 11-18.	3.5	80
27	Casuarina in Africa: Distribution, role and importance of arbuscular mycorrhizal, ectomycorrhizal fungi and Frankia on plant development. Journal of Environmental Management, 2013, 128, 204-209.	3.8	37
28	Ectomycorrhizal diversity enhances growth and nitrogen fixation of Acacia mangium seedlings. Soil Biology and Biochemistry, 2013, 57, 468-476.	4.2	36
29	Silencing of the chalcone synthase gene in Casuarina glauca highlights the important role of flavonoids during nodulation. New Phytologist, 2013, 199, 1012-1021.	3.5	64
30	The Independent Acquisition of Plant Root Nitrogen-Fixing Symbiosis in Fabids Recruited the Same Genetic Pathway for Nodule Organogenesis. PLoS ONE, 2013, 8, e64515.	1.1	88
31	Casuarina Root Exudates Alter the Physiology, Surface Properties, and Plant Infectivity of Frankia sp. Strain Ccl3. Applied and Environmental Microbiology, 2012, 78, 575-580.	1.4	43
32	Heart of Endosymbioses: Transcriptomics Reveals a Conserved Genetic Program among Arbuscular Mycorrhizal, Actinorhizal and Legume-Rhizobial Symbioses. PLoS ONE, 2012, 7, e44742.	1.1	77
33	Composite Actinorhizal Plants with Transgenic Roots for the Study of Symbiotic Associations with Frankia. Journal of Botany, 2011, 2011, 1-8.	1.2	25
34	Uvitex2B: a rapid and efficient stain for detection of arbuscular mycorrhizal fungi within plant roots. Mycorrhiza, 2011, 21, 315-321.	1.3	17
35	New insights in the molecular events underlying actinorhizal nodulation in the tropical tree Casuarina glauca. BMC Proceedings, 2011, 5, .	1.8	2
36	Optimisation of methods for Agrobacterium rhizogenes mediated generation of composite plants in Eucalyptus camaldulensis. BMC Proceedings, 2011, 5, O45.	1.8	4

#	ARTICLE	IF	CITATIONS
37	Transformed Hairy Roots of the actinorhizal shrub <i>Discaria trinervis</i> : a valuable tool for studying actinorhizal symbiosis in the context of intercellular infection. <i>BMC Proceedings</i> , 2011, 5, .	1.8	2
38	Symbiotic Signaling in Actinorhizal Symbioses. <i>Current Protein and Peptide Science</i> , 2011, 12, 156-164.	0.7	56
39	Transformed Hairy Roots of <i>Discaria trinervis</i> : A Valuable Tool for Studying Actinorhizal Symbiosis in the Context of Intercellular Infection. <i>Molecular Plant-Microbe Interactions</i> , 2011, 24, 1317-1324.	1.4	31
40	Symbiotic Signaling in Actinorhizal Symbioses. <i>Current Protein and Peptide Science</i> , 2011, 999, 1-9.	0.7	3
41	Infection-Specific Activation of the <i>Medicago truncatula</i> Enod11 Early Nodulin Gene Promoter During Actinorhizal Root Nodulation. <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 740-747.	1.4	44
42	Contribution of transgenic Casuarinaceae to our knowledge of the actinorhizal symbioses. <i>Symbiosis</i> , 2010, 50, 3-11.	1.2	24
43	Development and Function of the Arbuscular Mycorrhizal Symbiosis in <i>Petunia</i> . , 2009, , 131-156.		1
44	Les symbioses actinorhiziennes fixatrices d'azote : un exemple d'adaptation aux contraintes abiotiques du sol. <i>Cahiers Agricultures</i> , 2009, 18, 498-505.	0.4	6
45	A transgenic dTph1 insertional mutagenesis system for forward genetics in mycorrhizal phosphate transport of <i>Petunia</i> . <i>Plant Journal</i> , 2008, 54, 1115-1127.	2.8	42
46	SymRK defines a common genetic basis for plant root endosymbioses with arbuscular mycorrhiza fungi, rhizobia, and <i>Frankia</i> bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 4928-4932.	3.3	259
47	A role for auxin during actinorhizal symbioses formation?. <i>Plant Signaling and Behavior</i> , 2008, 3, 34-35.	1.2	30
48	Root tip contact with low-phosphate media reprograms plant root architecture. <i>Nature Genetics</i> , 2007, 39, 792-796.	9.4	526
49	Identification of QTL controlling root growth response to phosphate starvation in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2006, 29, 115-125.	2.8	205
50	Infection-Related Activation of the cg12 Promoter Is Conserved between Actinorhizal and Legume-Rhizobia Root Nodule Symbiosis. <i>Plant Physiology</i> , 2004, 136, 3191-3197.	2.3	52
51	Expression pattern of <i>ara12*</i> , an <i>Arabidopsis</i> homologue of the nodule-specific actinorhizal subtilases <i>cg12/ag12</i> . <i>Plant and Soil</i> , 2003, 254, 239-244.	1.8	7
52	Choosing a reporter for gene expression studies in transgenic actinorhizal plants of the Casuarinaceae family. <i>Plant and Soil</i> , 2003, 254, 229-237.	1.8	18
53	Cell of the month: <i>Allocauarina verticillata</i> shoots expressing GFP. <i>Nature Cell Biology</i> , 2003, 5, 284-284.	4.6	0
54	<i>cg12</i> Expression Is Specifically Linked to Infection of Root Hairs and Cortical Cells during <i>Casuarina glauca</i> and <i>Allocauarina verticillata</i> Actinorhizal Nodule Development. <i>Molecular Plant-Microbe Interactions</i> , 2003, 16, 600-607.	1.4	78

#	ARTICLE	IF	CITATIONS
55	Actinorhizal nitrogen fixing nodules: infection process, molecular biology and genomics. African Journal of Biotechnology, 2003, 2, 528-538.	0.3	30
56	Choosing a reporter for gene expression studies in transgenic actinorhizal plants of the Casuarinaceae family. , 2003, , 229-237.		2
57	Expression pattern of ara12*, an Arabidopsis homologue of the nodule-specific actinorhizal subtilases cg12/ag12. , 2003, , 239-244.		0
58	Casuarina glauca Prenodule Cells Display the Same Differentiation as the Corresponding Nodule Cells. Molecular Plant-Microbe Interactions, 2000, 13, 107-112.	1.4	57
59	When Plants Socialize: Symbioses and Root Development. , 0, , 209-238.		9
60	Effect of symbiotic associations with Frankia and arbuscular mycorrhizal fungi on antioxidant activity and cell ultrastructure in C. equisetifolia and C. obesa under salt stress. Journal of Forest Research, 0, , 1-11.	0.7	4