Mario F. Juruena

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1704939/mario-f-juruena-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82	2,728 citations	31	51
papers		h-index	g-index
109 ext. papers	3,277 ext. citations	3.4 avg, IF	5.48 L-index

#	Paper	IF	Citations
82	Neuroendocrine and stress pathways in bipolar disorders 2022 , 313-330		
81	The Role of Hypothalamic-Pituitary-Adrenal Axis in the Pathophysiology of Major Depression: A Translational Research Perspective of the Prednisolone Suppression Test. <i>Neuromethods</i> , 2022 , 3-19	0.4	
80	Predictive value of cardiometabolic biomarkers and depressive symptoms for symptom severity and quality of life in patients with psychotic disorders. <i>Journal of Affective Disorders</i> , 2022 , 298, 95-103	6.6	
79	Reply to Skokou, M. Comment on Keeler et al. Ketamine as a Treatment for Anorexia Nervosa: A Narrative Review. Nutrients 2021, 13, 4158 <i>Nutrients</i> , 2022 , 14, 2119	6.7	
78	Evaluation of the HPA Axis' Response to Pharmacological Challenges in Experimental and Clinical Early-Life Stress-Associated Depression. <i>ENeuro</i> , 2021 , 8,	3.9	1
77	Ketamine as a Treatment for Anorexia Nervosa: A Narrative Review. <i>Nutrients</i> , 2021 , 13,	6.7	5
76	New Pharmacological Interventions in Bipolar Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2021 , 48, 303-324	3.4	1
75	Neuroendocrine Stress System in Bipolar Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2021 , 48, 149-171	3.4	1
74	Posttraumatic stress disorder (PTSD) and depression severity in sexually assaulted women: hypothalamic-pituitary-adrenal (HPA) axis alterations. <i>BMC Psychiatry</i> , 2021 , 21, 174	4.2	2
73	Cortical thickness and subcortical volume abnormalities in male crack-cocaine users. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 310, 111232	2.9	1
72	Confirmatory factorial analysis of the Maslach Burnout Inventory - Human Services Survey in health professionals in emergency services. <i>Revista Latino-Americana De Enfermagem</i> , 2021 , 29, e3386	1.5	3
71	Epigenetics: A missing link between early life stress and depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110231	5.5	8
70	Hypothalamic-Pituitary-Adrenal axis dysfunction by early life stress. <i>Neuroscience Letters</i> , 2021 , 759, 136037	3.3	1
69	The Neurobiology of Bipolar Disorder. Current Topics in Behavioral Neurosciences, 2021, 48, 1-20	3.4	4
68	Efficacy and safety of bright light therapy for bipolar depression. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 408-410	6.2	1
67	The pharmacological interaction of compounds in ayahuasca: a systematic review. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 646-656	2.6	6
66	Posttraumatic Stress Disorder and Neuroprogression in Women Following Sexual Assault: Protocol for a Randomized Clinical Trial Evaluating Allostatic Load and Aging Process Acceleration. <i>JMIR Research Protocols.</i> 2020 . 9. e19162	2	5

65	The Role of Early Life Stress in HPA Axis and Anxiety. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1191, 141-153	3.6	78
64	Association of 11Ehydroxysteroid dehydrogenase type1 (HSD11b1) gene polymorphisms with outcome of antidepressant therapy and suicide attempts. <i>Behavioural Brain Research</i> , 2020 , 381, 11234	.3 ^{3.4}	1
63	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932	5.1	8
62	Vagus nerve stimulation as adjunctive therapy in patients with difficult-to-treat depression (RESTORE-LIFE): study protocol design and rationale of a real-world post-market study. <i>BMC Psychiatry</i> , 2020 , 20, 471	4.2	2
61	Relationship Between Depression and Subtypes of Early Life Stress in Adult Psychiatric Patients. <i>Frontiers in Psychiatry</i> , 2019 , 10, 19	5	18
60	Has the sun set for seasonal affective disorder and HPA axis studies? A systematic review and future prospects. <i>Journal of Affective Disorders</i> , 2019 , 256, 584-593	6.6	3
59	Child Abuse and Neglect as Risk Factors for Comorbidity Between Depression and Chronic Pain in Adulthood. <i>Journal of Nervous and Mental Disease</i> , 2019 , 207, 538-545	1.8	9
58	Bipolar affective disorder and borderline personality disorder: Differentiation based on the history of early life stress and psychoneuroendocrine measures. <i>Behavioural Brain Research</i> , 2019 , 357-358, 48-	.5 6 4	13
57	Genetic biomarkers for differential diagnosis of major depressive disorder and bipolar disorder: A systematic and critical review. <i>Behavioural Brain Research</i> , 2019 , 357-358, 29-38	3.4	18
56	The Role of Early Life Stress in HPA Axis and Depression 2018 , 71-80		4
56 55	The Role of Early Life Stress in HPA Axis and Depression 2018, 71-80 Childhood Sexual Abuse and Indicators of Immune Activity: A Systematic Review. Frontiers in Psychiatry, 2018, 9, 354	5	36
	Childhood Sexual Abuse and Indicators of Immune Activity: A Systematic Review. <i>Frontiers in</i>	5 6.6	
55	Childhood Sexual Abuse and Indicators of Immune Activity: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018 , 9, 354 Atypical depression and non-atypical depression: Is HPA axis function a biomarker? A systematic		36
55 54	Childhood Sexual Abuse and Indicators of Immune Activity: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018 , 9, 354 Atypical depression and non-atypical depression: Is HPA axis function a biomarker? A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 233, 45-67 Neuropsychological changes in melancholic and atypical depression: A systematic review.	6.6	36 133
55 54 53	Childhood Sexual Abuse and Indicators of Immune Activity: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018 , 9, 354 Atypical depression and non-atypical depression: Is HPA axis function a biomarker? A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 233, 45-67 Neuropsychological changes in melancholic and atypical depression: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 73, 309-325	6.6	36 133 36
55 54 53 52	Childhood Sexual Abuse and Indicators of Immune Activity: A Systematic Review. Frontiers in Psychiatry, 2018, 9, 354 Atypical depression and non-atypical depression: Is HPA axis function a biomarker? A systematic review. Journal of Affective Disorders, 2018, 233, 45-67 Neuropsychological changes in melancholic and atypical depression: A systematic review. Neuroscience and Biobehavioral Reviews, 2017, 73, 309-325 Bipolar disorder: a review of conceptual and clinical aspects. Medicina, 2017, 50, 72	6.6	36 133 36 3
55 54 53 52 51	Childhood Sexual Abuse and Indicators of Immune Activity: A Systematic Review. Frontiers in Psychiatry, 2018, 9, 354 Atypical depression and non-atypical depression: Is HPA axis function a biomarker? A systematic review. Journal of Affective Disorders, 2018, 233, 45-67 Neuropsychological changes in melancholic and atypical depression: A systematic review. Neuroscience and Biobehavioral Reviews, 2017, 73, 309-325 Bipolar disorder: a review of conceptual and clinical aspects. Medicina, 2017, 50, 72 Pharmacotherapy for general practitioners. Medicina, 2017, 50, 22	6.6 9 0.1	36 133 36 3

47	Day hospital and psychosocial care center: Expanding the discussion of partial hospitalization in mental health. <i>Revista Da Associalo Malica Brasileira</i> , 2016 , 62, 361-7	1.4	2
46	Burnout in nursing professionals: Associations with early stress. <i>British Journal of Mental Health Nursing</i> , 2015 , 4, 267-275	0.4	3
45	Factors related to the cortisol awakening response of children working on the streets and siblings, before and after 2 years of a psychosocial intervention. <i>Psychiatry Research</i> , 2015 , 225, 625-30	9.9	4
44	Early life stress in depressive patients: role of glucocorticoid and mineralocorticoid receptors and of hypothalamic-pituitary-adrenal axis activity. <i>Current Pharmaceutical Design</i> , 2015 , 21, 1369-78	3.3	31
43	The impact of childhood adversity on suicidality and clinical course in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 122-30	6.6	105
42	Long-term symptomatic and functional outcome following an intensive inpatient multidisciplinary intervention for treatment-resistant affective disorders. <i>Journal of Affective Disorders</i> , 2014 , 166, 334-4	12 ^{6.6}	14
41	Early-life stress and HPA axis trigger recurrent adulthood depression. <i>Epilepsy and Behavior</i> , 2014 , 38, 148-59	3.2	126
40	Early Life Stress in Depressive Patients: HPA Axis Response to GR and MR Agonist. <i>Frontiers in Psychiatry</i> , 2014 , 5, 2	5	31
39	Avalia® do funcionamento do eixo HPA em deprimidos por meio de medidas basais: revis® sistem®ica da literatura e an®se das metodologias utilizadas. <i>Jornal Brasileiro De Psiquiatria</i> , 2014 , 63, 232-241	0.5	2
38	Emotional abuse in childhood is a differential factor for the development of depression in adults. Journal of Nervous and Mental Disease, 2014 , 202, 774-82	1.8	56
37	Effectiveness of psychoeducation for depression: a systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 1019-31	2.6	67
36	P.2.b.050 Mineralocorticoid receptor function a predictor of treatment response in depression with or without early life stress. <i>European Neuropsychopharmacology</i> , 2013 , 23, S348-S349	1.2	
35	Lack of clinical therapeutic benefit of antidepressants is associated overall activation of the inflammatory system. <i>Journal of Affective Disorders</i> , 2013 , 148, 136-40	6.6	121
34	An exploratory dimensional approach to premenstrual manifestation of obsessive-compulsive disorder symptoms: a multicentre study. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 313-9	4.1	8
33	Pharmacological and psychosocial management of mental, neurological and substance use disorders in low- and middle-income countries: issues and current strategies. <i>Drugs</i> , 2013 , 73, 1549-68	12.1	12
32	The role of early life stress in adult psychiatric disorders: a systematic review according to childhood trauma subtypes. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 1007-20	1.8	450
31	The role of mineralocorticoid receptor function in treatment-resistant depression. <i>Journal of Psychopharmacology</i> , 2013 , 27, 1169-79	4.6	45
30	Plasma cortisol in first episode drug-naße mania: differential levels in euphoric versus irritable mood. <i>Journal of Affective Disorders</i> , 2012 , 138, 149-52	6.6	25

(2009-2012)

29	Assessment of the hypothalamic-pituitary-adrenal axis activity: glucocorticoid receptor and mineralocorticoid receptor function in depression with early life stress - a systematic review. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 4-15	3.9	42
28	Effects of lithium on oxidative stress parameters in healthy subjects. <i>Molecular Medicine Reports</i> , 2012 , 5, 680-2	2.9	79
27	Antipsychotic agents: efficacy and safety in schizophrenia. <i>Drug, Healthcare and Patient Safety</i> , 2012 , 4, 173-80	1.6	15
26	Understanding subthreshold depression. Shanghai Archives of Psychiatry, 2012, 24, 292-3		
25	Analysis of the occurrence of early life stress in adult psychiatric patients: A systematic review <i>Psychology and Neuroscience</i> , 2011 , 4, 219-227	1.9	33
24	Sertindole in the management of schizophrenia. Journal of Central Nervous System Disease, 2011, 3, 75	-85.4	4
23	Efficacy of psychoeducation in bipolar patients: Systematic review of randomized trials <i>Psychology and Neuroscience</i> , 2011 , 4, 409-416	1.9	14
22	Specific mechanism of action of amisulpride in the treatment of schizophrenia and correlation with clinical response and tolerability. <i>Journal of Receptor, Ligand and Channel Research</i> , 2011 , 49		
21	An integrative science approach: neuroscience in the DSM-V and ICD-11. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 143-144	3.9	3
20	Prospective evaluation of specialist inpatient treatment for refractory affective disorders. <i>Journal of Affective Disorders</i> , 2011 , 131, 92-103	6.6	19
19	Evaluation of hippocampal volume based on MR imaging in patients with bipolar affective disorder applying manual and automatic segmentation techniques. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 565-72	5.6	50
18	Melancholia in Latin American studies: a distinct mood disorder for the ICD-11. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33 Suppl 1, S37-58	2.6	5
17	Early life stress, HPA axis, and depression Psychology and Neuroscience, 2011, 4, 229-234	1.9	32
16	Safety and tolerability of antipsychotics: focus on amisulpride. <i>Drug, Healthcare and Patient Safety</i> , 2010 , 2, 205-11	1.6	22
15	Amygdala activation to masked happy facial expressions. <i>Journal of the International Neuropsychological Society</i> , 2010 , 16, 383-7	3.1	22
14	The prednisolone suppression test in depression: dose-response and changes with antidepressant treatment. <i>Psychoneuroendocrinology</i> , 2010 , 35, 1486-91	5	39
13	Exposi l o ao chumbo: consequíficias neuropsiquilliricas e comportamentais. <i>Medicina</i> , 2009 , 42, 296	0.1	
12	Prednisolone suppression test in depression: prospective study of the role of HPA axis dysfunction in treatment resistance. <i>British Journal of Psychiatry</i> , 2009 , 194, 342-9	5.4	89

4.6

30

Reply: Illomipramine and Glucocorticoid Receptor Function Ineuropsychopharmacology, 2009, 34, 2194-28.95 11 Improved stress response in bipolar affective disorder with adjunctive spironolactone 26 10 4.6 (mineralocorticoid receptor antagonist): case series. Journal of Psychopharmacology, 2009, 23, 985-7 The ratio of cortisol/DHEA in treatment resistant depression. Psychoneuroendocrinology, 2009, 34, 19-265 83 9 Bipolar I and II disorder residual symptoms: oxcarbazepine and carbamazepine as add-on treatment to lithium in a double-blind, randomized trial. Progress in Neuro-Psychopharmacology and Biological 5.5 39 Psychiatry, 2009, 33, 94-9 Clomipramine in vitro reduces glucocorticoid receptor function in healthy subjects but not in 8.7 61 7 patients with major depression. Neuropsychopharmacology, 2008, 33, 3182-9 Different responses to dexamethasone and prednisolone in the same depressed patients. 6 4.7 99 Psychopharmacology, **2006**, 189, 225-35 Treatment of psychosis: 30 years of progress. Journal of Clinical Pharmacy and Therapeutics, 2006, 2.2 38 5 31, 523-34 Distimia: caracteraticas histacas e nosolajicas e sua relab com transtorno depressivo maior. 5 Revista De Psiquiatria Do Rio Grande Do Sul, 2004, 26, 300-311 Molecular mechanisms of glucocorticoid receptor sensitivity and relevance to affective disorders. 3.9 42 Acta Neuropsychiatrica, 2003, 15, 354-67 Lithium reduces maternal child abuse behaviour: a preliminary report. Journal of Clinical Pharmacy 2.2 and Therapeutics, 2001, 26, 279-82

Double-blind comparison of venlafaxine and amitriptyline in outpatients with major depression

with or without melancholia. Journal of Psychopharmacology, 2000, 14, 61-6

1