

Tara L Haas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1705726/publications.pdf>

Version: 2024-02-01

74
papers

3,112
citations

147801

31
h-index

161849

54
g-index

75
all docs

75
docs citations

75
times ranked

3490
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative Methods to Assess Adipose Vasculature. <i>Methods in Molecular Biology</i> , 2022, 2441, 201-221.	0.9	1
2	Adipose tissue lipolysis controlled by endothelial cells. <i>Nature Reviews Endocrinology</i> , 2022, 18, 397-398.	9.6	1
3	Capillary diversity. , 2022, , 99-110.		0
4	High Glucose Treatment Limits Drosha Protein Expression and Alters AngiomiR Maturation in Microvascular Primary Endothelial Cells via an Mdm2-dependent Mechanism. <i>Cells</i> , 2021, 10, 742.	4.1	5
5	Exploring risk factors at the molecular level. <i>ELife</i> , 2021, 10, .	6.0	1
6	Emerging Roles of Pericytes in Coordinating Skeletal Muscle Functions: Implications and Therapeutic Potential. <i>Current Tissue Microenvironment Reports</i> , 2021, 2, 29-39.	3.2	1
7	Metabolic Coordination of Pericyte Phenotypes: Therapeutic Implications. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 77.	3.7	28
8	High-fat diet pre-conditioning improves microvascular remodelling during regeneration of ischaemic mouse skeletal muscle. <i>Acta Physiologica</i> , 2020, 229, e13449.	3.8	7
9	Leptin is a physiological regulator of skeletal muscle angiogenesis and is locally produced by PDGFR α and PDGFR β expressing perivascular cells. <i>Angiogenesis</i> , 2019, 22, 103-115.	7.2	41
10	Endothelial-specific FoxO1 depletion prevents obesity-related disorders by increasing vascular metabolism and growth. <i>ELife</i> , 2018, 7, .	6.0	39
11	Female Mice Have Higher Angiogenesis in Perigonadal Adipose Tissue Than Males in Response to High-Fat Diet. <i>Frontiers in Physiology</i> , 2018, 9, 1452.	2.8	39
12	The superoxide dismutase mimetic tempol does not alleviate glucocorticoid-mediated rarefaction of rat skeletal muscle capillaries. <i>Physiological Reports</i> , 2017, 5, e13243.	1.7	7
13	Metabolic effects of prazosin on skeletal muscle insulin resistance in glucocorticoid-treated male rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R62-R73.	1.8	3
14	The effects of voluntary exercise and prazosin on capillary rarefaction and metabolism in streptozotocin-induced diabetic male rats. <i>Journal of Applied Physiology</i> , 2017, 122, 492-502.	2.5	15
15	Tissue Inhibitor of Metalloproteinase 1 Influences Vascular Adaptations to Chronic Alterations in Blood Flow. <i>Journal of Cellular Physiology</i> , 2017, 232, 831-841.	4.1	12
16	Endothelial FoxO proteins impair insulin sensitivity and restrain muscle angiogenesis in response to a high-fat diet. <i>FASEB Journal</i> , 2016, 30, 3039-3052.	0.5	26
17	Prazosin Can Prevent Glucocorticoid Mediated Capillary Rarefaction. <i>PLoS ONE</i> , 2016, 11, e0166899.	2.5	8
18	Muscle-derived vascular endothelial growth factor regulates microvascular remodelling in response to increased shear stress in mice. <i>Acta Physiologica</i> , 2015, 214, 349-360.	3.8	32

#	ARTICLE	IF	CITATIONS
19	Voluntary exercise improves metabolic profile in high-fat fed glucocorticoid-treated rats. <i>Journal of Applied Physiology</i> , 2015, 118, 1331-1343.	2.5	11
20	Regulation of skeletal muscle capillary growth in exercise and disease. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 1221-1232.	1.9	33
21	Angiotensin II Evokes Angiogenic Signals within Skeletal Muscle through Co-ordinated Effects on Skeletal Myocytes and Endothelial Cells. <i>PLoS ONE</i> , 2014, 9, e85537.	2.5	28
22	Shaping and Remodeling of the Fetoplacental Circulation: Aspects of Health and Disease. <i>Microcirculation</i> , 2014, 21, 1-3.	1.8	6
23	Ursodeoxycholic Acid Influences the Expression of α -SMA in Liver of Mice with Non-Cirrhotic Primary Biliary Cirrhosis. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8.	2.9	31
24	Forkhead BoxO transcription factors restrain exercise-induced angiogenesis. <i>Journal of Physiology</i> , 2014, 592, 4069-4082.	2.9	31
25	Endothelial cell TIMP-1 is upregulated by shear stress via Sp-1 and the TGF β 21 signaling pathways. <i>Biochemistry and Cell Biology</i> , 2014, 92, 77-83.	2.0	10
26	Regulation of Proteolysis in Vascular Remodeling. , 2014, , 295-319.		0
27	Endothelial FoxO1 is an intrinsic regulator of thrombospondin 1 expression that restrains angiogenesis in ischemic muscle. <i>Angiogenesis</i> , 2013, 16, 759-772.	7.2	44
28	Novel perspective: exercise training stimulus triggers the expression of the oncoprotein human double minute-2 in human skeletal muscle. <i>Physiological Reports</i> , 2013, 1, e00028.	1.7	8
29	A potential role for autocrine VEGF signaling in endothelial cell function. <i>FASEB Journal</i> , 2013, 27, 685.14.	0.5	0
30	Angiogenesis within the duodenum of patients with cirrhosis is modulated by mechanosensitive K α 126. <i>Liver International</i> , 2012, 32, 1222-1232.	3.9	14
31	Exercise Training and Peripheral Arterial Disease. , 2012, 2, 2933-3017.		109
32	Inhibition of Proliferation, Migration and Proteolysis Contribute to Corticosterone-Mediated Inhibition of Angiogenesis. <i>PLoS ONE</i> , 2012, 7, e46625.	2.5	41
33	Regulation of matrix metalloproteinase expression. <i>Drug Discovery Today: Disease Models</i> , 2011, 8, 5-11.	1.2	10
34	Identification of a Mechanism Underlying Regulation of the Anti-Angiogenic Forkhead Transcription Factor FoxO1 in Cultured Endothelial Cells and Ischemic Muscle. <i>American Journal of Pathology</i> , 2011, 178, 935-944.	3.8	52
35	p38 MAPK activity is stimulated by vascular endothelial growth factor receptor 2 activation and is essential for shear stress-induced angiogenesis. <i>Journal of Cellular Physiology</i> , 2010, 222, 120-126.	4.1	70
36	The angiogenic response to skeletal muscle overload is not dependent on mast cell activation. <i>Microcirculation</i> , 2010, 17, no-no.	1.8	2

#	ARTICLE	IF	CITATIONS
37	Evolving Strategies in Manipulating VEGF/VEGFR Signaling for the Promotion of Angiogenesis in Ischemic Muscle. <i>Current Pharmaceutical Design</i> , 2009, 15, 411-421.	1.9	28
38	Differential role of β -catenin in VEGF and histamine-induced MMP-2 production in microvascular endothelial cells. <i>Journal of Cellular Biochemistry</i> , 2009, 107, 272-283.	2.6	37
39	Endurance exercise activates matrix metalloproteinases in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2009, 106, 804-812.	2.5	97
40	Mast cells increase in number following muscle overload but their activation is not critical to the angiogenic process. <i>FASEB Journal</i> , 2009, 23, 634.7.	0.5	0
41	Mechanisms underlying corticosterone mediated inhibition of angiogenesis. <i>FASEB Journal</i> , 2009, 23, 634.8.	0.5	0
42	TIMP-1 protein but not secretion is increased by shear stress in the skeletal muscle microvasculature. <i>FASEB Journal</i> , 2009, 23, 634.6.	0.5	0
43	Shear stress-induced Ets-1 modulates protease inhibitor expression in microvascular endothelial cells. <i>Journal of Cellular Physiology</i> , 2008, 217, 502-510.	4.1	31
44	JNK as a positive regulator of angiogenic potential in endothelial cells. <i>Cell Biology International</i> , 2008, 32, 769-776.	3.0	48
45	Cdc42 and RhoA have opposing roles in regulating membrane type 1-matrix metalloproteinase localization and matrix metalloproteinase-2 activation. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C600-C610.	4.6	45
46	Cdc42 increases activation of MMP-2 in endothelial cells. <i>FASEB Journal</i> , 2008, 22, 925.9.	0.5	2
47	Erythropoietin and Vascular Endothelial Growth Factor induce activation of Matrix Metalloproteinase-2 via a common pathway. <i>FASEB Journal</i> , 2008, 22, 925.10.	0.5	0
48	Upregulation of FLT-1 mRNA via shear stress. <i>FASEB Journal</i> , 2008, 22, 925.11.	0.5	0
49	TIMP-1 is increased by shear stress in the skeletal muscle microvasculature. <i>FASEB Journal</i> , 2008, 22, 925.8.	0.5	0
50	Mast cell mediators increase endothelial cell MMP-2 production in a β -catenin-dependent manner. <i>FASEB Journal</i> , 2008, 22, 925.12.	0.5	0
51	Involvement of MMPs in the outward remodeling of collateral mesenteric arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2429-H2437.	3.2	39
52	Static strain stimulates expression of matrix metalloproteinase-2 and VEGF in microvascular endothelium via JNK- and ERK-dependent pathways. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 750-761.	2.6	43
53	HIF-1 α and HIF-2 α play a central role in stretch-induced but not shear-stress-induced angiogenesis in rat skeletal muscle. <i>Journal of Physiology</i> , 2007, 583, 753-766.	2.9	81
54	RhoA inhibition activates MMP-2 via a PI3K dependent mechanism.. <i>FASEB Journal</i> , 2007, 21, A193.	0.5	0

#	ARTICLE	IF	CITATIONS
55	VEGFR2 regulates p38 but not ERK1/2 in response to shear stress. <i>FASEB Journal</i> , 2007, 21, A138.	0.5	0
56	Critical role of HIF1 α and HIF2 α in stretch-induced angiogenesis. <i>FASEB Journal</i> , 2007, 21, .	0.5	0
57	Regulators of angiogenesis and strategies for their therapeutic manipulation. <i>International Journal of Biochemistry and Cell Biology</i> , 2006, 38, 333-357.	2.8	135
58	Nitric oxide and p38 MAP kinase mediate shear stress-dependent inhibition of MMP-2 production in microvascular endothelial cells. <i>Journal of Cellular Physiology</i> , 2006, 208, 229-237.	4.1	45
59	JNK and PI3K differentially regulate MMP-2 and MT1-MMP mRNA and protein in response to actin cytoskeleton reorganization in endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 291, C579-C588.	4.6	77
60	Ets-1 and the mitogen activated protein kinases are modulated by nitric oxide. <i>FASEB Journal</i> , 2006, 20, A712.	0.5	0
61	c-Jun regulates MMP-2 and MT1-MMP mRNA expression in endothelium.. <i>FASEB Journal</i> , 2006, 20, .	0.5	0
62	MAPK signaling regulates endothelial cell assembly into networks and expression of MT1-MMP and MMP-2. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 288, C659-C668.	4.6	55
63	Effect of mechanical stretch on HIF-1 α and MMP-2 expression in capillaries isolated from overloaded skeletal muscles: laser capture microdissection study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1315-H1320.	3.2	54
64	Endothelial cell regulation of matrix metalloproteinases. <i>Canadian Journal of Physiology and Pharmacology</i> , 2005, 83, 1-7.	1.4	70
65	Transcriptional Up-regulation of Endothelial Cell Matrix Metalloproteinase-2 in Response to Extracellular Cues Involves GATA-2. <i>Journal of Biological Chemistry</i> , 2003, 278, 47785-47791.	3.4	50
66	Differential involvement of MMP-2 and VEGF during muscle stretch- versus shear stress-induced angiogenesis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H1430-H1438.	3.2	151
67	Molecular Control of Capillary Growth in Skeletal Muscle. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002, 27, 491-515.	1.7	21
68	Matrix metalloproteinase activity is required for activity-induced angiogenesis in rat skeletal muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H1540-H1547.	3.2	163
69	Egr-1 Mediates Extracellular Matrix-driven Transcription of Membrane Type 1 Matrix Metalloproteinase in Endothelium. <i>Journal of Biological Chemistry</i> , 1999, 274, 22679-22685.	3.4	168
70	Extracellular Matrix-Driven Matrix Metalloproteinase Production in Endothelial Cells Implications for Angiogenesis. <i>Trends in Cardiovascular Medicine</i> , 1999, 9, 70-77.	4.9	152
71	Three-dimensional Type I Collagen Lattices Induce Coordinate Expression of Matrix Metalloproteinases MT1-MMP and MMP-2 in Microvascular Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 3604-3610.	3.4	313
72	Morphology Favors an Endothelial Cell Pathway for Longitudinal Conduction within Arterioles. <i>Microvascular Research</i> , 1997, 53, 113-120.	2.5	159

#	ARTICLE	IF	CITATIONS
73	The roles of adhesion molecules and proteinases in lymphocyte transendothelial migration. <i>Biochemistry and Cell Biology</i> , 1996, 74, 749-757.	2.0	82
74	Dye Tracers Define Differential Endothelial and Smooth Muscle Coupling Patterns Within the Arteriolar Wall. <i>Circulation Research</i> , 1995, 76, 498-504.	4.5	226