

Fengna Xi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1708067/fengna-xi-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

11,202
citations

49
h-index

105
g-index

129
ext. papers

12,921
ext. citations

8.6
avg, IF

6.83
L-index

#	Paper	IF	Citations
127	Glowing graphene quantum dots and carbon dots: properties, syntheses, and biological applications. <i>Small</i> , 2015 , 11, 1620-36	11	1415
126	Biological and chemical sensors based on graphene materials. <i>Chemical Society Reviews</i> , 2012 , 41, 2283-3075	30.75	1384
125	Novel C ₃ N ₄ /CdS composite photocatalysts with organic/inorganic heterojunctions: in situ synthesis, exceptional activity, high stability and photocatalytic mechanism. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3083	13	417
124	Hydrothermal synthesis of graphitic carbon nitride-Bi ₂ WO ₆ heterojunctions with enhanced visible light photocatalytic activities. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 7079-85	9.5	400
123	Facile Synthesis of Graphene Quantum Dots from 3D Graphene and their Application for Fe ³⁺ Sensing. <i>Advanced Functional Materials</i> , 2014 , 24, 3021-3026	15.6	377
122	Recent Advances on Graphene Quantum Dots: From Chemistry and Physics to Applications. <i>Advanced Materials</i> , 2019 , 31, e1808283	24	343
121	BiOBr/graphene nitride heterojunctions: synthesis, enhanced activity and photocatalytic mechanism. <i>Journal of Materials Chemistry</i> , 2012 , 22, 21159		341
120	Quantum dots derived from two-dimensional materials and their applications for catalysis and energy. <i>Chemical Society Reviews</i> , 2016 , 45, 2239-62	58.5	311
119	Hybrid fibers made of molybdenum disulfide, reduced graphene oxide, and multi-walled carbon nanotubes for solid-state, flexible, asymmetric supercapacitors. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 4651-6	16.4	310
118	Oxygenic Hybrid Semiconducting Nanoparticles for Enhanced Photodynamic Therapy. <i>Nano Letters</i> , 2018 , 18, 586-594	11.5	234
117	Systematic Bandgap Engineering of Graphene Quantum Dots and Applications for Photocatalytic Water Splitting and CO Reduction. <i>ACS Nano</i> , 2018 , 12, 3523-3532	16.7	222
116	Graphene quantum dots as universal fluorophores and their use in revealing regulated trafficking of insulin receptors in adipocytes. <i>ACS Nano</i> , 2013 , 7, 6278-86	16.7	204
115	Regulating Near-Infrared Photodynamic Properties of Semiconducting Polymer Nanotheranostics for Optimized Cancer Therapy. <i>ACS Nano</i> , 2017 , 11, 8998-9009	16.7	199
114	Activatable Photoacoustic Nanoprobes for In Vivo Ratiometric Imaging of Peroxynitrite. <i>Advanced Materials</i> , 2017 , 29, 1604764	24	194
113	Recent progress in the development of near-infrared organic photothermal and photodynamic nanotherapeutics. <i>Biomaterials Science</i> , 2018 , 6, 746-765	7.4	187
112	Facile synthesis of sulfur-doped graphene quantum dots as fluorescent sensing probes for Ag ⁺ ions detection. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 231-237	8.5	154
111	Nitrogen and phosphorus co-doped graphene quantum dots: synthesis from adenosine triphosphate, optical properties, and cellular imaging. <i>Nanoscale</i> , 2015 , 7, 8159-65	7.7	149

110	pH-Triggered and Enhanced Simultaneous Photodynamic and Photothermal Therapy Guided by Photoacoustic and Photothermal Imaging. <i>Chemistry of Materials</i> , 2017 , 29, 5216-5224	9.6	145
109	A graphene-cobalt oxide based needle electrode for non-enzymatic glucose detection in micro-droplets. <i>Chemical Communications</i> , 2012 , 48, 6490-2	5.8	145
108	Ultrasensitive Profiling of Metabolites Using Tyramine-Functionalized Graphene Quantum Dots. <i>ACS Nano</i> , 2016 , 10, 3622-9	16.7	124
107	Three-dimensional electrochemical immunosensor for sensitive detection of carcinoembryonic antigen based on monolithic and macroporous graphene foam. <i>Biosensors and Bioelectronics</i> , 2015 , 65, 281-6	11.8	123
106	Highly stretchable and autonomously healable epidermal sensor based on multi-functional hydrogel frameworks. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 5949-5956	13	109
105	Biomimetic composite scaffold of hydroxyapatite/gelatin-chitosan core-shell nanofibers for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2019 , 97, 325-335	8.3	104
104	Graphene quantum dot engineered nickel-cobalt phosphide as highly efficient bifunctional catalyst for overall water splitting. <i>Nano Energy</i> , 2018 , 48, 284-291	17.1	103
103	Non-enzymatic detection of hydrogen peroxide using a functionalized three-dimensional graphene electrode. <i>Electrochemistry Communications</i> , 2013 , 26, 81-84	5.1	100
102	Graphene quantum dots decorated graphitic carbon nitride nanorods for photocatalytic removal of antibiotics. <i>Journal of Colloid and Interface Science</i> , 2019 , 548, 56-65	9.3	98
101	Multilayered semiconducting polymer nanoparticles with enhanced NIR fluorescence for molecular imaging in cells, zebrafish and mice. <i>Chemical Science</i> , 2016 , 7, 5118-5125	9.4	97
100	Graphitic carbon nitride/BiVO ₄ heterojunctions: simple hydrothermal synthesis and high photocatalytic performances. <i>RSC Advances</i> , 2014 , 4, 4187-4193	3.7	87
99	Achieving stable and efficient water oxidation by incorporating NiFe layered double hydroxide nanoparticles into aligned carbon nanotubes. <i>Nanoscale Horizons</i> , 2016 , 1, 156-160	10.8	84
98	Nanochannel-Confined Graphene Quantum Dots for Ultrasensitive Electrochemical Analysis of Complex Samples. <i>ACS Nano</i> , 2018 , 12, 12673-12681	16.7	84
97	An aza-BODIPY photosensitizer for photoacoustic and photothermal imaging guided dual modal cancer phototherapy. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 1566-1573	7.3	81
96	Functionalization of monolithic and porous three-dimensional graphene by one-step chitosan electrodeposition for enzymatic biosensor. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 19997-20002	9.5	80
95	Facile and scalable preparation of highly luminescent N,S co-doped graphene quantum dots and their application for parallel detection of multiple metal ions. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 6593-6600	7.3	78
94	Tailoring the Electronic Properties of Graphene Quantum Dots by P Doping and Their Enhanced Performance in Metal-Free Composite Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 349-358	3.8	78
93	Preparation and characterization of trypsin immobilized on silica gel supported macroporous chitosan bead. <i>Process Biochemistry</i> , 2005 , 40, 2833-2840	4.8	76

92	Nitrogen-rich graphitic carbon nitride: Controllable nanosheet-like morphology, enhanced visible light absorption and superior photocatalytic performance. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016 , 508, 257-264	5.1	76
91	Preparation of 2D graphitic carbon nitride nanosheets by a green exfoliation approach and the enhanced photocatalytic performance. <i>Journal of Materials Science</i> , 2017 , 52, 13091-13102	4.3	72
90	Macroporous chitosan layer coated on non-porous silica gel as a support for metal chelate affinity chromatographic adsorbent. <i>Journal of Chromatography A</i> , 2004 , 1057, 41-7	4.5	72
89	One-pot synthesis of sulfur-doped graphene quantum dots as a novel fluorescent probe for highly selective and sensitive detection of lead(II). <i>RSC Advances</i> , 2016 , 6, 69977-69983	3.7	72
88	One-step construction of biosensor based on chitosan-ionic liquid-horseradish peroxidase biocomposite formed by electrodeposition. <i>Biosensors and Bioelectronics</i> , 2008 , 24, 29-34	11.8	71
87	Ternary Chalcogenide Nanosheets with Ultrahigh Photothermal Conversion Efficiency for Photoacoustic Theranostics. <i>Small</i> , 2017 , 13, 1604139	11	63
86	One-step synthesis of boron-doped graphene quantum dots for fluorescent sensors and biosensor. <i>Talanta</i> , 2019 , 199, 581-589	6.2	63
85	Graphitic carbon nitride/Cu ₂ O heterojunctions: Preparation, characterization, and enhanced photocatalytic activity under visible light. <i>Journal of Solid State Chemistry</i> , 2014 , 212, 1-6	3.3	61
84	N-doped mesoporous carbon by a hard-template strategy associated with chemical activation and its enhanced supercapacitance performance. <i>Electrochimica Acta</i> , 2017 , 238, 269-277	6.7	59
83	van der Waals Heterojunction between a Bottom-Up Grown Doped Graphene Quantum Dot and Graphene for Photoelectrochemical Water Splitting. <i>ACS Nano</i> , 2020 , 14, 1185-1195	16.7	58
82	Simultaneous label-free and pretreatment-free detection of heavy metal ions in complex samples using electrodes decorated with vertically ordered silica nanochannels. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 364-371	8.5	57
81	Solvothermal synthesis and enhanced visible light photocatalytic activity of novel graphitic carbon nitride/Bi ₂ MoO ₆ heterojunctions. <i>Powder Technology</i> , 2014 , 267, 126-133	5.2	57
80	Monitoring Dynamic Cellular Redox Homeostasis Using Fluorescence-Switchable Graphene Quantum Dots. <i>ACS Nano</i> , 2016 , 10, 11475-11482	16.7	56
79	Organic Nanoprobe Cocktails for Multilocal and Multicolor Fluorescence Imaging of Reactive Oxygen Species. <i>Advanced Functional Materials</i> , 2017 , 27, 1700493	15.6	55
78	Quasi-homogeneous carbocatalysis for one-pot selective conversion of carbohydrates to 5-hydroxymethylfurfural using sulfonated graphene quantum dots. <i>Carbon</i> , 2018 , 136, 224-233	10.4	47
77	Bi ₂ MoO ₆ /g-C ₃ N ₄ of 0D/2D heterostructure as efficient photocatalyst for selective oxidation of aromatic alkanes. <i>Applied Surface Science</i> , 2019 , 490, 102-108	6.7	44
76	Facile surface modification of textiles with photocatalytic carbon nitride nanosheets and the excellent performance for self-cleaning and degradation of gaseous formaldehyde. <i>Journal of Colloid and Interface Science</i> , 2019 , 533, 144-153	9.3	44
75	Naturally derived honeycomb-like N,S-codoped hierarchical porous carbon with MS (M = Co, Ni) decoration for high-performance Li-S battery. <i>Nanoscale</i> , 2020 , 12, 5114-5124	7.7	43

74	Fabrication of metal-free two dimensional/two dimensional homojunction photocatalyst using various carbon nitride nanosheets as building blocks. <i>Journal of Colloid and Interface Science</i> , 2017 , 507, 209-216	9.3	42
73	One-step construction of reagentless biosensor based on chitosan-carbon nanotubes-nile blue-horseradish peroxidase biocomposite formed by electrodeposition. <i>Talanta</i> , 2009 , 78, 1077-82	6.2	41
72	Holey nickel hydroxide nanosheets for wearable solid-state fiber-supercapacitors. <i>Nanoscale</i> , 2018 , 10, 5442-5448	7.7	39
71	Ratiometric Fluorescent Nanohybrid for Noninvasive and Visual Monitoring of Sweat Glucose. <i>ACS Sensors</i> , 2020 , 5, 2096-2105	9.2	38
70	S-doped graphene quantum dots as nanophotocatalyst for visible light degradation. <i>Chinese Chemical Letters</i> , 2018 , 29, 1698-1701	8.1	38
69	The enhanced photocatalytic performance of Z-scheme two-dimensional/two-dimensional heterojunctions from graphitic carbon nitride nanosheets and titania nanosheets. <i>Journal of Colloid and Interface Science</i> , 2016 , 478, 263-70	9.3	38
68	Sweet graphene quantum dots for imaging carbohydrate receptors in live cells. <i>FlatChem</i> , 2017 , 5, 25-32	5.1	38
67	One-step fabrication of novel superhydrophobic and superoleophilic sponge with outstanding absorbency and flame-retardancy for the selective removal of oily organic solvent from water. <i>Applied Surface Science</i> , 2018 , 428, 338-347	6.7	36
66	Weavable, High-Performance, Solid-State Supercapacitors Based on Hybrid Fibers Made of Sandwiched Structure of MWCNT/rGO/MWCNT. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600102	6.4	35
65	Discrimination and detection of bacteria with a label-free impedimetric biosensor based on self-assembled lectin monolayer. <i>Journal of Electroanalytical Chemistry</i> , 2011 , 656, 252-257	4.1	34
64	Novel nylon-supported organic-inorganic hybrid membrane with hierarchical pores as a potential immobilized metal affinity adsorbent. <i>Journal of Chromatography A</i> , 2006 , 1125, 38-51	4.5	34
63	Synergistic effects of phosphorous/sulfur co-doping and morphological regulation for enhanced photocatalytic performance of graphitic carbon nitride nanosheets. <i>Journal of Materials Science</i> , 2019 , 54, 1593-1605	4.3	34
62	Graphene quantum dots based fluorescence turn-on nanoprobe for highly sensitive and selective imaging of hydrogen sulfide in living cells. <i>Biomaterials Science</i> , 2018 , 6, 779-784	7.4	33
61	Ultra-sensitive and wide-dynamic-range sensors based on dense arrays of carbon nanotube tips. <i>Nanoscale</i> , 2011 , 3, 4854-8	7.7	33
60	Graphene Quantum Dots Decorated Titania Nanosheets Heterojunction: Efficient Charge Separation and Enhanced Visible-Light Photocatalytic Performance. <i>ChemCatChem</i> , 2017 , 9, 3349-3357	5.2	32
59	Graphene quantum dots for ultrasensitive detection of acetylcholinesterase and its inhibitors. <i>2D Materials</i> , 2015 , 2, 034018	5.9	32
58	Graphene quantum dots-assisted exfoliation of graphitic carbon nitride to prepare metal-free zero-dimensional/two-dimensional composite photocatalysts. <i>Journal of Materials Science</i> , 2018 , 53, 12103-12114	4.3	32
57	Preparation of macroporous chitosan layer coated on silica gel and its application to affinity chromatography for trypsin inhibitor purification. <i>Reactive and Functional Polymers</i> , 2006 , 66, 682-688	4.6	31

56	Hybrid nanocomposite with visible light photocatalytic activity: CdS pillared titanate. <i>Chemical Engineering Journal</i> , 2012 , 180, 330-336	14.7	30
55	Development of a bienzyme system based on sugar-lectin biospecific interactions for amperometric determination of phenols and aromatic amines. <i>Sensors and Actuators B: Chemical</i> , 2008 , 130, 900-907	8.5	30
54	Highly sensitive biosensor based on bionanomultilayer with water-soluble multiwall carbon nanotubes for determination of phenolics. <i>Biosensors and Bioelectronics</i> , 2008 , 24, 306-12	11.8	30
53	Enhanced charge separation ability and visible light photocatalytic performance of graphitic carbon nitride by binary S, B co-doping. <i>Materials Research Bulletin</i> , 2018 , 107, 477-483	5.1	29
52	Facile preparation of N-doped graphene quantum dots as quick-dry fluorescent ink for anti-counterfeiting. <i>New Journal of Chemistry</i> , 2018 , 42, 17091-17095	3.6	29
51	Amphiphilic graphene quantum dots as a new class of surfactants. <i>Carbon</i> , 2019 , 153, 127-135	10.4	28
50	Magnetically separable porous carbon nanospheres as solid acid catalysts. <i>RSC Advances</i> , 2013 , 3, 20999	3.7	28
49	Enzymatic Degradation of Graphene Quantum Dots by Human Peroxidases. <i>Small</i> , 2019 , 15, e1905405	11	28
48	Highly Efficient Photo-Reduction of p-Nitrophenol by Protonated Graphitic Carbon Nitride Nanosheets. <i>ChemCatChem</i> , 2018 , 10, 4747-4754	5.2	27
47	Regulatory networks of non-coding RNAs in brown/beige adipogenesis. <i>Bioscience Reports</i> , 2015 , 35,	4.1	26
46	Preparation of biomass-activated porous carbons derived from torreyia grandis shell for high-performance supercapacitor. <i>Journal of Solid State Electrochemistry</i> , 2017 , 21, 2241-2249	2.6	23
45	Graphene quantum dots as full-color and stimulus responsive fluorescence ink for information encryption. <i>Journal of Colloid and Interface Science</i> , 2020 , 579, 307-314	9.3	23
44	Transition metal dichalcogenide/multi-walled carbon nanotube-based fibers as flexible electrodes for electrocatalytic hydrogen evolution. <i>Chemical Communications</i> , 2020 , 56, 5131-5134	5.8	23
43	Soft-chemical synthesis of mesoporous nitrogen-modified titania with superior photocatalytic performance under visible light irradiation. <i>Chemical Engineering Journal</i> , 2013 , 219, 155-161	14.7	22
42	One-step template/chemical blowing route to synthesize flake-like porous carbon nitride photocatalyst. <i>Materials Research Bulletin</i> , 2017 , 94, 423-427	5.1	22
41	Bienzyme bionanomultilayer electrode for glucose biosensing based on functional carbon nanotubes and sugar-lectin biospecific interaction. <i>Analytical Biochemistry</i> , 2010 , 403, 36-42	3.1	22
40	Ionic liquid-capped graphene quantum dots as label-free fluorescent probe for direct detection of ferricyanide. <i>Talanta</i> , 2017 , 165, 429-435	6.2	21
39	Confinement of fluorine anions in nickel-based catalysts for greatly enhancing oxygen evolution activity. <i>Chemical Communications</i> , 2020 , 56, 4196-4199	5.8	21

38	Facile fabrication of N-doped TiO ₂ nanocatalyst with superior performance under visible light irradiation. <i>Journal of Solid State Chemistry</i> , 2013 , 199, 280-286	3.3	21
37	Improved adhesion and performance of vertically-aligned mesoporous silica-nanochannel film on reduced graphene oxide for direct electrochemical analysis of human serum. <i>Sensors and Actuators B: Chemical</i> , 2019 , 288, 133-140	8.5	20
36	Organic Nanotheranostics for Photoacoustic Imaging-Guided Phototherapy. <i>Current Medicinal Chemistry</i> , 2019 , 26, 1389-1405	4.3	20
35	Photo-Induced Hydrogel Formation Based on g-C ₃ N ₄ Nanosheets with Self-Cross-Linked 3D Framework for UV Protection Application. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1800500 ^{3,9}	3.9	20
34	Synthesis and application of ternary photocatalyst with a gradient band structure from two-dimensional nanosheets as precursors. <i>RSC Advances</i> , 2016 , 6, 108955-108963	3.7	18
33	Synthesis of mesoporous CdS/titania composites with visible light photocatalytic activities. <i>Materials Letters</i> , 2012 , 81, 95-98	3.3	18
32	A Simple Layer-by-Layer Assembly Strategy for a Reagentless Biosensor Based on a Nanocomposite of Methylene Blue-Multiwalled Carbon Nanotubes. <i>Electroanalysis</i> , 2010 , 22, 277-285	3	18
31	Uniform bionanomultilayer constructed with soluble multiwall carbon nanotubes and its application as biosensor. <i>Journal of Electroanalytical Chemistry</i> , 2008 , 623, 135-141	4.1	18
30	Gram-scale synthesis of nitrogen doped graphene quantum dots for sensitive detection of mercury ions and l-cysteine.. <i>RSC Advances</i> , 2019 , 9, 32977-32983	3.7	18
29	Synthesis of Mn-intercalated layered titanate by exfoliation/flocculation approach and its efficient photocatalytic activity under visible light. <i>Journal of Solid State Chemistry</i> , 2012 , 196, 282-287	3.3	16
28	Functional nanostructure-loaded three-dimensional graphene foam as a non-enzymatic electrochemical sensor for reagentless glucose detection.. <i>RSC Advances</i> , 2020 , 10, 33739-33746	3.7	16
27	Aqueous synthesis of amphiphilic graphene quantum dots and their application as surfactants for preparing of fluorescent polymer microspheres. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 563, 77-83	5.1	16
26	Dual anions engineering on nickel cobalt-based catalyst for optimal hydrogen evolution electrocatalysis. <i>Journal of Colloid and Interface Science</i> , 2021 , 589, 127-134	9.3	15
25	Mussel-inspired fabrication of novel superhydrophobic and superoleophilic sponge modified using a high density of nanoaggregates at low concentration of dopamine. <i>RSC Advances</i> , 2016 , 6, 71905-71912 ⁷	3.7	14
24	Yellow-colored mesoporous pure titania and its high stability in visible light photocatalysis. <i>Powder Technology</i> , 2013 , 245, 227-232	5.2	14
23	Enhanced electrochemical performance of straw-based porous carbon fibers for supercapacitor. <i>Journal of Solid State Electrochemistry</i> , 2017 , 21, 3449-3458	2.6	13
22	The effect of the chitosan membrane properties on the enzyme adsorption and performance for the construction of horseradish peroxidase biosensors. <i>Carbohydrate Polymers</i> , 2011 , 85, 786-791	10.3	12
21	A co-delivery platform for synergistic promotion of angiogenesis based on biodegradable, therapeutic and self-reporting luminescent porous silicon microparticles. <i>Biomaterials</i> , 2021 , 272, 120772 ^{15,6}	15.6	11

20	Spectral and spatial characterization of upconversion luminescent nanocrystals as nanowaveguides. <i>Nanoscale</i> , 2017 , 9, 9238-9245	7.7	10
19	Selective analysis of reduced thiols with a novel bionanomultilayer biosensor based on the inhibition principle. <i>Sensors and Actuators B: Chemical</i> , 2009 , 135, 642-649	8.5	9
18	Graphene quantum dot-decorated luminescent porous silicon dressing for theranostics of diabetic wounds. <i>Acta Biomaterialia</i> , 2021 , 131, 544-554	10.8	9
17	A reagentless electrochemical immunosensor based on probe immobilization and the layer-by-layer assembly technique for sensitive detection of tumor markers. <i>Analytical Methods</i> , 2015 , 7, 9655-9662	3.2	8
16	Thermo-driven catalytic degradation of organic dyes by graphitic carbon nitride with hydrogen peroxide. <i>Powder Technology</i> , 2017 , 308, 114-122	5.2	7
15	Three-dimensional macroscopic graphene supported vertically-ordered mesoporous silica-nanochannel film for direct and ultrasensitive detection of uric acid in serum. <i>Talanta</i> , 2022 , 238, 123027	6.2	6
14	Integration of vertically-ordered mesoporous silica-nanochannel film with electro-activated glassy carbon electrode for improved electroanalysis in complex samples. <i>Talanta</i> , 2021 , 225, 122066	6.2	6
13	SO ₃ H-functionalized mesoporous carbon/silica composite with a spherical morphology and its excellent catalytic performance for biodiesel production. <i>Journal of Porous Materials</i> , 2013 , 20, 1423-1431	4.4	5
12	Integrative analyses of transcriptome and transcriptome reveal important translational controls in brown and white adipose regulated by microRNAs. <i>Scientific Reports</i> , 2017 , 7, 5681	4.9	5
11	Colorimetric and Fluorescent Dual-Modality Sensing Platform Based on Fluorescent Nanozyme. <i>Frontiers in Chemistry</i> , 2021 , 9, 774486	5	4
10	Graphene quantum dots assisted exfoliation of atomically-thin 2D materials and as-formed 0D/2D van der Waals heterojunction for HER. <i>Carbon</i> , 2021 , 184, 554-561	10.4	4
9	Bipolar silica nanochannel array for dual-mode electrochemiluminescence and electrochemical immunosensing platform. <i>Sensors and Actuators B: Chemical</i> , 2022 , 368, 132086	8.5	4
8	Silica Nanochannel Array Film Supported by -Cyclodextrin-Functionalized Graphene Modified Gold Film Electrode for Sensitive and Direct Electroanalysis of Acetaminophen.. <i>Frontiers in Chemistry</i> , 2021 , 9, 812086	5	3
7	2F-Methyl molecular beacon: a promising molecular tool that permits elimination of sticky-end pairing and improvement of detection sensitivity.. <i>RSC Advances</i> , 2020 , 10, 41618-41624	3.7	3
6	Synthesis and layer-by-layer self-assembly of titania nanosheets controllably doped with binary transition metal ions. <i>Journal of Materials Research</i> , 2011 , 26, 1285-1291	2.5	2
5	Vertically Ordered Mesoporous Silica-Nanochannel Film-Equipped Three-Dimensional Macroporous Graphene as Sensitive Electrochemiluminescence Platform. <i>Frontiers in Chemistry</i> , 2021 , 9, 770512	5	2
4	Dendritic cells reprogrammed by CEA messenger RNA loaded multi-functional silica nanospheres for imaging-guided cancer immunotherapy. <i>Biomaterials Science</i> , 2020 , 8, 3026-3031	7.4	1
3	A Flexible Electrochemiluminescence Sensor Equipped With Vertically Ordered Mesoporous Silica Nanochannel Film for Sensitive Detection of Clindamycin.. <i>Frontiers in Chemistry</i> , 2022 , 10, 872582	5	1

- | | | | |
|---|--|-----|---|
| 2 | Iron and nitrogen co-doped graphene quantum dots as highly active peroxidases for the sensitive detection of L-cysteine. <i>New Journal of Chemistry</i> , 2021 , 45, 19056-19064 | 3.6 | o |
| 1 | Green synthesis of upconversion nanocrystals by adjusting local precursor supersaturation under aqueous conditions. <i>Materials Advances</i> , 2020 , 1, 2707-2711 | 3.3 | o |