

# Vincenzo G Gentile

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1708439/vincenzo-g-gentile-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

2,378

citations

24

h-index

46

g-index

91

ext. papers

2,719

ext. citations

3.5

avg, IF

4.31

L-index

| #  | Paper                                                                                                                                                                                                                                                                 | IF   | Citations |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 88 | Distribution of inflammation, pre-malignant lesions, incidental carcinoma in histologically confirmed benign prostatic hyperplasia: a retrospective analysis. <i>European Urology</i> , <b>2003</b> , 43, 164-75                                                      | 10.2 | 185       |
| 87 | Multiparametric magnetic resonance imaging vs. standard care in men being evaluated for prostate cancer: a randomized study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2015</b> , 33, 17.e1-17.e7                                           | 2.8  | 162       |
| 86 | Role of dynamic contrast-enhanced magnetic resonance (MR) imaging and proton MR spectroscopic imaging in the detection of local recurrence after radical prostatectomy for prostate cancer. <i>European Urology</i> , <b>2008</b> , 54, 589-600                       | 10.2 | 144       |
| 85 | Inflammation and chronic prostatic diseases: evidence for a link?. <i>European Urology</i> , <b>2007</b> , 52, 964-72                                                                                                                                                 | 10.2 | 140       |
| 84 | Value of magnetic resonance spectroscopy imaging and dynamic contrast-enhanced imaging for detecting prostate cancer foci in men with prior negative biopsy. <i>Clinical Cancer Research</i> , <b>2010</b> , 16, 1875-83                                              | 12.9 | 133       |
| 83 | Treatment of varicocele in subfertile men: The Cochrane Review--a contrary opinion. <i>European Urology</i> , <b>2006</b> , 49, 258-63                                                                                                                                | 10.2 | 126       |
| 82 | Prostate cancer: 1HMRS-DCEMR at 3T versus [(18)F]choline PET/CT in the detection of local prostate cancer recurrence in men with biochemical progression after radical retropubic prostatectomy (RRP). <i>European Journal of Radiology</i> , <b>2012</b> , 81, 700-8 | 4.7  | 119       |
| 81 | Prostate cancer recurrence after radical prostatectomy: the role of 3-T diffusion imaging in multi-parametric magnetic resonance imaging. <i>European Radiology</i> , <b>2013</b> , 23, 1745-52                                                                       | 8    | 96        |
| 80 | Circulating tumor cells detection has independent prognostic impact in high-risk non-muscle invasive bladder cancer. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1978-82                                                                              | 7.5  | 70        |
| 79 | Early recovery of urinary continence after radical prostatectomy using early pelvic floor electrical stimulation and biofeedback associated treatment. <i>Journal of Urology</i> , <b>2009</b> , 181, 1788-93                                                         | 2.5  | 63        |
| 78 | Variation in chromogranin A serum levels during intermittent versus continuous androgen deprivation therapy for prostate adenocarcinoma. <i>Prostate</i> , <b>2003</b> , 55, 168-79                                                                                   | 4.2  | 59        |
| 77 | Premature ejaculation results in female sexual distress: standardization and validation of a new diagnostic tool for sexual distress. <i>Journal of Urology</i> , <b>2013</b> , 189, 1830-5                                                                           | 2.5  | 52        |
| 76 | Two-sided bulbar urethroplasty using dorsal plus ventral oral graft: urinary and sexual outcomes of a new technique. <i>Journal of Urology</i> , <b>2011</b> , 185, 1766-71                                                                                           | 2.5  | 39        |
| 75 | Efficacy and safety of tadalafil in a Western European population of men with erectile dysfunction. <i>BJU International</i> , <b>2004</b> , 94, 871-7                                                                                                                | 5.6  | 39        |
| 74 | Smoking as a risk factor for erectile dysfunction: data from the Andrology Prevention Weeks 2001-2002 a study of the Italian Society of Andrology (s.I.a.). <i>European Urology</i> , <b>2005</b> , 48, 810-7; discussion 817-8                                       | 10.2 | 39        |
| 73 | Prognostic value of inflammation in prostate cancer progression and response to therapeutic: a critical review. <i>Journal of Inflammation</i> , <b>2016</b> , 13, 35                                                                                                 | 6.7  | 37        |
| 72 | Evaluation of serum anti-Mullerian hormone levels to assess the ovarian reserve in women with severe endometriosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2014</b> , 172, 62-4                                              | 2.4  | 33        |

|    |                                                                                                                                                                                                                                                                                           |      |    |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 71 | Multiparametric magnetic resonance imaging of the prostate can improve the predictive value of the urinary prostate cancer antigen 3 test in patients with elevated prostate-specific antigen levels and a previous negative biopsy. <i>BJU International</i> , <b>2012</b> , 110, 1661-5 | 5.6  | 33 |
| 70 | Superselective embolization of bladder arteries in the treatment of intractable bladder haemorrhage. <i>International Journal of Urology</i> , <b>2005</b> , 12, 503-5                                                                                                                    | 2.3  | 33 |
| 69 | Magnetic Resonance Spectroscopic Imaging (1H-MRSI) and Dynamic Contrast-Enhanced Magnetic Resonance (DCE-MRI): Pattern Changes From Inflammation to Prostate Cancer. <i>Cancer Investigation</i> , <b>2010</b> , 28, 424-432                                                              | 2.1  | 32 |
| 68 | In vivo 3D neuroanatomical evaluation of periprostatic nerve plexus with 3T-MR Diffusion Tensor Imaging. <i>European Journal of Radiology</i> , <b>2013</b> , 82, 1677-82                                                                                                                 | 4.7  | 31 |
| 67 | Comparative analysis of multiparametric magnetic resonance and PET-CT in the management of local recurrence after radical prostatectomy for prostate cancer. <i>Critical Reviews in Oncology/Hematology</i> , <b>2012</b> , 84, 109-21                                                    | 7    | 27 |
| 66 | Chronic bacterial prostatitis: efficacy of short-lasting antibiotic therapy with prulifloxacin (Unidrox <sup>®</sup> ) in association with saw palmetto extract, lactobacillus sporogens and arbutin (Lactorepens <sup>®</sup> ). <i>BMC Urology</i> , <b>2014</b> , 14, 53               | 2.2  | 25 |
| 65 | Long term patient satisfaction and quality of life with AMS700CX inflatable penile prosthesis. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2013</b> , 85, 133-7                                                                                                                  | 1.6  | 25 |
| 64 | Short-term pretreatment with a dual 5 $\alpha$ -reductase inhibitor before bipolar transurethral resection of the prostate (B-TURP): evaluation of prostate vascularity and decreased surgical blood loss in large prostates. <i>BJU International</i> , <b>2015</b> , 116, 117-23        | 5.6  | 24 |
| 63 | Prostate cancer gene 3 and multiparametric magnetic resonance can reduce unnecessary biopsies: decision curve analysis to evaluate predictive models. <i>Urology</i> , <b>2013</b> , 82, 1355-60                                                                                          | 1.6  | 24 |
| 62 | Distribution of high chromogranin A serum levels in patients with nonmetastatic and metastatic prostate adenocarcinoma. <i>Urologia Internationalis</i> , <b>2009</b> , 82, 147-51                                                                                                        | 1.9  | 24 |
| 61 | Recovery of Urinary Continence After Radical Prostatectomy Using Early vs Late Pelvic Floor Electrical Stimulation and Biofeedback-associated Treatment. <i>Urology</i> , <b>2015</b> , 86, 115-20                                                                                        | 1.6  | 23 |
| 60 | Use of multiparametric MR with neurovascular bundle evaluation to optimize the oncological and functional management of patients considered for nerve-sparing radical prostatectomy. <i>Journal of Sexual Medicine</i> , <b>2012</b> , 9, 2157-66                                         | 1.1  | 22 |
| 59 | Bladder cancer: a simple model becomes complex. <i>Current Genomics</i> , <b>2012</b> , 13, 395-415                                                                                                                                                                                       | 2.6  | 22 |
| 58 | Effect of propionyl-L-carnitine, L-arginine and nicotinic acid on the efficacy of vardenafil in the treatment of erectile dysfunction in diabetes. <i>Current Medical Research and Opinion</i> , <b>2009</b> , 25, 2223-8                                                                 | 2.5  | 21 |
| 57 | 2D and 3D T2-weighted MR sequences for the assessment of neurovascular bundle changes after nerve-sparing radical retropubic prostatectomy with erectile function correlation. <i>European Radiology</i> , <b>2009</b> , 19, 220-9                                                        | 8    | 19 |
| 56 | Interplay between male testosterone levels and the risk for subsequent invasive respiratory assistance among COVID-19 patients at hospital admission. <i>Endocrine</i> , <b>2020</b> , 70, 206-210                                                                                        | 4    | 19 |
| 55 | Management of urethral stent failure for recurrent anterior urethral strictures. <i>European Urology</i> , <b>2010</b> , 57, 615-21                                                                                                                                                       | 10.2 | 18 |
| 54 | Modern role of magnetic resonance and spectroscopy in the imaging of prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2011</b> , 29, 12-20                                                                                                            | 2.8  | 17 |

|    |                                                                                                                                                                                                                                                                                                    |     |    |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 53 | Chromogranin A expression in familial versus sporadic prostate cancer. <i>Urology</i> , <b>2005</b> , 66, 1010-4                                                                                                                                                                                   | 1.6 | 17 |
| 52 | Rome Consensus Conference - statement; human papilloma virus diseases in males. <i>BMC Public Health</i> , <b>2013</b> , 13, 117                                                                                                                                                                   | 4.1 | 16 |
| 51 | Thulium laser supported nephron sparing surgery for renal cell carcinoma. <i>Journal of Urology</i> , <b>2013</b> , 190, 698-701                                                                                                                                                                   | 2.5 | 16 |
| 50 | Somatostatin analogues and estrogens in the treatment of androgen ablation refractory prostate adenocarcinoma. <i>Journal of Urology</i> , <b>2004</b> , 172, 1775-83                                                                                                                              | 2.5 | 16 |
| 49 | Psychological impact of different primary treatments for prostate cancer: A critical analysis. <i>Andrologia</i> , <b>2019</b> , 51, e13157                                                                                                                                                        | 2.4 | 16 |
| 48 | The emerging role of targeted therapy in renal cell carcinoma (RCC): is it time for a neoadjuvant or an adjuvant approach?. <i>Critical Reviews in Oncology/Hematology</i> , <b>2012</b> , 81, 151-62                                                                                              | 7   | 15 |
| 47 | Effect of <i>Serenoa repens</i> (Permixon®) on the expression of inflammation-related genes: analysis in primary cell cultures of human prostate carcinoma. <i>Journal of Inflammation</i> , <b>2013</b> , 10, 11                                                                                  | 6.7 | 15 |
| 46 | Role of magnetic resonance spectroscopic imaging ( <sup>1</sup> H-MRSI) and dynamic contrast-enhanced MRI (DCE-MRI) in identifying prostate cancer foci in patients with negative biopsy and high levels of prostate-specific antigen (PSA). <i>Radiologia Medica</i> , <b>2010</b> , 115, 1314-29 | 6.5 | 15 |
| 45 | New anti-angiogenic targeted therapy in advanced renal cell carcinoma (RCC): current status and future prospects. <i>Reviews on Recent Clinical Trials</i> , <b>2008</b> , 3, 97-103                                                                                                               | 1.2 | 15 |
| 44 | Magnetic resonance spectroscopic imaging ( <sup>1</sup> H-MRSI) and dynamic contrast-enhanced magnetic resonance (DCE-MRI): pattern changes from inflammation to prostate cancer. <i>Cancer Investigation</i> , <b>2010</b> , 28, 424-32                                                           | 2.1 | 14 |
| 43 | Predictors for response to intermittent androgen deprivation (IAD) in prostate cancer cases with biochemical progression after surgery. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 607-14                                                                  | 2.8 | 12 |
| 42 | Etoricoxib and intermittent androgen deprivation therapy in patients with biochemical progression after radical prostatectomy. <i>Urology</i> , <b>2008</b> , 71, 947-51                                                                                                                           | 1.6 | 12 |
| 41 | Oral ethinylestradiol in castration-resistant prostate cancer: a 10-year experience. <i>International Journal of Urology</i> , <b>2015</b> , 22, 98-103                                                                                                                                            | 2.3 | 11 |
| 40 | Penile fracture: penoscrotal approach with degloving of penis after Magnetic Resonance Imaging (MRI). <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2014</b> , 86, 39-40                                                                                                                    | 1.6 | 11 |
| 39 | Penile reconstruction in the male. <i>Arab Journal of Urology Arab Association of Urology</i> , <b>2013</b> , 11, 267-71                                                                                                                                                                           | 1.7 | 10 |
| 38 | Large bowel infarct following antegrade scrotal sclerotherapy for varicocele: A case report. <i>Canadian Urological Association Journal</i> , <b>2014</b> , 8, E641-3                                                                                                                              | 1.2 | 10 |
| 37 | Journey into the realm of requests for help presented to sexual medicine specialists: introducing male sexual distress. <i>Journal of Sexual Medicine</i> , <b>2007</b> , 4, 762-770                                                                                                               | 1.1 | 10 |
| 36 | Role of radical retropubic prostatectomy in patients with locally advanced prostate cancer: the influence of Gleason score 8-10. <i>Urologia Internationalis</i> , <b>2003</b> , 70, 186-94                                                                                                        | 1.9 | 10 |

|    |                                                                                                                                                                                                                                                                                                     |      |    |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 35 | Untargeted metabolomics of prostate cancer zwitterionic and positively charged compounds in urine. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1158, 338381                                                                                                                                       | 6.6  | 10 |
| 34 | Pain in the upper anterior-lateral part of the thigh in women affected by endometriosis: study of sensitive neuropathy. <i>Fertility and Sterility</i> , <b>2013</b> , 100, 122-6                                                                                                                   | 4.8  | 9  |
| 33 | Value of magnetic resonance spectroscopy (MSR) and dynamic contrast-enhanced magnetic resonance (DCEMR) imaging for the characterization of high-grade prostatic intraepithelial neoplasia (HGPIN) foci. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2011</b> , 29, 634-40  | 2.8  | 9  |
| 32 | Use of 3D T2-weighted MR sequences for the assessment of neurovascular bundle changes after nerve-sparing radical retropubic prostatectomy (RRP): a potential diagnostic tool for optimal management of erectile dysfunction after RRP. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 1430-7 | 1.1  | 9  |
| 31 | Knotless "three-U-stitches" technique for urethrovesical anastomosis during laparoscopic radical prostatectomy. <i>International Journal of Urology</i> , <b>2013</b> , 20, 441-4                                                                                                                   | 2.3  | 8  |
| 30 | Complete response to the combination therapy with androgen blockade and somatostatin analogue in a patient with advanced prostate cancer: magnetic resonance imaging with <sup>1</sup> H-spectroscopy. <i>European Urology</i> , <b>2008</b> , 53, 652-5                                            | 10.2 | 8  |
| 29 | Comparison of chromogranin A, insulin-like growth factor 1 and prostate-specific antigen serum markers in prostate adenocarcinoma and benign prostatic hyperplasia. <i>Urologia Internationalis</i> , <b>2008</b> , 80, 68-73                                                                       | 1.9  | 8  |
| 28 | Determination of the time for maximal response to neoadjuvant hormone therapy for prostate cancer using magnetic resonance with spectroscopy (MRSI) and dynamic contrast enhancement (DCEMR). <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2012</b> , 30, 614-9              | 2.8  | 7  |
| 27 | Adjuvant therapy with sorafenib in bone metastases bilateral renal carcinoma: a case report. <i>European Urology</i> , <b>2007</b> , 52, 597-9                                                                                                                                                      | 10.2 | 7  |
| 26 | Can p503s, p504s and p510s gene expression in peripheral-blood be useful as a marker of prostatic cancer?. <i>BMC Cancer</i> , <b>2005</b> , 5, 111                                                                                                                                                 | 4.8  | 7  |
| 25 | Bilateral ex vivo repair and kidney autotransplantation for complex renal artery aneurysms: a case report and literature review. <i>International Journal of Urology</i> , <b>2014</b> , 21, 219-21                                                                                                 | 2.3  | 6  |
| 24 | Supernumerary kidney laparoscopically treated. <i>Canadian Urological Association Journal</i> , <b>2013</b> , 7, E772-4                                                                                                                                                                             | 1.2  | 6  |
| 23 | Reduced intraoperative bleeding during transurethral resection of the prostate: Evaluation of finasteride, vascular endothelial growth factor, and CD34. <i>Current Prostate Reports</i> , <b>2008</b> , 6, 123-127                                                                                 |      | 6  |
| 22 | Reliability of PSA circulating cells as markers of metastatic prostate cancer. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2004</b> , 64, 687-89                                                                                                                      | 2    | 6  |
| 21 | Randomized trial comparing an anterograde versus a retrograde approach to open radical prostatectomy: results in terms of positive margin rate. <i>Canadian Urological Association Journal</i> , <b>2010</b> , 4, 192-8                                                                             | 1.2  | 6  |
| 20 | Update on screening in prostate cancer based on recent clinical trials. <i>Reviews on Recent Clinical Trials</i> , <b>2011</b> , 6, 7-15                                                                                                                                                            | 1.2  | 5  |
| 19 | Incidental prostatic stromal tumor of uncertain malignant potential (STUMP): histopathological and immunohistochemical findings. <i>Urologia</i> , <b>2012</b> , 79, 65-8                                                                                                                           | 1.2  | 5  |
| 18 | Phalloplasty for the genetic male. <i>Translational Andrology and Urology</i> , <b>2012</b> , 1, 103-8                                                                                                                                                                                              | 2.3  | 5  |

|    |                                                                                                                                                                                                                                              |     |   |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 17 | Recurrent transitional cell carcinoma of the bladder: A mixed nested variant case report and literature review. <i>Canadian Urological Association Journal</i> , <b>2012</b> , 6, E57-60                                                     | 1.2 | 5 |
| 16 | Urethral pseudodiverticulum secondary to penile fracture and complete urethra dissection. <i>Canadian Urological Association Journal</i> , <b>2013</b> , 7, E347-50                                                                          | 1.2 | 4 |
| 15 | Biopsy-derived Gleason artifact and prostate volume: experience using ten samples in larger prostates. <i>Urologia Internationalis</i> , <b>2008</b> , 80, 145-50                                                                            | 1.9 | 4 |
| 14 | Multidisciplinary management of Prostate Cancer: how and why. <i>American Journal of Clinical and Experimental Urology</i> , <b>2013</b> , 1, 12-7                                                                                           | 1.6 | 4 |
| 13 | Long-term experience with an anatomical anterograde approach to radical prostatectomy: results in terms of positive margin rate. <i>Urologia Internationalis</i> , <b>2008</b> , 80, 151-6                                                   | 1.9 | 3 |
| 12 | Histopathological aspects associated with the diagnosis of benign prostatic hyperplasia: clinical implications. <i>Urologia Internationalis</i> , <b>2002</b> , 69, 253-62                                                                   | 1.9 | 3 |
| 11 | Results, questions, perspectives of a study on human Polyomavirus BK and molecular actors in prostate cancer development. <i>Cancer Genomics and Proteomics</i> , <b>2015</b> , 12, 57-65                                                    | 3.3 | 2 |
| 10 | Prostate-specific antigen increase during dutasteride to indicate the need for prostate biopsy: influence of prostatic inflammation. <i>Urologia</i> , <b>2017</b> , 84, 158-164                                                             | 1.2 | 1 |
| 9  | Intermittent androgen deprivation in prostate cancer cases with biochemical progression after radical prostatectomy: Are we ready to treat?. <i>Critical Reviews in Oncology/Hematology</i> , <b>2016</b> , 99, 351-61                       | 1.7 | 1 |
| 8  | Use of inflatable penile prostheses AMS CX with momentary squeeze in a patient with Peyronie's disease after removal of two previously implanted penile prostheses. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2014</b> , 86, 46-7 | 1.6 | 1 |
| 7  | Human papilloma virus DNA detection, p53 and Ki67 expression in penile verrucous and squamous cell carcinomas in the same patient. <i>Sexually Transmitted Diseases</i> , <b>2009</b> , 36, 417-8                                            | 2.4 | 1 |
| 6  | Plication Surgery for Peyronie's Disease. <i>Current Sexual Health Reports</i> , <b>2014</b> , 6, 50-55                                                                                                                                      | 1.2 |   |
| 5  | Reply: To PMID 24080222. <i>Urology</i> , <b>2013</b> , 82, 1361-2                                                                                                                                                                           | 1.6 |   |
| 4  | Randomized trial comparing an anterograde versus a retrograde approach to open radical prostatectomy: results in terms of positive margin rate. <i>Canadian Urological Association Journal</i> , <b>2013</b> , 4, 192                        | 1.2 |   |
| 3  | Valutazione RM del fascio neurovascolare e grado di deficit funzionale nel paziente prostatectomizzato <b>2010</b> , 179-186                                                                                                                 |     |   |
| 2  | Infiammazione e patologie croniche della prostata: il legame causale? <b>2010</b> , 53-57                                                                                                                                                    |     |   |
| 1  | Comparison Between a Multidisciplinary and a Monodisciplinary Approach to Prostate Cancer: Our 1-Year Experience <b>2014</b> , 19-28                                                                                                         |     |   |