

Marcel Dicke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1708561/publications.pdf>

Version: 2024-02-01

506
papers

40,076
citations

1612

105
h-index

4427

172
g-index

523
all docs

523
docs citations

523
times ranked

18480
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecology of Infochemical Use by Natural Enemies in a Tritrophic Context. <i>Annual Review of Entomology</i> , 1992, 37, 141-172.	5.7	1,573
2	The evolutionary context for herbivore-induced plant volatiles: beyond the "cry for help". <i>Trends in Plant Science</i> , 2010, 15, 167-175.	4.3	973
3	Signal Signature and Transcriptome Changes of Arabidopsis During Pathogen and Insect Attack. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 923-937.	1.4	909
4	Plant strategies of manipulating predator-prey interactions through allelochemicals: Prospects for application in pest control. <i>Journal of Chemical Ecology</i> , 1990, 16, 3091-3118.	0.9	608
5	Isolation and identification of volatile kairomone that affects acarine predator-prey interactions. Involvement of host plant in its production. <i>Journal of Chemical Ecology</i> , 1990, 16, 381-396.	0.9	582
6	Helping plants to deal with insects: the role of beneficial soil-borne microbes. <i>Trends in Plant Science</i> , 2010, 15, 507-514.	4.3	528
7	beta-Glucosidase: an elicitor of herbivore-induced plant odor that attracts host-searching parasitic wasps. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 2036-2040.	3.3	522
8	Genetic Engineering of Terpenoid Metabolism Attracts Bodyguards to Arabidopsis. <i>Science</i> , 2005, 309, 2070-2072.	6.0	482
9	A Conserved Transcript Pattern in Response to a Specialist and a Generalist Herbivore. <i>Plant Cell</i> , 2004, 16, 3132-3147.	3.1	470
10	Plant "carnivore" mutualism through herbivore-induced carnivore attractants. <i>Trends in Plant Science</i> , 1996, 1, 109-113.	4.3	443
11	How Plants Obtain Predatory Mites as Bodyguards. <i>Animal Biology</i> , 1987, 38, 148-165.	0.4	442
12	Multitrophic effects of herbivore-induced plant volatiles in an evolutionary context. <i>Entomologia Experimentalis Et Applicata</i> , 2000, 97, 237-249.	0.7	416
13	Plant interactions with microbes and insects: from molecular mechanisms to ecology. <i>Trends in Plant Science</i> , 2007, 12, 564-569.	4.3	399
14	Nutritional value of the black soldier fly (<i>Hermetia illucens</i> L.) and its suitability as animal feed – a review. <i>Journal of Insects As Food and Feed</i> , 2017, 3, 105-120.	2.1	373
15	Chemical complexity of volatiles from plants induced by multiple attack. <i>Nature Chemical Biology</i> , 2009, 5, 317-324.	3.9	364
16	Plant Interactions with Multiple Insect Herbivores: From Community to Genes. <i>Annual Review of Plant Biology</i> , 2014, 65, 689-713.	8.6	361
17	Infochemical Terminology: Based on Cost-Benefit Analysis Rather than Origin of Compounds?. <i>Functional Ecology</i> , 1988, 2, 131.	1.7	354
18	Volatile herbivore-induced terpenoids in plant-mite interactions: Variation caused by biotic and abiotic factors. <i>Journal of Chemical Ecology</i> , 1994, 20, 1329-1354.	0.9	325

#	ARTICLE	IF	CITATIONS
19	Local and Systemic Production of Volatile Herbivore-induced Terpenoids: Their Role in Plant-carnivore Mutualism. <i>Journal of Plant Physiology</i> , 1994, 143, 465-472.	1.6	323
20	Herbivore-induced volatile production by <i>Arabidopsis thaliana</i> leads to attraction of the parasitoid <i>Cotesia rubecula</i> : chemical, behavioral, and gene-expression analysis. <i>Journal of Chemical Ecology</i> , 2001, 27, 1911-1928.	0.9	310
21	Title is missing!. <i>Journal of Chemical Ecology</i> , 1999, 25, 1907-1922.	0.9	292
22	Variation in natural plant products and the attraction of bodyguards involved in indirect plant defenseThe present review is one in the special series of reviews on animalâ€“plant interactions.. <i>Canadian Journal of Zoology</i> , 2010, 88, 628-667.	0.4	275
23	Behavioural and community ecology of plants that cry for help. <i>Plant, Cell and Environment</i> , 2009, 32, 654-665.	2.8	274
24	Developmental stage of herbivore <i>Pseudaletia separata</i> affects production of herbivore-induced synomone by corn plants. <i>Journal of Chemical Ecology</i> , 1995, 21, 273-287.	0.9	268
25	PHEROMONE-MEDIATED AGGREGATION IN NONSOCIAL ARTHROPODS: An Evolutionary Ecological Perspective. <i>Annual Review of Entomology</i> , 2005, 50, 321-346.	5.7	265
26	Are herbivoreâ€“induced plant volatiles reliable indicators of herbivore identity to foraging carnivorous arthropods?. <i>Entomologia Experimentalis Et Applicata</i> , 1999, 91, 131-142.	0.7	259
27	Insect symbionts as hidden players in insectâ€“plant interactions. <i>Trends in Ecology and Evolution</i> , 2012, 27, 705-711.	4.2	257
28	Metabolic and Transcriptomic Changes Induced in <i>Arabidopsis</i> by the Rhizobacterium <i>Pseudomonas fluorescens</i> SS101. <i>Plant Physiology</i> , 2012, 160, 2173-2188.	2.3	254
29	Whiteflies interfere with indirect plant defense against spider mites in Lima bean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21202-21207.	3.3	247
30	Inducible indirect defence of plants: from mechanisms to ecological functions. <i>Basic and Applied Ecology</i> , 2003, 4, 27-42.	1.2	243
31	Foraging behavior of egg parasitoids exploiting chemical information. <i>Behavioral Ecology</i> , 2008, 19, 677-689.	1.0	237
32	Attraction of Colorado Potato Beetle to Herbivore-Damaged Plants During Herbivory and After Its Termination. <i>Journal of Chemical Ecology</i> , 1997, 23, 1003-1023.	0.9	228
33	Direct and Indirect Effects of Resource Quality on Food Web Structure. <i>Science</i> , 2008, 319, 804-807.	6.0	227
34	Virulence Factors of Geminivirus Interact with MYC2 to Subvert Plant Resistance and Promote Vector Performance. <i>Plant Cell</i> , 2014, 26, 4991-5008.	3.1	224
35	Variation in composition of predator-attracting allelochemicals emitted by herbivore-infested plants: Relative influence of plant and herbivore. <i>Chemoecology</i> , 1991, 2, 1-6.	0.6	222
36	Chemical Detection of Natural Enemies by Arthropods: An Ecological Perspective. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2001, 32, 1-23.	6.7	221

#	ARTICLE	IF	CITATIONS
37	Induction of parasitoid attracting synomone in brussels sprouts plants by feeding of <i>Pieris brassicae</i> larvae: Role of mechanical damage and herbivore elicitor. <i>Journal of Chemical Ecology</i> , 1994, 20, 2229-2247.	0.9	218
38	Early season herbivore differentially affects plant defence responses to subsequently colonizing herbivores and their abundance in the field. <i>Molecular Ecology</i> , 2008, 17, 3352-3365.	2.0	214
39	Differential Effectiveness of Microbially Induced Resistance Against Herbivorous Insects in <i>Arabidopsis</i> . <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 919-930.	1.4	213
40	Qualitative and Quantitative Variation Among Volatile Profiles Induced by <i>Tetranychus urticae</i> Feeding on Plants from Various Families. <i>Journal of Chemical Ecology</i> , 2004, 30, 69-89.	0.9	211
41	Composition of Human Skin Microbiota Affects Attractiveness to Malaria Mosquitoes. <i>PLoS ONE</i> , 2011, 6, e28991.	1.1	208
42	Herbivore-Induced Resistance against Microbial Pathogens in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2006, 142, 352-363.	2.3	207
43	Transcriptome dynamics of <i>Arabidopsis</i> during sequential biotic and abiotic stresses. <i>Plant Journal</i> , 2016, 86, 249-267.	2.8	200
44	Identification of Volatiles That Are Used in Discrimination Between Plants Infested with Prey or Nonprey Herbivores by a Predatory Mite. <i>Journal of Chemical Ecology</i> , 2004, 30, 2215-2230.	0.9	194
45	Chemical ecology of host-plant selection by herbivorous arthropods: a multitrophic perspective. <i>Biochemical Systematics and Ecology</i> , 2000, 28, 601-617.	0.6	193
46	Jasmonate-deficient plants have reduced direct and indirect defences against herbivores. <i>Ecology Letters</i> , 2002, 5, 764-774.	3.0	193
47	GENETIC VARIATION IN DEFENSE CHEMISTRY IN WILD CABBAGES AFFECTS HERBIVORES AND THEIR ENDOPARASITIDS. <i>Ecology</i> , 2008, 89, 1616-1626.	1.5	193
48	Induced plant defences: from molecular biology to evolutionary ecology. <i>Basic and Applied Ecology</i> , 2003, 4, 3-14.	1.2	188
49	The Role of Methyl Salicylate in Prey Searching Behavior of the Predatory Mite <i>Phytoseiulus persimilis</i> . <i>Journal of Chemical Ecology</i> , 2004, 30, 255-271.	0.9	188
50	Parasitoid-plant mutualism: parasitoid attack of herbivore increases plant reproduction. <i>Entomologia Experimentalis Et Applicata</i> , 2000, 97, 219-227.	0.7	186
51	Cytokinins as key regulators in plant-microbe-insect interactions: connecting plant growth and defence. <i>Functional Ecology</i> , 2013, 27, 599-609.	1.7	178
52	International scientists formulate a roadmap for insect conservation and recovery. <i>Nature Ecology and Evolution</i> , 2020, 4, 174-176.	3.4	176
53	Plant volatiles and the environment. <i>Plant, Cell and Environment</i> , 2014, 37, 1905-1908.	2.8	174
54	Location of resistance factors in the leaves of potato and wild tuber-bearing <i>Solanum</i> species to the aphid <i>Myzus persicae</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2006, 121, 145-157.	0.7	171

#	ARTICLE	IF	CITATIONS
55	Beneficial microbes in a changing environment: are they always helping plants to deal with insects?. <i>Functional Ecology</i> , 2013, 27, 574-586.	1.7	171
56	Safety evaluation of neem (<i>Azadirachta indica</i>) derived pesticides. <i>Journal of Ethnopharmacology</i> , 2004, 94, 25-41.	2.0	169
57	Performance of Generalist and Specialist Herbivores and their Endoparasitoids Differs on Cultivated and Wild Brassica Populations. <i>Journal of Chemical Ecology</i> , 2008, 34, 132-143.	0.9	169
58	Hyperparasitoids Use Herbivore-Induced Plant Volatiles to Locate Their Parasitoid Host. <i>PLoS Biology</i> , 2012, 10, e1001435.	2.6	168
59	Plants are better protected against spider-mites after exposure to volatiles from infested conspecifics. <i>Experientia</i> , 1992, 48, 525-529.	1.2	166
60	Insect-resistant transgenic plants in a multi-trophic context. <i>Plant Journal</i> , 2002, 31, 387-406.	2.8	161
61	Consequences of variation in plant defense for biodiversity at higher trophic levels. <i>Trends in Plant Science</i> , 2008, 13, 534-541.	4.3	160
62	Relative importance of infochemicals from first and second trophic level in long-range host location by the larval parasitoid <i>Cotesia glomerata</i> . <i>Journal of Chemical Ecology</i> , 1993, 19, 47-59.	0.9	158
63	Comparative Analysis of Headspace Volatiles from Different Caterpillar-Infested or Uninfested Food Plants of <i>Pieris</i> Species. <i>Journal of Chemical Ecology</i> , 1997, 23, 2935-2954.	0.9	158
64	Rewiring of the jasmonate signaling pathway in <i>Arabidopsis</i> during insect herbivory. <i>Frontiers in Plant Science</i> , 2011, 2, 47.	1.7	155
65	The effects of herbivore-induced plant volatiles on interactions between plants and flower-visiting insects. <i>Phytochemistry</i> , 2011, 72, 1647-1654.	1.4	154
66	How To Hunt for Hiding Hosts: the Reliability-Detectability Problem in Foraging Parasitoids. <i>Animal Biology</i> , 1990, 41, 202-213.	0.4	152
67	Title is missing!. <i>Experimental and Applied Acarology</i> , 1998, 22, 311-333.	0.7	152
68	Plant Volatiles Induced by Herbivore Egg Deposition Affect Insects of Different Trophic Levels. <i>PLoS ONE</i> , 2012, 7, e43607.	1.1	152
69	Jasmonic acid-induced volatiles of <i>Brassica oleracea</i> attract parasitoids: effects of time and dose, and comparison with induction by herbivores. <i>Journal of Experimental Botany</i> , 2009, 60, 2575-2587.	2.4	151
70	Chemical information transfer between plants:. <i>Biochemical Systematics and Ecology</i> , 2001, 29, 981-994.	0.6	150
71	Modulation of flavonoid metabolites in <i>Arabidopsis thaliana</i> through overexpression of the MYB75 transcription factor: role of kaempferol-3,7-dirhamnoside in resistance to the specialist insect herbivore <i>Pieris brassicae</i> . <i>Journal of Experimental Botany</i> , 2014, 65, 2203-2217.	2.4	150
72	Direct and indirect cues of predation risk influence behavior and reproduction of prey: a case for acarine interactions. <i>Behavioral Ecology</i> , 1999, 10, 422-427.	1.0	149

#	ARTICLE	IF	CITATIONS
73	Using fractal dimensions for characterizing tortuosity of animal trails. <i>Physiological Entomology</i> , 1988, 13, 393-398.	0.6	148
74	Herbivore-induced plant volatiles and tritrophic interactions across spatial scales. <i>New Phytologist</i> , 2017, 216, 1054-1063.	3.5	147
75	Plant-mediated facilitation between a leaf-feeding and a phloem-feeding insect in a brassicaceous plant: from insect performance to gene transcription. <i>Functional Ecology</i> , 2012, 26, 156-166.	1.7	146
76	Response of predatory mites with different rearing histories to volatiles of uninfested plants. <i>Entomologia Experimentalis Et Applicata</i> , 1992, 64, 187-193.	0.7	145
77	Indirect Defence of Plants against Herbivores: Using <i>Arabidopsis thaliana</i> as a Model Plant. <i>Plant Biology</i> , 2004, 6, 387-401.	1.8	145
78	Leaf age affects composition of herbivore-induced synomones and attraction of predatory mites. <i>Journal of Chemical Ecology</i> , 1994, 20, 373-386.	0.9	144
79	Genetic architecture of plant stress resistance: multi-trait genome-wide association mapping. <i>New Phytologist</i> , 2017, 213, 1346-1362.	3.5	144
80	Response of the braconid parasitoid <i>Cotesia (=Apanteles) glomerata</i> to volatile infochemicals: effects of bioassay set-up, parasitoid age and experience and barometric flux. <i>Entomologia Experimentalis Et Applicata</i> , 1992, 63, 163-175.	0.7	142
81	Plants talk, but are they deaf?. <i>Trends in Plant Science</i> , 2003, 8, 403-405.	4.3	141
82	Combined Transcript and Metabolite Analysis Reveals Genes Involved in Spider Mite Induced Volatile Formation in Cucumber Plants. <i>Plant Physiology</i> , 2004, 135, 2012-2024.	2.3	140
83	Flower vs. Leaf Feeding by <i>Pieris brassicae</i> : Glucosinolate-Rich Flower Tissues are Preferred and Sustain Higher Growth Rate. <i>Journal of Chemical Ecology</i> , 2007, 33, 1831-1844.	0.9	135
84	Influence of larval density and dietary nutrient concentration on performance, body protein, and fat contents of black soldier fly larvae (<i>Hermetia illucens</i>). <i>Entomologia Experimentalis Et Applicata</i> , 2018, 166, 761-770.	0.7	135
85	Herbivory induces systemic production of plant volatiles that attract predators of the herbivore: Extraction of endogenous elicitor. <i>Journal of Chemical Ecology</i> , 1993, 19, 581-599.	0.9	132
86	Significance of terpenoids in induced indirect plant defence against herbivorous arthropods. <i>Plant, Cell and Environment</i> , 2008, 31, 575-585.	2.8	131
87	Induced parasitoid attraction by <i>Arabidopsis thaliana</i> : involvement of the octadecanoid and the salicylic acid pathway. <i>Journal of Experimental Botany</i> , 2002, 53, 1793-1799.	2.4	130
88	Isoprene interferes with the attraction of bodyguards by herbaceous plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17430-17435.	3.3	129
89	Allee effect in larval resource exploitation in <i>Drosophila</i> : an interaction among density of adults, larvae, and micro-organisms. <i>Ecological Entomology</i> , 2002, 27, 608-617.	1.1	128
90	Innate responses of the parasitoids <i>Cotesia glomerata</i> and <i>C. rubecula</i> (Hymenoptera: Braconidae) to volatiles from different plant-herbivore complexes. <i>Journal of Insect Behavior</i> , 1996, 9, 525-538.	0.4	127

#	ARTICLE	IF	CITATIONS
91	Insects to feed the world. <i>Journal of Insects As Food and Feed</i> , 2015, 1, 3-5.	2.1	121
92	AtWRKY22 promotes susceptibility to aphids and modulates salicylic acid and jasmonic acid signalling. <i>Journal of Experimental Botany</i> , 2016, 67, 3383-3396.	2.4	121
93	Chemical diversity in <i>Brassica oleracea</i> affects biodiversity of insect herbivores. <i>Ecology</i> , 2009, 90, 1863-1877.	1.5	120
94	Natural variation in learning rate and memory dynamics in parasitoid wasps: opportunities for converging ecology and neuroscience. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 889-897.	1.2	120
95	Spider Mite-Induced (3S)-(E)-Nerolidol Synthase Activity in Cucumber and Lima Bean. The First Dedicated Step in Acyclic C11-Homoterpene Biosynthesis. <i>Plant Physiology</i> , 1999, 121, 173-180.	2.3	119
96	Volatiles from damaged plants as major cues in long-range host searching by the specialist parasitoid <i>Cotesia rubecula</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1994, 73, 289-297.	0.7	118
97	Jasmonic Acid and Ethylene Signaling Pathways Regulate Glucosinolate Levels in Plants During Rhizobacteria-Induced Systemic Resistance Against a Leaf-Chewing Herbivore. <i>Journal of Chemical Ecology</i> , 2016, 42, 1212-1225.	0.9	118
98	Learning to discriminate between infochemicals from different plant-host complexes by the parasitoids <i>Cotesia glomerata</i> and <i>C. rubecula</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1998, 86, 241-252.	0.7	116
99	Host microhabitat location by stem-borer parasitoid <i>Cotesia flavipes</i> : the role of herbivore volatiles and locally and systemically induced plant volatiles. <i>Journal of Chemical Ecology</i> , 1995, 21, 525-539.	0.9	115
100	Formation of Simple Nitriles upon Glucosinolate Hydrolysis Affects Direct and Indirect Defense Against the Specialist Herbivore, <i>Pieris rapae</i> . <i>Journal of Chemical Ecology</i> , 2008, 34, 1311-1321.	0.9	115
101	Birds exploit herbivore-induced plant volatiles to locate herbivorous prey. <i>Ecology Letters</i> , 2013, 16, 1348-1355.	3.0	114
102	Ecological and phytohormonal aspects of plant volatile emission in response to single and dual infestations with herbivores and phytopathogens. <i>Functional Ecology</i> , 2013, 27, 587-598.	1.7	114
103	Plant pathogens structure arthropod communities across multiple spatial and temporal scales. <i>Functional Ecology</i> , 2013, 27, 633-645.	1.7	113
104	Induction of Direct and Indirect Plant Responses by Jasmonic Acid, Low Spider Mite Densities, or a Combination of Jasmonic Acid Treatment and Spider Mite Infestation. <i>Journal of Chemical Ecology</i> , 2003, 29, 2651-2666.	0.9	112
105	Volatile spider-mite pheromone and host-plant kairomone, involved in spaced-out gregariousness in the spider mite <i>Tetranychus urticae</i> . <i>Physiological Entomology</i> , 1986, 11, 251-262.	0.6	110
106	Trichomes and spider-mite webbing protect predatory mite eggs from intraguild predation. <i>Oecologia</i> , 2000, 125, 428-435.	0.9	110
107	Non-pathogenic rhizobacteria interfere with the attraction of parasitoids to aphid-induced plant volatiles via jasmonic acid signalling. <i>Plant, Cell and Environment</i> , 2013, 36, 393-404.	2.8	110
108	Two-way plant mediated interactions between root-associated microbes and insects: from ecology to mechanisms. <i>Frontiers in Plant Science</i> , 2013, 4, 414.	1.7	110

#	ARTICLE	IF	CITATIONS
109	Male-derived butterfly anti-aphrodisiac mediates induced indirect plant defense. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 10033-10038.	3.3	109
110	Jasmonate and ethylene signaling mediate whitefly-induced interference with indirect plant defense in <i>Arabidopsis thaliana</i> . New Phytologist, 2013, 197, 1291-1299.	3.5	109
111	Oviposition-induced plant cues: do they arrest <i>Trichogramma</i> wasps during host location?. Entomologia Experimentalis Et Applicata, 2005, 115, 207-215.	0.7	108
112	Toxicity and repellence of African plants traditionally used for the protection of stored cowpea against <i>Callosobruchus maculatus</i> . Journal of Stored Products Research, 2004, 40, 423-438.	1.2	107
113	Do plants tap SOS signals from their infested neighbours?. Trends in Ecology and Evolution, 1995, 10, 167-170.	4.2	106
114	Consequences of constitutive and induced variation in plant nutritional quality for immune defence of a herbivore against parasitism. Oecologia, 2009, 160, 299-308.	0.9	106
115	Ecology of plant volatiles: taking a plant community perspective. Plant, Cell and Environment, 2014, 37, 1845-1853.	2.8	103
116	Volatile infochemicals used in host and host habitat location by <i>Cotesia flavipes</i> Cameron and <i>Cotesia sesamiae</i> (Cameron) (Hymenoptera: Braconidae), larval parasitoids of stemborers on gramineae. Journal of Chemical Ecology, 1996, 22, 307-323.	0.9	102
117	Covariation and phenotypic integration in chemical communication displays: biosynthetic constraints and eco-evolutionary implications. New Phytologist, 2018, 220, 739-749.	3.5	101
118	Phytohormone Mediation of Interactions Between Herbivores and Plant Pathogens. Journal of Chemical Ecology, 2014, 40, 730-741.	0.9	99
119	Neonicotinoids in excretion product of phloem-feeding insects kill beneficial insects. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 16817-16822.	3.3	99
120	Foraging behaviour by parasitoids in multiherbivore communities. Animal Behaviour, 2013, 85, 1517-1528.	0.8	98
121	Insects for sustainable animal feed: inclusive business models involving smallholder farmers. Current Opinion in Environmental Sustainability, 2019, 41, 23-30.	3.1	98
122	Infection of potato plants with potato leafroll virus changes attraction and feeding behaviour of <i>Myzus persicae</i> . Entomologia Experimentalis Et Applicata, 2007, 125, 135-144.	0.7	97
123	Symbionts protect aphids from parasitic wasps by attenuating herbivore-induced plant volatiles. Nature Communications, 2017, 8, 1860.	5.8	96
124	Exploiting natural variation to identify insect resistance genes. Plant Biotechnology Journal, 2011, 9, 819-825.	4.1	95
125	Threshold temperatures and thermal requirements of black soldier fly <i>Hermetia illucens</i> : Implications for mass production. PLoS ONE, 2018, 13, e0206097.	1.1	94
126	Butterfly anti-aphrodisiac lures parasitic wasps. Nature, 2005, 433, 704-704.	13.7	93

#	ARTICLE	IF	CITATIONS
127	Herbivore-induced plant responses in <i>Brassica oleracea</i> prevail over effects of constitutive resistance and result in enhanced herbivore attack. <i>Ecological Entomology</i> , 2010, 35, 240-247.	1.1	91
128	Rhizobacteria modify plant-aphid interactions: a case of induced systemic susceptibility. <i>Plant Biology</i> , 2012, 14, 83-90.	1.8	91
129	Root Herbivore Effects on Aboveground Multitrophic Interactions: Patterns, Processes and Mechanisms. <i>Journal of Chemical Ecology</i> , 2012, 38, 755-767.	0.9	90
130	Sensitivity and Speed of Induced Defense of Cabbage (<i>Brassica oleracea</i> L.): Dynamics of BoLOX Expression Patterns During Insect and Pathogen Attack. <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 1332-1345.	1.4	89
131	Prey and Non-prey Arthropods Sharing a Host Plant: Effects on Induced Volatile Emission and Predator Attraction. <i>Journal of Chemical Ecology</i> , 2008, 34, 281-290.	0.9	89
132	Transgenic plants as vital components of integrated pest management. <i>Trends in Biotechnology</i> , 2009, 27, 621-627.	4.9	89
133	Long-Distance Assessment of Patch Profitability through Volatile Infochemicals by the Parasitoids <i>Cotesia glomerata</i> and <i>C. rubecula</i> (Hymenoptera: Braconidae). <i>Biological Control</i> , 1998, 11, 113-121.	1.4	88
134	Herbivore-Induced Plant Volatiles Mediate In-Flight Host Discrimination by Parasitoids. <i>Journal of Chemical Ecology</i> , 2005, 31, 2033-2047.	0.9	88
135	Field parasitism rates of caterpillars on <i>Brassica oleracea</i> plants are reliably predicted by differential attraction of <i>Cotesia</i> parasitoids. <i>Functional Ecology</i> , 2009, 23, 951-962.	1.7	87
136	Airborne host-plant manipulation by whiteflies via an inducible blend of plant volatiles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 7387-7396.	3.3	87
137	Exposure of Lima Bean Leaves to Volatiles from Herbivore-Induced Conspecific Plants Results in Emission of Carnivore Attractants: Active or Passive Process?. <i>Journal of Chemical Ecology</i> , 2004, 30, 1305-1317.	0.9	86
138	Variation in Herbivory-induced Volatiles Among Cucumber (<i>Cucumis sativus</i> L.) Varieties has Consequences for the Attraction of Carnivorous Natural Enemies. <i>Journal of Chemical Ecology</i> , 2011, 37, 150-160.	0.9	85
139	Smelling the Wood from the Trees: Non-Linear Parasitoid Responses to Volatile Attractants Produced by Wild and Cultivated Cabbage. <i>Journal of Chemical Ecology</i> , 2011, 37, 795-807.	0.9	85
140	Rhizobacterial colonization of roots modulates plant volatile emission and enhances the attraction of a parasitoid wasp to host-infested plants. <i>Oecologia</i> , 2015, 178, 1169-1180.	0.9	83
141	Parasitoid-specific induction of plant responses to parasitized herbivores affects colonization by subsequent herbivores. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19647-19652.	3.3	82
142	The parasitoid <i>Cotesia glomerata</i> (Hymenoptera: Braconidae) discriminates between first and fifth larval instars of its host <i>Pieris brassicae</i> , on the basis of contact cues from frass, silk, and herbivore-damaged leaf tissue. <i>Journal of Insect Behavior</i> , 1995, 8, 485-498.	0.4	80
143	Reciprocal crosstalk between jasmonate and salicylate defence-signalling pathways modulates plant volatile emission and herbivore host-selection behaviour. <i>Journal of Experimental Botany</i> , 2014, 65, 3289-3298.	2.4	80
144	Prey preference of the phytoseiid mite <i>Typhlodromus pyri</i> 1. Response to volatile kairomones. <i>Experimental and Applied Acarology</i> , 1988, 4, 1-13.	0.7	79

#	ARTICLE	IF	CITATIONS
145	Differences among plant species in acceptance by the spider mite <i>Tetranychus urticae</i> Koch. <i>Journal of Applied Entomology</i> , 2003, 127, 177-183.	0.8	78
146	Ecological Genomics of Plant-Insect Interactions: From Gene to Community. <i>Plant Physiology</i> , 2008, 146, 812-817.	2.3	78
147	Canopy light cues affect emission of constitutive and methyl jasmonate-induced volatile organic compounds in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2013, 200, 861-874.	3.5	78
148	Insect herbivore-associated organisms affect plant responses to herbivory. <i>New Phytologist</i> , 2014, 204, 315-321.	3.5	78
149	Analysis of prey preference in phytoseiid mites by using an olfactometer, predation models and electrophoresis. <i>Experimental and Applied Acarology</i> , 1988, 5, 225-241.	0.7	77
150	Mixed blends of herbivore-induced plant volatiles and foraging success of carnivorous arthropods. <i>Oikos</i> , 2003, 101, 38-48.	1.2	77
151	The Herbivore-Induced Plant Volatile Methyl Salicylate Negatively Affects Attraction of the Parasitoid <i>Diadegma semiclausum</i> . <i>Journal of Chemical Ecology</i> , 2010, 36, 479-489.	0.9	77
152	Natural variation in herbivore-induced volatiles in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2010, 61, 3041-3056.	2.4	77
153	Herbivore-Mediated Effects of Glucosinolates on Different Natural Enemies of a Specialist Aphid. <i>Journal of Chemical Ecology</i> , 2012, 38, 100-115.	0.9	77
154	Insects as sources of iron and zinc in human nutrition. <i>Nutrition Research Reviews</i> , 2018, 31, 248-255.	2.1	77
155	Impact of botanical pesticides derived from <i>Melia azedarach</i> and <i>Azadirachta indica</i> on the biology of two parasitoid species of the diamondback moth. <i>Biological Control</i> , 2005, 33, 131-142.	1.4	76
156	Genotypic variation in genome-wide transcription profiles induced by insect feeding: <i>Brassica oleracea</i> and <i>Pieris rapae</i> interactions. <i>BMC Genomics</i> , 2007, 8, 239.	1.2	75
157	Drought stress affects plant metabolites and herbivore preference but not host location by its parasitoids. <i>Oecologia</i> , 2015, 177, 701-713.	0.9	75
158	Jasmonic Acid-Induced Changes in <i>Brassica oleracea</i> Affect Oviposition Preference of Two Specialist Herbivores. <i>Journal of Chemical Ecology</i> , 2007, 33, 655-668.	0.9	74
159	Chemical ecology of interactions between human skin microbiota and mosquitoes. <i>FEMS Microbiology Ecology</i> , 2010, 74, 1-9.	1.3	74
160	Automated video tracking of thrips behavior to assess host-plant resistance in multiple parallel two-choice setups. <i>Plant Methods</i> , 2016, 12, 1.	1.9	74
161	Within-plant circulation of systemic elicitor of induced defence and release from roots of elicitor that affects neighbouring plants. <i>Biochemical Systematics and Ecology</i> , 2001, 29, 1075-1087.	0.6	72
162	The <i>Arabidopsis thaliana</i> Transcription Factor AtMYB102 Functions in Defense Against The Insect Herbivore <i>Pieris rapae</i> . <i>Plant Signaling and Behavior</i> , 2006, 1, 305-311.	1.2	72

#	ARTICLE	IF	CITATIONS
163	Jasmonic acid induces the production of gerbera volatiles that attract the biological control agent <i>Phytoseiulus persimilis</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1999, 93, 77-86.	0.7	71
164	Intrinsic rate of population increase of the spider mite <i>Tetranychus urticae</i> on the ornamental crop gerbera: intraspecific variation in host plant and herbivore. <i>Entomologia Experimentalis Et Applicata</i> , 1998, 89, 159-168.	0.7	70
165	Leaf pubescence and two-spotted spider mite webbing influence phytoseiid behavior and population density. <i>Oecologia</i> , 2001, 129, 551-560.	0.9	70
166	Offering offspring as food to cannibals: oviposition strategies of Amazonian poison frogs (<i>Dendrobates ventrimaculatus</i>). <i>Evolutionary Ecology</i> , 2007, 21, 215-227.	0.5	70
167	Redefining plant systems biology: from cell to ecosystem. <i>Trends in Plant Science</i> , 2011, 16, 183-190.	4.3	70
168	Induced plant volatiles: from genes to climate change. <i>Trends in Plant Science</i> , 2010, 15, 115-117.	4.3	69
169	Role of volatile inforchemicals emitted by feces of larvae in host-searching behavior of parasitoid <i>Cotesia rubecula</i> (Hymenoptera: Braconidae): A behavioral and chemical study. <i>Journal of Chemical Ecology</i> , 1995, 21, 1789-1811.	0.9	68
170	Are population differences in plant quality reflected in the preference and performance of two endoparasitoid wasps?. <i>Oikos</i> , 2009, 118, 733-742.	1.2	68
171	Nutritional composition of black soldier fly larvae feeding on agro-industrial by-products. <i>Entomologia Experimentalis Et Applicata</i> , 2020, 168, 472-481.	0.7	68
172	Next-generation biological control: the need for integrating genetics and genomics. <i>Biological Reviews</i> , 2020, 95, 1838-1854.	4.7	67
173	Phenotypic plasticity of plant response to herbivore eggs: effects on resistance to caterpillars and plant development. <i>Ecology</i> , 2013, 94, 702-713.	1.5	66
174	Caterpillar-induced plant volatiles remain a reliable signal for foraging wasps during dual attack with a plant pathogen or non-host insect herbivore. <i>Plant, Cell and Environment</i> , 2014, 37, 1924-1935.	2.8	66
175	Thrips advisor: exploiting thrips-induced defences to combat pests on crops. <i>Journal of Experimental Botany</i> , 2018, 69, 1837-1848.	2.4	66
176	Promises and challenges in insect-plant interactions. <i>Entomologia Experimentalis Et Applicata</i> , 2018, 166, 319-343.	0.7	66
177	Coexistence and niche segregation by field populations of the parasitoids <i>Cotesia glomerata</i> and <i>C. rubecula</i> in the Netherlands: predicting field performance from laboratory data. <i>Oecologia</i> , 2000, 124, 55-63.	0.9	65
178	Inhibition of lipoxygenase affects induction of both direct and indirect plant defences against herbivorous insects. <i>Oecologia</i> , 2010, 162, 393-404.	0.9	64
179	Responses of <i>Brassica oleracea</i> cultivars to infestation by the aphid <i>Brevicoryne brassicae</i> : an ecological and molecular approach. <i>Plant, Cell and Environment</i> , 2008, 31, 1592-1605.	2.8	63
180	Association mapping of plant resistance to insects. <i>Trends in Plant Science</i> , 2012, 17, 311-319.	4.3	63

#	ARTICLE	IF	CITATIONS
181	Effects of aggregation pheromone on individual behaviour and food web interactions: a field study on <i>Drosophila</i> . <i>Ecological Entomology</i> , 2006, 31, 216-226.	1.1	62
182	Bidirectional Secretions from Glandular Trichomes of <i>Pyrethrum</i> Enable Immunization of Seedlings. <i>Plant Cell</i> , 2012, 24, 4252-4265.	3.1	62
183	Genome-wide association analysis reveals distinct genetic architectures for single and combined stress responses in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2017, 213, 838-851.	3.5	62
184	Nitrogen Availability and Defense of Tomato Against Two-spotted Spider Mite. <i>Journal of Chemical Ecology</i> , 2000, 26, 2697-2711.	0.9	61
185	Behavioural plasticity in support of a benefit for aggregation pheromone use in <i>Drosophila melanogaster</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2002, 103, 61-71.	0.7	61
186	Folivory Affects Composition of Nectar, Floral Odor and Modifies Pollinator Behavior. <i>Journal of Chemical Ecology</i> , 2014, 40, 39-49.	0.9	61
187	Visual and odour cues: plant responses to pollination and herbivory affect the behaviour of flower visitors. <i>Functional Ecology</i> , 2016, 30, 431-441.	1.7	61
188	Combined biotic stresses trigger similar transcriptomic responses but contrasting resistance against a chewing herbivore in <i>Brassica nigra</i> . <i>BMC Plant Biology</i> , 2017, 17, 127.	1.6	61
189	Reproductive escape: annual plant responds to butterfly eggs by accelerating seed production. <i>Functional Ecology</i> , 2013, 27, 245-254.	1.7	60
190	Predatory mites learn to discriminate between plant volatiles induced by prey and nonprey herbivores. <i>Animal Behaviour</i> , 2005, 69, 869-879.	0.8	59
191	Trading direct for indirect defense? Phytochrome B inactivation in tomato attenuates direct anti-herbivore defenses whilst enhancing volatile-mediated attraction of predators. <i>New Phytologist</i> , 2016, 212, 1057-1071.	3.5	59
192	Insects as feed and the Sustainable Development Goals. <i>Journal of Insects As Food and Feed</i> , 2018, 4, 147-156.	2.1	59
193	Effects of glucosinolates on a generalist and specialist leaf-chewing herbivore and an associated parasitoid. <i>Phytochemistry</i> , 2012, 77, 162-170.	1.4	58
194	Defensive insect symbiont leads to cascading extinctions and community collapse. <i>Ecology Letters</i> , 2016, 19, 789-799.	3.0	58
195	LEDs Make It Resilient: Effects on Plant Growth and Defense. <i>Trends in Plant Science</i> , 2021, 26, 496-508.	4.3	58
196	Hitch-hiking parasitic wasp learns to exploit butterfly antiaphrodisiac. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 820-825.	3.3	56
197	Larval parasitoid uses aggregation pheromone of adult hosts in foraging behaviour: a solution to the reliability-detectability problem. <i>Oecologia</i> , 1993, 93, 145-148.	0.9	55
198	Plant Effects on Parasitoid Foraging: Differences between Two Tritrophic Systems. <i>Biological Control</i> , 1998, 11, 97-103.	1.4	55

#	ARTICLE	IF	CITATIONS
199	Response of the zoophytophagous predators <i>Macrolophus pygmaeus</i> and <i>Nesidiocoris tenuis</i> to volatiles of uninfested plants and to plants infested by prey or conspecifics. <i>BioControl</i> , 2014, 59, 707-718.	0.9	55
200	Density-Dependent Interference of Aphids with Caterpillar-Induced Defenses in <i>Arabidopsis</i> : Involvement of Phytohormones and Transcription Factors. <i>Plant and Cell Physiology</i> , 2015, 56, 98-106.	1.5	55
201	Variation in plant-mediated interactions between rhizobacteria and caterpillars: potential role of soil composition. <i>Plant Biology</i> , 2015, 17, 474-483.	1.8	55
202	Plant phenotypic plasticity in the phytobiome: a volatile issue. <i>Current Opinion in Plant Biology</i> , 2016, 32, 17-23.	3.5	55
203	Effect of Dietary Replacement of Fishmeal by Insect Meal on Growth Performance, Blood Profiles and Economics of Growing Pigs in Kenya. <i>Animals</i> , 2019, 9, 705.	1.0	55
204	Effects of waste stream combinations from brewing industry on performance of Black Soldier Fly, <i>Hermetia illucens</i> (Diptera: Stratiomyidae). <i>PeerJ</i> , 2018, 6, e5885.	0.9	55
205	Symbiotic polydnavirus and venom reveal parasitoid to its hyperparasitoids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5205-5210.	3.3	54
206	Effects of dietary protein and carbohydrate on life-history traits and body protein and fat contents of the black soldier fly <i>Hermetia illucens</i> . <i>Physiological Entomology</i> , 2019, 44, 148-159.	0.6	54
207	Use of black soldier fly and house fly in feed to promote sustainable poultry production. <i>Journal of Insects As Food and Feed</i> , 2021, 7, 761-780.	2.1	54
208	Do phytoseiid mites select the best prey species in terms of reproductive success?. <i>Experimental and Applied Acarology</i> , 1990, 8, 161-173.	0.7	53
209	Effect of prior drought and pathogen stress on <i>Arabidopsis</i> transcriptome changes to caterpillar herbivory. <i>New Phytologist</i> , 2016, 210, 1344-1356.	3.5	53
210	Generalist and Specialist Parasitoid Strategies of Using Odours of Adult Drosophilid Flies When Searching for Larval Hosts. <i>Oikos</i> , 1996, 77, 390.	1.2	52
211	Comparison of cultivars of ornamental crop <i>Gerbera jamesonii</i> on production of spider mite-induced volatiles, and their attractiveness to the predator <i>Phytoseiulus persimilis</i> . <i>Journal of Chemical Ecology</i> , 2001, 27, 1355-1372.	0.9	52
212	Chemical information transfer between wounded and unwounded plants: backing up the future. <i>Biochemical Systematics and Ecology</i> , 2001, 29, 1103-1113.	0.6	52
213	Attraction of the specialist parasitoid <i>Cotesia rubecula</i> to <i>Arabidopsis thaliana</i> infested by host or non-host herbivore species. <i>Entomologia Experimentalis Et Applicata</i> , 2003, 107, 229-236.	0.7	52
214	Impact of botanical extracts derived from <i>Melia azedarach</i> and <i>Azadirachta indica</i> on populations of <i>Plutella xylostella</i> and its natural enemies: A field test of laboratory findings. <i>Biological Control</i> , 2006, 39, 105-114.	1.4	52
215	Temporal changes affect plant chemistry and tritrophic interactions. <i>Basic and Applied Ecology</i> , 2007, 8, 421-433.	1.2	52
216	Observations and model estimates of diurnal water temperature dynamics in mosquito breeding sites in western Kenya. <i>Hydrological Processes</i> , 2008, 22, 4789-4801.	1.1	52

#	ARTICLE	IF	CITATIONS
217	Induction of indirect defence against spider-mites in uninfested lima bean leaves. <i>Phytochemistry</i> , 1991, 30, 1459-1462.	1.4	51
218	Title is missing!. <i>Journal of Chemical Ecology</i> , 2000, 26, 1433-1445.	0.9	51
219	Olfactory learning by predatory arthropods. <i>Animal Biology</i> , 2006, 56, 143-155.	0.6	51
220	Parasitoid load affects plant fitness in a tritrophic system. <i>Entomologia Experimentalis Et Applicata</i> , 2008, 128, 172-183.	0.7	51
221	Relative importance of plant-mediated bottom-up and top-down forces on herbivore abundance on <i>Brassica oleracea</i> . <i>Functional Ecology</i> , 2011, 25, 1113-1124.	1.7	51
222	Chemical stimuli in host-habitat location by <i>Leptopilina heterotoma</i> (Thomson) (Hymenoptera: Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 54.	0.9	50
223	Mixtures of plant secondary metabolites. , 2012, , 56-77.		50
224	Volatile-mediated foraging behaviour of three parasitoid species under conditions of dual insect herbivore attack. <i>Animal Behaviour</i> , 2016, 111, 197-206.	0.8	50
225	Title is missing!. <i>Journal of Chemical Ecology</i> , 1999, 25, 2313-2325.	0.9	49
226	<i>Acaricomes phytoseiuli</i> gen. nov., sp. nov., isolated from the predatory mite <i>Phytoseiulus persimilis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 465-469.	0.8	49
227	Hierarchical structure in kairomone preference of the predatory mite <i>Amblyseius potentillae</i> : dietary component indispensable for diapause induction affects prey location behaviour. <i>Ecological Entomology</i> , 1986, 11, 131-138.	1.1	48
228	Anti-aphrodisiac Compounds of Male Butterflies Increase the Risk of Egg Parasitoid Attack by Inducing Plant Synomone Production. <i>Journal of Chemical Ecology</i> , 2009, 35, 1373-1381.	0.9	48
229	Regulation of the expression of <i>tufA</i> and <i>tufB</i> , the two genes coding for the elongation factor EF-Tu in <i>Escherichia coli</i> . <i>FEBS Letters</i> , 1982, 139, 325-330.	1.3	47
230	Increased risk of parasitism as ecological costs of using aggregation pheromones: laboratory and field study of <i>Drosophila</i> - <i>Leptopilina</i> interaction. <i>Oikos</i> , 2003, 100, 269-282.	1.2	47
231	Behavioural responses of diamondback moth <i>Plutella xylostella</i> (Lepidoptera: Plutellidae) to extracts derived from <i>Melia azedarach</i> and <i>Azadirachta indica</i> . <i>Bulletin of Entomological Research</i> , 2005, 95, 457-465.	0.5	47
232	Ecogenomic approach to the role of herbivore-induced plant volatiles in community ecology. <i>Journal of Ecology</i> , 2007, 95, 17-26.	1.9	47
233	The diamondback moth, <i>Plutella xylostella</i> , specifically inactivates Mustard Trypsin Inhibitor 2 (MTI2) to overcome host plant defence. <i>Insect Biochemistry and Molecular Biology</i> , 2009, 39, 55-61.	1.2	47
234	Insect frass and exuviae to promote plant growth and health. <i>Trends in Plant Science</i> , 2022, 27, 646-654.	4.3	47

#	ARTICLE	IF	CITATIONS
235	Soil environment and activity of soil microflora in the Negev desert. <i>Journal of Arid Environments</i> , 1982, 5, 13-28.	1.2	46
236	Effects of Volatiles from <i>Maruca vitrata</i> Larvae and Caterpillar-Infested Flowers of Their Host Plant <i>Vigna unguiculata</i> on the Foraging Behavior of the Parasitoid <i>Apanteles taragamae</i> . <i>Journal of Chemical Ecology</i> , 2010, 36, 1083-1091.	0.9	46
237	Herbivore-induced volatiles of cabbage (<i>Brassica oleracea</i>) prime defence responses in neighbouring intact plants. <i>Plant Biology</i> , 2011, 13, 276-284.	1.8	46
238	Plants under multiple herbivory: consequences for parasitoid search behaviour and foraging efficiency. <i>Animal Behaviour</i> , 2012, 83, 501-509.	0.8	46
239	Neonates know better than their mothers when selecting a host plant. <i>Oikos</i> , 2012, 121, 1923-1934.	1.2	46
240	Experience with methyl salicylate affects behavioural responses of a predatory mite to blends of herbivore-induced plant volatiles. <i>Entomologia Experimentalis Et Applicata</i> , 2004, 110, 181-189.	0.7	45
241	Functional response and life history parameters of <i>Apanteles taragamae</i> , a larval parasitoid of <i>Maruca vitrata</i> . <i>BioControl</i> , 2010, 55, 363-378.	0.9	45
242	Prey-mediated effects of glucosinolates on aphid predators. <i>Ecological Entomology</i> , 2011, 36, 377-388.	1.1	45
243	Early herbivore alert matters: plant-mediated effects of egg deposition on higher trophic levels benefit plant fitness. <i>Ecology Letters</i> , 2015, 18, 927-936.	3.0	45
244	Attraction of egg-killing parasitoids toward induced plant volatiles in a multi-herbivore context. <i>Oecologia</i> , 2015, 179, 163-174.	0.9	45
245	Vitamin a deficiency modifies response of predatory mite <i>Amblyseius potentillae</i> to volatile kairomone of two-spotted spider mite, <i>Tetranychus urticae</i> . <i>Journal of Chemical Ecology</i> , 1986, 12, 1389-1396.	0.9	44
246	Recognising one's enemies: a functional approach to risk assessment by prey. <i>Behavioral Ecology and Sociobiology</i> , 2000, 47, 258-264.	0.6	44
247	Differential effects of jasmonic acid treatment of <i>Brassica nigra</i> on the attraction of pollinators, parasitoids, and butterflies. <i>Entomologia Experimentalis Et Applicata</i> , 2008, 128, 109-116.	0.7	44
248	Microbial Symbionts of Parasitoids. <i>Annual Review of Entomology</i> , 2020, 65, 171-190.	5.7	44
249	Smallholder farmers' knowledge and willingness to pay for insect-based feeds in Kenya. <i>PLoS ONE</i> , 2020, 15, e0230552.	1.1	44
250	Genetic engineering of plant volatile terpenoids: effects on a herbivore, a predator and a parasitoid. <i>Pest Management Science</i> , 2013, 69, 302-311.	1.7	43
251	Volatiles of pathogenic and non-pathogenic soil-borne fungi affect plant development and resistance to insects. <i>Oecologia</i> , 2019, 190, 589-604.	0.9	43
252	Title is missing!. <i>Journal of Chemical Ecology</i> , 1999, 25, 2623-2641.	0.9	42

#	ARTICLE	IF	CITATIONS
253	Variation in the specificity of plant volatiles and their use by a specialist and a generalist parasitoid. <i>Animal Behaviour</i> , 2012, 83, 1231-1242.	0.8	42
254	Induced plant responses to microbes and insects. <i>Frontiers in Plant Science</i> , 2013, 4, 475.	1.7	42
255	Genetic Variation in Jasmonic Acid- and Spider Mite-Induced Plant Volatile Emission of Cucumber Accessions and Attraction of the Predator <i>Phytoseiulus persimilis</i> . <i>Journal of Chemical Ecology</i> , 2010, 36, 500-512.	0.9	41
256	Induced defence in detached uninfested plant leaves: effects on behaviour of herbivores and their predators. <i>Oecologia</i> , 1992, 91, 554-560.	0.9	40
257	The effect of direct and indirect defenses in two wild brassicaceous plant species on a specialist herbivore and its gregarious endoparasitoid. <i>Entomologia Experimentalis Et Applicata</i> , 2008, 128, 99-108.	0.7	40
258	Disruption of plant carotenoid biosynthesis through virus-induced gene silencing affects oviposition behaviour of the butterfly <i>Pieris rapae</i> . <i>New Phytologist</i> , 2010, 186, 733-745.	3.5	40
259	Parasitism overrides herbivore identity allowing hyperparasitoids to locate their parasitoid host using herbivore-induced plant volatiles. <i>Molecular Ecology</i> , 2015, 24, 2886-2899.	2.0	40
260	Protecting the environment through insect farming as a means to produce protein for use as livestock, poultry, and aquaculture feed. <i>Journal of Insects As Food and Feed</i> , 2015, 1, 307-309.	2.1	39
261	Dual herbivore attack and herbivore density affect metabolic profiles of <i>Brassica nigra</i> leaves. <i>Plant, Cell and Environment</i> , 2017, 40, 1356-1367.	2.8	39
262	When does it pay off to prime for defense? A modeling analysis. <i>New Phytologist</i> , 2017, 216, 782-797.	3.5	39
263	Indirect plant-mediated interactions among parasitoid larvae. <i>Ecology Letters</i> , 2011, 14, 670-676.	3.0	38
264	Natural variation in learning and memory dynamics studied by artificial selection on learning rate in parasitic wasps. <i>Animal Behaviour</i> , 2011, 81, 325-333.	0.8	38
265	Temporal changes in plant secondary metabolite production. , 2012, , 34-55.		38
266	SIEVE ELEMENT-LINING CHAPERONE1 Restricts Aphid Feeding on Arabidopsis during Heat Stress. <i>Plant Cell</i> , 2017, 29, 2450-2464.	3.1	38
267	Ecology of Plastic Flowers. <i>Trends in Plant Science</i> , 2019, 24, 725-740.	4.3	38
268	Prey preference of the phytoseiid mite <i>Typhlodromus pyri</i> 2. Electrophoretic diet analysis. <i>Experimental and Applied Acarology</i> , 1988, 4, 15-25.	0.7	36
269	Pyrethrins Protect Pyrethrum Leaves Against Attack by Western Flower Thrips, <i>Frankliniella occidentalis</i> . <i>Journal of Chemical Ecology</i> , 2012, 38, 370-377.	0.9	36
270	Plant-mediated effects of butterfly egg deposition on subsequent caterpillar and pupal development, across different species of wild Brassicaceae. <i>Ecological Entomology</i> , 2015, 40, 444-450.	1.1	36

#	ARTICLE	IF	CITATIONS
271	Genome-wide association mapping of the architecture of susceptibility to the root-knot nematode <i>Meloidogyne incognita</i> in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2018, 218, 724-737.	3.5	36
272	Performance of the Black Soldier Fly (Diptera: Stratiomyidae) on Vegetable Residue-Based Diets Formulated Based on Protein and Carbohydrate Contents. <i>Journal of Economic Entomology</i> , 2018, 111, 2676-2683.	0.8	36
273	Quality control of mass-reared arthropods: Nutritional effects on performance of predatory mites ¹ . <i>Journal of Applied Entomology</i> , 1989, 108, 462-475.	0.8	35
274	Host-age discrimination during host location by <i>Cotesia glomerata</i> , a larval parasitoid of <i>Pieris brassicae</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1995, 76, 37-48.	0.7	35
275	Aggregation pheromones of <i>Drosophila immigrans</i> , <i>D. phalerata</i> , and <i>D. subobscura</i> . <i>Journal of Chemical Ecology</i> , 1996, 22, 1835-1844.	0.9	35
276	The use of aggregation pheromone to enhance dissemination of <i>Beauveria bassiana</i> for the control of the banana weevil in Uganda. <i>Biocontrol Science and Technology</i> , 2007, 17, 111-124.	0.5	35
277	The Response Specificity of <i>Trichogramma</i> Egg Parasitoids towards Infochemicals during Host Location. <i>Journal of Insect Behavior</i> , 2007, 20, 53-65.	0.4	35
278	Do parasitized caterpillars protect their parasitoids from hyperparasitoids? A test of the "usurpation hypothesis". <i>Animal Behaviour</i> , 2008, 76, 701-708.	0.8	35
279	The role of volatiles in aggregation and host-seeking of the haematophagous poultry red mite <i>Dermanyssus gallinae</i> (Acar: Dermanyssidae). <i>Experimental and Applied Acarology</i> , 2010, 50, 191-199.	0.7	35
280	Symbiont-mediated adaptation by planthoppers and leafhoppers to resistant rice varieties. <i>Arthropod-Plant Interactions</i> , 2013, 7, 591-605.	0.5	35
281	Parasitic wasp-associated symbiont affects plant-mediated species interactions between herbivores. <i>Ecology Letters</i> , 2018, 21, 957-967.	3.0	34
282	Insights in the Global Genetics and Gut Microbiome of Black Soldier Fly, <i>Hermetia illucens</i> : Implications for Animal Feed Safety Control. <i>Frontiers in Microbiology</i> , 2020, 11, 1538.	1.5	34
283	Lima bean leaves exposed to herbivore-induced conspecific plant volatiles attract herbivores in addition to carnivores. <i>Applied Entomology and Zoology</i> , 2003, 38, 365-368.	0.6	33
284	Performance and feeding behaviour of two biotypes of the black currant-lettuce aphid, <i>Nasonovia ribisnigri</i> , on resistant and susceptible <i>Lactuca sativa</i> near-isogenic lines. <i>Bulletin of Entomological Research</i> , 2013, 103, 511-521.	0.5	33
285	Food plant and herbivore host species affect the outcome of intrinsic competition among parasitoid larvae. <i>Ecological Entomology</i> , 2014, 39, 693-702.	1.1	33
286	Variation in herbivore-induced plant volatiles corresponds with spatial heterogeneity in the level of parasitoid competition and parasitoid exposure to hyperparasitism. <i>Functional Ecology</i> , 2013, 27, 1107-1116.	1.7	32
287	Intra-specific variation in wild <i>Brassica oleracea</i> for aphid-induced plant responses and consequences for caterpillar-parasitoid interactions. <i>Oecologia</i> , 2014, 174, 853-862.	0.9	32
288	Genome-wide identification, classification and expression of lipoxygenase gene family in pepper. <i>Plant Molecular Biology</i> , 2018, 98, 375-387.	2.0	32

#	ARTICLE	IF	CITATIONS
289	Caught between Parasitoids and Predators – Survival of a Specialist Herbivore on Leaves and Flowers of Mustard Plants. <i>Journal of Chemical Ecology</i> , 2014, 40, 621-631.	0.9	31
290	High-throughput phenotyping of plant resistance to aphids by automated video tracking. <i>Plant Methods</i> , 2015, 11, 4.	1.9	31
291	Compatible and incompatible pathogen–plant interactions differentially affect plant volatile emissions and the attraction of parasitoid wasps. <i>Functional Ecology</i> , 2016, 30, 1779-1789.	1.7	31
292	Negative impact of drought stress on a generalist leaf chewer and a phloem feeder is associated with, but not explained by an increase in herbivore-induced indole glucosinolates. <i>Environmental and Experimental Botany</i> , 2016, 123, 88-97.	2.0	31
293	Plant-mediated interactions between two herbivores differentially affect a subsequently arriving third herbivore in populations of wild cabbage. <i>Plant Biology</i> , 2016, 18, 981-991.	1.8	31
294	Intraspecific variation in herbivore-induced plant volatiles influences the spatial range of plant–parasitoid interactions. <i>Oikos</i> , 2019, 128, 77-86.	1.2	31
295	Involvement of sweet pepper <i>CaLOX2</i> in jasmonate-dependent induced defence against Western flower thrips. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 1085-1098.	4.1	31
296	Foliar herbivory by caterpillars and aphids differentially affects phytohormonal signalling in roots and plant defence to a root herbivore. <i>Plant, Cell and Environment</i> , 2020, 43, 775-786.	2.8	31
297	Intensification and prolongation of host searching in <i>Leptopilina heterotoma</i> (Thomson) (Hymenoptera: Eucoilidae) through a kairomone produced by <i>Drosophila melanogaster</i> . <i>Journal of Chemical Ecology</i> , 1985, 11, 125-136.	0.9	30
298	Does prey preference change as a result of prey species being presented together? Analysis of prey selection by the predatory mite <i>Typhlodromus pyri</i> (Acarina: Phytoseiidae). <i>Oecologia</i> , 1989, 81, 302-309.	0.9	30
299	Induced response of tomato plants to injury by green and red strains of <i>Tetranychus urticae</i> . <i>Experimental and Applied Acarology</i> , 2000, 24, 377-383.	0.7	30
300	Attraction of <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae) towards volatiles from various <i>Tetranychus urticae</i> -infested plant species. <i>Bulletin of Entomological Research</i> , 2002, 92, 539-546.	0.5	30
301	Effects of prey mite species on life history of the phytoseiid predators <i>Typhlodromalus manihoti</i> and <i>Typhlodromalus aripo</i> . <i>Experimental and Applied Acarology</i> , 2003, 30, 265-278.	0.7	30
302	Signal transduction downstream of salicylic and jasmonic acid in herbivory-induced parasitoid attraction by <i>Arabidopsis</i> is independent of JAR1 and NPR1. <i>Plant, Cell and Environment</i> , 2003, 26, 1541-1548.	2.8	30
303	Herbivore-Induced Indirect Defense: From Induction Mechanisms to Community Ecology. , 2008, , 31-60.		30
304	The use of oviposition-induced plant cues by <i>Trichogramma</i> egg parasitoids. <i>Ecological Entomology</i> , 2010, 35, 748-753.	1.1	30
305	Combined effects of patch size and plant nutritional quality on local densities of insect herbivores. <i>Basic and Applied Ecology</i> , 2010, 11, 396-405.	1.2	30
306	Transcriptional responses of <i>Brassica nigra</i> to feeding by specialist insects of different feeding guilds. <i>Insect Science</i> , 2011, 18, 259-272.	1.5	30

#	ARTICLE	IF	CITATIONS
307	Comparative analysis of <i>Solanum stoloniferum</i> responses to probing by the green peach aphid <i>Myzus persicae</i> and the potato aphid <i>Macrosiphum euphorbiae</i> . <i>Insect Science</i> , 2013, 20, 207-227.	1.5	30
308	Varied responses by yeast-like symbionts during virulence adaptation in a monophagous phloem-feeding insect. <i>Arthropod-Plant Interactions</i> , 2015, 9, 215-224.	0.5	30
309	Plant response to butterfly eggs: inducibility, severity and success of egg-killing leaf necrosis depends on plant genotype and egg clustering. <i>Scientific Reports</i> , 2017, 7, 7316.	1.6	30
310	Order of herbivore arrival on wild cabbage populations influences subsequent arthropod community development. <i>Oikos</i> , 2018, 127, 1482-1493.	1.2	30
311	Orientation behaviour of the predatory hemipteran <i>Perillus bioculatus</i> to plant and prey odours. <i>Entomologia Experimentalis Et Applicata</i> , 2000, 96, 51-58.	0.7	29
312	Multidisciplinary Approach to Unravelling the Relative Contribution of Different Oxylipins in Indirect Defense of <i>Arabidopsis thaliana</i> . <i>Journal of Chemical Ecology</i> , 2009, 35, 1021-1031.	0.9	29
313	Intraspecific variation in herbivore community composition and transcriptional profiles in field-grown <i>Brassica oleracea</i> cultivars. <i>Journal of Experimental Botany</i> , 2010, 61, 807-819.	2.4	29
314	Synergism in the effect of prior jasmonic acid application on herbivore-induced volatile emission by Lima bean plants: transcription of a monoterpene synthase gene and volatile emission. <i>Journal of Experimental Botany</i> , 2014, 65, 4821-4831.	2.4	29
315	To be in time: egg deposition enhances plant-mediated detection of young caterpillars by parasitoids. <i>Oecologia</i> , 2015, 177, 477-486.	0.9	29
316	Leaf metabolic signatures induced by real and simulated herbivory in black mustard (<i>Brassica nigra</i>). <i>Metabolomics</i> , 2019, 15, 130.	1.4	29
317	Defense of pyrethrum flowers: repelling herbivores and recruiting carnivores by producing aphid alarm pheromone. <i>New Phytologist</i> , 2019, 223, 1607-1620.	3.5	29
318	Change in Behavioral Response to Herbivore-induced Plant Volatiles in a Predatory Mite Population. <i>Journal of Chemical Ecology</i> , 2000, 26, 1497-1514.	0.9	28
319	Attraction of a predator to chemical information related to nonprey: when can it be adaptive?. <i>Behavioral Ecology</i> , 2000, 11, 606-613.	1.0	28
320	Ecological interactions shape the adaptive value of plant defence: Herbivore attack versus competition for light. <i>Functional Ecology</i> , 2019, 33, 129-138.	1.7	28
321	Use of visual and olfactory cues of flowers of two brassicaceous species by insect pollinators. <i>Ecological Entomology</i> , 2020, 45, 45-55.	1.1	28
322	Impacts of farmer field schools in the human, social, natural and financial domain: a qualitative review. <i>Food Security</i> , 2020, 12, 1443-1459.	2.4	28
323	Black Soldier Fly-Composted Organic Fertilizer Enhances Growth, Yield, and Nutrient Quality of Three Key Vegetable Crops in Sub-Saharan Africa. <i>Frontiers in Plant Science</i> , 2021, 12, 680312.	1.7	28
324	Change in foraging behaviour of the predatory mite <i>Phytoseiulus persimilis</i> after exposure to dead conspecifics and their products. <i>Entomologia Experimentalis Et Applicata</i> , 1998, 88, 295-300.	0.7	27

#	ARTICLE	IF	CITATIONS
325	Impact of Botanical Pesticides Derived from <i>Melia azedarach</i> and <i>Azadirachta indica</i> Plants on the Emission of Volatiles that Attract Parasitoids of the Diamondback Moth to Cabbage Plants. <i>Journal of Chemical Ecology</i> , 2006, 32, 325-349.	0.9	27
326	Space Use of Amazonian Poison Frogs: Testing the Reproductive Resource Defense Hypothesis. <i>Journal of Herpetology</i> , 2008, 42, 270-278.	0.2	27
327	Validation of an automated mite counter for <i>Dermanyssus gallinae</i> in experimental laying hen cages. <i>Experimental and Applied Acarology</i> , 2015, 66, 589-603.	0.7	27
328	Receptor cell responses in the anterior tarsi of <i>Phytoseiulus persimilis</i> to volatile kairomone components. <i>Experimental and Applied Acarology</i> , 1991, 13, 53-58.	0.7	26
329	Differential Costs of Two Distinct Resistance Mechanisms Induced by Different Herbivore Species in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2016, 170, 891-906.	2.3	26
330	Transcriptional and metabolite analysis reveal a shift in direct and indirect defences in response to spider-mite infestation in cucumber (<i>Cucumis sativus</i>). <i>Plant Molecular Biology</i> , 2020, 103, 489-505.	2.0	26
331	Factors influencing the occurrence of fall armyworm parasitoids in Zambia. <i>Journal of Pest Science</i> , 2021, 94, 1133-1146.	1.9	26
332	Infochemical-mediated intraguild interactions among three predatory mites on cassava plants. <i>Oecologia</i> , 2003, 135, 84-90.	0.9	25
333	Efficacy of plant extracts against the cowpea beetle, <i>Callosobruchus maculatus</i> . <i>International Journal of Pest Management</i> , 2004, 50, 251-258.	0.9	25
334	ECOLOGY: Enhanced: Ecogenomics Benefits Community Ecology. <i>Science</i> , 2004, 305, 618-619.	6.0	25
335	Comparison of thread-cutting behavior in three specialist predatory mites to cope with complex webs of <i>Tetranychus</i> spider mites. <i>Experimental and Applied Acarology</i> , 2009, 47, 111-120.	0.7	25
336	Caterpillars induce jasmonates in flowers and alter plant responses to a second attacker. <i>New Phytologist</i> , 2018, 217, 1279-1291.	3.5	25
337	Role of volatile infochemicals in foraging behavior of the leafminer parasitoid <i>Dacnusa sibirica</i> (Diptera: Agromyzidae). <i>Journal of Insect Behavior</i> , 1991, 4, 489-500.	0.4	24
338	Do apes smell like humans? The role of skin bacteria and volatiles of primates in mosquito host selection. <i>Journal of Experimental Biology</i> , 2018, 221, .	0.8	24
339	Nutritional plasticity of the black soldier fly (<i>Hermetia illucens</i>) in response to artificial diets varying in protein and carbohydrate concentrations. <i>Journal of Insects As Food and Feed</i> , 2021, 7, 51-61.	2.1	24
340	Interactive Effects of Cabbage Aphid and Caterpillar Herbivory on Transcription of Plant Genes Associated with Phytohormonal Signalling in Wild Cabbage. <i>Journal of Chemical Ecology</i> , 2016, 42, 793-805.	0.9	23
341	Natural variation in life history strategy of <i>Arabidopsis thaliana</i> determines stress responses to drought and insects of different feeding guilds. <i>Molecular Ecology</i> , 2017, 26, 2959-2977.	2.0	23
342	Development of a model forecasting <i>Dermanyssus gallinae</i> 's population dynamics for advancing Integrated Pest Management in laying hen facilities. <i>Veterinary Parasitology</i> , 2017, 245, 128-140.	0.7	23

#	ARTICLE	IF	CITATIONS
343	Exploiting the chemical ecology of mosquito oviposition behavior in mosquito surveillance and control: a review. <i>Journal of Vector Ecology</i> , 2020, 45, 155-179.	0.5	23
344	Plant responses to butterfly oviposition partly explain preference-performance relationships on different brassicaceous species. <i>Oecologia</i> , 2020, 192, 463-475.	0.9	23
345	Shoot and root insect herbivory change the plant rhizosphere microbiome and affects cabbage-insect interactions through plant-soil feedback. <i>New Phytologist</i> , 2021, 232, 2475-2490.	3.5	23
346	Compatibility of Host Plant Resistance and Biological Control of the Two-Spotted Spider Mite <i>Tetranychus urticae</i> in the Ornamental Crop Gerbera. <i>Biological Control</i> , 1999, 16, 155-163.	1.4	22
347	Novel bacterial pathogen <i>Acaricomes phytoseiuli</i> causes severe disease symptoms and histopathological changes in the predatory mite <i>Phytoseiulus persimilis</i> (Acari, Phytoseiidae). <i>Journal of Invertebrate Pathology</i> , 2008, 98, 127-135.	1.5	22
348	Body Odors of Parasitized Caterpillars Give Away the Presence of Parasitoid Larvae to Their Primary Hyperparasitoid Enemies. <i>Journal of Chemical Ecology</i> , 2014, 40, 986-995.	0.9	22
349	Endure and call for help: strategies of black mustard plants to deal with a specialized caterpillar. <i>Functional Ecology</i> , 2017, 31, 325-333.	1.7	22
350	What makes a volatile organic compound a reliable indicator of insect herbivory?. <i>Plant, Cell and Environment</i> , 2019, 42, 3308-3325.	2.8	22
351	Context-Dependence and the Development of Push-Pull Approaches for Integrated Management of <i>Drosophila suzukii</i> . <i>Insects</i> , 2019, 10, 454.	1.0	22
352	Edible insects unlikely to contribute to transmission of coronavirus SARS-CoV-2. <i>Journal of Insects As Food and Feed</i> , 2020, 6, 333-339.	2.1	22
353	Specificity of Herbivore-Induced Plant Defences. <i>Novartis Foundation Symposium</i> , 1999, 223, 43-59.	1.2	22
354	Silencing Defense Pathways in Arabidopsis by Heterologous Gene Sequences from Brassica oleracea Enhances the Performance of a Specialist and a Generalist Herbivorous Insect. <i>Journal of Chemical Ecology</i> , 2011, 37, 818-829.	0.9	21
355	Proximate mechanisms of drought resistance in <i>Phytoseiulus persimilis</i> eggs. <i>Experimental and Applied Acarology</i> , 2019, 79, 279-298.	0.7	21
356	Use of semiochemicals for surveillance and control of hematophagous insects. <i>Chemoecology</i> , 2020, 30, 277-286.	0.6	21
357	Feeding behaviour and performance of different populations of the black currant-lettuce aphid, <i>Acyrthosiphon pisum</i> , on resistant and susceptible lettuce. <i>Entomologia Experimentalis Et Applicata</i> , 2013, 148, 130-141.	0.7	21
358	Attraction of the predatory mites <i>Typhlodromalus manihoti</i> and <i>Typhlodromalus aripo</i> to cassava plants infested by cassava green mite. <i>Entomologia Experimentalis Et Applicata</i> , 2001, 101, 291-298.	0.7	20
359	Oviposition preference of <i>Lygocoris pabulinus</i> (Het., Miridae) in relation to plants and conspecifics. <i>Journal of Applied Entomology</i> , 2003, 127, 65-71.	0.8	20
360	Different bioassays for investigating orientation responses of the banana weevil, <i>Cosmopolites sordidus</i> , show additive effects of host plant volatiles and a synthetic male-produced aggregation pheromone. <i>Entomologia Experimentalis Et Applicata</i> , 2003, 106, 169-175.	0.7	20

#	ARTICLE	IF	CITATIONS
361	Information use by the predatory mite <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae), a specialised natural enemy of herbivorous spider mites. <i>Applied Entomology and Zoology</i> , 2005, 40, 1-12.	0.6	20
362	Insect oviposition behavior affects the evolution of adaptation to Bt crops: consequences for refuge policies. <i>Evolutionary Ecology</i> , 2010, 24, 1017-1030.	0.5	20
363	Isoprene emission by poplar is not important for the feeding behaviour of poplar leaf beetles. <i>BMC Plant Biology</i> , 2015, 15, 165.	1.6	20
364	Feeding guild of non-host community members affects host foraging efficiency of a parasitic wasp. <i>Ecology</i> , 2016, 97, 1388-1399.	1.5	20
365	Plant-mediated species networks: the modulating role of herbivore density. <i>Ecological Entomology</i> , 2017, 42, 449-457.	1.1	20
366	Why do plants 'talk'?. <i>Chemoecology</i> , 1994, 5-6, 159-165.	0.6	19
367	Plants Under Attack. <i>Plant Signaling and Behavior</i> , 2007, 2, 527-529.	1.2	19
368	Verified and potential pathogens of predatory mites (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 2008, 46, 307-328.	0.7	19
369	Consequences of constitutive and induced variation in the host's food plant quality for parasitoid larval development. <i>Journal of Insect Physiology</i> , 2012, 58, 367-375.	0.9	19
370	Quantitative resistance against <i>Bemisia tabaci</i> in <i>Solanum pennellii</i> : Genetics and metabolomics. <i>Journal of Integrative Plant Biology</i> , 2016, 58, 397-412.	4.1	19
371	Response of a Predatory ant to Volatiles Emitted by Aphid- and Caterpillar-Infested Cucumber and Potato Plants. <i>Journal of Chemical Ecology</i> , 2017, 43, 1007-1022.	0.9	19
372	Hyperparasitoids exploit herbivore-induced plant volatiles during host location to assess host quality and non-host identity. <i>Oecologia</i> , 2019, 189, 699-709.	0.9	19
373	Insects for peace. <i>Current Opinion in Insect Science</i> , 2020, 40, 85-93.	2.2	19
374	Bidirectional plant-mediated interactions between rhizobacteria and shoot-feeding herbivorous insects: a community ecology perspective. <i>Ecological Entomology</i> , 2021, 46, 1-10.	1.1	19
375	Terpene synthases in cucumber (<i>Cucumis sativus</i>) and their contribution to herbivore-induced volatile terpenoid emission. <i>New Phytologist</i> , 2022, 233, 862-877.	3.5	19
376	PCR-based identification of the pathogenic bacterium, <i>Acaricomes phytoseiuli</i> , in the biological control agent <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae). <i>Biological Control</i> , 2007, 42, 316-325.	1.4	18
377	The presence of webbing affects the oviposition rate of two-spotted spider mites, <i>Tetranychus urticae</i> (Acari: Tetranychidae). <i>Experimental and Applied Acarology</i> , 2009, 49, 167-172.	0.7	18
378	Antagonism between two root-associated beneficial <i>Pseudomonas</i> strains does not affect plant growth promotion and induced resistance against a leaf-chewing herbivore. <i>FEMS Microbiology Ecology</i> , 2017, 93, .	1.3	18

#	ARTICLE	IF	CITATIONS
379	Host plant odours enhance the responses of adult banana weevil to the synthetic aggregation pheromone Cosmolure+ [®] . <i>International Journal of Pest Management</i> , 2007, 53, 127-137.	0.9	17
380	Tolerance of <i>Brassica nigra</i> to <i>Pieris brassicae</i> herbivory. <i>Botany</i> , 2008, 86, 641-648.	0.5	17
381	Comparing induction at an early and late step in signal transduction mediating indirect defence in <i>Brassica oleracea</i> . <i>Journal of Experimental Botany</i> , 2009, 60, 2589-2599.	2.4	17
382	Are naïve birds attracted to herbivore-induced plant defences?. <i>Behaviour</i> , 2016, 153, 353-366.	0.4	17
383	Is the farmer field school still relevant? Case studies from Malawi and Indonesia. <i>Njas - Wageningen Journal of Life Sciences</i> , 2020, 92, 1-13.	7.9	17
384	Understanding the Long-Lasting Attraction of Malaria Mosquitoes to Odor Baits. <i>PLoS ONE</i> , 2015, 10, e0121533.	1.1	17
385	Insecticide-contaminated honeydew: risks for beneficial insects. <i>Biological Reviews</i> , 2022, 97, 664-678.	4.7	17
386	Foraging for patchily-distributed leaf miners by the parasitic wasp, <i>Dacnusa sibirica</i> . <i>Researches on Population Ecology</i> , 1990, 32, 381-389.	0.9	16
387	Effects of two pheromone trap densities against banana weevil, <i>Cosmopolites sordidus</i> , populations and their impact on plant damage in Uganda. <i>Journal of Applied Entomology</i> , 2005, 129, 265-271.	0.8	16
388	Factors influencing pheromone trap effectiveness in attracting the banana weevil, <i>Cosmopolites sordidus</i> . <i>International Journal of Pest Management</i> , 2005, 51, 281-288.	0.9	16
389	A Novel Disease Affecting the Predatory Mite <i>Phytoseiulus persimilis</i> (Acari, Phytoseiidae): 1. Symptoms in Adult Females. <i>Experimental and Applied Acarology</i> , 2006, 38, 275-297.	0.7	16
390	A Novel Disease Affecting the Predatory Mite <i>Phytoseiulus persimilis</i> (Acari, Phytoseiidae): 2. Disease Transmission by Adult Females. <i>Experimental and Applied Acarology</i> , 2006, 39, 85-103.	0.7	16
391	Oviposition preference but not adult feeding preference matches with offspring performance in the bronze bug <i>Haemastocoris peregrinus</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2017, 163, 101-111.	0.7	16
392	Volatiles from soil-borne fungi affect directional growth of roots. <i>Plant, Cell and Environment</i> , 2021, 44, 339-345.	2.8	16
393	Chemical Ecology of Phytohormones: How Plants Integrate Responses to Complex and Dynamic Environments. <i>Journal of Chemical Ecology</i> , 2014, 40, 653-656.	0.9	15
394	Community structure and abundance of insects in response to early-season aphid infestation in wild cabbage populations. <i>Ecological Entomology</i> , 2016, 41, 378-388.	1.1	15
395	The plastidial metabolite 2-methylerythritol-2,4-cyclodiphosphate modulates defence responses against aphids. <i>Plant, Cell and Environment</i> , 2019, 42, 2309-2323.	2.8	15
396	Cost-Effectiveness of Black Soldier Fly Larvae Meal as Substitute of Fishmeal in Diets for Layer Chicks and Growers. <i>Sustainability</i> , 2021, 13, 6074.	1.6	15

#	ARTICLE	IF	CITATIONS
397	Host preference of <i>Callosobruchus maculatus</i> : a comparison of life history characteristics for three strains of beetles on two varieties of cowpea. <i>Journal of Applied Entomology</i> , 2004, 128, 390-396.	0.8	14
398	Olfactory Responses of Banana Weevil Predators to Volatiles from Banana Pseudostem Tissue and Synthetic Pheromone. <i>Journal of Chemical Ecology</i> , 2005, 31, 1537-1553.	0.9	14
399	Increasing insight into induced plant defense mechanisms using elicitors and inhibitors. <i>Plant Signaling and Behavior</i> , 2010, 5, 271-274.	1.2	14
400	Behavioral Ecology of Oviposition-Site Selection in Herbivorous True Bugs. <i>Advances in the Study of Behavior</i> , 2013, 45, 175-207.	1.0	14
401	Direct and indirect genetic effects in life-history traits of flour beetles (<i>Tribolium castaneum</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 207-217.	1.1	14
402	Response of <i>Brassica oleracea</i> to temporal variation in attack by two herbivores affects preference and performance of a third herbivore. <i>Ecological Entomology</i> , 2017, 42, 803-815.	1.1	14
403	<i>Brevicoryne brassicae</i> aphids interfere with transcriptome responses of <i>Arabidopsis thaliana</i> to feeding by <i>Plutella xylostella</i> caterpillars in a density-dependent manner. <i>Oecologia</i> , 2017, 183, 107-120.	0.9	14
404	IPM-recommended insecticides harm beneficial insects through contaminated honeydew. <i>Environmental Pollution</i> , 2020, 267, 115581.	3.7	14
405	Insect species richness affects plant responses to multi-herbivore attack. <i>New Phytologist</i> , 2021, 231, 2333-2345.	3.5	14
406	Insects In Western Art. <i>American Entomologist</i> , 2000, 46, 228-237.	0.1	13
407	Flexible parasitoid behaviour overcomes constraint resulting from position of host and nonhost herbivores. <i>Animal Behaviour</i> , 2016, 113, 125-135.	0.8	13
408	Biodiversity analyses for risk assessment of genetically modified potato. <i>Agriculture, Ecosystems and Environment</i> , 2017, 249, 196-205.	2.5	13
409	<i>SL11</i> confers broad-spectrum resistance to phloem-feeding insects. <i>Plant, Cell and Environment</i> , 2021, 44, 2765-2776.	2.8	13
410	Leading issues in implementation of farmer field schools: a global survey. <i>Journal of Agricultural Education and Extension</i> , 2021, 27, 341-353.	1.1	13
411	The soil microbial community and plant foliar defences against insects. , 2012, , 170-189.		12
412	Induced plant volatiles: plant body odours structuring ecological networks. <i>New Phytologist</i> , 2016, 210, 10-12.	3.5	12
413	Does Aphid Infestation Interfere with Indirect Plant Defense against Lepidopteran Caterpillars in Wild Cabbage?. <i>Journal of Chemical Ecology</i> , 2017, 43, 493-505.	0.9	12
414	Rearing and releasing the egg parasitoid <i>Cleruchoides noackae</i> , a biological control agent for the Eucalyptus bronze bug. <i>Biological Control</i> , 2018, 123, 97-104.	1.4	12

#	ARTICLE	IF	CITATIONS
415	Ecological significance of light quality in optimizing plant defence. <i>Plant, Cell and Environment</i> , 2019, 42, 1065-1077.	2.8	12
416	Relative contributions of egg-associated and substrate-associated microorganisms to black soldier fly larval performance and microbiota. <i>FEMS Microbiology Ecology</i> , 2021, 97, .	1.3	12
417	Chemical Ecology from Genes to Communities. , 2006, , 175-189.		12
418	Parasitism by endoparasitoid wasps alters the internal but not the external microbiome in host caterpillars. <i>Animal Microbiome</i> , 2021, 3, 73.	1.5	12
419	Rapid systemic responses to herbivory. <i>Current Opinion in Plant Biology</i> , 2022, 68, 102242.	3.5	12
420	Use of infochemicals in Pest Management with Special Reference to the Banana Weevil, <i>Cosmopolites sordidus</i> (Germar) (Coleoptera: Curculionidae). <i>International Journal of Tropical Insect Science</i> , 2002, 22, 241-261.	0.4	11
421	Prey-related odor preference of the predatory mites <i>Typhlodromalus manihoti</i> and <i>Typhlodromalus aripo</i> (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 2002, 27, 39-56.	0.7	11
422	Enhancing dissemination of <i>Beauveria bassiana</i> with host plant base incision trap for the management of the banana weevil <i>Cosmopolites sordidus</i> . <i>African Journal of Agricultural Research Vol Pp</i> , 2015, 10, 3878-3884.	0.2	11
423	Title is missing!. <i>Journal of Chemical Ecology</i> , 1999, 25, 1585-1595.	0.9	10
424	Field trials with plant products to protect stored cowpea against insect damage. <i>International Journal of Pest Management</i> , 2004, 50, 1-9.	0.9	10
425	Structured design of an automated monitoring tool for pest species. <i>Biosystems Engineering</i> , 2016, 151, 126-140.	1.9	10
426	Terpenoid biosynthesis in <i>Arabidopsis</i> attacked by caterpillars and aphids: effects of aphid density on the attraction of a caterpillar parasitoid. <i>Oecologia</i> , 2017, 185, 699-712.	0.9	10
427	Cross-seasonal legacy effects of arthropod community on plant fitness in perennial plants. <i>Journal of Ecology</i> , 2019, 107, 2451-2463.	1.9	10
428	Phenotypic variation in egg survival in the predatory mite <i>Phytoseiulus persimilis</i> under dry conditions. <i>Biological Control</i> , 2019, 130, 88-94.	1.4	10
429	Towards circular agriculture – exploring insect waste streams as a crop and soil health promoter. <i>Journal of Insects As Food and Feed</i> , 2021, 7, 357-368.	2.1	10
430	The enemy of my enemy is not always my friend: Negative effects of carnivorous arthropods on plants. <i>Functional Ecology</i> , 2021, 35, 2365-2375.	1.7	10
431	Do aphids in Dutch sweet pepper greenhouses carry heritable elements that protect them against biocontrol parasitoids?. <i>Evolutionary Applications</i> , 2022, 15, 1580-1593.	1.5	10
432	Black Soldier Fly Larvae Influence Internal and Substrate Bacterial Community Composition Depending on Substrate Type and Larval Density. <i>Applied and Environmental Microbiology</i> , 2022, 88, e0008422.	1.4	10

#	ARTICLE	IF	CITATIONS
433	Relationship between the ability to penetrate complex webs of Tetranychus spider mites and the ability of thread-cutting behavior in phytoseiid predatory mites. <i>Biological Control</i> , 2010, 53, 273-279.	1.4	9
434	The potential of a population genomics approach to analyse geographic mosaics of plant-insect coevolution. <i>Evolutionary Ecology</i> , 2011, 25, 977-992.	0.5	9
435	The integrative roles of plant secondary metabolites in natural systems. , 2012, , 1-9.		9
436	Effect of <i>Maruca vitrata</i> (Lepidoptera: Crambidae) host plants on life-history parameters of the parasitoid <i>Apanteles taragamae</i> (Hymenoptera: Braconidae). <i>Insect Science</i> , 2012, 19, 518-528.	1.5	9
437	Altered Volatile Profile Associated with Precopulatory Mate Guarding Attracts Spider Mite Males. <i>Journal of Chemical Ecology</i> , 2015, 41, 187-193.	0.9	9
438	Parasitic wasps avoid ant-protected hemipteran hosts via the detection of ant cuticular hydrocarbons. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20201684.	1.2	9
439	Evolution of Induced Indirect Defense of Plants. , 2021, , 62-88.		9
440	Neonicotinoids from coated seeds toxic for honeydew-feeding biological control agents. <i>Environmental Pollution</i> , 2021, 289, 117813.	3.7	9
441	Effects of low and high red to far-red light ratio on tomato plant morphology and performance of four arthropod herbivores. <i>Scientia Horticulturae</i> , 2022, 292, 110645.	1.7	9
442	CREB expression in the brains of two closely related parasitic wasp species that differ in long-term memory formation. <i>Insect Molecular Biology</i> , 2010, 19, 367-379.	1.0	8
443	Response of <i>Solanum tuberosum</i> to <i>Myzus persicae</i> infestation at different stages of foliage maturity. <i>Insect Science</i> , 2014, 21, 727-740.	1.5	8
444	Effect of Sequential Induction by <i>Mamestra brassicae</i> L. and <i>Tetranychus urticae</i> Koch on Lima Bean Plant Indirect Defense. <i>Journal of Chemical Ecology</i> , 2014, 40, 977-985.	0.9	8
445	Herbivore species identity rather than diversity of the non-host community determines foraging behaviour of the parasitoid wasp <i>Cotesia glomerata</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2016, 161, 20-30.	0.7	8
446	A bittersweet meal: The impact of sugar solutions and honeydew on the fitness of two predatory gall midges. <i>Biological Control</i> , 2020, 140, 104098.	1.4	8
447	Spatial scale, neighbouring plants and variation in plant volatiles interactively determine the strength of host-parasitoid relationships. <i>Oikos</i> , 2020, 129, 1429-1439.	1.2	8
448	Are herbivore-induced plant volatiles reliable indicators of herbivore identity to foraging carnivorous arthropods?. , 1999, , 131-142.		8
449	Title is missing!. <i>Journal of Insect Behavior</i> , 2003, 16, 523-535.	0.4	7
450	A novel disease affecting the predatory mite <i>Phytoseiulus persimilis</i> (Acari, Phytoseiidae): evidence for the involvement of bacteria. <i>Biocontrol Science and Technology</i> , 2008, 18, 1-19.	0.5	7

#	ARTICLE	IF	CITATIONS
451	Lack of correlation between constitutive and induced resistance to a herbivore in crucifer plants: real or flawed by experimental methods?. <i>Entomologia Experimentalis Et Applicata</i> , 2009, 131, 58-66.	0.7	7
452	Does drought stress modify the effects of plantâ€growth promoting rhizobacteria on an aboveground chewing herbivore?. <i>Insect Science</i> , 2017, 24, 1034-1044.	1.5	7
453	The effect of rearing history and aphid density on volatileâ€mediated foraging behaviour of <i>Diaeretiella rapae</i> . <i>Ecological Entomology</i> , 2019, 44, 255-264.	1.1	7
454	Differential effects of the rhizobacterium <i>Pseudomonas simiae</i> on aboveâ€and belowground chewing insect herbivores. <i>Journal of Applied Entomology</i> , 2021, 145, 250-260.	0.8	7
455	Plantâ€phenotypic changes induced by parasitoid ichnoviruses enhance the performance of both unparasitized and parasitized caterpillars. <i>Molecular Ecology</i> , 2021, 30, 4567-4583.	2.0	7
456	Sensory Ecology of Arthropods Utilizing Plant Infochemicals. , 2001, , 253-270.		7
457	Plant metabolism and defence strategies in the flowering stage: Timeâ€dependent responses of leaves and flowers under attack. <i>Plant, Cell and Environment</i> , 2022, 45, 2841-2855.	2.8	7
458	Densityâ€mediated indirect interactions alter host foraging behaviour of parasitoids without altering foraging efficiency. <i>Ecological Entomology</i> , 2016, 41, 562-571.	1.1	6
459	Effect of the eucalypt lerp psyllid <i>Glycaspis brimblecombei</i> on adult feeding, ovipositionâ€site selection, and offspring performance of the bronze bug, <i>Taumastocoris peregrinus</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2018, 166, 395-401.	0.7	6
460	Maternal effect determines drought resistance of eggs in the predatory mite <i>Phytoseiulus persimilis</i> . <i>Oecologia</i> , 2020, 192, 29-41.	0.9	6
461	Fungal volatiles influence plant defence against aboveâ€ground and belowâ€ground herbivory. <i>Functional Ecology</i> , 2020, 34, 2259-2269.	1.7	6
462	Variation in parasitoid attraction to herbivore-infested plants and alternative host plant cover mediate tritrophic interactions at the landscape scale. <i>Landscape Ecology</i> , 2020, 35, 907-919.	1.9	6
463	Flowers prepare thyselfes: leaf and root herbivores induce specific changes in floral phytochemistry with consequences for plant interactions with florivores. <i>New Phytologist</i> , 2022, 233, 2548-2560.	3.5	6
464	Bt crop risk assessment in the Netherlands. <i>Nature Biotechnology</i> , 2003, 21, 973-974.	9.4	5
465	Jasmonates differentially affect interconnected signal-transduction pathways of <i>Pieris rapae</i> -induced defenses in <i>Arabidopsis thaliana</i> . <i>Insect Science</i> , 2011, 18, 249-258.	1.5	5
466	Natural selection for anti-herbivore plant secondary metabolites. , 2012, , 10-33.		5
467	Asking the ecosystem if herbivory-inducible plant volatiles (HIPVs) have defensive functions. , 2012, , 287-307.		5
468	Assessing non-target effects and host feeding of the exotic parasitoid <i>Apanteles taragamae</i> , a potential biological control agent of the cowpea pod borer <i>Maruca vitrata</i> . <i>BioControl</i> , 2012, 57, 415-425.	0.9	5

#	ARTICLE	IF	CITATIONS
469	Feeding behavior and performance of <i>Nasonovia ribisnigri</i> on grafts, detached leaves, and leaf disks of resistant and susceptible lettuce. <i>Entomologia Experimentalis Et Applicata</i> , 2016, 159, 102-111.	0.7	5
470	Inoculation of susceptible and resistant potato plants with the late blight pathogen <i>Phytophthora infestans</i> : effects on an aphid and its parasitoid. <i>Entomologia Experimentalis Et Applicata</i> , 2017, 163, 305-314.	0.7	5
471	The effect of co-infestation by conspecific and heterospecific aphids on the feeding behaviour of <i>Nasonovia ribisnigri</i> on resistant and susceptible lettuce cultivars. <i>Arthropod-Plant Interactions</i> , 2017, 11, 785-796.	0.5	5
472	Reply from J. Bruin, M.W. Sabelis and M. Dicke. <i>Trends in Ecology and Evolution</i> , 1995, 10, 371.	4.2	4
473	Different headspace profiles in wild crucifer species in response to <i>Plutella xylostella</i> herbivory and exogenous jasmonic acid application. <i>Insect Science</i> , 2010, 17, 29-37.	1.5	4
474	Dynamics of plant secondary metabolites and consequences for food chains and community dynamics. , 2012, , 308-328.		4
475	Rearing history affects behaviour and performance of two virulent <i>Nasonovia ribisnigri</i> populations on two lettuce cultivars. <i>Entomologia Experimentalis Et Applicata</i> , 2014, 151, 97-105.	0.7	4
476	Oviposition preference of three lepidopteran species is not affected by previous aphid infestation in wild cabbage. <i>Entomologia Experimentalis Et Applicata</i> , 2018, 166, 402-411.	0.7	4
477	Volatiles from the fungus <i>Fusarium oxysporum</i> affect interactions of <i>Brassica rapa</i> plants with root herbivores. <i>Ecological Entomology</i> , 2021, 46, 240-248.	1.1	4
478	Multiple Attack to Inflorescences of an Annual Plant Does Not Interfere with the Attraction of Parasitoids and Pollinators. <i>Journal of Chemical Ecology</i> , 2021, 47, 175-191.	0.9	4
479	The Role of Microorganisms in TRI-Trophic Interactions in Systems Consisting of Plants, Herbivores, and Carnivores. , 1996, , 71-84.		4
480	Behavioural ecology of plant-phytoseiid interactions mediated by herbivore-induced plant volatiles. , 1999, , 251-268.		4
481	Herbivore-Induced Plant Volatiles as a Source of Information in Plant-Insect Networks. , 2020, , 327-346.		4
482	Leaf-chewing herbivores affect preference and performance of a specialist root herbivore. <i>Oecologia</i> , 2022, 199, 243-255.	0.9	4
483	Special Feature: Induced plant responses towards herbivory. <i>Basic and Applied Ecology</i> , 2003, 4, 1-2.	1.2	3
484	Phytochemicals as mediators of aboveground-belowground interactions in plants. , 2012, , 190-203.		3
485	Exploitation of Chemical Signaling by Parasitoids: Impact on Host Population Dynamics. <i>Journal of Chemical Ecology</i> , 2013, 39, 752-763.	0.9	3
486	Female response to predation risk alters conspecific male behaviour during pre-copulatory mate guarding. <i>Ethology</i> , 2018, 124, 122-130.	0.5	3

#	ARTICLE	IF	CITATIONS
487	An Integrated System for the Automated Recording and Analysis of Insect Behavior in T-maze Arrays. <i>Frontiers in Plant Science</i> , 2019, 10, 20.	1.7	3
488	Herbivore-Induced Plant Volatiles with Multifunctional Effects in Ecosystems: A Complex Pattern of Biotic Interactions. , 1997, , 131-145.		3
489	Verified and potential pathogens of predatory mites (Acari: Phytoseiidae). , 2008, , 307-328.		3
490	Local and systemic effect of azadirachtin on host choice and feeding activity of <i>Macrosiphum rosae</i> on rose plants. <i>Arthropod-Plant Interactions</i> , 2022, 16, 191-204.	0.5	3
491	Evolutionary patterns and mechanisms in consumer–resource interactions. <i>Journal of Evolutionary Biology</i> , 1999, 12, 419-420.	0.8	2
492	Expression in Arabidopsis of a Strawberry Linalool Synthase Gene Under the Control of the Inducible Potato PI2 Promoter. <i>Agricultural Sciences in China</i> , 2008, 7, 521-534.	0.6	2
493	Resistance to a new biotype of the lettuce aphid <i>Nasonovia ribisnigri</i> in <i>Lactuca virosa</i> accession IVT280. <i>Euphytica</i> , 2013, 193, 265-275.	0.6	2
494	Genome-Wide Analysis Reveals Transcription Factors Regulated by Spider-Mite Feeding in Cucumber (<i>Cucumis sativus</i>). <i>Plants</i> , 2020, 9, 1014.	1.6	2
495	No evidence of modulation of indirect plant resistance of <i>Brassica rapa</i> plants by volatiles from soil-borne fungi. <i>Ecological Entomology</i> , 2020, 45, 1200-1211.	1.1	2
496	Herbivore-induced plant volatiles, not natural enemies, mediate a positive indirect interaction between insect herbivores. <i>Oecologia</i> , 2022, 198, 443.	0.9	2
497	Plant quantity affects development and reproduction of a gregarious butterfly more than plant quality. <i>Entomologia Experimentalis Et Applicata</i> , 0, , .	0.7	2
498	Effects of extreme temperature events on the parasitism performance of <i>Diadegma semiclausum</i> , an endoparasitoid of <i>Plutella xylostella</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2022, 170, 656-665.	0.7	2
499	Specialist root herbivore modulates plant transcriptome and downregulates defensive secondary metabolites in a brassicaceous plant. <i>New Phytologist</i> , 2022, 235, 2378-2392.	3.5	2
500	Foreword. <i>Journal of Chemical Ecology</i> , 1990, 16, 3017-3018.	0.9	1
501	Precise Manipulation Through a Modeling Study. <i>Journal of Chemical Ecology</i> , 2008, 34, 943-944.	0.9	1
502	Volatile isoprenoids and abiotic stresses. , 0, , 101-119.		1
503	Effects of NeemAzal-CTS on different developmental stages of rose aphid, <i>Macrosiphum rosae</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2022, 170, 245-259.	0.7	1
504	Bees can be trained to identify SARS-CoV-2 infected samples. <i>Biology Open</i> , 2022, 11, .	0.6	1

#	ARTICLE	IF	CITATIONS
505	Chemical Ecology: Body Odor, Behavior, and Body Building. <i>Journal of Chemical Ecology</i> , 2014, 40, 313-314.	0.9	0
506	Infochemicals that mediate plant-carnivore communication systemically induced by herbivory. , 1992, , 355-356.		0