Sung Chan Jun

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/170913/sung-chan-jun-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94	1,700	22	39
papers	citations	h-index	g-index
120 ext. papers	2,139 ext. citations	2.9 avg, IF	5.2 L-index

#	Paper	IF	Citations
94	Spindle-targeted acoustic stimulation may stabilize an ongoing nap <i>Journal of Sleep Research</i> , 2022 , e13583	5.8	O
93	Key factors in the cortical response to transcranial electrical Stimulations-A multi-scale modeling study <i>Computers in Biology and Medicine</i> , 2022 , 144, 105328	7	О
92	Is electric field strength deterministic in cortical neuronsTresponse to transcranial electrical stimulation?. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 6025-602	0.9 8	
91	Computational exploration of epidural cortical stimulation using a realistic head model. <i>Computers in Biology and Medicine</i> , 2021 , 135, 104290	7	0
90	A Systematic Review of Closed-Loop Feedback Techniques in Sleep Studies-Related Issues and Future Directions. <i>Sensors</i> , 2020 , 20,	3.8	5
89	. IEEE Access, 2020 , 8, 74385-74400	3.5	13
88	Use of Both Eyes-Open and Eyes-Closed Resting States May Yield a More Robust Predictor of Motor Imagery BCI Performance. <i>Electronics (Switzerland)</i> , 2020 , 9, 690	2.6	7
87	Morphological Influence and Electric Field Direction's Influence on Activation of Cortical Neurons in Electrical Brain Stimulation: a Computational Study. Annual International Conference of the IEEE Engineering in Medicine and Biology Society Annual	0.9	0
86	International Conference, 2020 , 2020, 2938-2941 . IEEE Access, 2019 , 7, 56297-56307	3.5	7
85	P300 Speller Performance Predictor Based on RSVP Multi-feature. <i>Frontiers in Human Neuroscience</i> , 2019 , 13, 261	3.3	13
84	. IEEE Access, 2019 , 7, 8557-8569	3.5	3
83	Simultaneous EEG Acquisition System for Multiple Users: Development and Related Issues. <i>Sensors</i> , 2019 , 19,	3.8	4
82	CANet: A Channel Attention Network to Determine Informative Multi-channel for Image Classification from Brain Signals. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> ,	0.9	2
81	A Compressive Sensing-Based Automatic Sleep-Stage Classification System With Radial Basis Function Neural Network. <i>IEEE Access</i> , 2019 , 7, 186499-186509	3.5	11
80	Super-Resolution for Improving EEG Spatial Resolution using Deep Convolutional Neural Network-Feasibility Study. <i>Sensors</i> , 2019 , 19,	3.8	10
79	Relation between the electric field and activation of cortical neurons in transcranial electrical stimulation. <i>Brain Stimulation</i> , 2019 , 12, 275-289	5.1	22
78	Interbrain phase synchronization during turn-taking verbal interaction-a hyperscanning study using simultaneous EEG/MEG. <i>Human Brain Mapping</i> , 2018 , 39, 171-188	5.9	37

77	User's Self-Prediction of Performance in Motor Imagery Brain-Computer Interface. <i>Frontiers in Human Neuroscience</i> , 2018 , 12, 59	3.3	18
76	Feasibility Study of EEG Super-Resolution Using Deep Convolutional Networks 2018,		1
75	Seeking RSVP Task Features Correlated with P300 Speller Performance 2018,		3
74	Event-Related Desynchronization (ERD) May Not be Correlated with Motor Imagery BCI Performance 2018 ,		2
73	EEG Hyperscanning for Eight or more Persons - Feasibility Study for Emotion Recognition using Deep Learning Technique 2018 ,		1
7 2	The Neurophysiological Effect of Acoustic Stimulation with Real-time Sleep Spindle Detection. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2018 , 2018, 470-473	0.9	3
71	Stimulation Effect of Inter-subject Variability in tDCS-Multi-scale Modeling Study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 3092-3095	0.9	3
70	A Step-by-Step Tutorial for a Motor Imagery B ased BCI 2018 , 445-460		5
69	The Effect of a Transcranial Channel as a Skull/Brain Interface in High-Definition Transcranial Direct Current Stimulation-A Computational Study. <i>Scientific Reports</i> , 2017 , 7, 40612	4.9	11
68	A wellness platform for stereoscopic 3D video systems using EEG-based visual discomfort evaluation technology. <i>Applied Ergonomics</i> , 2017 , 62, 158-167	4.2	10
67	EEG datasets for motor imagery brain-computer interface. <i>GigaScience</i> , 2017 , 6, 1-8	7.6	96
66	Utilization of a combined EEG/NIRS system to predict driver drowsiness. <i>Scientific Reports</i> , 2017 , 7, 439	9 33 .9	64
65	Cognitive responses and cortical oscillatory processing at various stereoscopic depths alsimultaneous EEG/MEG study. <i>Journal of Integrative Neuroscience</i> , 2017 , 16, 255-273	1.5	
64	A computational study on effect of a transcranial channel as a skull/brain interface in the conventional rectangular patch-type transcranial direct current stimulation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and</i>	0.9	2
63	Multi-Modal Integration of EEG-fNIRS for Brain-Computer Interfaces - Current Limitations and Future Directions. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 503	3.3	42
62	Multi-Scale Computational Models for Electrical Brain Stimulation. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 515	3.3	16
61	Effects of electrode displacement in high-definition transcranial direct current stimulation: A computational study. Annual International Conference of the IEEE Engineering in Medicine and Biology Society International Conference,	0.9	O
60	2016 , 2016, 4618-4621 Effect of Anatomically Realistic Full-Head Model on Activation of Cortical Neurons in Subdural Cortical Stimulation-A Computational Study. <i>Scientific Reports</i> , 2016 , 6, 27353	4.9	20

59	A multi-scale computational model of the effects of TMS on motor cortex. F1000Research, 2016, 5, 194	153.6	24
58	A multi-scale computational model of the effects of TMS on motor cortex. <i>F1000Research</i> , 2016 , 5, 194	15 3.6	22
57	Herbal Extracts That Reduce Ocular Oxidative Stress May Enhance Attentive Performance in Humans. <i>Computational Intelligence and Neuroscience</i> , 2016 , 2016, 4292145	3	3
56	Exploring Neuro-Physiological Correlates of DriversTMental Fatigue Caused by Sleep Deprivation Using Simultaneous EEG, ECG, and fNIRS Data. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 219	3.3	99
55	Cortical Responses and Shape Complexity of Stereoscopic Image - A Simultaneous EEG/MEG Study. NeuroSignals, 2016 , 24, 102-112	1.9	3
54	Oscillatory brain activity changes by anodal tDCS - An ECoG study on anesthetized beagles. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 5258-5261	0.9	3
53	Noise robustness analysis of sparse representation based classification method for non-stationary EEG signal classification. <i>Biomedical Signal Processing and Control</i> , 2015 , 21, 8-18	4.9	44
52	Validation of Computational Studies for Electrical Brain Stimulation With Phantom Head Experiments. <i>Brain Stimulation</i> , 2015 , 8, 914-25	5.1	28
51	Longitudinal changes in resting-state brain activity in a capsular infarct model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 11-9	7.3	9
50	Simple adaptive sparse representation based classification schemes for EEG based brain-computer interface applications. <i>Computers in Biology and Medicine</i> , 2015 , 66, 29-38	7	29
49	Increasing session-to-session transfer in a brain-computer interface with on-site background noise acquisition. <i>Journal of Neural Engineering</i> , 2015 , 12, 066009	5	24
48	Performance variation in motor imagery brain-computer interface: a brief review. <i>Journal of Neuroscience Methods</i> , 2015 , 243, 103-10	3	170
47	Computational Study of Subdural Cortical Stimulation: Effects of Simulating Anisotropic Conductivity on Activation of Cortical Neurons. <i>PLoS ONE</i> , 2015 , 10, e0128590	3.7	17
46	Steady-State Somatosensory Evoked Potential for Brain-Computer Interface-Present and Future. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 716	3.3	30
45	E-CoCS: Environment of computational simulator for cortical stimulation. <i>Biomedical Engineering Letters</i> , 2014 , 4, 186-192	3.6	О
44	Computational study on subdural cortical stimulation - the influence of the head geometry, anisotropic conductivity, and electrode configuration. <i>PLoS ONE</i> , 2014 , 9, e108028	3.7	15
43	Achieving a hybrid brain-computer interface with tactile selective attention and motor imagery. <i>Journal of Neural Engineering</i> , 2014 , 11, 066004	5	42
42	A review of brain-computer interface games and an opinion survey from researchers, developers and users. <i>Sensors</i> , 2014 , 14, 14601-33	3.8	94

(2011-2014)

An SLA-based cloud computing that facilitates resource allocation in the distributed data centers of	3.1	
An SLA-based cloud computing that facilitates resource allocation in the distributed data centers of	,	8
a cloud provider. <i>Journal of Supercomputing</i> , 2013 , 64, 606-637	2.5	54
Comparison of neuronal excitation between extruded slab partial head model and full head model n subdural cortical stimulation. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference,	0.9	2
Negotiation-Based Flexible SLA Establishment with SLA-driven Resource Allocation in Cloud Computing 2013 ,		1
High theta and low alpha powers may be indicative of BCI-illiteracy in motor imagery. <i>PLoS ONE</i> , 2013 , 8, e80886	3.7	113
Gamma band activity associated with BCI performance: simultaneous MEG/EEG study. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 848	3.3	55
Feasibility of approaches combining sensor and source features in brain-computer interface. Journal of Neuroscience Methods, 2012 , 204, 168-178	3	21
Scanning Reduction Strategy in MEG/EEG Beamformer Source Imaging. <i>Journal of Applied Mathematics</i> , 2012 , 2012, 1-19	1.1	5
The computational study of subdural cortical stimulation: a quantitative analysis of voltage and current stimulation. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012 ,	0.9	7
A comparative study of the 3D precentral gyrus model for unipolar and bipolar current stimulations. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012 , 2012, 1892-5	0.9	4
Effect of realistic human head modelling on brain source distribution. <i>Electronics Letters</i> , 2012 , 48, 1095	-1.097	2
Comparison of frequency difference reconstruction algorithms for the detection of acute stroke using EIT in a realistic head-shaped tank. <i>Physiological Measurement</i> , 2012 , 33, 767-86	2.9	36
Feasibility study for visual discomfort assessment on stereo images using EEG 2012 ,		10
Motor imagery based BCI classification via sparse representation of EEG signals 2011,		6
Validation of weighted frequency-difference EIT using a three-dimensional hemisphere model and ohantom. <i>Physiological Measurement</i> , 2011 , 32, 1663-80	2.9	26
Computational study of subdural and epidural cortical stimulation of the motor cortex. <i>Annual</i> International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2011 , 2011, 7226-9	0.9	9
Calibration Time Reduction through Source Imaging in Brain Computer Interface (BCI). Communications in Computer and Information Science, 2011 , 269-273	0.3	8
	legotiation-Based Flexible SLA Establishment with SLA-driven Resource Allocation in Cloud computing 2013, light heta and low alpha powers may be indicative of BCI-illiteracy in motor imagery. PLoS ONE, 1013, 8, e80886 lamma band activity associated with BCI performance: simultaneous MEG/EEG study. Frontiers in fuman Neuroscience, 2013, 7, 848 easibility of approaches combining sensor and source features in brain-computer interface. Journal of Neuroscience Methods, 2012, 204, 168-178 canning Reduction Strategy in MEG/EEG Beamformer Source Imaging. Journal of Applied Mathematics, 2012, 2012, 1-19 the computational study of subdural cortical stimulation: a quantitative analysis of voltage and urrent stimulation. Annual International Conference of the IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012, comparative study of the 3D precentral gyrus model for unipolar and bipolar current timulations. Annual International Conference of the IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012, 1892-5 EEE Engineering in Medicine and Biology Society Annual International Conference, 2012, 2012, 1892-5 Effect of realistic human head modelling on brain source distribution. Electronics Letters, 2012, 48, 1095 Comparison of frequency difference reconstruction algorithms for the detection of acute stroke sing EIT in a realistic head-shaped tank. Physiological Measurement, 2012, 33, 767-86 easibility study for visual discomfort assessment on stereo images using EEG 2012, Antori magery based BCI classification via sparse representation of EEG signals 2011, Patidation of weighted frequency-difference EIT using a three-dimensional hemisphere model and hantom. Physiological Measurement, 2011, 32, 1663-80 Computational study of subdural and epidural cortical stimulation of the motor cortex. Annual international Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicin	legotiation-Based Flexible SLA Establishment with SLA-driven Resource Allocation in Cloud computing 2013, ligh theta and low alpha powers may be indicative of BCI-illiteracy in motor imagery. PLoS ONE, 013, 8, e80886 samma band activity associated with BCI performance: simultaneous MEG/EEG study. Frontiers in fuman Neuroscience, 2013, 7, 848 assibility of approaches combining sensor and source features in brain-computer interface. ournal of Neuroscience Methods, 2012, 204, 168-178 acanning Reduction Strategy in MEG/EEG Beamformer Source Imaging. Journal of Applied Mathematics, 2012, 2012, 1-19 the computational study of subdural cortical stimulation: a quantitative analysis of voltage and urrent stimulation. Annual International Conference of the IEEE Engineering in Medicine and Biology society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012, 2012, 1892-5 ffect of realistic human head modelling on brain source distribution. Electronics Letters, 2012, 48, 1095-1097 comparison of frequency difference reconstruction algorithms for the detection of acute stroke sing EIT in a realistic head-shaped tank. Physiological Measurement, 2012, 33, 767-86 acan in a realistic head-shaped tank. Physiological Measurement, 2012, 33, 767-86 acan in the comparison of frequency difference reconstruction algorithms for the detection of acute stroke sing EIT in a realistic head-shaped tank. Physiological Measurement, 2012, 33, 767-86 acan in the comparison of frequency difference reconstruction algorithms for the detection of acute stroke sing EIT in a realistic head-shaped tank. Physiological Measurement, 2012, 33, 767-86 acan in the comparison of frequency difference reconstruction algorithms for the detection of acute stroke sing EIT in a realistic head-shaped tank. Physiological Measurement, 2011, 32, 1663-80 acan in the comparison of the motor cortex. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology

23	How Much Features in Brain-Computer Interface Are Discriminative? Quantitative Measure by Relative Entropy. <i>Communications in Computer and Information Science</i> , 2011 , 274-278	0.3	
22	Frequency-difference electrical impedance tomography: Phantom imaging experiments. <i>Journal of Physics: Conference Series</i> , 2010 , 224, 012152	0.3	13
21	Beamformer for simultaneous magnetoencephalography and electroencephalography analysis. <i>Journal of Applied Physics</i> , 2010 , 107, 09B315	2.5	5
20	Source Space Based Brain Computer Interface. <i>IFMBE Proceedings</i> , 2010 , 366-369	0.2	3
19	MEG and EEG fusion in Bayesian frame 2010 ,		2
18	Weighted frequency-difference EIT measurement of hemisphere phantom. <i>Journal of Physics:</i> Conference Series, 2010 , 224, 012059	0.3	1
17	Interactive Scientific Visualization of High-resolution Brain Imagery Over Networked Tiled Display 2010 , 125-136		
16	Frequency-difference EIT (fdEIT) using weighted difference and equivalent homogeneous admittivity: validation by simulation and tank experiment. <i>Physiological Measurement</i> , 2009 , 30, 1087-9	9 ^{2.9}	49
15	Performances among various common spatial pattern methods for simultaneous MEG/EEG data 2009 ,		1
14	Bayesian brain source imaging based on combined MEG/EEG and fMRI using MCMC. <i>NeuroImage</i> , 2008 , 40, 1581-94	7.9	28
13	Probabilistic forward model for electroencephalography source analysis. <i>Physics in Medicine and Biology</i> , 2007 , 52, 5309-27	3.8	21
12	Modeling spatiotemporal covariance for magnetoencephalography or electroencephalography source analysis. <i>Physical Review E</i> , 2007 , 75, 011928	2.4	7
11	A generalized spatiotemporal covariance model for stationary background in analysis of MEG data. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 368	80-3	4
10	Spatiotemporal noise covariance estimation from limited empirical magnetoencephalographic data. <i>Physics in Medicine and Biology</i> , 2006 , 51, 5549-64	3.8	7
9	Improving source detection and separation in a spatiotemporal Bayesian inference dipole analysis. <i>Physics in Medicine and Biology</i> , 2006 , 51, 2395-414	3.8	15
8	Spatiotemporal Bayesian inference dipole analysis for MEG neuroimaging data. <i>NeuroImage</i> , 2005 , 28, 84-98	7.9	49
7	Fast robust subject-independent magnetoencephalographic source localization using an artificial neural network. <i>Human Brain Mapping</i> , 2005 , 24, 21-34	5.9	5
6	MEG source localization using an MLP with a distributed output representation. <i>IEEE Transactions on Biomedical Engineering</i> , 2003 , 50, 786-9	5	2

LIST OF PUBLICATIONS

5	Fast accurate MEG source localization using a multilayer perceptron trained with real brain noise. <i>Physics in Medicine and Biology</i> , 2002 , 47, 2547-60	3.8	10
4	A note on fractional differences based on a linear combination between forward and backward differences. <i>Computers and Mathematics With Applications</i> , 2001 , 41, 373-378	2.7	3
3	Poloidal field effects on fundamental minority ion cyclotron resonance heating in a tokamak plasma. <i>Physics of Plasmas</i> , 2000 , 7, 1467-1478	2.1	4
2	Convergence analyses of the born iterative method and the distorted born iterative method. <i>Numerical Functional Analysis and Optimization</i> , 1999 , 20, 301-316	1	3
1	A Multi-Scale Computational Model of the effects of TMS on Motor Cortex		2