Javier Garcia-Ferreyra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1709719/publications.pdf

Version: 2024-02-01

1307543 940516 19 384 16 7 citations g-index h-index papers 19 19 19 382 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Overweight and obesity significantly reduce pregnancy, implantation, and live birth rates in women undergoing In Vitro Fertilization procedures. Jornal Brasileiro De Reproducao Assistida, 2021, 25, 394-402.	0.7	10
2	Trisomy 21 and Assisted Reproductive Technologies: A review. Jornal Brasileiro De Reproducao Assistida, 2021, , .	0.7	8
3	Intracytoplasmic Morphologically Selected Sperm Injection (IMSI): An Overview., 2018,, 143-155.		O
4	High percentages of embryos with 21, 18 or 13 trisomy are related to advanced paternal age in donor egg cycles. Jornal Brasileiro De Reproducao Assistida, 2018, 22, 26-34.	0.7	26
5	Ectopic ovarian pregnancy after intracytoplasmic sperm injection with testicular spermatozoa - a case report. Jornal Brasileiro De Reproducao Assistida, 2017, 21, 135-136.	0.7	2
6	High Aneuploidy Rates Observed in Embryos Derived from Donated Oocytes are Related to Male Aging and High Percentages of Sperm DNA Fragmentation. Clinical Medicine Insights Reproductive Health, 2015, 9, CMRH.S32769.	3.9	51
7	The IMSI Procedure Improves Laboratory and Clinical Outcomes without Compromising the Aneuploidy Rate When Compared to the Classical ICSI Procedure. Clinical Medicine Insights Reproductive Health, 2015, 9, CMRH.S33032.	3.9	26
8	In Vivo Culture System Using the INVOcell Device Shows Similar Pregnancy and Implantation Rates to those Obtained from in Vivo Culture System in ICSI Procedures. Clinical Medicine Insights Reproductive Health, 2015, 9, CMRH.S25494.	3.9	7
9	Sperm DNA Fragmentation and Its Relation With Fertility. , 2015, , .		6
10	Percentage of Blastulation on the Number and Function of Metaphase II Oocytes. Jornal Brasileiro De Reproducao Assistida, 2015, 19, 111-113.	0.7	3
11	High Pregnancy and Implantation Rates Can Be Obtained Using Magnetic-Activated Cell Sorting (MACS) to Selection Spermatozoa in Patients with High Levels of Spermatic DNA Fragmentation. Journal of Fertilization in Vitro IVF Worldwide Reproductive Medicine Genetics & Stem Cell Biology, 2014, 03, .	0.2	3
12	High Levels of DNA Fragmentation Observed in an Infertile Population Attending a Fertility Center are Related to Advanced Paternal Age. Journal of Fertilization in Vitro, 2012, 02, .	0.2	5
13	High pregnancy and implantation rates can be obtained with preincubation of oocytes before insemination in IVF and ICSI procedures. Health, 2012, 04, 660-666.	0.3	O
14	Efficacy of oocyte vitrification combined with blastocyst stage transfer in an egg donation program. Human Reproduction, 2011, 26, 782-790.	0.9	76
15	Effect of vitrification procedure on chromosomal status of embryos achieved from vitrified and fresh oocytes. Health, 2011, 03, 467-476.	0.3	2
16	Beneficial effect of reduced oxygen concentration with transfer of blastocysts in IVF patients older than 40 years old. Health, 2010, 02, 1010-1017.	0.3	8
17	In vitro development and pregnancy outcomes for human embryos cultured in either a single medium or in a sequential media system. Fertility and Sterility, 2009, 91, 1765-1770.	1.0	80
18	Comparative genomic hybridization of oocytes and first polar bodies from young donors. Reproductive BioMedicine Online, 2009, 19, 228-237.	2.4	58

#	Article	IF	CITATIONS
19	Sperm chromatin stability and its relationship with fertilization rate after Intracytoplasmic Sperm Injection (ICSI) in an assisted reproduction program. Journal of Assisted Reproduction and Genetics, 2007, 24, 587-593.	2.5	13