

# Caroline Goujon

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1711028/caroline-goujon-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35  
papers

2,210  
citations

22  
h-index

47  
g-index

47  
ext. papers

2,647  
ext. citations

9.9  
avg, IF

4.8  
L-index

#	Paper	IF	Citations
35	TMPRSS2 promotes SARS-CoV-2 evasion from NCOA7-mediated restriction. <i>PLoS Pathogens</i> , <b>2021</b> , 17, e1009820	7.6	2
34	Clash of the titans: interferons and SARS-CoV-2. <i>Trends in Immunology</i> , <b>2021</b> , 42, 1069-1072	14.4	1
33	Mammalian and Avian Host Cell Influenza A Restriction Factors. <i>Viruses</i> , <b>2021</b> , 13,	6.2	3
32	Bidirectional genome-wide CRISPR screens reveal host factors regulating SARS-CoV-2, MERS-CoV and seasonal coronaviruses <b>2021</b> ,		5
31	Bidirectional genome-wide CRISPR screens reveal host factors regulating SARS-CoV-2, MERS-CoV and seasonal HCoVs <b>2021</b> ,		3
30	HIV-1 Vpr Induces Widespread Transcriptomic Changes in CD4 T Cells Early Postinfection. <i>MBio</i> , <b>2021</b> , 12, e0136921	7.8	4
29	Alarmin S100A9 restricts retroviral infection by limiting reverse transcription in human dendritic cells. <i>EMBO Journal</i> , <b>2021</b> , 40, e106540	13	2
28	effector protein CvpF subverts RAB26-dependent autophagy to promote vacuole biogenesis and virulence. <i>Autophagy</i> , <b>2021</b> , 17, 706-722	10.2	13
27	Mitochondrial morphodynamics alteration induced by influenza virus infection as a new antiviral strategy. <i>PLoS Pathogens</i> , <b>2021</b> , 17, e1009340	7.6	7
26	SARS-CoV-2 triggers an MDA-5-dependent interferon response which is unable to control replication in lung epithelial cells. <i>Journal of Virology</i> , <b>2021</b> ,	6.6	67
25	Crystal structure of the TLDC domain of human NCOA7-AS. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , <b>2021</b> , 77, 230-237	1.1	1
24	Human MxB Protein Is a Pan-herpesvirus Restriction Factor. <i>Journal of Virology</i> , <b>2018</b> , 92,	6.6	41
23	The interferon-inducible isoform of NCOA7 inhibits endosome-mediated viral entry. <i>Nature Microbiology</i> , <b>2018</b> , 3, 1369-1376	26.6	33
22	Multiple components of the nuclear pore complex interact with the amino-terminus of MX2 to facilitate HIV-1 restriction. <i>PLoS Pathogens</i> , <b>2018</b> , 14, e1007408	7.6	28
21	Complex Interplay between HIV-1 Capsid and MX2-Independent Alpha Interferon-Induced Antiviral Factors. <i>Journal of Virology</i> , <b>2016</b> , 90, 7469-7480	6.6	23
20	Oligomerization Requirements for MX2-Mediated Suppression of HIV-1 Infection. <i>Journal of Virology</i> , <b>2016</b> , 90, 22-32	6.6	28
19	A triple-arginine motif in the amino-terminal domain and oligomerization are required for HIV-1 inhibition by human MX2. <i>Journal of Virology</i> , <b>2015</b> , 89, 4676-80	6.6	46

18	HIV-1 and interferons: who's interfering with whom?. <i>Nature Reviews Microbiology</i> , <b>2015</b> , 13, 403-13	22.2	193
17	Nuclear import of SAMHD1 is mediated by a classical karyopherin $\beta$ 1 dependent pathway and confers sensitivity to VpxMAC induced ubiquitination and proteasomal degradation. <i>Retrovirology</i> , <b>2014</b> , 11, 29	3.6	32
16	New insights into an X-traordinary viral protein. <i>Frontiers in Microbiology</i> , <b>2014</b> , 5, 126	5.7	19
15	Transfer of the amino-terminal nuclear envelope targeting domain of human MX2 converts MX1 into an HIV-1 resistance factor. <i>Journal of Virology</i> , <b>2014</b> , 88, 9017-26	6.6	61
14	Evidence for IFN $\beta$ -induced, SAMHD1-independent inhibitors of early HIV-1 infection. <i>Retrovirology</i> , <b>2013</b> , 10, 23	3.6	49
13	Human MX2 is an interferon-induced post-entry inhibitor of HIV-1 infection. <i>Nature</i> , <b>2013</b> , 502, 559-62	50.4	385
12	AIDS/HIV. HIV interplay with SAMHD1. <i>Science</i> , <b>2012</b> , 335, 1313-4	33.3	16
11	A simple, versatile and efficient method to genetically modify human monocyte-derived dendritic cells with HIV-1-derived lentiviral vectors. <i>Nature Protocols</i> , <b>2011</b> , 6, 806-16	18.8	76
10	Molecular insight into how HIV-1 Vpr protein impairs cell growth through two genetically distinct pathways. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 23742-52	5.4	10
9	Target cell-mediated editing of HIV-1 cDNA by APOBEC3 proteins in human macrophages. <i>Journal of Virology</i> , <b>2011</b> , 85, 13448-52	6.6	53
8	Characterization of the alpha interferon-induced postentry block to HIV-1 infection in primary human macrophages and T cells. <i>Journal of Virology</i> , <b>2010</b> , 84, 9254-66	6.6	109
7	Characterization of simian immunodeficiency virus SIVSM/human immunodeficiency virus type 2 Vpx function in human myeloid cells. <i>Journal of Virology</i> , <b>2008</b> , 82, 12335-45	6.6	109
6	Characterization of the early steps of infection of primary blood monocytes by human immunodeficiency virus type 1. <i>Journal of Virology</i> , <b>2008</b> , 82, 6557-65	6.6	62
5	SIVSM/HIV-2 Vpx proteins promote retroviral escape from a proteasome-dependent restriction pathway present in human dendritic cells. <i>Retrovirology</i> , <b>2007</b> , 4, 2	3.6	164
4	Transduction of nondividing human macrophages with gammaretrovirus-derived vectors. <i>Journal of Virology</i> , <b>2006</b> , 80, 1152-9	6.6	39
3	Heterologous human immunodeficiency virus type 1 lentiviral vectors packaging a simian immunodeficiency virus-derived genome display a specific postentry transduction defect in dendritic cells. <i>Journal of Virology</i> , <b>2003</b> , 77, 9295-304	6.6	38
2	Cell entry of hepatitis C virus requires a set of co-receptors that include the CD81 tetraspanin and the SR-B1 scavenger receptor. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 41624-30	5.4	456
1	Determination of essential amino acids involved in the CD4-independent tropism of the X4 human immunodeficiency virus type 1 m7NDK isolate: role of potential N glycosylations in the C2 and V3 regions of gp120. <i>Journal of Virology</i> , <b>2001</b> , 75, 5425-8	6.6	27

