Tomomichi Itoh

List of Publications by Citations

Source: https://exaly.com/author-pdf/1715283/tomomichi-itoh-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,212 70 31 20 h-index g-index citations papers 4.06 1,359 3.9 72 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|----|---|---------|-----------|
| 70 | Interplay between Smectic Ordering and Microphase Separation in a Series of Side-Group Liquid-Crystal Block Copolymers. <i>Macromolecules</i> , 2004 , 37, 4798-4807 | 5.5 | 110 |
| 69 | Ordering on multiple lengthscales in a series of side group liquid crystal block copolymers containing a cholesteryl-based mesogen. <i>Soft Matter</i> , 2005 , 1, 355-363 | 3.6 | 69 |
| 68 | First Synthesis of Poly(acylmethylene)s via Palladium-Mediated Polymerization of Diazoketones. <i>Macromolecules</i> , 2005 , 38, 2101-2108 | 5.5 | 60 |
| 67 | (N-Heterocyclic Carbene)Pd/Borate Initiating Systems for Polymerization of Ethyl Diazoacetate. <i>Macromolecules</i> , 2009 , 42, 8608-8610 | 5.5 | 50 |
| 66 | Synthesis of Side-Chain Liquid Crystalline Homopolymers and Block Copolymers with Cyanobiphenyl Moieties as the Mesogen by Living Anionic Polymerization and Their Thermotropic Phase Behavior. <i>Macromolecules</i> , 1999 , 32, 282-289 | 5.5 | 46 |
| 65 | Three-Component Polycondensation of Bis(diazoketone) with Dicarboxylic Acids and Cyclic Ethers: Synthesis of New Types of Poly(ester ether ketone)s. <i>Macromolecules</i> , 2011 , 44, 5955-5960 | 5.5 | 42 |
| 64 | Polymerization of Various Alkyl Diazoacetates Initiated with (N-Heterocyclic Carbene)Pd/Borate Systems. <i>Macromolecules</i> , 2011 , 44, 3287-3292 | 5.5 | 41 |
| 63 | Ionic Conductivity of Cross-linked Polymethacrylate Derivatives/Cyclophosphazenes/Li+ Salt Complexes. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2007 , 17, 367-375 | 3.2 | 41 |
| 62 | Transition Metal-Mediated Copolymerization of Diazocarbonyl Compounds with Alkyne and Isocyanide. <i>Macromolecules</i> , 2006 , 39, 6440-6444 | 5.5 | 35 |
| 61 | Hierarchical Order in a Side-Group Liquid Crystalline Block Copolymer. <i>Macromolecules</i> , 2003 , 36, 8898 | -89.0;1 | 35 |
| 60 | Orientation of Microphase-Segregated Cylinders in Liquid Crystalline Diblock Copolymer by Magnetic Field. <i>Japanese Journal of Applied Physics</i> , 2005 , 44, L711-L714 | 1.4 | 34 |
| 59 | EAllylPdCl-Based Initiating Systems for Polymerization of Alkyl Diazoacetates: Initiation and Termination Mechanism Based on Analysis of Polymer Chain End Structures. <i>Macromolecules</i> , 2012 , 45, 6869-6877 | 5.5 | 33 |
| 58 | Polymerization of Hydroxy-Containing Diazoacetates: Synthesis of Hydroxy-Containing B oly(substituted methylene)sby Palladium-Mediated Polymerization and Poly(ester ther)s by Polycondensation through OH Insertion Reaction. <i>Macromolecules</i> , 2014 , 47, 4169-4177 | 5.5 | 32 |
| 57 | Palladium-mediated copolymerization of diazocarbonyl compounds with phenyldiazomethane. Journal of Polymer Science Part A, 2007 , 45, 1536-1545 | 2.5 | 31 |
| 56 | Pd-mediated polymerization of diazoacetates with aromatic ester group: Synthesis and photophysical property of poly(1-pyrenylmethoxycarbonylmethylene). <i>Journal of Polymer Science Part A</i> , 2013 , 51, 1020-1023 | 2.5 | 29 |
| 55 | Palladium-mediated polymerization of cyclic diazoketones. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 1638-1648 | 2.5 | 29 |
| 54 | Palladium-mediated Polymerization of Diazoacetamides. <i>Polymer Journal</i> , 2008 , 40, 1094-1098 | 2.7 | 28 |

| 53 | Synthesis of polymers with densely-grafted oligo(ethylene glycol)s by Pd-initiated polymerization of oxyethylene-containing diazoacetates. <i>Polymer Chemistry</i> , 2015 , 6, 8124-8131 | 4.9 | 26 | |
|----|--|-----|----|--|
| 52 | Fluorinated Poly(substituted methylene)s Prepared by Pd-Initiated Polymerization of Fluorine-Containing Alkyl and Phenyl Diazoacetates: Their Unique Solubility and Postpolymerization Modification. <i>Macromolecules</i> , 2018 , 51, 328-335 | 5.5 | 24 | |
| 51 | Pd-initiated controlled polymerization of diazoacetates with a bulky substituent: synthesis of well-defined homopolymers and block copolymers with narrow molecular weight distribution from cyclophosphazene-containing diazoacetates. <i>Polymer Chemistry</i> , 2015 , 6, 4709-4714 | 4.9 | 24 | |
| 50 | Cyclopolymerization of Bis(diazocarbonyl) Compounds Leading to Well-Defined Polymers Essentially Consisting of Cyclic Constitutional Units. <i>Macromolecules</i> , 2016 , 49, 8459-8465 | 5.5 | 19 | |
| 49 | Polycondensation of Bis(diazocarbonyl) Compounds with Aromatic Diols and Cyclic Ethers: Synthesis of New Type of Polyetherketones. <i>Macromolecules</i> , 2010 , 43, 4589-4598 | 5.5 | 19 | |
| 48 | Palladium-Mediated Polymerization of Bifunctional Diazocarbonyl Compounds: Preparation of Crosslinked Polymers by Copolymerization of Bi- and Monofunctional Diazocarbonyl Compounds. <i>Polymer Journal</i> , 2009 , 41, 1117-1123 | 2.7 | 18 | |
| 47 | Benzyne as a Monomer for Polymerization: Alternating Copolymerization of Benzyne and Pyridine To Give Novel Polymers with o-Phenylene and 2,3-Dihydropyridine Units in the Main Chain. <i>Macromolecules</i> , 2005 , 38, 2167-2172 | 5.5 | 18 | |
| 46 | Synthesis of Well-Defined Unsaturated Polyesters by Transition-Metal-Catalyzed Polycondensation of Bis(diazoacetate)s. <i>Macromolecules</i> , 2013 , 46, 5483-5487 | 5.5 | 17 | |
| 45 | Aromatic Polyesters with Flexible Side Chains. 8. Studies on Long Periodical Structure Observed in Layered Crystalline Phase. <i>Macromolecules</i> , 2000 , 33, 8367-8370 | 5.5 | 17 | |
| 44 | Effects of polystyrene-b-poly(aminomethyl styrene)s as stabilizers on dispersion polymerization of styrene in alcoholic media. <i>Journal of Colloid and Interface Science</i> , 2009 , 330, 292-7 | 9.3 | 14 | |
| 43 | Bulk and Thin Film Ordering in Side-Chain Liquid-Crystalline/Amorphous Diblock Copolymers: The Role of Chain Length. <i>Macromolecules</i> , 2004 , 37, 6401-6407 | 5.5 | 14 | |
| 42 | Pd-initiated polymerization of diazo compounds bearing dialkoxyphosphinyl group and hydrolysis of the resulting polymers and oligomers to afford phosphonic acid-containing products. <i>Journal of Polymer Science Part A</i> , 2016 , 54, 1742-1751 | 2.5 | 12 | |
| 41 | Dispersion polymerization of styrene using a polystyrene/poly(L-glutamic acid) block copolymer as a stabilizer. <i>Journal of Colloid and Interface Science</i> , 2012 , 388, 112-7 | 9.3 | 11 | |
| 40 | Radical copolymerization of methyl 2-norbornene-2-carboxylate and 2-phenyl-2-norbornene with styrene, alkyl acrylate, and methyl methacrylate: Facile incorporation of norbornane framework into polymer main chain and its effect on glass transition temperature. <i>Polymer</i> , 2010 , 51, 397-402 | 3.9 | 11 | |
| 39 | Organoaluminum-mediated polymerization of diazoketones. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 5209-5214 | 2.5 | 11 | |
| 38 | Side-Chain Liquid Crystalline Block Copolymers with Well Defined Structures Prepared by Living Anionic Polymerization IV. Microphase Morphology in Blends with Coil Homopolystyrenes. <i>Polymer Journal</i> , 2001 , 33, 783 | 2.7 | 11 | |
| 37 | Lithium ion conductivity of polymers containing N-phenyl-2,6-dimethoxybenzamide framework in their side chains: Possible role of bond rotation in polymer side chain substituents for efficient ion transport. <i>Solid State Ionics</i> , 2016 , 292, 1-7 | 3.3 | 11 | |
| 36 | Polymerization of alkyl diazoacetates initiated by the amidinate/Pd system: efficient synthesis of high molecular weight poly(alkoxycarbonylmethylene)s with moderate stereoregularity. <i>Polymer Chemistry</i> , 2017 , 8, 4030-4037 | 4.9 | 10 | |

| 35 | tBuOK/iBu3Al as New Initiating System for Controlled Anionic Polymerization of tert-Butyl Acrylate and Methyl Methacrylate. <i>Macromolecules</i> , 2004 , 37, 4048-4054 | 5.5 | 10 |
|----|--|--------------|----|
| 34 | Polymerization of Alkyl Diazoacetates Initiated by Pd(Naphthoquinone)/Borate Systems: Dual Role of Naphthoquinones as Oxidant and Anionic Ligand for Generating Active Pd(II) Species. <i>Macromolecules</i> , 2019 , 52, 6976-6987 | 5.5 | 9 |
| 33 | Surface structure of stimuli-responsive polystyrene particles prepared by dispersion polymerization with a polystyrene/poly(l-lysine) block copolymer as a stabilizer. <i>Polymer</i> , 2014 , 55, 3961-3969 | 3.9 | 9 |
| 32 | Side-Chain LC Block Copolymers with Well Defined Structures Prepared by Living Anionic Polymerization. 2: Effect of the Glass Transition Temperature of Amorphous Segments on the Phase Behaviour and Structure of the LC Segment. <i>High Performance Polymers</i> , 1998 , 10, 131-138 | 1.6 | 9 |
| 31 | HelixBoil transformation of poly(Ebenzyl-L-glutamate) with polystyrene attached to the N or C terminus in trifluoroacetic acidEhloroform mixtures. <i>Polymer Journal</i> , 2012 , 44, 189-194 | 2.7 | 8 |
| 30 | Pd-Initiated Polymerization of Dendron-Containing Diazoacetates to Afford Dendronized Poly(substituted methylene)s with Narrow Molecular Weight Distribution and Its Application to Synthesis of pH-Responsive Dendronized Polymers. <i>Macromolecules</i> , 2020 , 53, 6369-6379 | 5.5 | 8 |
| 29 | Surface structure and composition of narrowly-distributed functional polystyrene particles prepared by dispersion polymerization with poly(l-glutamic acid) macromonomer as stabilizer. <i>Polymer</i> , 2015 , 70, 183-193 | 3.9 | 7 |
| 28 | Poly(Eketo enol ether) Prepared by Three-Component Polycondensation of Bis(diazoketone), Bis(1,3-diketone), and Tetrahydrofuran: Mild Acid-Degradable Polymers To Afford Well-Defined Low Molecular Weight Components. <i>Macromolecules</i> , 2019 , 52, 5761-5768 | 5.5 | 7 |
| 27 | Thermally induced polymerization and copolymerization with styrene of diazoketones in the presence of benzoquinone. <i>Polymer Bulletin</i> , 2011 , 66, 3-15 | 2.4 | 7 |
| 26 | A novel synthetic strategy for copolymers of vinyl alcohol: Radical copolymerization of alkoxyvinylsilanes with styrene and oxidative transformation of C?Si(OR)2Me into C?OH in the copolymers to afford poly(vinyl alcohol-ran-styrene)s. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 3648- | 2.5 -3658 | 7 |
| 25 | Anionic polymerization of methyl methacrylate by initiating systems based on lithium amides of various secondary amines. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 4405-4411 | 2.5 | 7 |
| 24 | Ru-Catalyzed Polycondensation of Dialkyl 1,4-Phenylenebis(diazoacetate) with Dianiline: Synthesis of Well-Defined Aromatic Polyamines Bearing an Alkoxycarbonyl Group at the Adjacent Carbon of Each Nitrogen in the Main Chain Framework. <i>Macromolecules</i> , 2017 , 50, 9233-9238 | 5.5 | 6 |
| 23 | Radical copolymerization of alkyl 2-norbornene-2-carboxylate with alkyl acrylates: Facile incorporation of norbornane framework into poly(alkyl acrylate)s. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 4597-4605 | 2.5 | 6 |
| 22 | Homopolymerization and Copolymerization with Styrene of Various Alkoxyvinylsilanes and Oxidative Transformation of C-Si Bond in the Resulting Copolymers to Afford Poly[(vinyl alcohol)-co-styrene]s. <i>Polymer Journal</i> , 2008 , 40, 1140-1148 | 2.7 | 6 |
| 21 | ⊞Dibromotoluene as a monomer for poly (substituted methylene) synthesis: Magnesium-mediated polycondensation of ⊞dibromotoluene and magnesium/copper-mediated copolycondensation of ⊞dibromotoluene with 1,6-dibromohexane. | 2.5 | 6 |
| 20 | Side-Chain LC Block Copolymers with Well Defined Structures Prepared by Living Anionic Polymerization. 3: Effect of the Composition on the Microdomin Structure and the Phase Behavior of the LC Segment. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 347, 211-220 | | 6 |
| 19 | Effects of solvents, additives, and Eallyl ligand structures on the polymerization behavior of diazoacetates initiated by EallylPd complexes. <i>Polymer Chemistry</i> , 2020 , 11, 1774-1784 | 4.9 | 5 |
| 18 | Polymerization of Alkyl Diazoacetates Initiated with Pd Complexes. <i>Macromolecular Symposia</i> , 2015 , 349, 57-64 | 0.8 | 5 |

LIST OF PUBLICATIONS

| 17 | Anionic polymerization of methyl methacrylate and tert-butyl acrylate initiated with the YCl3/lithium amide/nBuLi systems. <i>Journal of Organometallic Chemistry</i> , 2007 , 692, 698-704 | 2.3 | 5 |
|----|--|-----------------------------|---|
| 16 | Cationic polymerization of isobutyl vinyl ether initiated with transition-metal ate complexes. Journal of Polymer Science Part A, 2006, 44, 2636-2641 | 2.5 | 5 |
| 15 | Anionic Polymerization of Methyl Methacrylate Initiated with Chromium and Vanadium Ate Complexes Incorporating Diisopropylamide Ligand. <i>Polymer Journal</i> , 2003 , 35, 972-977 | 2.7 | 5 |
| 14 | Molecular Weight Dependence of Phase Behavior in Side-Chain Liquid Crystalline Polymer Which Exhibits Reentrant Nematic Phase. <i>Japanese Journal of Applied Physics</i> , 2005 , 44, L381-L384 | 1.4 | 5 |
| 13 | Nonspherical Uniaxial Azobenzene Polymer Particles and Their Shape Changes under UV- or White-Light Irradiation for Stimuli-Response Applications. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 2485- | 2434 | 5 |
| 12 | Conformational Transformation of Poly(Ephenetyl-L-aspartate) in Block Copolymer with Polystyrene in 1,1,2,2-Tetrachloroethane. <i>Polymer Journal</i> , 2007 , 39, 853-860 | 2.7 | 4 |
| 11 | Carbon-carbon main chain polymer with accumulated oligo(ethylene glycol)-substituted cyclotriphosphazenes: Study on the LCST-type phase separation of organic-inorganic poly(substituted methylene)s. <i>Polymer Journal</i> , 2020 , 52, 51-56 | 2.7 | 4 |
| 10 | Control of lengths and densities of surface-attached chains on polymer particles prepared by dispersion polymerization using macromonomer stabilizer. <i>Polymer</i> , 2018 , 158, 158-165 | 3.9 | 4 |
| 9 | Single-Component Polycondensation of Bis(alkoxycarbonyldiazomethyl)aromatic Compounds To Afford Poly(arylene vinylene)s with an Alkoxycarbonyl Group on Each Vinylene Carbon Atom. <i>ACS Omega</i> , 2020 , 5, 4787-4797 | 3.9 | 3 |
| 8 | Controlled cationic polymer particles prepared by dispersion polymerizations using poly(l -lysine) macromonomers as a stabilizer. <i>Polymer</i> , 2017 , 118, 215-222 | 3.9 | 2 |
| 7 | Radical copolymerization of alkyl cyclobutenecarboxylates fused with cycloaliphatic framework with alkyl (meth)acrylates. <i>Journal of Polymer Science Part A</i> , 2013 , 51, 2716-2724 | 2.5 | 2 |
| 6 | Optical chirality of citronelloxy-cyanobiphenyl monolayer at an airWater interface studied by the MDC and SHG measurement. <i>Chemical Physics Letters</i> , 2005 , 407, 337-341 | 2.5 | 2 |
| 5 | Synthesis of polymers with a norbornane backbone by radical copolymerization of alkyl 2-norbornene-2-carboxylates for photoresist applications. <i>Polymer Journal</i> , 2013 , 45, 606-613 | 2.7 | 1 |
| 4 | Preparation of poly[(vinyl alcohol)-co-(methyl methacrylate)] by oxidative transformation of CBi bond in poly[di(isobutoxy)phenylvinylsilane-co-(methyl methacrylate)]. <i>Polymer Bulletin</i> , 2010 , 65, 123-1 | 3 2 ¹ | 1 |
| 3 | Mg-mediated Copolycondensation of ⊞ibromotoluene with Bifunctional Electrophiles. <i>Polymer Bulletin</i> , 2008 , 60, 211-218 | 2.4 | 1 |
| 2 | Polymerization of Diazocarbonyl Compounds Initiated with Pd Complexes. <i>Kobunshi Ronbunshu</i> , 2015 , 72, 375-384 | Ο | |
| 1 | Reactivity of poly(alkoxycarbonylmethylene)s under basic conditions: alkylation of main chain carbon atoms via a ketene silyl acetal-type intermediate and cleavage of the carbondarbon main chain. <i>Polymer Chemistry</i> , 2021 , 12, 689-701 | 4.9 | |