

Tomomichi Itoh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1715283/tomomichi-itoh-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

1,212
citations

20
h-index

31
g-index

72
ext. papers

1,359
ext. citations

3.9
avg, IF

4.06
L-index

#	Paper	IF	Citations
70	Reactivity of poly(alkoxycarbonylmethylene)s under basic conditions: alkylation of main chain carbon atoms via a ketene silyl acetal-type intermediate and cleavage of the carbon-carbon main chain. <i>Polymer Chemistry</i> , 2021 , 12, 689-701	4.9	
69	Single-Component Polycondensation of Bis(alkoxycarbonyldiazomethyl)aromatic Compounds To Afford Poly(arylene vinylene)s with an Alkoxycarbonyl Group on Each Vinylene Carbon Atom. <i>ACS Omega</i> , 2020 , 5, 4787-4797	3.9	3
68	Effects of solvents, additives, and allyl ligand structures on the polymerization behavior of diazoacetates initiated by allylPd complexes. <i>Polymer Chemistry</i> , 2020 , 11, 1774-1784	4.9	5
67	Nonspherical Uniaxial Azobenzene Polymer Particles and Their Shape Changes under UV- or White-Light Irradiation for Stimuli-Response Applications. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 2485-2494	4.3	5
66	Pd-Initiated Polymerization of Dendron-Containing Diazoacetates to Afford Dendronized Poly(substituted methylene)s with Narrow Molecular Weight Distribution and Its Application to Synthesis of pH-Responsive Dendronized Polymers. <i>Macromolecules</i> , 2020 , 53, 6369-6379	5.5	8
65	Carbon-carbon main chain polymer with accumulated oligo(ethylene glycol)-substituted cyclotriphosphazenes: Study on the LCST-type phase separation of organic-inorganic poly(substituted methylene)s. <i>Polymer Journal</i> , 2020 , 52, 51-56	2.7	4
64	Polymerization of Alkyl Diazoacetates Initiated by Pd(Naphthoquinone)/Borate Systems: Dual Role of Naphthoquinones as Oxidant and Anionic Ligand for Generating Active Pd(II) Species. <i>Macromolecules</i> , 2019 , 52, 6976-6987	5.5	9
63	Poly(β-keto enol ether) Prepared by Three-Component Polycondensation of Bis(diazoketone), Bis(1,3-diketone), and Tetrahydrofuran: Mild Acid-Degradable Polymers To Afford Well-Defined Low Molecular Weight Components. <i>Macromolecules</i> , 2019 , 52, 5761-5768	5.5	7
62	Fluorinated Poly(substituted methylene)s Prepared by Pd-Initiated Polymerization of Fluorine-Containing Alkyl and Phenyl Diazoacetates: Their Unique Solubility and Postpolymerization Modification. <i>Macromolecules</i> , 2018 , 51, 328-335	5.5	24
61	Control of lengths and densities of surface-attached chains on polymer particles prepared by dispersion polymerization using macromonomer stabilizer. <i>Polymer</i> , 2018 , 158, 158-165	3.9	4
60	Controlled cationic polymer particles prepared by dispersion polymerizations using poly(L-lysine) macromonomers as a stabilizer. <i>Polymer</i> , 2017 , 118, 215-222	3.9	2
59	Polymerization of alkyl diazoacetates initiated by the amidinate/Pd system: efficient synthesis of high molecular weight poly(alkoxycarbonylmethylene)s with moderate stereoregularity. <i>Polymer Chemistry</i> , 2017 , 8, 4030-4037	4.9	10
58	Ru-Catalyzed Polycondensation of Dialkyl 1,4-Phenylenebis(diazoacetate) with Dianiline: Synthesis of Well-Defined Aromatic Polyamines Bearing an Alkoxycarbonyl Group at the Adjacent Carbon of Each Nitrogen in the Main Chain Framework. <i>Macromolecules</i> , 2017 , 50, 9233-9238	5.5	6
57	Cyclopolymerization of Bis(diazocarbonyl) Compounds Leading to Well-Defined Polymers Essentially Consisting of Cyclic Constitutional Units. <i>Macromolecules</i> , 2016 , 49, 8459-8465	5.5	19
56	Pd-initiated polymerization of diazo compounds bearing dialkoxyphosphinyl group and hydrolysis of the resulting polymers and oligomers to afford phosphonic acid-containing products. <i>Journal of Polymer Science Part A</i> , 2016 , 54, 1742-1751	2.5	12
55	Lithium ion conductivity of polymers containing N-phenyl-2,6-dimethoxybenzamide framework in their side chains: Possible role of bond rotation in polymer side chain substituents for efficient ion transport. <i>Solid State Ionics</i> , 2016 , 292, 1-7	3.3	11
54	Surface structure and composition of narrowly-distributed functional polystyrene particles prepared by dispersion polymerization with poly(L-glutamic acid) macromonomer as stabilizer. <i>Polymer</i> , 2015 , 70, 183-193	3.9	7

53	Synthesis of polymers with densely-grafted oligo(ethylene glycol)s by Pd-initiated polymerization of oxyethylene-containing diazoacetates. <i>Polymer Chemistry</i> , 2015 , 6, 8124-8131	4.9	26
52	Polymerization of Diazocarbonyl Compounds Initiated with Pd Complexes. <i>Kobunshi Ronbunshu</i> , 2015 , 72, 375-384	0	
51	Polymerization of Alkyl Diazoacetates Initiated with Pd Complexes. <i>Macromolecular Symposia</i> , 2015 , 349, 57-64	0.8	5
50	Pd-initiated controlled polymerization of diazoacetates with a bulky substituent: synthesis of well-defined homopolymers and block copolymers with narrow molecular weight distribution from cyclophosphazene-containing diazoacetates. <i>Polymer Chemistry</i> , 2015 , 6, 4709-4714	4.9	24
49	Polymerization of Hydroxy-Containing Diazoacetates: Synthesis of Hydroxy-Containing Poly(substituted methylene)s by Palladium-Mediated Polymerization and Poly(ester ether)s by Polycondensation through O _H Insertion Reaction. <i>Macromolecules</i> , 2014 , 47, 4169-4177	5.5	32
48	Surface structure of stimuli-responsive polystyrene particles prepared by dispersion polymerization with a polystyrene/poly(L-lysine) block copolymer as a stabilizer. <i>Polymer</i> , 2014 , 55, 3961-3969	3.9	9
47	Synthesis of Well-Defined Unsaturated Polyesters by Transition-Metal-Catalyzed Polycondensation of Bis(diazoacetate)s. <i>Macromolecules</i> , 2013 , 46, 5483-5487	5.5	17
46	Radical copolymerization of alkyl cyclobutenecarboxylates fused with cycloaliphatic framework with alkyl (meth)acrylates. <i>Journal of Polymer Science Part A</i> , 2013 , 51, 2716-2724	2.5	2
45	Pd-mediated polymerization of diazoacetates with aromatic ester group: Synthesis and photophysical property of poly(1-pyrenylmethoxycarbonylmethylene). <i>Journal of Polymer Science Part A</i> , 2013 , 51, 1020-1023	2.5	29
44	Synthesis of polymers with a norbornane backbone by radical copolymerization of alkyl 2-norbornene-2-carboxylates for photoresist applications. <i>Polymer Journal</i> , 2013 , 45, 606-613	2.7	1
43	AllylPdCl ₂ -Based Initiating Systems for Polymerization of Alkyl Diazoacetates: Initiation and Termination Mechanism Based on Analysis of Polymer Chain End Structures. <i>Macromolecules</i> , 2012 , 45, 6869-6877	5.5	33
42	Dispersion polymerization of styrene using a polystyrene/poly(L-glutamic acid) block copolymer as a stabilizer. <i>Journal of Colloid and Interface Science</i> , 2012 , 388, 112-7	9.3	11
41	Helix-coil transformation of poly(L-benzyl-L-glutamate) with polystyrene attached to the N or C terminus in trifluoroacetic acid/chloroform mixtures. <i>Polymer Journal</i> , 2012 , 44, 189-194	2.7	8
40	Three-Component Polycondensation of Bis(diazoketone) with Dicarboxylic Acids and Cyclic Ethers: Synthesis of New Types of Poly(ester ether ketone)s. <i>Macromolecules</i> , 2011 , 44, 5955-5960	5.5	42
39	Thermally induced polymerization and copolymerization with styrene of diazoketones in the presence of benzoquinone. <i>Polymer Bulletin</i> , 2011 , 66, 3-15	2.4	7
38	Polymerization of Various Alkyl Diazoacetates Initiated with (N-Heterocyclic Carbene)Pd/Borate Systems. <i>Macromolecules</i> , 2011 , 44, 3287-3292	5.5	41
37	Polycondensation of Bis(diazocarbonyl) Compounds with Aromatic Diols and Cyclic Ethers: Synthesis of New Type of Polyetherketones. <i>Macromolecules</i> , 2010 , 43, 4589-4598	5.5	19
36	Preparation of poly[(vinyl alcohol)-co-(methyl methacrylate)] by oxidative transformation of C ₆₀ bond in poly[di(isobutoxy)phenylvinylsilane-co-(methyl methacrylate)]. <i>Polymer Bulletin</i> , 2010 , 65, 123-134	2.4	1

35	Radical copolymerization of methyl 2-norbornene-2-carboxylate and 2-phenyl-2-norbornene with styrene, alkyl acrylate, and methyl methacrylate: Facile incorporation of norbornane framework into polymer main chain and its effect on glass transition temperature. <i>Polymer</i> , 2010 , 51, 397-402	3.9	11
34	Effects of polystyrene- <i>b</i> -poly(aminomethyl styrene)s as stabilizers on dispersion polymerization of styrene in alcoholic media. <i>Journal of Colloid and Interface Science</i> , 2009 , 330, 292-7	9.3	14
33	Palladium-Mediated Polymerization of Bifunctional Diazocarbonyl Compounds: Preparation of Crosslinked Polymers by Copolymerization of Bi- and Monofunctional Diazocarbonyl Compounds. <i>Polymer Journal</i> , 2009 , 41, 1117-1123	2.7	18
32	(<i>N</i> -Heterocyclic Carbene)Pd/Borate Initiating Systems for Polymerization of Ethyl Diazoacetate. <i>Macromolecules</i> , 2009 , 42, 8608-8610	5.5	50
31	Mg-mediated Copolycondensation of p-Cl_2 -Dibromotoluene with Bifunctional Electrophiles. <i>Polymer Bulletin</i> , 2008 , 60, 211-218	2.4	1
30	Palladium-mediated polymerization of cyclic diazoketones. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 1638-1648	2.5	29
29	Homopolymerization and Copolymerization with Styrene of Various Alkoxyvinylsilanes and Oxidative Transformation of C-Si Bond in the Resulting Copolymers to Afford Poly[(vinyl alcohol)- <i>co</i> -styrene]s. <i>Polymer Journal</i> , 2008 , 40, 1140-1148	2.7	6
28	Palladium-mediated Polymerization of Diazoacetamides. <i>Polymer Journal</i> , 2008 , 40, 1094-1098	2.7	28
27	Anionic polymerization of methyl methacrylate and tert-butyl acrylate initiated with the YCl ₃ /lithium amide/ <i>n</i> BuLi systems. <i>Journal of Organometallic Chemistry</i> , 2007 , 692, 698-704	2.3	5
26	Palladium-mediated copolymerization of diazocarbonyl compounds with phenyldiazomethane. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 1536-1545	2.5	31
25	A novel synthetic strategy for copolymers of vinyl alcohol: Radical copolymerization of alkoxyvinylsilanes with styrene and oxidative transformation of C-Si(OR) ₂ Me into C-OH in the copolymers to afford poly(vinyl alcohol- <i>ran</i> -styrene)s. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 3648-3658	2.5	7
24	Radical copolymerization of alkyl 2-norbornene-2-carboxylate with alkyl acrylates: Facile incorporation of norbornane framework into poly(alkyl acrylate)s. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 4597-4605	2.5	6
23	Organoaluminum-mediated polymerization of diazoketones. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 5209-5214	2.5	11
22	Conformational Transformation of Poly(β -phenethyl-L-aspartate) in Block Copolymer with Polystyrene in 1,1,2,2-Tetrachloroethane. <i>Polymer Journal</i> , 2007 , 39, 853-860	2.7	4
21	Ionic Conductivity of Cross-linked Polymethacrylate Derivatives/Cyclophosphazenes/Li ⁺ Salt Complexes. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2007 , 17, 367-375	3.2	41
20	Transition Metal-Mediated Copolymerization of Diazocarbonyl Compounds with Alkyne and Isocyanide. <i>Macromolecules</i> , 2006 , 39, 6440-6444	5.5	35
19	Cationic polymerization of isobutyl vinyl ether initiated with transition-metal ate complexes. <i>Journal of Polymer Science Part A</i> , 2006 , 44, 2636-2641	2.5	5
18	p-Cl_2 -Dibromotoluene as a monomer for poly (substituted methylene) synthesis: Magnesium-mediated polycondensation of p-Cl_2 -dibromotoluene and magnesium/copper-mediated copolycondensation of p-Cl_2 -dibromotoluene with 1,6-dibromohexane. <i>Journal of Polymer Science Part A</i> , 2006 , 44, 5661-5671	2.5	6

17	Ordering on multiple lengthscales in a series of side group liquid crystal block copolymers containing a cholesteryl-based mesogen. <i>Soft Matter</i> , 2005 , 1, 355-363	3.6	69
16	First Synthesis of Poly(acylmethylene)s via Palladium-Mediated Polymerization of Diazoketones. <i>Macromolecules</i> , 2005 , 38, 2101-2108	5.5	60
15	Benzyne as a Monomer for Polymerization: Alternating Copolymerization of Benzyne and Pyridine To Give Novel Polymers with <i>o</i> -Phenylene and 2,3-Dihydropyridine Units in the Main Chain. <i>Macromolecules</i> , 2005 , 38, 2167-2172	5.5	18
14	Optical chirality of citronelloxy-cyanobiphenyl monolayer at an air/water interface studied by the MDC and SHG measurement. <i>Chemical Physics Letters</i> , 2005 , 407, 337-341	2.5	2
13	Anionic polymerization of methyl methacrylate by initiating systems based on lithium amides of various secondary amines. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 4405-4411	2.5	7
12	Molecular Weight Dependence of Phase Behavior in Side-Chain Liquid Crystalline Polymer Which Exhibits Reentrant Nematic Phase. <i>Japanese Journal of Applied Physics</i> , 2005 , 44, L381-L384	1.4	5
11	Orientation of Microphase-Segregated Cylinders in Liquid Crystalline Diblock Copolymer by Magnetic Field. <i>Japanese Journal of Applied Physics</i> , 2005 , 44, L711-L714	1.4	34
10	Bulk and Thin Film Ordering in Side-Chain Liquid-Crystalline/Amorphous Diblock Copolymers: The Role of Chain Length. <i>Macromolecules</i> , 2004 , 37, 6401-6407	5.5	14
9	tBuOK/iBu ₃ Al as New Initiating System for Controlled Anionic Polymerization of tert-Butyl Acrylate and Methyl Methacrylate. <i>Macromolecules</i> , 2004 , 37, 4048-4054	5.5	10
8	Interplay between Smectic Ordering and Microphase Separation in a Series of Side-Group Liquid-Crystal Block Copolymers. <i>Macromolecules</i> , 2004 , 37, 4798-4807	5.5	110
7	Anionic Polymerization of Methyl Methacrylate Initiated with Chromium and Vanadium Ate Complexes Incorporating Diisopropylamide Ligand. <i>Polymer Journal</i> , 2003 , 35, 972-977	2.7	5
6	Hierarchical Order in a Side-Group Liquid Crystalline Block Copolymer. <i>Macromolecules</i> , 2003 , 36, 8898-8901	3.5	35
5	Side-Chain Liquid Crystalline Block Copolymers with Well Defined Structures Prepared by Living Anionic Polymerization IV. Microphase Morphology in Blends with Coil Homopolystyrenes. <i>Polymer Journal</i> , 2001 , 33, 783	2.7	11
4	Aromatic Polyesters with Flexible Side Chains. 8. Studies on Long Periodical Structure Observed in Layered Crystalline Phase. <i>Macromolecules</i> , 2000 , 33, 8367-8370	5.5	17
3	Side-Chain LC Block Copolymers with Well Defined Structures Prepared by Living Anionic Polymerization. 3: Effect of the Composition on the Microdomain Structure and the Phase Behavior of the LC Segment. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 347, 211-220		6
2	Synthesis of Side-Chain Liquid Crystalline Homopolymers and Block Copolymers with Cyanobiphenyl Moieties as the Mesogen by Living Anionic Polymerization and Their Thermotropic Phase Behavior. <i>Macromolecules</i> , 1999 , 32, 282-289	5.5	46
1	Side-Chain LC Block Copolymers with Well Defined Structures Prepared by Living Anionic Polymerization. 2: Effect of the Glass Transition Temperature of Amorphous Segments on the Phase Behaviour and Structure of the LC Segment. <i>High Performance Polymers</i> , 1998 , 10, 131-138	1.6	9