

# Tuan Nguyen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1718169/tuan-nguyen-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

255  
papers

4,925  
citations

34  
h-index

54  
g-index

273  
ext. papers

6,594  
ext. citations

4.7  
avg, IF

0.27  
L-index

#	Paper	IF	Citations
255	Performance of the ATLAS Level-1 topological trigger in Run $\sqrt{s}$ . <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	0
254	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
253	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	
252	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using ( $\sqrt{s} = 13$ TeV) proton-proton collision data. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	2
251	Measurement of the $t\bar{t}$ production cross section in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
250	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
249	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
248	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
247	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
246	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
245	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
244	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	5
243	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	2
242	Search for heavy resonances decaying into a pair of Z bosons in the $(e^+e^- \rightarrow e^+e^- Z Z)$ and $(e^+e^- \rightarrow e^+e^- \nu\bar{\nu} Z Z)$ final states using 139 fb $^{-1}$ of proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	8
241	Search for new phenomena in final states with b-jets and missing transverse momentum in ( $\sqrt{s} = 13$ TeV) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
240	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $(e^+e^- \rightarrow e^+e^- Z H)$ and $(e^+e^- \rightarrow e^+e^- W W)$ final states in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
239	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s} = 13$ TeV). <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3

238	Measurements of $W+W\bar{b}$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
237	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
236	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s}=13,\text{TeV})$ . <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	0
235	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
234	Search for supersymmetry in events with four or more charged leptons in 139 fb of $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
233	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{b}$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
232	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
231	A search for the decays of stopped long-lived particles at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
230	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	13
229	Measurement of hadronic event shapes in high- $p_T$ multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
228	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb of $(\sqrt{s}) = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
227	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	5
226	Measurements of WH and ZH production in the $(H \rightarrow \bar{b}b)$ decay channel in pp collisions at $(13,\text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
225	Search for dark matter in association with an energetic photon in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
224	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	0
223	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $(\sqrt{s} = 8,\text{TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
222	Jet energy scale and resolution measured in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	11
221	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $(\sqrt{s} = 13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1

220	Search for dark matter produced in association with a single top quark in ( $\sqrt{s}=13$ ) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	4
219	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at ( $\sqrt{s}$ ) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
218	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
217	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
216	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
215	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
214	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
213	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow \mu \bar{\nu}_\mu$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
212	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
211	Higgs boson production cross-section measurements and their EFT interpretation in the ( $4\ell$ ) decay channel at ( $\sqrt{s}$ )=13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	12
210	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
209	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
208	Search for dijet resonances in events with an isolated charged lepton using ( $\sqrt{s}$ ) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
207	Measurement of the $Z(\rightarrow \mu\mu)$ production cross-section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
206	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at ( $\sqrt{s}$ )=8) and 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
205	Transverse momentum and process dependent azimuthal anisotropies in ( $\sqrt{s}_{\text{NN}}=8.16$ ) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
204	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	30
203	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ( $\sqrt{s}$ )=13 (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	50

202	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	1
201	Evidence for ( $t\bar{t}$ ) production in the multilepton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
200	Search for heavy diboson resonances in semileptonic final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
199	Search for light long-lived neutral particles produced in pp collisions at ( $\sqrt{s} = 13$ -mathrm {TeV}) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
198	Search for a scalar partner of the top quark in the all-hadronic ( $t\bar{t}$ ) plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	17
197	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
196	Determination of jet calibration and energy resolution in proton-proton collisions at ( $\sqrt{s} = 8$ -hbox {TeV}) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
195	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at ( $\sqrt{\text{mathrm}{s}} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
194	Search for ( $\overline{t}$ ) resonances in fully hadronic final states in pp collisions at ( $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
193	Reconstruction and identification of boosted di- $\mathbb{B}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
192	Measurements of inclusive and differential cross-sections of combined ( $\overline{t}\gamma$ ) and $tW$ production in the $e\bar{t}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
191	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
190	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
189	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at ( $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	9
188	Fluctuations of anisotropic flow in Pb+Pb collisions at ( $\sqrt{\text{mathrm}{s}}_{\text{mathrm}{NN}} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13
187	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
186	Measurement of differential cross sections for single diffractive dissociation in ( $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
185	Measurement of isolated-photon plus two-jet production in pp collisions at ( $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2

184	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
183	Search for the $HH \rightarrow \overline{b}b$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
182	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
181	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	7
180	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	1
179	Measurements of top-quark pair spin correlations in the $(e\mu)$ channel at $(\sqrt{s}) = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	8
178	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	11
177	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	8
176	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	37
175	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	2
174	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	14
173	Search for top-quark decays $t \rightarrow Hq$ with 36 fb <sup>-1</sup> of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	13
172	Measurement of $VH$ , ( $\mathit{H} \rightarrow \overline{b}b$ ) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	8
171	Measurements of W and Z boson production in pp collisions at $(\sqrt{s}) = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	12
170	Performance of top-quark and $(W)$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	19
169	Measurements of inclusive and differential fiducial cross-sections of $(\overline{t}t)\gamma$ production in leptonic final states at $(\sqrt{s}) = 13$ TeV in ATLAS. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	7
168	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017	1	25
167	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58	4-2	20

166	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
165	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
164	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	26
163	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at ( $\sqrt{s}$ ) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
162	Measurement of the top quark mass in the ( $t\bar{t} \rightarrow \ell\ell$ ) lepton+jets channel from ( $\sqrt{s}=8$ ) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	24
161	Search for pair production of Higgs bosons in the ( $b\bar{b}$ ) final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
160	Constraints on mediator-based dark matter and scalar dark energy models using ( $\sqrt{s}$ ) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
159	Search for long-lived neutral particles in pp collisions at ( $\sqrt{s} = 13$ TeV) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	18
158	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at ( $\sqrt{s} = 13$ TeV). <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
157	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
156	Measurement of ( $W^{\pm}Z$ ) production cross sections and gauge boson polarisation in pp collisions at ( $\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	20
155	Searches for third-generation scalar leptoquarks in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
154	Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
153	Search for diboson resonances in hadronic final states in 139 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
152	Search for excited electrons singly produced in proton-proton collisions at ( $\sqrt{s} \sim 13$ TeV) with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	3
151	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	11
150	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	3
149	Measurement of the inclusive isolated-photon cross section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV using 36 fb <sup>-1</sup> of ATLAS data. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2

148	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	14
147	Measurement of the top-quark mass in $(\overline{t}) + 1$ -jet events collected with the ATLAS detector in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
146	Measurement of fiducial and differential $(W^+W^-)$ production cross-sections at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
145	Measurement of ZZ production in the $\Gamma$ final state with the ATLAS detector in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
144	Measurement of $(W^{\pm})$ -boson and Z-boson production cross-sections in pp collisions at $(\sqrt{s}=2.76)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2
143	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
142	Measurement of $(W^{\pm})$ boson production in Pb+Pb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02 \sim \text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
141	ATLAS b-jet identification performance and efficiency measurement with $(t\bar{t})$ events in pp collisions at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	43
140	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02 \sim \text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
139	Measurements of top-quark pair differential and double-differential cross-sections in the $(\ell\ell) + \text{jets}$ channel with pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	13
138	Search for bottom-quark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
137	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	81
136	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $(\sqrt{s}=13)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
135	Measurement of the $(Z)$ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110	4.2	59
134	Search for new phenomena in high-mass final states with a photon and a jet from collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102	4.2	7
133	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154	4.2	23
132	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142	4.2	35
131	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171	4.2	35



130	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186	4.2	5
129	Search for heavy resonances in the and final states using proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293	4.2	41
128	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250	4.2	28
127	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	26
126	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24	4.2	47
125	Search for W W/W Z resonance production in $\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
124	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	36
123	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
122	Search for dark matter produced in association with bottom or top quarks in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18	4.2	32
121	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199	4.2	55
120	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163	4.2	3
119	Searches for heavy ZZ and ZW resonances in the $\bar{q}q$ and $\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	17
118	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
117	Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
116	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}=7$ , hbox {TeV} ) with the ATLAS detector <b>2018</b> , 78, 1		1
115	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}=13$ , text {TeV} ) <b>2018</b> , 78, 1		1
114	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector <b>2018</b> , 2018, 1		1
113	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14

112	Measurement of the ( $Z \rightarrow \nu \bar{\nu}$ ) production cross section in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
111	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784	4.2	8
110	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007	4.2	21
109	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847	4.2	5
108	Angular analysis of $B \rightarrow D^* \mu \mu$ decays in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	44
107	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401	4.2	23
106	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
105	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
104	Search for Higgs boson pair production in the ( $bb \rightarrow \gamma \gamma$ ) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
103	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	21
102	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997	4.2	21
101	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903	4.2	66
100	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995	4.2	49
99	Search for charged Higgs bosons decaying into top and bottom quarks at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	39
98	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , <b>2018</b> , 78, 987	4.2	13
97	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
96	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
95	Search for top-quark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33

94	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	48
93	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
92	Search for charged Higgs bosons decaying via $H_{\pm} \rightarrow \tau \nu_{\tau}$ in the $\tau$ -jets and $\tau$ -lepton final states with 36 fb <sup>-1</sup> of pp collision data recorded at ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
91	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762	4.2	23
90	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
89	Search for exclusive Higgs and Z boson decays to $\tau\tau$ and $\tau\nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
88	Measurements of b-jet tagging efficiency with the ATLAS detector using ( $\overline{t}$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	31
87	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
86	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487	4.2	5
85	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565	4.2	34
84	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 625	4.2	15
83	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	101
82	Measurement of the $\sigma(\text{pp} \rightarrow \tau\tau)$ and $\sigma(\text{pp} \rightarrow \tau\tau + \text{jet})$ production cross sections in multilepton final states using 3.2 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40	4.2	14
81	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26	4.2	22
80	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
79	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220	4.2	5
78	Measurement of the boson polarisation in $\tau\tau$ events from collisions at $\sqrt{s}=8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264	4.2	19
77	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4.2	61

76	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
75	Measurement of the prompt [Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76	4.2	47
74	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13
73	Fiducial, total and differential cross-section measurements of $\gamma$ -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531	4.2	27
72	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474	4.2	14
71	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466	4.2	42
70	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428	4.2	48
69	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
68	Measurement of lepton differential distributions and the top quark mass in production in collisions at 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804	4.2	11
67	Measurement of the ( $\overline{t}\gamma$ ) production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
66	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
65	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673	4.2	33
64	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] [Formula: see text] [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144	4.2	8
63	Measurement of the ZZ production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the $ZZ \rightarrow \tau\tau$ and ( $ZZ \rightarrow \ell\ell \rightarrow \ell\ell \nu \overline{\nu}$ ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
62	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
61	Measurements of $\chi(3512)$ and $X(3872) \rightarrow \ell\ell \gamma$ production in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
60	Measurements of top-quark pair to Z-boson cross-section ratios at ( $\sqrt{s}=13$ ), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
59	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70	4.2	52

58	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
57	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332	4.2	29
56	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361	4.2	26
55	Precision measurement and interpretation of inclusive , and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
54	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379	4.2	35
53	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393	4.2	52
52	Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13$ ) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
51	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898	4.2	19
50	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
49	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765	4.2	10
48	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5
47	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	13
46	Measurement of the inclusive jet cross-sections in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
45	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	27
44	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580	4.2	16
43	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563	4.2	15
42	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ( $\sqrt{s}=13$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
41	Searches for the Z decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20

40	Studies of $Z\bar{\nu}\nu$ production in association with a high-mass dijet system in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
39	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	12
38	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \bar{\nu}\nu$ in $(\sqrt{s}=13)$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	12
37	Study of $W$ production in collisions at $\sqrt{s}=13$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646	4-2	11
36	Measurements of top quark spin observables in $(\overline{t}t)$ events using dilepton final states in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	12
35	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	8
34	Top-quark mass measurement in the all-hadronic $(\overline{t}t)$ decay channel at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	6
33	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	16
32	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	30
31	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb <sup>-1</sup> of $(\sqrt{s}=13)$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	22
30	Search for pair production of heavy vector-like quarks decaying to high- $p_T$ $W$ bosons and $b$ quarks in the lepton-plus-jets final state in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	29
29	Measurement of the $k_T$ splitting scales in $Z \rightarrow \nu\bar{\nu}$ events in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	3
28	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the $t$ -channel at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
27	Evidence for the $(H \rightarrow \overline{b}b)$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	50
26	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	126
25	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872	4-2	19
24	Measurement of jet activity in top quark events using the $e\bar{\nu}$ final state with two $b$ -tagged jets in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	4
23	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	13

22	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653	4.2	188
21	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683	4.2	7
20	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
19	Searches for heavy diboson resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
18	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
17	Search for the Standard Model Higgs boson decaying into ( $\overline{b}b$ ) produced in association with top quarks decaying hadronically in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
16	Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] =13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392	4.2	53
15	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	24
14	Study of hard double-parton scattering in four-jet events in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
13	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
12	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502	4.2	37
11	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547	4.2	25
10	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
9	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666	4.2	53
8	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670	4.2	7
7	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541	4.2	7
6	Search for the Higgs boson produced in association with a boson and decaying to four $b$ -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605	4.2	16
5	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292	4.2	263

4	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513	4-2	27
3	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=3$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517	4-2	17
2	Search for resonances in diphoton events at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	49
1	Measurement of the relative width difference of the ( $\{B\}^0\text{hbox{-}}\{\overline{B}\}^0$ ) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	5