

Christian Morel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/171938/christian-morel-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

3,244
citations

23
h-index

56
g-index

119
ext. papers

4,041
ext. citations

2.2
avg, IF

3.74
L-index

#	Paper	IF	Citations
99	Advanced Monte Carlo simulations of emission tomography imaging systems with GATE. <i>Physics in Medicine and Biology</i> , 2021 , 66,	3.8	9
98	A time-of-flight-based reconstruction for real-time prompt-gamma imaging in proton therapy. <i>Physics in Medicine and Biology</i> , 2021 , 66,	3.8	1
97	ProMeSCT: A Proximal Metric Algorithm for Spectral CT. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2021 , 5, 548-558	4.2	0
96	Roadmap toward the 10 ps time-of-flight PET challenge. <i>Physics in Medicine and Biology</i> , 2020 , 65, 21RM018	9.8	63
95	MAPSSIC, a communicating MAPS-based intracerebral positrons probe for deep brain imaging in awake and freely-moving rats. <i>EPJ Web of Conferences</i> , 2020 , 225, 09002	0.3	0
94	On the Role of Single Particle Irradiation and Fast Timing for Efficient Online-Control in Particle Therapy. <i>Frontiers in Physics</i> , 2020 , 8,	3.9	4
93	Design study of a Scintillator-crystal targeting tens of picoseconds time resolution for gamma ray imaging: the ClearMind detector. <i>Journal of Instrumentation</i> , 2020 , 15, P07029-P07029	1	6
92	MAPSSIC, a Novel CMOS Intracerebral Positrons Probe for Deep Brain Imaging in Awake and Freely Moving Rats: A Monte Carlo Study. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2019 , 3, 302-314	4.2	2
91	Tracking Dynamics of Spontaneous Tumors in Mice Using Photon-Counting Computed Tomography. <i>iScience</i> , 2019 , 21, 68-83	6.1	5
90	Temporal Imaging CeBr3 Compton Camera: A New Concept for Nuclear Decommissioning and Nuclear Waste Management. <i>EPJ Web of Conferences</i> , 2018 , 170, 06003	0.3	6
89	Implantable CMOS pixel sensor for positron imaging in rat brain. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2018 , 911, 19-24	1.2	3
88	Simulation results for PLATO: a prototype hybrid X-ray photon counting detector with a low energy threshold for fusion plasma diagnostics. <i>Journal of Instrumentation</i> , 2017 , 12, C01036-C01036	1	0
87	Temporal imaging: Observation and localization of a compton effect inside a 20 mm monolithic LYSO plate with a Philips digital Si-PM 2016 ,		1
86	Simultaneous reconstruction and separation in a spectral CT framework 2016 ,		1
85	Characterization of the imaging performance of a micro-CT system based on the photon counting XPAD3/Si hybrid pixel detectors. <i>Biomedical Physics and Engineering Express</i> , 2016 , 2, 025003	1.5	4
84	Development of a Compton camera for medical applications based on silicon strip and scintillation detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2015 , 787, 98-101	1.2	66
83	PIXSIC, a pixelated β -sensitive probe for radiopharmacological investigations in rat brain: binding studies with [18 F]MPPF. <i>Molecular Imaging and Biology</i> , 2015 , 17, 163-7	3.8	3

82	K-edge imaging with the XPAD3 hybrid pixel detector, direct comparison of CdTe and Si sensors. <i>Physics in Medicine and Biology</i> , 2015 , 60, 5497-511	3.8	3
81	PIXSIC: A Wireless Intracerebral Radiosensitive Probe in Freely Moving Rats. <i>Molecular Imaging</i> , 2015 , 14, 7290.2015.00020	3.7	5
80	Monte-Carlo simulation based estimation of NECR, sensitivity, and spatial resolution of a novel preclinical PET insert for MR 2015 ,		4
79	A large surface X-ray camera based on XPAD3/CdTe single chip hybrids. <i>Journal of Instrumentation</i> , 2015 , 10, C11010-C11010	1	2
78	Comparison of three types of XPAD3.2/CdTe single chip hybrids for hard X-ray applications in material science and biomedical imaging. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2014 , 758, 44-56	1.2	7
77	A wireless beta-microprobe based on pixelated silicon for in vivo brain studies in freely moving rats. <i>Physics in Medicine and Biology</i> , 2013 , 58, 4483-500	3.8	6
76	A data acquisition system for medical imaging 2013 ,		4
75	First K-Edge Imaging With a Micro-CT Based on the XPAD3 Hybrid Pixel Detector. <i>IEEE Transactions on Nuclear Science</i> , 2013 , 60, 103-108	1.7	14
74	Geant4-based Monte Carlo simulations on GPU for medical applications. <i>Physics in Medicine and Biology</i> , 2013 , 58, 5593-611	3.8	44
73	Hybrid GATE: A GPU/CPU implementation for imaging and therapy applications 2012 ,		4
72	GATE V6: a major enhancement of the GATE simulation platform enabling modelling of CT and radiotherapy. <i>Physics in Medicine and Biology</i> , 2011 , 56, 881-901	3.8	488
71	Performance and Applications of the CdTe- and Si-XPAD3 photon counting 2D detector. <i>Journal of Instrumentation</i> , 2011 , 6, C01080-C01080	1	8
70	New concept of a submillimetric pixelated Silicon detector for intracerebral application. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 659, 499-503	1.2	1
69	Study of the charge sharing effect in the photon-counting pixel detector XPAD3-S. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 633, S111-S113	1.2	8
68	Neutron imaging with the XPAD3-S hybrid pixel detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 634, 85-90	1.2	
67	. <i>IEEE Transactions on Nuclear Science</i> , 2010 , 57, 242-245	1.7	2
66	PIXSIC: A Pixelated Beta-Microprobe for Kinetic Measurements of Radiotracers on Awake and Freely Moving Small Animals. <i>IEEE Transactions on Nuclear Science</i> , 2010 , 57, 998-1007	1.7	5
65	Design and construction of the ClearPET/XPAD small animal PET/CT scanner 2009 ,		3

64	Imaging performance of the hybrid pixel detectors XPAD3-S. <i>Physics in Medicine and Biology</i> , 2009 , 54, 1773-89	3.8	21
63	A geometrical calibration method for the PIXSCAN micro-CT scanner. <i>Journal of Instrumentation</i> , 2009 , 4, P07016-P07016	1	11
62	XPAD3 hybrid pixel detector applications. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009 , 607, 233-235	1.2	23
61	Simulation of PIXSCAN, a photon counting micro-CT for small animal imaging. <i>Journal of Instrumentation</i> , 2009 , 4, P05012-P05012	1	3
60	Normalisation of Histogrammed List Mode Data. <i>IEEE Transactions on Nuclear Science</i> , 2008 , 55, 543-551	1.7	12
59	Measured imaging performance of photon counting hybrid pixel X-ray detectors 2008 ,		1
58	A 20kpixels CdTe photon-counting imager using XPAD chip. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008 , 589, 268-274	1.2	27
57	XPAD3-S: A fast hybrid pixel readout chip for X-ray synchrotron facilities. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008 , 591, 159-162	1.2	47
56	Count rate performance study of the Lausanne ClearPET scanner demonstrator. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 571, 207-210	1.2	9
55	XPAD3: A new photon counting chip for X-ray CT-scanner. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 571, 321-324	1.2	44
54	XPAD: A photons counting pixel detector for material sciences and small-animal imaging. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 572, 250-253	1.2	25
53	Evaluation of tomographic reconstruction methods for small animal microCT and microPET/CT. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 571, 278-281	1.2	1
52	PIXSCAN: Pixel detector CT-scanner for small animal imaging. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 571, 425-428	1.2	9
51	Design study for the ClearPET/XPAD small animal PET/CT scanner 2007 ,		1
50	First results of XPAD3, a new photon counting chip for X-ray CT-scanner with energy discrimination 2007 ,		15
49	La simulation Monte Carlo en médecine nucléaire. <i>Medecine Nucleaire</i> , 2007 , 31, 160-164	0.1	1
48	Image reconstruction for the ClearPET/Neuro. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006 , 569, 381-385	1.2	13
47	Development of an optimized LSO/LuYAP phoswich detector head for the Lausanne ClearPET demonstrator. <i>IEEE Transactions on Nuclear Science</i> , 2006 , 53, 25-29	1.7	24

46	INVESTIGATION OF CRYSTAL IDENTIFICATION METHODS FOR ClearPETMPHOSWICH DETECTOR 2006 , 165-189		
45	FIRST RESULTS WITH THE CLEARPET SMALL ANIMAL PET SCANNERS 2006 , 149-164		2
44	The ClearPET project: development of a 2nd generation high-performance small animal PET scanner. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 537, 307-311	1.2	102
43	Characterization of two deep-diffusion avalanche photodiode array prototypes with different optical coatings. <i>IEEE Transactions on Nuclear Science</i> , 2004 , 51, 2279-2283	1.7	5
42	In vivo measurement of glucose utilization in rats using a beta-microprobe: direct comparison with autoradiography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 1015-24	7.3	9
41	GATE: a simulation toolkit for PET and SPECT. <i>Physics in Medicine and Biology</i> , 2004 , 49, 4543-61	3.8	1239
40	Monte Carlo simulation in PET and SPECT instrumentation using GATE. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 527, 180-189	1.2	63
39	Simulation of time curves in small animal PET using GATE. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 527, 190-194	1.2	15
38	The ClearPET project. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004 , 527, 171-174	1.2	29
37	Characterisation of arrays of avalanche photodiodes for small animal positron emission tomography. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2003 , 504, 325-330	1.2	12
36	GATE (geant4 application for tomographic emission): a PET/SPECT general-purpose simulation platform. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2003 , 125, 75-79		99
35	GATE: a Geant4-based simulation platform for PET and SPECT integrating movement and time management. <i>IEEE Transactions on Nuclear Science</i> , 2003 , 50, 1516-1521	1.7	140
34	Production of terbium-152 by heavy ion reactions and proton induced spallation. <i>Applied Radiation and Isotopes</i> , 2001 , 54, 53-8	1.7	31
33	Development of new mixed Lu(RE3+)1-xAP:Ce scintillators (RE3+=Y3+ or Gd3+): comparison with other Ce-doped or intrinsic scintillating crystals. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2000 , 443, 331-341	1.2	34
32	Measurement of the dynamic response of low-gain solid-state photodetector under weak pulse illumination. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2000 , 442, 378-383	1.2	2
31	Development and characterisation of czochralski grown Lu x RE3+ 1-x AlO3: Ce crystals (Re3+ = Y3+ and Gd3+). <i>Radiation Effects and Defects in Solids</i> , 1999 , 150, 59-63	0.9	4
30	Readout of scintillator light with avalanche photodiodes for positron emission tomography. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1999 , 433, 637-645	1.2	25
29	A new determination of σ using direct photon production cross sections in pp and p p collisions at $s=24.3$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 452, 201-206	4.2	9

28	An object-oriented Monte Carlo simulator for 3D cylindrical positron tomographs. <i>Computer Methods and Programs in Biomedicine</i> , 1999 , 58, 133-45	6.9	42
27	Improvement of the performance and accuracy of PET Monte Carlo simulations 1999 ,		2
26	An Object-Oriented Library for 3D PET Reconstruction Using Parallel Computing. <i>Informatik Aktuell</i> , 1999 , 268-272	0.3	9
25	High-performance scalable parallel platform for volume reconstruction of PET data. <i>International Journal of Imaging Systems and Technology</i> , 1998 , 9, 455-462	2.5	
24	Implementation of an environment for Monte Carlo simulation of fully 3-D positron tomography on a high-performance parallel platform. <i>Parallel Computing</i> , 1998 , 24, 1523-1536	1	25
23	Direct photon cross sections in proton-proton and antiproton-proton interactions at GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 436, 222-230	4.2	35
22	Incremental beamwise backprojection using geometrical symmetries for 3D PET reconstruction in a cylindrical scanner geometry. <i>Physics in Medicine and Biology</i> , 1998 , 43, 3009-24	3.8	19
21	Execution times of five reconstruction algorithms in 3D positron emission tomography. <i>Physics in Medicine and Biology</i> , 1998 , 43, 703-12	3.8	8
20	Use of a neural network to exploit light division in a triangular scintillating crystal. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996 , 373, 111-118	1.2	16
19	Approximate reconstruction of PET data with a self-organizing neural network. <i>IEEE Transactions on Neural Networks</i> , 1995 , 6, 783-9		6
18	On-line parallel processing for a rotating positron tomograph operated in 3D mode. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1994 , 351, 527-533	1.2	1
17	The FAVOR algorithm for 3D PET data and its implementation using a network of transputers. <i>Physics in Medicine and Biology</i> , 1993 , 38, 929-944	3.8	15
16	Direct photon production in and pp interactions at $\sqrt{s} = 24.3$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 317, 243-249	4.2	15
15	Determination of \bar{u} and the gluon distribution using direct photon production in pp and pp collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 317, 250-256	4.2	17
14	Parallel readout of the CERN RMH system using transputers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1992 , 321, 342-347	1.2	1
13	Measurement of the inclusive J/ψ production cross sections in and pp collisions at $\sqrt{s} = 24.3$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1990 , 252, 505-510	4.2	19
12	A lead/proportional-tube electromagnetic calorimeter for direct photon detection. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1990 , 286, 49-60	1.2	3
11	Precise comparison of antiproton-proton and proton-proton forward elastic scattering at $\sqrt{s} = 24.3$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1989 , 216, 459-465	4.2	20

10	Direct photon production in proton-antiproton interactions at $\sqrt{s} = 24.3$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1988 , 206, 163-168	4.2	31
9	A measurement of the inclusive π^0 and η production cross sections at high p_T in p p and pp collisions at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1987 , 194, 568-572	4.2	26
8	Development of a 3D position sensitive scintillation detector using neural networks		13
7	Measured and simulated specifications of Lausanne ClearPET scanner demonstrator		3
6	GATE, a Geant4-based simulation platform for PET integrating movement and time management		4
5	Development of an optimised LSO/LuYAP phoswich detector head for the ClearPET camera		7
4	PIXSCAN: pixel detector CT-scanner for small animal imaging		1
3	Digital pulse shape discrimination methods for phoswich detectors		2
2	A tunable light pulse generator to investigate properties of photodetectors		1
1			8