

# YÃ¼cel AahÄ°n

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1720348/publications.pdf>

Version: 2024-02-01

125  
papers

5,429  
citations

93792

39  
h-index

111975

67  
g-index

127  
all docs

127  
docs citations

127  
times ranked

4997  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electroanalytical determination of Allura Red in beverage samples using an anodically pretreated graphite electrode. <i>International Journal of Environmental Analytical Chemistry</i> , 2023, 103, 3544-3562.	1.8	6
2	Novel composite materials consisting of polypyrrole and metal organic frameworks for supercapacitor applications. <i>Journal of Energy Storage</i> , 2022, 48, 103699.	3.9	23
3	<scp>Oneâ€step</scp> synthesis of nitrogenâ€doped graphene powders and application of them as<scp>highâ€performance</scp> symmetrical coin cell supercapacitors in different aqueous electrolyte. <i>International Journal of Energy Research</i> , 2022, 46, 7348-7373.	2.2	15
4	Single Step Electrochemical Semiâ€Exfoliated Sâ€Doped Grapheneâ€Like Structures from Commercial Carbon Fiber as Efficient Metalâ€Free Catalyst for Hydrogen Evolution Reaction. <i>ChemElectroChem</i> , 2022, 9, .	1.7	10
5	Electrochemical synthesis and characterization of self-doped aniline 2-sulfonic acid-modified flexible electrode with high areal capacitance and rate capability for supercapacitors. <i>Synthetic Metals</i> , 2022, 285, 117017.	2.1	22
6	An ultrahighâ€energy density and wide potential window aqueous electrolyte supercapacitor built by polypyrrole/aniline 2â€sulfonic acid modified carbon felt electrode. <i>International Journal of Energy Research</i> , 2022, 46, 8042-8060.	2.2	26
7	Preparation of Copper Doped Conducting Polymers and Their Supercapacitor Applications. <i>ECS Journal of Solid State Science and Technology</i> , 2022, 11, 033004.	0.9	12
8	Investigation of supercapacitor properties of chlorine-containing functional groups doped graphene electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2022, 918, 116438.	1.9	9
9	A new approach to prepare Nâ€Sâ€doped freeâ€standing graphene oxides for vanadium redox flow battery. <i>International Journal of Energy Research</i> , 2022, 46, 19992-20003.	2.2	10
10	An ultra-high power density supercapacitor: Cu(II) phthalocyanine tetrasulfonic acid tetrasodium salt doped polyaniline. <i>Journal of Alloys and Compounds</i> , 2022, 919, 165689.	2.8	13
11	Hydrothermal Synthesis of Flexible Feâ€Doped Polyaniline/Dyeâ€Functionalized Carbon Felt Electrode for Supercapacitor Applications. <i>ChemistrySelect</i> , 2022, 7, .	0.7	14
12	New Approach Synthesis of S, N Coâ€Doped Graphenes for Highâ€Performance Supercapacitors. <i>ChemistrySelect</i> , 2022, 7, .	0.7	8
13	Ultrasensitive Electrochemical Detection of Carcinoembryonic Antigen with a Labelâ€Free Immunosensor Using Gold Nanoparticleâ€Decorated Poly(pyrroleâ€coâ€3,4â€ethylenedioxythiophene). <i>ChemElectroChem</i> , 2022, 9, .	1.7	4
14	Electrochemical Determination of Sunset Yellow Using an Electrochemically Prepared Graphene Oxide Modified â€ˆ Pencil Graphite Electrode (EGO-PGE). <i>Analytical Letters</i> , 2021, 54, 394-416.	1.0	29
15	Differential Pulse Voltammetric (DPV) Determination of Phosphomolybdenum Complexes by a Poly(Vinyl Chloride) Coated Molybdenum Blue Modified Pencil Graphite Electrode (PVC-MB-PGE). <i>Analytical Letters</i> , 2021, 54, 492-511.	1.0	5
16	Electrochemical fabrication and supercapacitor performances of metallo phthalocyanine/functionalized-multiwalled carbon nanotube/polyaniline modified hybrid electrode materials. <i>Journal of Energy Storage</i> , 2021, 33, 102049.	3.9	56
17	A green approach to fabricate <scp>binderâ€free Sâ€doped</scp> graphene oxide electrodes for vanadium redox battery. <i>International Journal of Energy Research</i> , 2021, 45, 2126-2137.	2.2	23
18	Fabrication of high-performance symmetrical coin cell supercapacitors by using one step and green synthesis sulfur doped graphene powders. <i>New Journal of Chemistry</i> , 2021, 45, 6928-6939.	1.4	33

#	ARTICLE	IF	CITATIONS
19	One-step synthesized N-doped graphene-based electrode materials for supercapacitor applications. <i>Ionics</i> , 2021, 27, 2241-2256.	1.2	58
20	Preparation of different heteroatom doped graphene oxide based electrodes by electrochemical method and their supercapacitor applications. <i>Journal of Energy Storage</i> , 2021, 35, 102328.	3.9	111
21	Cost-effective and Facile Production of a Phosphorus-doped Graphite Electrode for the Electrochemical Determination of Pyridoxine. <i>Electroanalysis</i> , 2021, 33, 1657-1667.	1.5	7
22	A new coumarin based Schiff base fluorescence probe for zinc ion. <i>Tetrahedron</i> , 2021, 88, 132127.	1.0	24
23	A novel electrolytes for redox flow batteries: Cerium and chromium couples in aqueous system. <i>International Journal of Energy Research</i> , 2021, 45, 16176-16188.	2.2	12
24	N-Doped Graphene Oxide as Additive for Fumed Silica Based Gel Electrolyte of Valve Regulated Lead Acid Batteries. <i>Journal of the Electrochemical Society</i> , 2021, 168, 060512.	1.3	30
25	Synthesis of Phosphorus Doped Graphenes via the Yucel's Method as the Positive Electrode of a Vanadium Redox Flow Battery. <i>Journal of the Electrochemical Society</i> , 2021, 168, 060504.	1.3	23
26	Manipulating cell behavior on a bacterial macro-polymer poly (3-hydroxybutyrate-co-3-hydroxyhexanoate) via tuning the S-doped graphene ratio. <i>International Journal of Biological Macromolecules</i> , 2021, 182, 2076-2086.	3.6	2
27	Voltammetric Method for Determining Ferric Ions with Quercetin. <i>Electroanalysis</i> , 2021, 33, 2115-2121.	1.5	12
28	A novel electrolyte additive for gel type valve regulated lead acid batteries: Sulfur doped graphene oxide. <i>International Journal of Energy Research</i> , 2021, 45, 21390-21402.	2.2	26
29	Thiophene Functionalized Porphyrin for Electrochemical Carbon Dioxide Reduction. <i>Journal of the Electrochemical Society</i> , 2021, 168, 126512.	1.3	7
30	Production of chlorine-containing functional group doped graphene powders using Yucel's method as anode materials for Li-ion batteries. <i>RSC Advances</i> , 2021, 11, 40059-40071.	1.7	10
31	A novel vanadium/cobalt redox couple in aqueous acidic solution for redox flow batteries. <i>International Journal of Energy Research</i> , 2020, 44, 411-424.	2.2	33
32	A two-dimensional material for high capacity supercapacitors: S-doped graphene. <i>International Journal of Energy Research</i> , 2020, 44, 1624-1635.	2.2	53
33	A novel interface layer for inverted perovskite solar cells fabricated in ambient air under high humidity conditions. <i>Solar Energy</i> , 2020, 209, 400-407.	2.9	16
34	A novel green and one-step electrochemical method for production of sulfur-doped graphene powders and their performance as an anode in Li-ion battery. <i>Ionics</i> , 2020, 26, 4909-4919.	1.2	27
35	A critical review on progress of the electrode materials of vanadium redox flow battery. <i>International Journal of Energy Research</i> , 2020, 44, 7903-7923.	2.2	99
36	Chrome and cobalt-based novel electrolyte systems for redox flow batteries. <i>International Journal of Energy Research</i> , 2020, 44, 8014-8023.	2.2	16

#	ARTICLE	IF	CITATIONS
37	One-step electrochemical preparation of ternary phthalocyanine/acid-activated multiwalled carbon nanotube/polypyrrole-based electrodes and their supercapacitor applications. <i>International Journal of Energy Research</i> , 2020, 44, 9093-9111.	2.2	45
38	Fabrication of Tetra-Substituted Copper(II) Phthalocyanine-Graphene Modified Pencil Graphite Electrode for Amperometric Detection of Hydrogen Peroxide. <i>ECS Journal of Solid State Science and Technology</i> , 2020, 9, 061003.	0.9	30
39	Differential Pulse Voltammetric Determination of Folic Acid Using a Poly(Cystine) Modified Pencil Graphite Electrode. <i>Analytical Letters</i> , 2020, 53, 2060-2078.	1.0	18
40	Electrochemical Determination of Tartrazine Using a Graphene/Poly(L-Phenylalanine) Modified Pencil Graphite Electrode. <i>Analytical Letters</i> , 2020, 53, 1683-1703.	1.0	42
41	Effect of UV exposure of ITO/PEDOT:PSS substrates on the performance of inverted-type perovskite solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 7968-7980.	1.1	13
42	Preparation of anatase form of TiO <sub>2</sub> thin film at room temperature by electrochemical method as an alternative electron transport layer for inverted type organic solar cells. <i>Thin Solid Films</i> , 2020, 706, 138093.	0.8	27
43	Selective Electrochemical Sensing of Riboflavin Based on Functionalized Multi-Walled Carbon Nanotube/Gold Nanoparticle/Pencil Graphite Electrode. <i>ECS Journal of Solid State Science and Technology</i> , 2020, 9, 121003.	0.9	13
44	Preparation of a novel electrochemical sensor for phosphate detection based on a molybdenum blue modified poly(vinyl chloride) coated pencil graphite electrode. <i>Analytical Methods</i> , 2019, 11, 3874-3881.	1.3	33
45	A novel copper phthalocyanine-modified multiwalled carbon nanotube-based electrode for sensitive electrochemical detection of bisphenol A. <i>New Journal of Chemistry</i> , 2019, 43, 85-92.	1.4	69
46	Synthesis of anatase particles via morphological control of titanium glycerolate intermediate precursor. <i>CrystEngComm</i> , 2019, 21, 4250-4254.	1.3	5
47	Preparation of N-doped graphene powders by cyclic voltammetry and a potential application of them: Anode materials of Li-ion batteries. <i>International Journal of Energy Research</i> , 2019, 43, 5346-5354.	2.2	34
48	Cyclic voltammetric preparation of graphene-coated electrodes for positive electrode materials of vanadium redox flow battery. <i>Ionics</i> , 2018, 24, 3641-3654.	1.2	37
49	A performance comparison of protective silicate-coated lead and non-coated lead electrodes in various kind electrolytes of gel valve-regulated lead-acid battery. <i>Ionics</i> , 2018, 24, 3655-3664.	1.2	20
50	Voltammetric determination of nitrite with gold nanoparticles/poly(methylene blue)-modified pencil graphite electrode: application in food and water samples. <i>Ionics</i> , 2018, 24, 3187-3197.	1.2	40
51	Biocompatibility of designed MicNo-ZnO particles: Cytotoxicity, genotoxicity and phototoxicity in human skin keratinocyte cells. <i>Toxicology in Vitro</i> , 2018, 47, 238-248.	1.1	9
52	Novel chlorine doped graphene electrodes for positive electrodes of a vanadium redox flow battery. <i>International Journal of Energy Research</i> , 2018, 42, 3303-3314.	2.2	42
53	Electrochemically Treated Pencil Graphite Electrodes Prepared in One Step for the Electrochemical Determination of Paracetamol. <i>Russian Journal of Electrochemistry</i> , 2018, 54, 796-808.	0.3	34
54	Poly(L-Cysteine) Modified Pencil Graphite Electrode for Determination of Sunset Yellow in Food and Beverage Samples by Differential Pulse Voltammetry. <i>International Journal of Electrochemical Science</i> , 2018, 13, 159-174.	0.5	28

#	ARTICLE	IF	CITATIONS
55	One-step potentiostatic codeposition and electrochemical studies of Journal of Chemistry, 2018, 42, 958-973.	0.5	8
56	Zn Phthalocyanine Derivatives for Solution-Processed Small Molecule Organic Solar Cells. ChemistrySelect, 2018, 3, 13692-13699.	0.7	7
57	Preparation of Sulphur-Doped Graphene-Based Electrodes by Cyclic Voltammetry: A Potential Application for Vanadium Redox Flow Battery. International Journal of Electrochemical Science, 2018, 13, 875-885.	0.5	54
58	Electrochemical formation of molybdenum phosphate on a pencil graphite electrode and its potential application for the detection of phosphate ions. Analytical Methods, 2018, 10, 4282-4291.	1.3	23
59	Preparation of N-doped graphene-based electrode via electrochemical method and its application in vanadium redox flow battery. International Journal of Energy Research, 2018, 42, 3851-3860.	2.2	44
60	One-step electrochemical preparation of graphene-coated pencil graphite electrodes by cyclic voltammetry and their application in vanadium redox batteries. Electrochimica Acta, 2017, 243, 239-249.	2.6	69
61	Effect of $\gamma$ - and $\beta$ -alumina on the precipitation of positive electrolyte in vanadium redox battery. International Journal of Hydrogen Energy, 2017, 42, 25598-25607.	3.8	26
62	Anti-precipitation effects of TiO <sub>2</sub> and TiOSO <sub>4</sub> on positive electrolyte of vanadium redox battery. International Journal of Hydrogen Energy, 2017, 42, 25608-25618.	3.8	28
63	A novel polysiloxane-based polymer as a gel agent for gel-VRLA batteries. Ionics, 2017, 23, 2077-2089.	1.2	32
64	Direct, one-step synthesis of molybdenum blue using an electrochemical method, and characterization studies. Synthetic Metals, 2017, 233, 111-118.	2.1	32
65	Preparation of electrochemically treated nanoporous pencil-graphite electrodes for the simultaneous determination of Pb and Cd in water samples. Analytical and Bioanalytical Chemistry, 2017, 409, 4827-4837.	1.9	20
66	Highly Sensitive Electrochemical Determination of Dopamine with an Overoxidized Polypyrrole Nanofiber Pencil Graphite Electrode. International Journal of Electrochemical Science, 2017, 12, 6428-6444.	0.5	29
67	Electrochemical investigation of the effects of V(V) and sulfuric acid concentrations on positive electrolyte for vanadium redox flow battery. International Journal of Hydrogen Energy, 2016, 41, 9868-9875.	3.8	36
68	Highly Sensitive Electrochemical Determination of Acetaminophen in Pharmaceuticals by Poly[2, 5-di(2-Thiophenyl)-1-p-(Tolyl)Pyrrole] Modified Pencil Graphite Electrode. IEEE Sensors Journal, 2016, 16, 2914-2921.	2.4	5
69	Electrochemical Determination of Paracetamol by a Novel Derivative of Formazan Modified Pencil Graphite Electrode. IEEE Sensors Journal, 2014, 14, 2529-2536.	2.4	20
70	Electrochemical synthesis, characterization and capacitive properties of novel thiophene based conjugated polymer. Reactive and Functional Polymers, 2014, 83, 107-112.	2.0	11
71	Voltammetric and electrochemical impedimetric behavior of silica-based gel electrolyte for valve-regulated lead-acid battery. Journal of Solid State Electrochemistry, 2014, 18, 2469-2479.	1.2	54
72	Complete removal of the insecticide azinphos-methyl from water by the electro-Fenton method - A kinetic and mechanistic study. Water Research, 2013, 47, 1470-1479.	5.3	46

#	ARTICLE	IF	CITATIONS
73	A novel approach for the selective determination of tryptophan in blood serum in the presence of tyrosine based on the electrochemical reduction of oxidation product of tryptophan formed in situ on graphite electrode. <i>Biosensors and Bioelectronics</i> , 2012, 31, 26-31.	5.3	85
74	Acid Cleaning of Titanium Based Scales Formed on Preheaters in the Bayer Process. , 2012, , 225-228.		1
75	Electroanalytical Determination of Some Sulfonamides on Overoxidized Polypyrrole Electrodes. <i>Australian Journal of Chemistry</i> , 2011, 64, 965.	0.5	24
76	Determination of sulfamethoxazole in pharmaceutical formulations by flow injection system/HPLC with potentiometric detection using polypyrrole electrode. <i>Journal of the Brazilian Chemical Society</i> , 2011, 22, 2171-2177.	0.6	11
77	A novel approach for the determination of paracetamol based on the reduction of N-acetyl-p-benzoquinoneimine formed on the electrochemically treated pencil graphite electrode. <i>Analytica Chimica Acta</i> , 2011, 685, 9-14.	2.6	67
78	Preparation of selective and sensitive electrochemically treated pencil graphite electrodes for the determination of uric acid in urine and blood serum. <i>Biosensors and Bioelectronics</i> , 2010, 25, 2497-2502.	5.3	88
79	The substituent effects on the structure and surface morphology of polyaniline. <i>Journal of Applied Polymer Science</i> , 2010, 115, 3024-3030.	1.3	7
80	Electro-Fenton treatment of aqueous Clopyralid solutions. <i>International Journal of Environmental Analytical Chemistry</i> , 2010, 90, 478-486.	1.8	33
81	Selective and Sensitive Voltammetric Determination of Dopamine in Blood by Electrochemically Treated Pencil Graphite Electrodes. <i>Electroanalysis</i> , 2009, 21, 2363-2370.	1.5	49
82	Determination of ascorbic acid by polypyrrole potentiometric detector in ion chromatography. <i>Biosensors and Bioelectronics</i> , 2009, 24, 3492-3497.	5.3	21
83	Electrochemical synthesis and characterization of a new soluble conducting polymer. <i>Journal of Materials Science</i> , 2009, 44, 3148-3155.	1.7	24
84	Removal of Acid Orange 7 from water by electrochemically generated Fenton's reagent. <i>Journal of Hazardous Materials</i> , 2009, 163, 1213-1220.	6.5	251
85	Removal of calcium and magnesium using polyaniline and derivatives modified PVDF cation-exchange membranes by Donnan dialysis. <i>Reactive and Functional Polymers</i> , 2009, 69, 673-680.	2.0	27
86	A comparative study on the efficiency of electro-Fenton process in the removal of propham from water. <i>Applied Catalysis B: Environmental</i> , 2009, 89, 620-626.	10.8	120
87	Carbon sponge as a new cathode material for the electro-Fenton process: Comparison with carbon felt cathode and application to degradation of synthetic dye basic blue 3 in aqueous medium. <i>Journal of Electroanalytical Chemistry</i> , 2008, 616, 71-78.	1.9	346
88	Non-enzymatic glucose biosensor based on overoxidized polypyrrole nanofiber electrode modified with cobalt(II) phthalocyanine tetrasulfonate. <i>Biosensors and Bioelectronics</i> , 2008, 24, 512-517.	5.3	136
89	Solid-phase microextraction and ion chromatographic analysis of anions based on polypyrrole electrode. <i>Journal of Applied Polymer Science</i> , 2008, 108, 3298-3304.	1.3	19
90	A spectroelectrochemical study on single-oscillator model and optical constants of sulfonated polyaniline film. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2008, 71, 621-627.	2.0	32

#	ARTICLE	IF	CITATIONS
91	Ion chromatography-potentiometric detection of inorganic anions and cations using polypyrrole and overoxidized polypyrrole electrode. <i>Sensors and Actuators B: Chemical</i> , 2008, 133, 5-14.	4.0	39
92	Degradation of picloram by the electro-Fenton process. <i>Journal of Hazardous Materials</i> , 2008, 153, 718-727.	6.5	152
93	Voltammetric Behaviour of Sulfamethoxazole on Electropolymerized-Molecularly Imprinted Overoxidized Polypyrrole. <i>Sensors</i> , 2008, 8, 8463-8478.	2.1	108
94	Electrochemical Preparation of a Molecularly Imprinted Polypyrrole-modified Pencil Graphite Electrode for Determination of Ascorbic Acid. <i>Sensors</i> , 2008, 8, 5792-5805.	2.1	144
95	Propham mineralization in aqueous medium by anodic oxidation using boron-doped diamond anode: Influence of experimental parameters on degradation kinetics and mineralization efficiency. <i>Water Research</i> , 2008, 42, 2889-2898.	5.3	138
96	In situ electrochemical solid-phase extraction of anions and cations using polypyrrole and overoxidized sulfonated polypyrrole. <i>Talanta</i> , 2008, 75, 369-375.	2.9	33
97	Removal of propham from water by using electro-Fenton technology: Kinetics and mechanism. <i>Chemosphere</i> , 2008, 73, 737-744.	4.2	58
98	Electrochemical Oxidation of dsâ€DNA on Polypyrrole Nanofiber Modified Pencil Graphite Electrode. <i>Electroanalysis</i> , 2007, 19, 2208-2216.	1.5	41
99	Anti-corrosive properties of polyaniline, poly(2-toluidine), and poly(aniline-co-2-toluidine) coatings on stainless steel. <i>Current Applied Physics</i> , 2007, 7, 597-604.	1.1	51
100	A new dioxime ligand and its trinuclear copper(II) complex: Synthesis, characterization and optical properties. <i>Optics Communications</i> , 2007, 272, 131-137.	1.0	80
101	Synthesis, structural and optical properties of novel borylated Cu(II) and Co(II) metal complexes of 4-benzylaminobiphenylglyoxime. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 2473-2481.	0.8	18
102	Electropolymerization of m-aminophenol on mild steel and its corrosion protection effect. <i>Progress in Organic Coatings</i> , 2007, 60, 153-160.	1.9	30
103	Determination of paracetamol based on electropolymerized-molecularly imprinted polypyrrole modified pencil graphite electrode. <i>Sensors and Actuators B: Chemical</i> , 2007, 127, 362-369.	4.0	290
104	Copper(i/ii) complexes of a bis(tetrathiafulvalene)-2,2â€²-bipyridine: synthesis, characterization, magnetic and electrochemical properties. <i>Dalton Transactions</i> , 2006, , 1331-1337.	1.6	41
105	Corrosion performance of self-doped sulfonated polypyrrole coatings on stainless steel. <i>Materials Chemistry and Physics</i> , 2006, 100, 19-25.	2.0	17
106	Corrosion inhibition of stainless steel by polyaniline, poly(2-chloroaniline), and poly(aniline-co-2-chloroaniline) in HCl. <i>Progress in Organic Coatings</i> , 2006, 57, 149-158.	1.9	35
107	Electrodeposition of polyaniline, poly(2-iodoaniline), and poly(aniline-co-2-iodoaniline) on steel surfaces and corrosion protection of steel. <i>Applied Surface Science</i> , 2005, 252, 1233-1244.	3.1	46
108	Development of air stable polymer solar cells using an inverted gold on top anode structure. <i>Thin Solid Films</i> , 2005, 476, 340-343.	0.8	164

#	ARTICLE	IF	CITATIONS
109	Electrochemical synthesis and anti-corrosive properties of polyaniline, poly(2-anisidine), and poly(aniline-co-2-anisidine) films on stainless steel. <i>Progress in Organic Coatings</i> , 2005, 54, 63-72.	1.9	52
110	Electrochemically controlled solid-phase microextraction (EC-SPME) based on overoxidized sulfonated polypyrrole. <i>Talanta</i> , 2005, 67, 245-251.	2.9	53
111	Novel Fused D <sup>π</sup> A Dyad and A <sup>π</sup> D <sup>π</sup> A Triad Incorporating Tetrathiafulvalene and p-Benzoquinone. <i>Journal of Organic Chemistry</i> , 2004, 69, 2164-2177.	1.7	104
112	Electrochemical polymerization of fluoro- and chloro-substituted anilines and copolymers with aniline. <i>Journal of Applied Polymer Science</i> , 2004, 91, 2302-2312.	1.3	40
113	Electrochemical synthesis of sulfonated polypyrrole in FSO <sub>3</sub> H/acetonitrile solution. <i>Journal of Applied Polymer Science</i> , 2004, 93, 526-533.	1.3	27
114	Electrochemistry coupled to fluorescence spectroscopy: a new versatile approach. <i>Electrochemistry Communications</i> , 2004, 6, 325-330.	2.3	73
115	Preparation of sulfonated overoxidized polypyrrole film applicable as an SPME tool for cationic analytes. <i>Journal of Electroanalytical Chemistry</i> , 2004, 570, 6-12.	1.9	51
116	Synthesis and non-linear optical properties of mono-pyrrolo-tetrathiafulvalene derived donor-acceptor dyads. <i>Journal of Materials Chemistry</i> , 2004, 14, 179-184.	6.7	43
117	Oligomeric Tetrathiafulvalenes: A New Route toward Conjugated TTF Dimers and Trimers. <i>Organic Letters</i> , 2004, 6, 1569-1572.	2.4	17
118	Electrochemical synthesis of poly(2-iodoaniline) and poly(aniline-co-2-iodoaniline) in acetonitrile. <i>Journal of Applied Polymer Science</i> , 2003, 89, 1652-1658.	1.3	24
119	Electrochemical preparation of soluble sulfonated polymers and aniline copolymers of aniline sulfonic acids in dimethylsulfoxide. <i>Journal of Applied Polymer Science</i> , 2003, 90, 2163-2169.	1.3	26
120	Electrochemical preparation of poly(2-bromoaniline) and poly(aniline-co-2-bromoaniline) in acetonitrile. <i>Journal of Applied Polymer Science</i> , 2003, 90, 2460-2468.	1.3	19
121	Electrochemical synthesis of self-doped polyaniline in fluorosulfonic acid/acetonitrile solution. <i>Synthetic Metals</i> , 2002, 129, 107-115.	2.1	36
122	Electrochemical polymerization of acetylene with copper catalyst on platinum and copper electrodes. <i>Synthetic Metals</i> , 2002, 129, 117-121.	2.1	13
123	Electropolymerization and in situ sulfonation of aniline in water-acetonitrile mixture containing FSO <sub>3</sub> H. <i>Synthetic Metals</i> , 2002, 131, 7-14.	2.1	37
124	Electrochemical copolymerization of aniline and anilinesulfonic acids in FSO <sub>3</sub> H/acetonitrile solution. <i>Journal of Applied Polymer Science</i> , 2002, 85, 1227-1235.	1.3	21
125	Polypyrrole doped graphene nanocomposites as advanced positive electrodes for vanadium redox flow battery. <i>Journal of Materials Science: Materials in Electronics</i> , 0, , .	1.1	0