

Kevan M Shokat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1720516/publications.pdf>

Version: 2024-02-01

175
papers

30,076
citations

13332

70
h-index

6177

164
g-index

194
all docs

194
docs citations

194
times ranked

49919
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting a splicing-mediated drug resistance mechanism in prostate cancer by inhibiting transcriptional regulation by PKC ζ 1. <i>Oncogene</i> , 2022, , .	2.6	5
2	Drugging the Next Undruggable KRAS Allele-Gly12Asp. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 3119-3122.	2.9	25
3	Drugging the undruggable: Ross Cagan interviews Kevan Shokat. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .	1.2	1
4	KRAS is vulnerable to reversible switch-II pocket engagement in cells. <i>Nature Chemical Biology</i> , 2022, 18, 596-604.	3.9	53
5	Evolution of enhanced innate immune evasion by SARS-CoV-2. <i>Nature</i> , 2022, 602, 487-495.	13.7	237
6	Targeting KRAS G12C with Covalent Inhibitors. <i>Annual Review of Cancer Biology</i> , 2022, 6, 49-64.	2.3	16
7	CD74-NRG1 Fusions Are Oncogenic <i>in Vivo</i> and Induce Therapeutically Tractable ERBB2:ERBB3 Heterodimerization. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 821-830.	1.9	4
8	Plitidepsin has potent preclinical efficacy against SARS-CoV-2 by targeting the host protein eEF1A. <i>Science</i> , 2021, 371, 926-931.	6.0	247
9	Spermatogonial Stem Cell Numbers Are Reduced by Transient Inhibition of GDNF Signaling but Restored by Self-Renewing Replication when Signaling Resumes. <i>Stem Cell Reports</i> , 2021, 16, 597-609.	2.3	6
10	Drug-induced phospholipidosis confounds drug repurposing for SARS-CoV-2. <i>Science</i> , 2021, 373, 541-547.	6.0	148
11	Brain-specific inhibition of mTORC1 eliminates side effects resulting from mTORC1 blockade in the periphery and reduces alcohol intake in mice. <i>Nature Communications</i> , 2021, 12, 4407.	5.8	8
12	Dissecting the biology of mTORC1 beyond rapamycin. <i>Science Signaling</i> , 2021, 14, eabe0161.	1.6	10
13	Drugging the "Undruggable" MYCN Oncogenic Transcription Factor: Overcoming Previous Obstacles to Impact Childhood Cancers. <i>Cancer Research</i> , 2021, 81, 1627-1632.	0.4	25
14	Betacellulin drives therapy resistance in glioblastoma. <i>Neuro-Oncology</i> , 2020, 22, 457-469.	0.6	8
15	Cooperative Blockade of PKC ζ and JAK2 Drives Apoptosis in Glioblastoma. <i>Cancer Research</i> , 2020, 80, 709-718.	0.4	19
16	The splicing modulator sulfonamide indisulam reduces AR-V7 in prostate cancer cells. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115712.	1.4	16
17	Comparative host-coronavirus protein interaction networks reveal pan-viral disease mechanisms. <i>Science</i> , 2020, 370, .	6.0	508
18	GTP-State-Selective Cyclic Peptide Ligands of K-Ras(G12D) Block Its Interaction with Raf. <i>ACS Central Science</i> , 2020, 6, 1753-1761.	5.3	78

#	ARTICLE	IF	CITATIONS
19	Unbiased Proteomic Profiling Uncovers a Targetable GNAS/PKA/PP2A Axis in Small Cell Lung Cancer Stem Cells. <i>Cancer Cell</i> , 2020, 38, 129-143.e7.	7.7	57
20	The Global Phosphorylation Landscape of SARS-CoV-2 Infection. <i>Cell</i> , 2020, 182, 685-712.e19.	13.5	825
21	A SARS-CoV-2 protein interaction map reveals targets for drug repurposing. <i>Nature</i> , 2020, 583, 459-468.	13.7	3,542
22	PI4KIII β is a therapeutic target in chromosome 1q amplified lung adenocarcinoma. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	41
23	A Bounty of New Challenging Targets in Oncology for Chemical Discovery. <i>Biochemistry</i> , 2019, 58, 3328-3330.	1.2	6
24	Bifunctional Small-Molecule Ligands of K-Ras Induce Its Association with Immunophilin Proteins. <i>Angewandte Chemie</i> , 2019, 131, 16460-16465.	1.6	5
25	Bifunctional Small-Molecule Ligands of K-Ras Induce Its Association with Immunophilin Proteins. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16314-16319.	7.2	36
26	Chemically reprogramming the phospho-transfer reaction to crosslink protein kinases to their substrates. <i>Protein Science</i> , 2019, 28, 654-662.	3.1	2
27	KRAS ^{G12C} inhibition produces a driver-limited state revealing collateral dependencies. <i>Science Signaling</i> , 2019, 12, .	1.6	123
28	Phosphoregulation of the oncogenic protein regulator of cytokinesis 1 (PRC1) by the atypical CDK16/CCNY complex. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-17.	3.2	19
29	A <i>Legionella pneumophila</i> Kinase Phosphorylates the Hsp70 Chaperone Family to Inhibit Eukaryotic Protein Synthesis. <i>Cell Host and Microbe</i> , 2019, 25, 454-462.e6.	5.1	54
30	Chronic TGF- β 2 exposure drives stabilized EMT, tumor stemness, and cancer drug resistance with vulnerability to bitopic mTOR inhibition. <i>Science Signaling</i> , 2019, 12, .	1.6	166
31	p27 allosterically activates cyclin-dependent kinase 4 and antagonizes palbociclib inhibition. <i>Science</i> , 2019, 366, .	6.0	132
32	Disease-Causing Mutations in the G Protein G α s Subvert the Roles of GDP and GTP. <i>Cell</i> , 2018, 173, 1254-1264.e11.	13.5	42
33	Novel K-Ras G12C Switch-II Covalent Binders Destabilize Ras and Accelerate Nucleotide Exchange. <i>Journal of Chemical Information and Modeling</i> , 2018, 58, 464-471.	2.5	45
34	Stepwise processing analyses of the single-turnover PCSK9 protease reveal its substrate sequence specificity and link clinical genotype to lipid phenotype. <i>Journal of Biological Chemistry</i> , 2018, 293, 1875-1886.	1.6	15
35	A new generation of mTORC1 inhibitor attenuates alcohol intake and reward in mice. <i>Addiction Biology</i> , 2018, 23, 713-722.	1.4	20
36	A Patient-derived Xenograft Model of Pancreatic Neuroendocrine Tumors Identifies Sapanisertib as a Possible New Treatment for Everolimus-resistant Tumors. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 2702-2709.	1.9	30

#	ARTICLE	IF	CITATIONS
37	Type II Kinase Inhibitors Targeting Cys-Gatekeeper Kinases Display Orthogonality with Wild Type and Ala/Gly-Gatekeeper Kinases. ACS Chemical Biology, 2018, 13, 2956-2965.	1.6	10
38	Comprehensive analysis of T cell leukemia signals reveals heterogeneity in the PI3 kinase-Akt pathway and limitations of PI3 kinase inhibitors as monotherapy. PLoS ONE, 2018, 13, e0193849.	1.1	14
39	A High-Throughput Luciferase Assay to Evaluate Proteolysis of the Single-Turnover Protease PCSK9. Journal of Visualized Experiments, 2018, , .	0.2	1
40	Kinome rewiring reveals AURKA limits PI3K-pathway inhibitor efficacy in breast cancer. Nature Chemical Biology, 2018, 14, 768-777.	3.9	64
41	Chemical genetic inhibition of DEAD-box proteins using covalent complementarity. Nucleic Acids Research, 2018, 46, 8689-8699.	6.5	9
42	Inhibition of Carbonyl Reductase 1 Safely Improves the Efficacy of Doxorubicin in Breast Cancer Treatment. Antioxidants and Redox Signaling, 2017, 26, 70-83.	2.5	26
43	INPP4B and PTEN Loss Leads to PI-3,4-P2 Accumulation and Inhibition of PI3K in TNBC. Molecular Cancer Research, 2017, 15, 765-775.	1.5	26
44	Discovery of nitrateâ€“CPKâ€“NLP signalling in central nutrientâ€“growth networks. Nature, 2017, 545, 311-316.	13.7	425
45	Long-term oral kinetin does not protect against Î±-synuclein-induced neurodegeneration in rodent models of Parkinson's disease. Neurochemistry International, 2017, 109, 106-116.	1.9	39
46	Expanding the Scope of Electrophiles Capable of Targeting K-Ras Oncogenes. Biochemistry, 2017, 56, 3178-3183.	1.2	60
47	Drugging the 'undruggable' cancer targets. Nature Reviews Cancer, 2017, 17, 502-508.	12.8	620
48	Farnesyltransferase-Mediated Delivery of a Covalent Inhibitor Overcomes Alternative Prenylation to Mislocalize K-Ras. ACS Chemical Biology, 2017, 12, 1956-1962.	1.6	33
49	Site-specific incorporation of phosphotyrosine using an expanded genetic code. Nature Chemical Biology, 2017, 13, 842-844.	3.9	82
50	Drugging the catalytically inactive state of RET kinase in RET-rearranged tumors. Science Translational Medicine, 2017, 9, .	5.8	55
51	A Kinase Inhibitor Targeted to mTORC1 Drives Regression in Glioblastoma. Cancer Cell, 2017, 31, 424-435.	7.7	138
52	An Optimized Chromatographic Strategy for Multiplexing In Parallel Reaction Monitoring Mass Spectrometry: Insights from Quantitation of Activated Kinases. Molecular and Cellular Proteomics, 2017, 16, 265-277.	2.5	42
53	Ras Binder Induces a Modified Switch-II Pocket in GTP and GDP States. Cell Chemical Biology, 2017, 24, 1455-1466.e14.	2.5	78
54	Inhibition of Calcium Dependent Protein Kinase 1 (CDPK1) by Pyrazolopyrimidine Analogs Decreases Establishment and Reoccurrence of Central Nervous System Disease by <i>Toxoplasma gondii</i> . Journal of Medicinal Chemistry, 2017, 60, 9976-9989.	2.9	57

#	ARTICLE	IF	CITATIONS
55	Discovery of new substrates of the elongation factor-2 kinase suggests a broader role in the cellular nutrient response. <i>Cellular Signalling</i> , 2017, 29, 78-83.	1.7	16
56	Endosomal Phosphatidylinositol 3-Kinase Is Essential for Canonical GPCR Signaling. <i>Molecular Pharmacology</i> , 2017, 91, 65-73.	1.0	9
57	Using hydrogen deuterium exchange mass spectrometry to engineer optimized constructs for crystallization of protein complexes: Case study of PI4KIII β with Rab11. <i>Protein Science</i> , 2016, 25, 826-839.	3.1	39
58	Isocitrate Dehydrogenase Mutations Confer Dasatinib Hypersensitivity and SRC Dependence in Intrahepatic Cholangiocarcinoma. <i>Cancer Discovery</i> , 2016, 6, 727-739.	7.7	126
59	Overcoming mTOR resistance mutations with a new-generation mTOR inhibitor. <i>Nature</i> , 2016, 534, 272-276.	13.7	358
60	Multistep Compositional Remodeling of Supported Lipid Membranes by Interfacially Active Phosphatidylinositol Kinases. <i>Analytical Chemistry</i> , 2016, 88, 5042-5045.	3.2	11
61	N-Myc Drives Neuroendocrine Prostate Cancer Initiated from Human Prostate Epithelial Cells. <i>Cancer Cell</i> , 2016, 29, 536-547.	7.7	278
62	Overcoming resistance to HER2 inhibitors through state-specific kinase binding. <i>Nature Chemical Biology</i> , 2016, 12, 923-930.	3.9	29
63	Innate immunity kinase TAK1 phosphorylates Rab1 on a hotspot for posttranslational modifications by host and pathogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4776-83.	3.3	47
64	Direct small-molecule inhibitors of KRAS: from structural insights to mechanism-based design. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 771-785.	21.5	457
65	Synthetic Lethal Targeting of ARID1A-Mutant Ovarian Clear Cell Tumors with Dasatinib. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1472-1484.	1.9	73
66	Inhibition of Calcium-Dependent Protein Kinase 1 (CDPK1) <i>In Vitro</i> by Pyrazolopyrimidine Derivatives Does Not Correlate with Sensitivity of <i>Cryptosporidium parvum</i> Growth in Cell Culture. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 570-579.	1.4	31
67	Analog sensitive chemical inhibition of the DEAD-box protein DDX3. <i>Protein Science</i> , 2016, 25, 638-649.	3.1	14
68	Design and Structural Characterization of Potent and Selective Inhibitors of Phosphatidylinositol 4 Kinase III β . <i>Journal of Medicinal Chemistry</i> , 2016, 59, 1830-1839.	2.9	52
69	P-TEFb regulation of transcription termination factor Xrn2 revealed by a chemical genetic screen for Cdk9 substrates. <i>Genes and Development</i> , 2016, 30, 117-131.	2.7	105
70	Downregulation of MYCN through PI3K Inhibition in Mouse Models of Pediatric Neural Cancer. <i>Frontiers in Oncology</i> , 2015, 5, 111.	1.3	20
71	Radiotherapy Followed by Aurora Kinase Inhibition Targets Tumor-Propagating Cells in Human Glioblastoma. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 419-428.	1.9	23
72	Structure of the Human Autophagy Initiating Kinase ULK1 in Complex with Potent Inhibitors. <i>ACS Chemical Biology</i> , 2015, 10, 257-261.	1.6	132

#	ARTICLE	IF	CITATIONS
73	SR protein kinases promote splicing of nonconsensus introns. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 611-617.	3.6	38
74	WNK1-regulated inhibitory phosphorylation of the KCC2 cotransporter maintains the depolarizing action of GABA in immature neurons. <i>Science Signaling</i> , 2015, 8, ra65.	1.6	133
75	The Tribbles 2 (TRB2) pseudokinase binds to ATP and autophosphorylates in a metal-independent manner. <i>Biochemical Journal</i> , 2015, 467, 47-62.	1.7	70
76	Discovery and functional characterization of a neomorphic PTEN mutation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13976-13981.	3.3	38
77	Differential genetic interactions of yeast stress response <sc>MAPK</sc> pathways. <i>Molecular Systems Biology</i> , 2015, 11, 800.	3.2	47
78	Identification of AMPK Phosphorylation Sites Reveals a Network of Proteins Involved in Cell Invasion and Facilitates Large-Scale Substrate Prediction. <i>Cell Metabolism</i> , 2015, 22, 907-921.	7.2	149
79	Discovery and structure of a new inhibitor scaffold of the autophagy initiating kinase ULK1. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 5483-5488.	1.4	58
80	Linking Tumor Mutations to Drug Responses via a Quantitative Chemicalâ€“Genetic Interaction Map. <i>Cancer Discovery</i> , 2015, 5, 154-167.	7.7	57
81	Endoplasmic reticulum stress-independent activation of unfolded protein response kinases by a small molecule ATP-mimic. <i>ELife</i> , 2015, 4, .	2.8	49
82	Small molecule inhibition of Csk alters affinity recognition by T cells. <i>ELife</i> , 2015, 4, .	2.8	37
83	Overcoming myelosuppression due to synthetic lethal toxicity for FLT3-targeted acute myeloid leukemia therapy. <i>ELife</i> , 2014, 3, .	2.8	38
84	Structures of PI4KIII ² complexes show simultaneous recruitment of Rab11 and its effectors. <i>Science</i> , 2014, 344, 1035-1038.	6.0	131
85	The Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Active Site and Cleavage Sequence Differentially Regulate Protein Secretion from Proteolysis. <i>Journal of Biological Chemistry</i> , 2014, 289, 29030-29043.	1.6	31
86	The Logic and Design of Analog-Sensitive Kinases and Their Small Molecule Inhibitors. <i>Methods in Enzymology</i> , 2014, 548, 189-213.	0.4	71
87	MST3 Kinase Phosphorylates TAO1/2 to Enable Myosin Va Function in Promoting Spine Synapse Development. <i>Neuron</i> , 2014, 84, 968-982.	3.8	75
88	Targeting osteosarcoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 18100-18101.	3.3	13
89	A Crosslinker Based on a Tethered Electrophile for Mapping Kinase-Substrate Networks. <i>Chemistry and Biology</i> , 2014, 21, 585-590.	6.2	12
90	Inhibition of the kinase Csk in thymocytes reveals a requirement for actin remodeling in the initiation of full TCR signaling. <i>Nature Immunology</i> , 2014, 15, 186-194.	7.0	84

#	ARTICLE	IF	CITATIONS
91	TrkB kinase activity maintains synaptic function and structural integrity at adult neuromuscular junctions. <i>Journal of Applied Physiology</i> , 2014, 117, 910-920.	1.2	47
92	A sharp T-cell antigen receptor signaling threshold for T-cell proliferation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E3679-88.	3.3	134
93	OCT1 is a high-capacity thiamine transporter that regulates hepatic steatosis and is a target of metformin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9983-9988.	3.3	203
94	Responses to Glial Cell Line-Derived Neurotrophic Factor Change in Mice as Spermatogonial Stem Cells Form Progenitor Spermatogonia which Replicate and Give Rise to More Differentiated Progeny1. <i>Biology of Reproduction</i> , 2014, 91, 92.	1.2	17
95	Quantitative and temporal requirements revealed for Zap70 catalytic activity during T cell development. <i>Nature Immunology</i> , 2014, 15, 687-694.	7.0	65
96	Drugging MYCN through an Allosteric Transition in Aurora Kinase A. <i>Cancer Cell</i> , 2014, 26, 414-427.	7.7	231
97	Oncogene Mimicry as a Mechanism of Primary Resistance to BRAF Inhibitors. <i>Cell Reports</i> , 2014, 8, 1037-1048.	2.9	69
98	Adipocyte ALK7 links nutrient overload to catecholamine resistance in obesity. <i>ELife</i> , 2014, 3, e03245.	2.8	65
99	A Neo-Substrate that Amplifies Catalytic Activity of Parkinson's-Disease-Related Kinase PINK1. <i>Cell</i> , 2013, 154, 737-747.	13.5	229
100	Chemical Genetics of Rapamycin-Insensitive TORC2 in <i>S. cerevisiae</i> . <i>Cell Reports</i> , 2013, 5, 1725-1736.	2.9	31
101	K-Ras(G12C) inhibitors allosterically control GTP affinity and effector interactions. <i>Nature</i> , 2013, 503, 548-551.	13.7	1,713
102	Optimizing Small Molecule Inhibitors of Calcium-Dependent Protein Kinase 1 to Prevent Infection by <i>Toxoplasma gondii</i> . <i>Journal of Medicinal Chemistry</i> , 2013, 56, 3068-3077.	2.9	64
103	Structure-Guided Inhibitor Design Expands the Scope of Analog-Sensitive Kinase Technology. <i>ACS Chemical Biology</i> , 2013, 8, 1931-1938.	1.6	53
104	Staurosporine-Derived Inhibitors Broaden the Scope of Analog-Sensitive Kinase Technology. <i>Journal of the American Chemical Society</i> , 2013, 135, 18153-18159.	6.6	31
105	Orm protein phosphoregulation mediates transient sphingolipid biosynthesis response to heat stress via the Pkh-Ypk and Cdc55-PP2A pathways. <i>Molecular Biology of the Cell</i> , 2012, 23, 2388-2398.	0.9	125
106	Combination of ATP-competitive mammalian target of rapamycin inhibitors with standard chemotherapy for colorectal cancer. <i>Investigational New Drugs</i> , 2012, 30, 2219-2225.	1.2	15
107	Chemical Genetic Identification of NDR1/2 Kinase Substrates AAK1 and Rabin8 Uncovers Their Roles in Dendrite Arborization and Spine Development. <i>Neuron</i> , 2012, 73, 1127-1142.	3.8	117
108	Hierarchical Modularity and the Evolution of Genetic Interactomes across Species. <i>Molecular Cell</i> , 2012, 46, 691-704.	4.5	185

#	ARTICLE	IF	CITATIONS
109	The translational landscape of mTOR signalling steers cancer initiation and metastasis. <i>Nature</i> , 2012, 485, 55-61.	13.7	1,114
110	Chemical genetic discovery of targets and anti-targets for cancer polypharmacology. <i>Nature</i> , 2012, 486, 80-84.	13.7	312
111	A Raf-induced allosteric transition of KSR stimulates phosphorylation of MEK. <i>Nature</i> , 2011, 472, 366-369.	13.7	223
112	The Evolution of Protein Kinase Inhibitors from Antagonists to Agonists of Cellular Signaling. <i>Annual Review of Biochemistry</i> , 2011, 80, 769-795.	5.0	316
113	Chemical genetic strategy for targeting protein kinases based on covalent complementarity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 15046-15052.	3.3	76
114	Akt and Autophagy Cooperate to Promote Survival of Drug-Resistant Glioma. <i>Science Signaling</i> , 2010, 3, ra81.	1.6	253
115	Genetic Dissection of the Oncogenic mTOR Pathway Reveals Druggable Addiction to Translational Control via 4EBP-eIF4E. <i>Cancer Cell</i> , 2010, 17, 249-261.	7.7	420
116	RAF inhibitors transactivate RAF dimers and ERK signalling in cells with wild-type BRAF. <i>Nature</i> , 2010, 464, 427-430.	13.7	1,590
117	Calcium-dependent protein kinase 1 is an essential regulator of exocytosis in <i>Toxoplasma</i> . <i>Nature</i> , 2010, 465, 359-362.	13.7	321
118	Targeting the cancer kinome through polypharmacology. <i>Nature Reviews Cancer</i> , 2010, 10, 130-137.	12.8	618
119	Resiliency and Vulnerability in the HER2-HER3 Tumorigenic Driver. <i>Science Translational Medicine</i> , 2010, 2, 16ra7.	5.8	154
120	A Drug-Drug Interaction Crystallizes a New Entry Point into the UPR. <i>Molecular Cell</i> , 2010, 38, 161-163.	4.5	3
121	Rewiring of Genetic Networks in Response to DNA Damage. <i>Science</i> , 2010, 330, 1385-1389.	6.0	408
122	Chemical Genetic Approach for Kinase-Substrate Mapping by Covalent Capture of Thiophosphopeptides and Analysis by Mass Spectrometry. <i>Current Protocols in Chemical Biology</i> , 2010, 2, 15-36.	1.7	72
123	Identifying genotype-dependent efficacy of single and combined PI3K- and MAPK-pathway inhibition in cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 18351-18356.	3.3	251
124	Active-Site Inhibitors of mTOR Target Rapamycin-Resistant Outputs of mTORC1 and mTORC2. <i>PLoS Biology</i> , 2009, 7, e1000038.	2.6	973
125	Functional Organization of the <i>S. cerevisiae</i> Phosphorylation Network. <i>Cell</i> , 2009, 136, 952-963.	13.5	235
126	EGFR Signals to mTOR Through PKC and Independently of Akt in Glioma. <i>Science Signaling</i> , 2009, 2, ra4.	1.6	153

#	ARTICLE	IF	CITATIONS
127	PI3 Kinase, Phospholipase C (PLC)- β 3, and RasGRPs Act Cooperatively to Activate the Ras-Extracellular-Related Kinase (ERK) Pathway in Response to Cytokines in Normal and Kras Mutant Myeloid Cells.. <i>Blood</i> , 2009, 114, 2512-2512.	0.6	0
128	Small Molecule Recognition of c-Src via the Imatinib-Binding Conformation. <i>Chemistry and Biology</i> , 2008, 15, 1015-1022.	6.2	84
129	Targeted polypharmacology: discovery of dual inhibitors of tyrosine and phosphoinositide kinases. <i>Nature Chemical Biology</i> , 2008, 4, 691-699.	3.9	393
130	Analysis of 3-phosphoinositide-dependent kinase-1 signaling and function in ES cells. <i>Experimental Cell Research</i> , 2008, 314, 2299-2312.	1.2	28
131	Corrigendum to "Identification of otubain 1 as a novel substrate for the Yersinia protein kinase using chemical genetics and mass spectrometry" [FEBS Lett. 580 (2006) 179-183]. <i>FEBS Letters</i> , 2008, 582, 3159-3159.	1.3	0
132	Tuning a Three-Component Reaction For Trapping Kinase Substrate Complexes. <i>Journal of the American Chemical Society</i> , 2008, 130, 17568-17574.	6.6	67
133	Genetic or pharmaceutical blockade of p110 β phosphoinositide 3-kinase enhances IgE production. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 811-819.e2.	1.5	67
134	Covalent capture of kinase-specific phosphopeptides reveals Cdk1-cyclin B substrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1442-1447.	3.3	274
135	Access Denied: Snf1 Activation Loop Phosphorylation Is Controlled by Availability of the Phosphorylated Threonine 210 to the PP1 Phosphatase. <i>Journal of Biological Chemistry</i> , 2008, 283, 222-230.	1.6	106
136	Beyond the Gatekeeper: Imatinib- and Dasatinib-Resistant BCR-ABL/F317 Mutations Confer Cross-Resistance to VX-680 but Are Sensitive to a Structural Derivative of VX-680. <i>Blood</i> , 2008, 112, 725-725.	0.6	0
137	Chemical Genetics: Where Genetics and Pharmacology Meet. <i>Cell</i> , 2007, 128, 425-430.	13.5	228
138	A membrane capture assay for lipid kinase activity. <i>Nature Protocols</i> , 2007, 2, 2459-2466.	5.5	44
139	Enhanced selectivity for inhibition of analog-sensitive protein kinases through scaffold optimization. <i>Tetrahedron</i> , 2007, 63, 5832-5838.	1.0	12
140	Structure-guided development of affinity probes for tyrosine kinases using chemical genetics. <i>Nature Chemical Biology</i> , 2007, 3, 229-238.	3.9	190
141	A semisynthetic epitope for kinase substrates. <i>Nature Methods</i> , 2007, 4, 511-516.	9.0	278
142	PI-103, a Dual Inhibitor of Class I Phosphatidylinositide 3-Kinase and mTOR, Has Anti-Leukemic Activity in Acute Myeloid Leukemia.. <i>Blood</i> , 2007, 110, 876-876.	0.6	1
143	Selective Kinase Inhibition by Exploiting Differential Pathway Sensitivity. <i>Chemistry and Biology</i> , 2006, 13, 399-407.	6.2	25
144	A dual PI3 kinase/mTOR inhibitor reveals emergent efficacy in glioma. <i>Cancer Cell</i> , 2006, 9, 341-349.	7.7	575

#	ARTICLE	IF	CITATIONS
145	Chemical Immunological Identification of Direct Kinase Substrates. <i>FASEB Journal</i> , 2006, 20, A76.	0.2	0
146	Chemical genetic methods for studying protein kinases. <i>FASEB Journal</i> , 2006, 20, A888.	0.2	0
147	Targeting the gatekeeper residue in phosphoinositide 3-kinases. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 2825-2836.	1.4	64
148	Features of Selective Kinase Inhibitors. <i>Chemistry and Biology</i> , 2005, 12, 621-637.	6.2	582
149	A second-site suppressor strategy for chemical genetic analysis of diverse protein kinases. <i>Nature Methods</i> , 2005, 2, 435-441.	9.0	127
150	An Unbiased Cell Morphology-Based Screen for New, Biologically Active Small Molecules. <i>PLoS Biology</i> , 2005, 3, e128.	2.6	215
151	Structural Bioinformatics-Based Design of Selective, Irreversible Kinase Inhibitors. <i>Science</i> , 2005, 308, 1318-1321.	6.0	470
152	Bio-orthogonal Affinity Purification of Direct Kinase Substrates. <i>Journal of the American Chemical Society</i> , 2005, 127, 5288-5289.	6.6	92
153	Chemicals Call Bacteria, and A New Membrane Protein Machine Answers. <i>Cell</i> , 2005, 121, 163-166.	13.5	7
154	A Mechanism-Based Cross-Linker for the Identification of Kinase-Substrate Pairs. <i>Journal of the American Chemical Society</i> , 2004, 126, 9160-9161.	6.6	75
155	A kinase sequence database: sequence alignments and family assignment. <i>Bioinformatics</i> , 2002, 18, 1274-1275.	1.8	55
156	Chemical Genetic Analysis of Protein Kinase Cascades. <i>Scientific World Journal</i> , The, 2002, 2, 108-110.	0.8	1
157	Novel chemical genetic approaches to the discovery of signal transduction inhibitors. <i>Drug Discovery Today</i> , 2002, 7, 872-879.	3.2	84
158	The emerging power of chemical genetics. <i>Current Opinion in Cell Biology</i> , 2002, 14, 155-159.	2.6	122
159	The LuxS family of bacterial autoinducers: biosynthesis of a novel quorum-sensing signal molecule. <i>Molecular Microbiology</i> , 2001, 41, 463-476.	1.2	909
160	Phage-display evolution of tyrosine kinases with altered nucleotide specificity. <i>Biopolymers</i> , 2001, 60, 220-228.	1.2	19
161	ERK phosphorylation drives cytoplasmic accumulation of hnRNP-K and inhibition of mRNA translation. <i>Nature Cell Biology</i> , 2001, 3, 325-330.	4.6	267
162	A chemical switch for inhibitor-sensitive alleles of any protein kinase. <i>Nature</i> , 2000, 407, 395-401.	13.7	1,001

#	ARTICLE	IF	CITATIONS
163	Chemical genetic analysis of the budding-yeast p21-activated kinase Cla4p. <i>Nature Cell Biology</i> , 2000, 2, 677-685.	4.6	139
164	Unnatural Ligands for Engineered Proteins: New Tools for Chemical Genetics. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2000, 29, 577-606.	18.3	156
165	Entry of B Cell Receptor into Signaling Domains Is Inhibited in Tolerant B Cells. <i>Journal of Experimental Medicine</i> , 2000, 191, 1443-1448.	4.2	84
166	Src ^v Abl Tyrosine Kinase Chimeras: Replacement of the Adenine Binding Pocket of c-Abl with v-Src To Swap Nucleotide and Inhibitor Specificities. <i>Biochemistry</i> , 2000, 39, 14400-14408.	1.2	26
167	Engineering of the Myosin-II ² Nucleotide-binding Pocket to Create Selective Sensitivity to N 6-modified ADP Analogs. <i>Journal of Biological Chemistry</i> , 1999, 274, 31373-31381.	1.6	68
168	Structural basis for selective inhibition of Src family kinases by PP1. <i>Chemistry and Biology</i> , 1999, 6, 671-678.	6.2	227
169	Blocking HIV entry. , 1999, 6, 906-908.		7
170	Design of allele-specific inhibitors to probe protein kinase signaling. <i>Current Biology</i> , 1998, 8, 257-266.	1.8	211
171	The Generation of Antibody Combining Sites Containing Catalytic Residues. <i>Novartis Foundation Symposium</i> , 1991, 159, 118-144.	1.2	1
172	Catalytic Antibodies: A New Class of Transition-State Analogues Used to Elicit Hydrolytic Antibodies. <i>Angewandte Chemie International Edition in English</i> , 1990, 29, 1296-1303.	4.4	48
173	Katalytische Antikörper: Eine neue Klasse von Übergangszustandsanaloge zur Erzeugung hydrolytischer Antikörper. <i>Angewandte Chemie</i> , 1990, 102, 1339-1346.	1.6	8
174	Eine über Antikörper gesteuerte Redoxreaktion. <i>Angewandte Chemie</i> , 1988, 100, 1227-1229.	1.6	13
175	An Antibody-Mediated Redox Reaction. <i>Angewandte Chemie International Edition in English</i> , 1988, 27, 1172-1174.	4.4	63