

Florian Lordick

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1721071/publications.pdf>

Version: 2024-02-01

118
papers

16,158
citations

87401

40
h-index

37326

100
g-index

126
all docs

126
docs citations

126
times ranked

15332
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Targeting HER2 for localised oesophageal cancer. <i>Lancet Oncology</i> , The, 2022, 23, 188-190. | 5.1 | 0 |
| 2 | Definitions and treatment of oligometastatic oesophagogastric cancer according to multidisciplinary tumour boards in Europe. <i>European Journal of Cancer</i> , 2022, 164, 18-29. | 1.3 | 27 |
| 3 | Combining gene expression analysis of gastric cancer cell lines and tumor specimens to identify biomarkers for anti-HER therapies—the role of HAS2, SHB and HBEGF. <i>BMC Cancer</i> , 2022, 22, 254. | 1.1 | 4 |
| 4 | Survival after secondary liver resection in metastatic colorectal cancer: Comparing data of three prospective randomized European trials (<scp>LICC</scp>, <scp>CELIM</scp>, <scp>FIRE</scp>â€³). <i>International Journal of Cancer</i> , 2022, 150, 1341-1349. | 2.3 | 6 |
| 5 | Adjuvant radiotherapy for gastric cancer—end of the road?. <i>Annals of Oncology</i> , 2021, 32, 287-289. | 0.6 | 16 |
| 6 | PD-1 inhibition in patient derived tissue cultures of human gastric and gastroesophageal adenocarcinoma. <i>Oncolmmunology</i> , 2021, 10, 1960729. | 2.1 | 8 |
| 7 | Targeted and immunotherapy in the era of personalised gastric cancer treatment. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2021, 50-51, 101738. | 1.0 | 15 |
| 8 | Biomarker-targeted therapies for advanced-stage gastric and gastro-oesophageal junction cancers: an emerging paradigm. <i>Nature Reviews Clinical Oncology</i> , 2021, 18, 473-487. | 12.5 | 139 |
| 9 | Symptom Burden and Palliative Care Needs of Patients with Incurable Cancer at Diagnosis and During the Disease Course. <i>Oncologist</i> , 2021, 26, e1058-e1065. | 1.9 | 42 |
| 10 | Patient-reported outcomes from the phase II FAST trial of zolbetuximab plus EOX compared to EOX alone as first-line treatment of patients with metastatic CLDN18.2+â€%gastroesophageal adenocarcinoma. <i>Gastric Cancer</i> , 2021, 24, 721-730. | 2.7 | 23 |
| 11 | Psychosocial aftercare of adolescent and young adult cancer survivors in Germany: Awareness, utilisation, satisfaction and associated factors. <i>Psycho-Oncology</i> , 2021, 30, 1311-1321. | 1.0 | 4 |
| 12 | HER2 Expression, Test Deviations, and Their Impact on Survival in Metastatic Gastric Cancer: Results From the Prospective Multicenter VARIANZ Study. <i>Journal of Clinical Oncology</i> , 2021, 39, 1468-1478. | 0.8 | 54 |
| 13 | Molecular Targets for Gastric Cancer Treatment and Future Perspectives from a Clinical and Translational Point of View. <i>Cancers</i> , 2021, 13, 5216. | 1.7 | 15 |
| 14 | Toward a Routine Assessment of Visceral Adipose Tissue Volume from Computed Tomographic Data. <i>Obesity</i> , 2021, 29, 294-301. | 1.5 | 3 |
| 15 | SATB1-Mediated Upregulation of the Oncogenic Receptor Tyrosine Kinase HER3 Antagonizes MET Inhibition in Gastric Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 82. | 1.8 | 3 |
| 16 | Characterization of Total RNA, CD44, FASN, and PTEN mRNAs from Extracellular Vesicles as Biomarkers in Gastric Cancer Patients. <i>Cancers</i> , 2021, 13, 5975. | 1.7 | 6 |
| 17 | Influence of Taxanes on Treatment Sequence in Gastric Cancer. <i>Oncology Research and Treatment</i> , 2020, 43, 42-47. | 0.8 | 8 |
| 18 | Prognostic role of body composition parameters in gastric/gastroesophageal junction cancer patients from the EXPAND trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 135-144. | 2.9 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Multidisciplinary management of stage II-III gastric and gastro-oesophageal junction cancer. European Journal of Cancer, 2020, 124, 67-76. | 1.3 | 16 |
| 20 | Impact of COVID-19 on cancer service delivery: results from an international survey of oncology clinicians. ESMO Open, 2020, 5, e001090. | 2.0 | 18 |
| 21 | Ärberleben mit QualitÄt. Forum, 2020, 35, 355-355. | 0.0 | 0 |
| 22 | ESMO management and treatment adapted recommendations in the COVID-19 era: colorectal cancer. ESMO Open, 2020, 5, e000826. | 2.0 | 60 |
| 23 | ESMO Management and treatment adapted recommendations in the COVID-19 era: Pancreatic Cancer. ESMO Open, 2020, 5, e000804. | 2.0 | 61 |
| 24 | Gastric cancer. Lancet, The, 2020, 396, 635-648. | 6.3 | 2,084 |
| 25 | Technik fÄ¼r das Leben. Forum, 2020, 35, 257-257. | 0.0 | 0 |
| 26 | Reif fÄ¼r die Insel. Forum, 2020, 35, 433-433. | 0.0 | 0 |
| 27 | Young patients with cancer and a digital social network: the voice beyond the clinic. ESMO Open, 2020, 5, e000651. | 2.0 | 9 |
| 28 | Management of early-stage gastro-esophageal cancers: expert perspectives from the Australasian Gastrointestinal Trials Group (AGITG) with invited international faculty. Expert Review of Anticancer Therapy, 2020, 20, 305-324. | 1.1 | 0 |
| 29 | Die digitale Revolution erreicht die Onkologie. Forum, 2020, 35, 81-81. | 0.0 | 0 |
| 30 | Progress and challenges in gastroesophageal cancer. Current Problems in Cancer, 2020, 44, 100590. | 1.0 | 5 |
| 31 | Ein bewegtes 2019. Forum, 2019, 34, 1-1. | 0.0 | 0 |
| 32 | Leitlinien und Innovation â€œ keinÄWiderspruch. Forum, 2019, 34, 223-224. | 0.0 | 0 |
| 33 | A multicentre, phase IIa study of zolbetuximab as a single agent in patients with recurrent or refractory advanced adenocarcinoma of the stomach or lower oesophagus: the MONO study. Annals of Oncology, 2019, 30, 1487-1495. | 0.6 | 130 |
| 34 | Zu viel Recht?. Forum, 2019, 34, 399-399. | 0.0 | 0 |
| 35 | Zu viel ist nicht gut. Forum, 2019, 34, 305-305. | 0.0 | 0 |
| 36 | Social networks for young patients with cancer: the time for system agility. Lancet Oncology, The, 2019, 20, 765. | 5.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | High prevalence of severe hypovitaminosis D in patients with advanced gastric cancer treated with first-line chemotherapy with or without anti-EGFR-directed monoclonal antibody (EXPAND trial) showing no prognostic impact. <i>European Journal of Cancer</i> , 2019, 116, 107-113. | 1.3 | 2 |
| 38 | The 4th St. Gallen EORTC Gastrointestinal Cancer Conference: Controversial issues in the multimodal primary treatment of gastric, junctional and oesophageal adenocarcinoma. <i>European Journal of Cancer</i> , 2019, 112, 1-8. | 1.3 | 23 |
| 39 | SOURCE: A Registry-Based Prediction Model for Overall Survival in Patients with Metastatic Oesophageal or Gastric Cancer. <i>Cancers</i> , 2019, 11, 187. | 1.7 | 20 |
| 40 | Educational needs in gastrointestinal cancer: a consensus position paper from the ESMO Gastrointestinal Cancer Faculty. <i>ESMO Open</i> , 2019, 4, e000533. | 2.0 | 1 |
| 41 | Zwei Dekaden gegen den Krebs. <i>Forum</i> , 2019, 34, 489-489. | 0.0 | 0 |
| 42 | Two steps forward and one step back. <i>Nature Reviews Clinical Oncology</i> , 2019, 16, 69-70. | 12.5 | 6 |
| 43 | VESTIGE: Adjuvant Immunotherapy in Patients With Resected Esophageal, Gastroesophageal Junction and Gastric Cancer Following Preoperative Chemotherapy With High Risk for Recurrence (N+ and/or Tj ETQq1 1 0.784314 rgBT /Over | 1.3 | 33 |
| 44 | Tumor-associated macrophages and individual chemo-susceptibility are influenced by iron chelation in human slice cultures of gastric cancer. <i>Oncotarget</i> , 2019, 10, 4731-4742. | 0.8 | 15 |
| 45 | Anti-angiogenics in Gastroesophageal Cancer. , 2019, , 395-414. | | 0 |
| 46 | Perioperative chemotherapy with or without epidermal growth factor receptor blockade in unselected patients with locally advanced oesophagogastric adenocarcinoma: Randomized phase II study with advanced biomarker program of the German Cancer Society (AIO/CAO STO-0801). <i>European Journal of Cancer</i> , 2018, 93, 119-126. | 1.3 | 33 |
| 47 | ECCO essential requirements for quality cancer care: Oesophageal and gastric cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 122, 179-193. | 2.0 | 57 |
| 48 | Synchronous metastatic gastric cancer-molecular background and clinical implications with special attention to mismatch repair deficiency. <i>European Journal of Surgical Oncology</i> , 2018, 44, 626-631. | 0.5 | 16 |
| 49 | Changing paradigms in adjuvant treatment of colorectal cancer. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 6-8. | 3.7 | 4 |
| 50 | PAXgene fixation enables comprehensive metabolomic and proteomic analyses of tissue specimens by MALDI MSI. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018, 1862, 51-60. | 1.1 | 14 |
| 51 | Krebs ist teuer – eine Frage der Perspektive. <i>Forum</i> , 2018, 33, 299-301. | 0.0 | 0 |
| 52 | Pressurized Intraperitoneal Aerosol Chemotherapy (PIPAC) in Gastric Cancer Patients with Peritoneal Metastasis (PM): Results of a Single-Center Experience and Register Study. <i>Journal of Gastric Cancer</i> , 2018, 18, 379. | 0.9 | 54 |
| 53 | Early metabolic response in sequential FDG-PET/CT under cetuximab is a predictive marker for clinical response in first-line metastatic colorectal cancer patients: results of the phase II REMOTUX trial. <i>British Journal of Cancer</i> , 2018, 119, 170-175. | 2.9 | 6 |
| 54 | Randomised phase II trial to investigate catumaxomab (anti-EpCAM—anti-CD3) for treatment of peritoneal carcinomatosis in patients with gastric cancer. <i>British Journal of Cancer</i> , 2018, 119, 296-302. | 2.9 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | More is more? Pushing chemoradiotherapy of oesophageal squamous cell carcinoma forward. <i>European Journal of Cancer</i> , 2018, 97, 25-26. | 1.3 | 0 |
| 56 | Ösophaguskarzinom beim alten und geriatrischen Patienten. , 2018, , 313-324. | | 0 |
| 57 | Anti-angiogenesis: disappointment in localised oesophagogastric cancer. <i>Lancet Oncology</i> , The, 2017, 18, 278-279. | 5.1 | 4 |
| 58 | Current management of liver metastases from gastric cancer: what is common practice? New challenge of EORTC and JCOG. <i>Gastric Cancer</i> , 2017, 20, 904-912. | 2.7 | 33 |
| 59 | Salvage chemotherapy for advanced gastric cancer: more than a false hope?. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 240-241. | 3.7 | 0 |
| 60 | TOPGEAR: A Randomized, Phase III Trial of Perioperative ECF Chemotherapy with or Without Preoperative Chemoradiation for Resectable Gastric Cancer: Interim Results from an International, Intergroup Trial of the AGITG, TROG, EORTC and CCTG. <i>Annals of Surgical Oncology</i> , 2017, 24, 2252-2258. | 0.7 | 186 |
| 61 | Anti-Angiogenics in Gastroesophageal Cancer. , 2017, , 1-19. | | 0 |
| 62 | HER2 testing in gastric cancer: results of a German expert meeting. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 835-841. | 1.2 | 46 |
| 63 | Management of Metastatic Gastric Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2017, 31, 469-483. | 0.9 | 16 |
| 64 | Effect of Fluorouracil, Leucovorin, and Oxaliplatin With or Without Onartuzumab in HER2-Negative, MET-Positive Gastroesophageal Adenocarcinoma. <i>JAMA Oncology</i> , 2017, 3, 620. | 3.4 | 233 |
| 65 | Treatment of oesophageal cancer – Stressing the patient perspective. <i>European Journal of Cancer</i> , 2017, 84, 360-362. | 1.3 | 1 |
| 66 | Will molecular target agents enable the multidisciplinary treatment in stage IV gastric cancer?. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1835-1845. | 0.5 | 4 |
| 67 | Oesophageal cancer. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17048. | 18.1 | 671 |
| 68 | Oligometastases of Gastrointestinal Cancer Origin. <i>Visceral Medicine</i> , 2017, 33, 76-81. | 0.5 | 0 |
| 69 | Ösophaguskarzinom beim alten und geriatrischen Patienten. , 2017, , 1-12. | | 0 |
| 70 | Gastric cancer adjuvant therapy. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2016, 30, 581-591. | 1.0 | 13 |
| 71 | Insights into next developments in advanced gastric cancer. <i>Current Opinion in Oncology</i> , 2016, 28, 367-375. | 1.1 | 16 |
| 72 | Chances, risks and limitations of neoadjuvant therapy in surgical oncology. <i>Innovative Surgical Sciences</i> , 2016, 1, 3-11. | 0.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | ESOPEC: prospective randomized controlled multicenter phase III trial comparing perioperative chemotherapy (FLOT protocol) to neoadjuvant chemoradiation (CROSS protocol) in patients with adenocarcinoma of the esophagus (NCT02509286). <i>BMC Cancer</i> , 2016, 16, 503. | 1.1 | 234 |
| 74 | Organotypic slice cultures of human gastric and esophagogastric junction cancer. <i>Cancer Medicine</i> , 2016, 5, 1444-1453. | 1.3 | 50 |
| 75 | Death-Related Anxiety in Patients With Advanced Cancer: Validation of the German Version of the Death and Dying Distress Scale. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 582-587. | 0.6 | 34 |
| 76 | Symptoms and Needs of Head and Neck Cancer Patients at Diagnosis of Incurability - Prevalences, Clinical Implications, and Feasibility of a Prospective Longitudinal Multicenter Cohort Study. <i>Oncology Research and Treatment</i> , 2016, 39, 186-191. | 0.8 | 20 |
| 77 | Der Patient im Mittelpunkt. <i>Forum</i> , 2016, 31, 89-90. | 0.0 | 0 |
| 78 | Clinical impact of tumour biology in the management of gastroesophageal cancer. <i>Nature Reviews Clinical Oncology</i> , 2016, 13, 348-360. | 12.5 | 132 |
| 79 | Perioperative and Palliative Chemotherapy for Esophageal Cancer. <i>Visceral Medicine</i> , 2015, 31, 341-346. | 0.5 | 2 |
| 80 | Lapatinib versus lapatinib plus capecitabine as second-line treatment in human epidermal growth factor receptor 2-amplified metastatic gastro-oesophageal cancer: A randomised phase II trial of the Arbeitsgemeinschaft Internistische Onkologie. <i>European Journal of Cancer</i> , 2015, 51, 569-576. | 1.3 | 59 |
| 81 | TOPGEAR: a randomised phase III trial of perioperative ECF chemotherapy versus preoperative chemoradiation plus perioperative ECF chemotherapy for resectable gastric cancer (an international,). <i>TJ ETQq1 1 0:Z84314 rg34 /Over</i> | 1.1 | 42 |
| 82 | Efficacy of a brief manualized intervention Managing Cancer and Living Meaningfully (CALM) adapted to German cancer care settings: study protocol for a randomized controlled trial. <i>BMC Cancer</i> , 2015, 15, 592. | 1.1 | 42 |
| 83 | Over the RAINBOWâ€”renaissance in antiangiogenesis. <i>Nature Reviews Clinical Oncology</i> , 2015, 12, 7-8. | 12.5 | 8 |
| 84 | Long-term outcomes of trimodality treatment for squamous cell carcinoma of the esophagus with cisplatin and/or 5-FU. <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 1133-1140. | 1.0 | 16 |
| 85 | Unmet needs and challenges in gastric cancer: The way forward. <i>Cancer Treatment Reviews</i> , 2014, 40, 692-700. | 3.4 | 156 |
| 86 | Targeting the HGF/MET pathway in gastric cancer. <i>Lancet Oncology, The</i> , 2014, 15, 914-916. | 5.1 | 28 |
| 87 | Optimal chemotherapy for advanced gastric cancer: is there a global consensus?. <i>Gastric Cancer</i> , 2014, 17, 213-225. | 2.7 | 103 |
| 88 | Rectal Cancer with Synchronous Liver Metastases: Leave It All in? When (not) to Resect the Primary?. <i>Recent Results in Cancer Research</i> , 2014, 203, 231-241. | 1.8 | 1 |
| 89 | Epidermal growth factor receptor (EGFR) is an independent adverse prognostic factor in esophageal adenocarcinoma patients treated with cisplatin-based neoadjuvant chemotherapy. <i>Oncotarget</i> , 2014, 5, 6620-6632. | 0.8 | 35 |
| 90 | Proteomic and metabolic prediction of response to therapy in gastric cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 13648. | 1.4 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Multimodal treatment of esophageal cancer. <i>Langenbeck's Archives of Surgery</i> , 2013, 398, 177-187. | 0.8 | 46 |
| 92 | Capecitabine and cisplatin with or without cetuximab for patients with previously untreated advanced gastric cancer (EXPAND): a randomised, open-label phase 3 trial. <i>Lancet Oncology</i> , The, 2013, 14, 490-499. | 5.1 | 740 |
| 93 | Salvage chemotherapy in gastric cancer—more than a straw?. <i>Nature Reviews Clinical Oncology</i> , 2012, 9, 312-313. | 12.5 | 8 |
| 94 | Highlights of the EORTC St. Gallen International Expert Consensus on the primary therapy of gastric, gastroesophageal and oesophageal cancer — Differential treatment strategies for subtypes of early gastroesophageal cancer. <i>European Journal of Cancer</i> , 2012, 48, 2941-2953. | 1.3 | 129 |
| 95 | Resection of the primary tumour versus no resection prior to systemic therapy in patients with colon cancer and synchronous unresectable metastases (UICC stage IV): SYNCHRONOUS - a randomised controlled multicentre trial (ISRCTN30964555). <i>BMC Cancer</i> , 2012, 12, 142. | 1.1 | 115 |
| 96 | Optimizing Neoadjuvant Chemotherapy Through the Use of Early Response Evaluation by Positron Emission Tomography. <i>Recent Results in Cancer Research</i> , 2012, 196, 201-211. | 1.8 | 18 |
| 97 | How will human epidermal growth factor receptor 2-neu data impact clinical management of gastric cancer?. <i>Current Opinion in Oncology</i> , 2011, 23, 396-402. | 1.1 | 26 |
| 98 | HER2 in gastric cancer: a biomarker with clinical impact, but not without translational challenges. <i>Clinical and Translational Oncology</i> , 2011, 13, 597-598. | 1.2 | 6 |
| 99 | Biomarker analysis of cetuximab plus oxaliplatin/leucovorin/5-fluorouracil in first-line metastatic gastric and oesophago-gastric junction cancer: results from a phase II trial of the Arbeitsgemeinschaft Internistische Onkologie (AIO). <i>BMC Cancer</i> , 2011, 11, 509. | 1.1 | 58 |
| 100 | Neoadjuvant Chemotherapy Compared With Surgery Alone for Locally Advanced Cancer of the Stomach and Cardia: European Organisation for Research and Treatment of Cancer Randomized Trial 40954. <i>Journal of Clinical Oncology</i> , 2010, 28, 5210-5218. | 0.8 | 619 |
| 101 | Trastuzumab in combination with chemotherapy versus chemotherapy alone for treatment of HER2-positive advanced gastric or gastro-oesophageal junction cancer (ToGA): a phase 3, open-label, randomised controlled trial. <i>Lancet</i> , The, 2010, 376, 687-697. | 6.3 | 5,899 |
| 102 | Tumour response and secondary resectability of colorectal liver metastases following neoadjuvant chemotherapy with cetuximab: the CELIM randomised phase 2 trial. <i>Lancet Oncology</i> , The, 2010, 11, 38-47. | 5.1 | 873 |
| 103 | Prognostic significance of histopathological tumor regression after neoadjuvant chemotherapy in esophageal adenocarcinomas. <i>Modern Pathology</i> , 2009, 22, 1555-1563. | 2.9 | 101 |
| 104 | Surgical Factors Influence the Outcome After Ivor-Lewis Esophagectomy with Intrathoracic Anastomosis for Adenocarcinoma of the Esophagogastric Junction: A Consecutive Series of 240 Patients at an Experienced Center. <i>Annals of Surgical Oncology</i> , 2009, 16, 1017-1025. | 0.7 | 79 |
| 105 | The role of biologics in stomach cancer. <i>Targeted Oncology</i> , 2008, 3, 71-79. | 1.7 | 3 |
| 106 | The evolving role of catumaxomab in gastric cancer. <i>Expert Opinion on Biological Therapy</i> , 2008, 8, 1407-1415. | 1.4 | 14 |
| 107 | Current status and future of chemotherapy and biochemotherapy in gastroesophageal cancers. <i>Gastrointestinal Cancer Research: GCR</i> , 2008, 2, 187-97. | 0.8 | 7 |
| 108 | PET to assess early metabolic response and to guide treatment of adenocarcinoma of the oesophagogastric junction: the MUNICON phase II trial. <i>Lancet Oncology</i> , The, 2007, 8, 797-805. | 5.1 | 757 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Imaging Gastric Cancer with PET and the Radiotracers 18F-FLT and 18F-FDG: A Comparative Analysis. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1945-1950. | 2.8 | 113 |
| 110 | Current treatment approach to locally advanced esophageal cancer: is resection mandatory?. <i>Future Oncology</i> , 2006, 2, 717-721. | 1.1 | 15 |
| 111 | Increased risk of ischemic bowel complications during treatment with bevacizumab after pelvic irradiation: Report of three cases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 64, 1295-1298. | 0.4 | 128 |
| 112 | The clinical impact of histopathologic response assessment by residual tumor cell quantification in esophageal squamous cell carcinomas. <i>Cancer</i> , 2006, 106, 2119-2127. | 2.0 | 131 |
| 113 | Metabolic Imaging Predicts Response, Survival, and Recurrence in Adenocarcinomas of the Esophagogastric Junction. <i>Journal of Clinical Oncology</i> , 2006, 24, 4692-4698. | 0.8 | 458 |
| 114 | Recent advances in multimodal treatment for gastric cancer: a review. <i>Gastric Cancer</i> , 2005, 8, 78-85. | 2.7 | 80 |
| 115 | Comparison of changes in tumor metabolic activity and tumor size during chemotherapy of adenocarcinomas of the esophagogastric junction. <i>Journal of Nuclear Medicine</i> , 2005, 46, 2029-34. | 2.8 | 71 |
| 116 | Ultrasound screening for internal jugular vein thrombosis aids the detection of central venous catheter-related infections in patients with haemato-oncological diseases: a prospective observational study. <i>British Journal of Haematology</i> , 2003, 120, 1073-1078. | 1.2 | 65 |
| 117 | Magenkarzinom: Neue molekulare Konzepte. , 0, , . | | 1 |
| 118 | Magenkarzinom: Neue molekulare Konzepte. , 0, , . | | 3 |