

Miroslav ZoriÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1721216/publications.pdf>

Version: 2024-02-01

21
papers

98
citations

1478505

6
h-index

1474206

9
g-index

21
all docs

21
docs citations

21
times ranked

126
citing authors

#	ARTICLE	IF	CITATIONS
1	Dissection of Year Related Climatic Variables and Their Effect on Winter Rapeseed (<i>Brassica Napus L.</i>) Development and Yield. <i>Agronomy</i> , 2019, 9, 517.	3.0	15
2	Tissue culture and agronomic traits relationship in wheat. <i>Plant Cell, Tissue and Organ Culture</i> , 2008, 95, 107-114.	2.3	13
3	Classification of confectionary sunflower genotypes based on morphological characters. <i>Journal of Agricultural Science</i> , 2017, 155, 1594-1609.	1.3	13
4	Enetic diversity in red clover (<i>Trifolium pratense L.</i>) using SSR markers. <i>Genetika</i> , 2014, 46, 949-961.	0.4	9
5	Variability of leaf Cadmium content in tetraploid and hexaploid wheat. <i>Genetika</i> , 2009, 41, 1-10.	0.4	8
6	Qualitative traits in sunflower breeding: UGAâ€€SAM1 phenotyping case study. <i>Crop Science</i> , 2020, 60, 303-319.	1.8	6
7	Molecular characterization of barley (<i>Hordeum vulgare L.</i>) accessions of the Serbian GeneBank by SSR fingerprinting. <i>Genetika</i> , 2013, 45, 167-180.	0.4	5
8	Evaluation of seed and oil yield stability in NS rapeseed cultivars (<i>Brassica napus L.</i>). <i>Ratarstvo I Povrtarstvo</i> , 2011, 48, 67-76.	0.5	5
9	Assessing wheat performance using environmental information. <i>Genetika</i> , 2007, 39, 413-425.	0.4	4
10	Viability of oilseed rape (<i>Brassica napus L.</i>) seeds under salt stress. <i>Genetika</i> , 2014, 46, 137-148.	0.4	4
11	Variability of red clover genotypes on the basis of morphological markers. <i>Genetika</i> , 2018, 50, 895-906.	0.4	4
12	Origin and diversity study of local common bean (<i>Phaseolus vulgaris L.</i>) germplasm from Serbia: phaseolin and phenotyping approach. <i>Genetic Resources and Crop Evolution</i> , 2020, 67, 2195-2212.	1.6	3
13	Interpretation of interactions in sunflower agronomic trials using multiplicative models and climatic information. <i>Helia</i> , 2008, 31, 51-64.	0.4	2
14	Effect of nitrogen rate on grain yield of bread wheat genotypes. <i>Genetika</i> , 2010, 42, 279-286.	0.4	2
15	Yields of ns maize hybrids from different breeding periods. <i>Selekcija I Semearstvo</i> , 2015, 21, 93-102.	0.4	1
16	Analysis of grain size in bean (<i>Phaseolus vulgaris L.</i>) by linear and bilinear models. <i>Genetika</i> , 2010, 42, 535-544.	0.4	1
17	Phenotypic variability of spike characteristics and genetic structure of population in the collection of spring barley. <i>Selekcija I Semearstvo</i> , 2018, 24, 49-58.	0.4	1
18	Biplot analysis of seed priming effects on maize seedling growth traits. <i>Ratarstvo I Povrtarstvo</i> , 2018, 55, 111-117.	0.5	1

#	ARTICLE	IF	CITATIONS
19	Effect of harvest maturity stage and seeding rate on alfalfa yield and quality. Ratarstvo I Povrtarstvo, 2020, 57, 35-42.	0.5	1
20	Direct and indirect effects of morphophysiological traits on kernel protein content of confectionary sunflower. Genetika, 2017, 49, 1015-1021.	0.4	0
21	Effect of organic and conventional farming system and sowing date on yield, seed oil and protein content in rapeseed cultivars. Ratarstvo I Povrtarstvo, 2020, 57, 55-60.	0.5	0