
## Francisca F Garcia-Moreno Nisa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/172123/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Behaviour at the peritoneal interface of next-generation prosthetic materials for hernia repair. Surgical Endoscopy and Other Interventional Techniques, 2022, 36, 579-590.	1.3	5
2	SARSâ€CoVâ€2 infection and venous thromboembolism after surgery: an international prospective cohort study. Anaesthesia, 2022, 77, 28-39.	1.8	82
3	Surgical Treatment of Gallstone Ileus: Less Is More. Visceral Medicine, 2022, 38, 1-6.	0.5	10
4	Self-adhesive hydrogel meshes reduce tissue incorporation and mechanical behavior versus microgrips self-fixation: a preclinical study. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2022, 26, 543-555.	0.9	3
5	Early laparoscopic cholecystectomy in oldest-old patients: a propensity score matched analysis of a nationwide registry. Updates in Surgery, 2022, 74, 979-989.	0.9	1
6	Elective Cancer Surgery in COVID-19–Free Surgical Pathways During the SARS-CoV-2 Pandemic: An International, Multicenter, Comparative Cohort Study. Journal of Clinical Oncology, 2021, 39, 66-78.	0.8	165
7	Laparoscopic cholecystectomy for acute cholecystitis: is the surgery still safe beyond the 7-day barrier? A multicentric observational study. Updates in Surgery, 2021, 73, 261-272.	0.9	6
8	A retrospective analysis and literature review of neoplastic appendiceal mucinous lesions. BMC Surgery, 2021, 21, 79.	0.6	11
9	How to Predict Postoperative Complications After Early Laparoscopic Cholecystectomy for Acute Cholecystitis: the Chole-Risk Score. Journal of Gastrointestinal Surgery, 2021, 25, 2814-2822.	0.9	12
10	Antibacterial polypropylene mesh fixation with a cyanoacrylate adhesive improves its response to infection. Surgery, 2021, 170, 507-515.	1.0	2
11	Timing of surgery following SARSâ€CoVâ€2 infection: an international prospective cohort study. Anaesthesia, 2021, 76, 748-758.	1.8	365
12	Antibacterial Biopolymer Gel Coating on Meshes Used for Abdominal Hernia Repair Promotes Effective Wound Repair in the Presence of Infection. Polymers, 2021, 13, 2371.	2.0	2
13	Effects of preâ€operative isolation on postoperative pulmonary complications after elective surgery: an international prospective cohort study. Anaesthesia, 2021, 76, 1454-1464.	1.8	40
14	Preoperative nasopharyngeal swab testing and postoperative pulmonary complications in patients undergoing elective surgery during the SARS-CoV-2 pandemic. British Journal of Surgery, 2021, 108, 88-96.	0.1	45
15	Mesh Fixation Using a Cyanoacrylate Applied as a Spray Improves Abdominal Wall Tissue Repair. Journal of Surgical Research, 2020, 246, 26-33.	0.8	3
16	Preclinical bioassay of a novel antibacterial mesh for the repair of abdominal hernia defects. Surgery, 2020, 167, 598-608.	1.0	9
17	Delaying surgery for patients with a previous SARS-CoV-2 infection. British Journal of Surgery, 2020, 107, e601-e602.	0.1	96
18	Development of Biocomposite Polymeric Systems Loaded with Antibacterial Nanoparticles for the Coating of Polypropylene Biomaterials. Polymers, 2020, 12, 1829.	2.0	12

#	Article	IF	CITATIONS
19	Long term comparative evaluation of two types of absorbable meshes in partial abdominal wall defects: an experimental study in rabbits. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2020, 24, 1159-1173.	0.9	4
20	Sleeve Gastrectomy and Gastric Bypass Decrease the Carotid Intima-Media Thickness in Obese Men: Association with Weight Loss, Cardiovascular Risk Factors, and Circulating Testosterone. Obesity Surgery, 2020, 30, 851-859.	1.1	9
21	Assessment of short-term outcome with TiO2 mesh in laparoscopic repair of large paraesophageal hiatal hernias. BMC Surgery, 2019, 19, 156.	0.6	3
22	Evaluation of synthetic reticular hybrid meshes designed for intraperitoneal abdominal wall repair: Preclinical and in vitro behavior. PLoS ONE, 2019, 14, e0213005.	1.1	10
23	Experimental study on the use of a chlorhexidine-loaded carboxymethylcellulose gel as antibacterial coating for hernia repair meshes. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2019, 23, 789-800.	0.9	14
24	Comparing the influence of two immunosuppressants (fingolimod, azathioprine) on wound healing in a rat model of primary and secondary intention wound closure. Wound Repair and Regeneration, 2019, 27, 59-68.	1.5	9
25	Transgastric Laparoscopic Removal of Gastric Band. Journal of Laparoendoscopic & Advanced Surgical Techniques Part B, Videoscopy, 2018, 28, .	0.1	0
26	Management of Esophageal Perforation: 28-Year Experience in a Major Referral Center. American Surgeon, 2018, 84, 684-689.	0.4	5
27	Long-term results and complications related to Crurasoft® mesh repair for paraesophageal hiatal hernias. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2017, 21, 291-298.	0.9	24
28	Criterios de calidad en cirugÃa bariátrica: revisión de conjunto y recomendaciones de la Asociación Española de Cirujanos y de la Sociedad Española de CirugÃa de la Obesidad. CirugÃa Española, 2017, 95, 4-16.	0.1	38
29	Factores predictivos de pérdida ponderal tras la gastrectomÃa vertical. Estudio multicéntrico hispano-portugués. CirugÃa Española, 2017, 95, 135-142.	0.1	14
30	Serum Bioavailable Vitamin D Concentrations and Bone Mineral Density in Women After Obesity Surgery, 2016, 26, 2732-2737.	1.1	7
31	In vitro assessment of an antibacterial quaternary ammonium-based polymer loaded with chlorhexidine for the coating of polypropylene prosthetic meshes. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2016, 20, 869-878.	0.9	22
32	Prognostic Factors for Morbimortality in Sleeve Gastrectomy. The Importance of the Learning Curve. A Spanish-Portuguese Multicenter Study. Obesity Surgery, 2016, 26, 2829-2836.	1.1	24
33	The role of serum osteoprotegerin and receptor–activator of nuclear factor-ήB ligand in metabolic bone disease of women after obesity surgery. Journal of Bone and Mineral Metabolism, 2016, 34, 655-661.	1.3	8
34	Primary squamous cell carcinoma of the rectum: An atypical histology. Revista Espanola De Enfermedades Digestivas, 2016, 108, 826-835.	0.1	3
35	Inhibition of Staphylococcus aureus Adhesion to the Surface of a Reticular Heavyweight Polypropylene Mesh Soaked in a Combination of Chlorhexidine and Allicin: An In vitro Study. PLoS ONE, 2015, 10, e0126711.	1.1	25
36	Preclinical Bioassay of a Polypropylene Mesh for Hernia Repair Pretreated with Antibacterial Solutions of Chlorhexidine and Allicin: An In Vivo Study. PLoS ONE, 2015, 10, e0142768.	1.1	28

#	Article	IF	CITATIONS
37	Comparing the host tissue response and peritoneal behavior of composite meshes used for ventral hernia repair. Journal of Surgical Research, 2015, 193, 470-482.	0.8	18
38	Comparative study between open and minimally invasive approach in the surgical management of esophageal leiomyoma. Revista Espanola De Enfermedades Digestivas, 2015, 108, 8-14.	0.1	13
39	Duodenal fistula after gastrectomy: Retrospective study of 13 new cases. Revista Espanola De Enfermedades Digestivas, 2015, 108, 20-6.	0.1	10
40	Intraperitoneal behaviour of a new composite mesh (Parietexâ,,¢ Composite Ventral Patch) designed for umbilical or epigastric hernia repair. Surgical Endoscopy and Other Interventional Techniques, 2014, 28, 3479-3488.	1.3	12
41	Effects of Bariatric Surgery on Male Obesity-Associated Secondary Hypogonadism: Comparison of Laparoscopic Gastric Bypass with Restrictive Procedures. Obesity Surgery, 2014, 24, 1686-1692.	1.1	55
42	Pancreaticoduodenectomy for metastasis of uterine leiomyosarcoma to the pancreas. Clinical and Translational Oncology, 2010, 12, 643-645.	1.2	8
43	Injury Patterns from Major Urban Terrorist Bombings in Trains: The Madrid Experience. World Journal of Surgery, 2008, 32, 1168-1175.	0.8	118
44	Benign rectovaginal fistulas: management and results of a personal series. Techniques in Coloproctology, 2007, 11, 128-134.	0.8	26
45	Extraosseous retroperitoneal Ewing's sarcoma. Clinical and Translational Oncology, 2007, 9, 404-405.	1.2	2
46	Healing process induced by three composite prostheses in the repair of abdominal wall defects. Journal of Biomedical Materials Research Part B, 2002, 63, 182-190.	3.0	30
47	Healing process induced by three composite prostheses in the repair of abdominal wall defects. Journal of Biomedical Materials Research Part B, 2002, 63, 182.	3.0	6
48	Diseño y ensayo biológico de una nueva prótesis composite (PL-PU99) destinada a la reparación de defectos de la pared abdominal. CirugÃa Española, 2001, 70, 116-122.	0.1	1
49	Use of Composite Prostheses in the Repair of Defects in the Abdominal Wall: Prosthetic Behaviour at the Peritoneum. The European Journal of Surgery, 2001, 167, 666-671.	1.0	7