

# Javier Monsalve-Serrano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1721634/publications.pdf>

Version: 2024-02-01

97  
papers

3,012  
citations

156536

32  
h-index

232693

48  
g-index

97  
all docs

97  
docs citations

97  
times ranked

1432  
citing authors

#	ARTICLE	IF	CITATIONS
1	Numerical analysis of kinetic mechanisms for battery thermal runaway prediction in lithium-ion batteries. <i>International Journal of Engine Research</i> , 2022, 23, 1691-1707.	1.4	11
2	EGR cylinder deactivation strategy to accelerate the warm-up and restart processes in a Diesel engine operating at cold conditions. <i>International Journal of Engine Research</i> , 2022, 23, 614-623.	1.4	1
3	Energy assessment of an electrically heated catalyst in a hybrid RCCI truck. <i>Energy</i> , 2022, 238, 121681.	4.5	12
4	Energy sustainability in the transport sector using synthetic fuels in series hybrid trucks with RCCI dual-fuel engine. <i>Fuel</i> , 2022, 308, 122024.	3.4	9
5	Optimization of low carbon fuels operation on a CI engine under a simplified driving cycle for transportation de-fossilization. <i>Fuel</i> , 2022, 310, 122338.	3.4	9
6	Thermal runaway evaluation and thermal performance enhancement of a lithium-ion battery coupling cooling system and battery sub-models. <i>Applied Thermal Engineering</i> , 2022, 202, 117884.	3.0	31
7	Life cycle CO <sub>2</sub> footprint reduction comparison of hybrid and electric buses for bus transit networks. <i>Applied Energy</i> , 2022, 308, 118354.	5.1	20
8	Influence of environmental conditions in the battery thermal runaway process of different chemistries: Thermodynamic and optical assessment. <i>International Journal of Heat and Mass Transfer</i> , 2022, 184, 122381.	2.5	20
9	Intelligent charge compression ignition combustion for range extender medium duty applications. <i>Renewable Energy</i> , 2022, 187, 671-687.	4.3	1
10	Pathways to achieve future CO <sub>2</sub> emission reduction targets for bus transit networks. <i>Energy</i> , 2022, 244, 123177.	4.5	15
11	Parametric assessment of the effect of oxygenated low carbon fuels in a light-duty compression ignition engine. <i>Fuel Processing Technology</i> , 2022, 229, 107199.	3.7	10
12	Impact of low carbon fuels (LCF) on the fuel efficiency and NO <sub>x</sub> emissions of a light-duty series hybrid commercial delivery vehicle. <i>Fuel</i> , 2022, 321, 124035.	3.4	7
13	Good and bad get together: Inactivation of SARS-CoV-2 in particulate matter pollution from different fuels. <i>Science of the Total Environment</i> , 2022, 844, 157241.	3.9	6
14	Advantages of using a cooler bypass in the low-pressure exhaust gas recirculation line of a compression ignition diesel engine operating at cold conditions. <i>International Journal of Engine Research</i> , 2021, 22, 1624-1635.	1.4	9
15	Methanol and OME <sub>x</sub> as fuel candidates to fulfill the potential EURO VII emissions regulation under dual-mode dual-fuel combustion. <i>Fuel</i> , 2021, 287, 119548.	3.4	26
16	High efficiency two stroke opposed piston engine for plug-in hybrid electric vehicle applications: Evaluation under homologation and real driving conditions. <i>Applied Energy</i> , 2021, 282, 116078.	5.1	24
17	High-pressure exhaust gas recirculation line condensation model of an internal combustion diesel engine operating at cold conditions. <i>International Journal of Engine Research</i> , 2021, 22, 407-416.	1.4	15
18	Effects of fuel injection parameters on premixed charge compression ignition combustion and emission characteristics in a medium-duty compression ignition diesel engine. <i>International Journal of Engine Research</i> , 2021, 22, 443-455.	1.4	21

#	ARTICLE	IF	CITATIONS
19	Impacts of the exhaust gas recirculation (EGR) combined with the regeneration mode in a compression ignition diesel engine operating at cold conditions. <i>International Journal of Engine Research</i> , 2021, 22, 3548-3557.	1.4	8
20	Extending the potential of the dual-mode dual-fuel combustion towards the prospective EURO VII emissions limits using gasoline and OME <sub>x</sub> . <i>Energy Conversion and Management</i> , 2021, 233, 113927.	4.4	17
21	Combining in-cylinder pressure and 1D simulation tools to understand the combustion characteristics of natural gas in pre-chamber ignition systems for energy generation. <i>Energy Conversion and Management</i> , 2021, 240, 114262.	4.4	5
22	Emissions reduction by using e-components in 48V mild hybrid trucks under dual-mode dual-fuel combustion. <i>Applied Energy</i> , 2021, 299, 117305.	5.1	7
23	An optical investigation of thermal runaway phenomenon under thermal abuse conditions. <i>Energy Conversion and Management</i> , 2021, 246, 114663.	4.4	26
24	Computational optimization of the piston bowl geometry for the different combustion regimes of the dual-mode dual-fuel (DMDF) concept through an improved genetic algorithm. <i>Energy Conversion and Management</i> , 2021, 246, 114658.	4.4	13
25	Energy management optimization for a power-split hybrid in a dual-mode RCCI-CDC engine. <i>Applied Energy</i> , 2021, 302, 117525.	5.1	9
26	Evaluating OME <sub>x</sub> combustion towards stoichiometric conditions in a compression ignition engine. <i>Fuel</i> , 2021, 303, 121273.	3.4	12
27	Impact of the hybrid electric architecture on the performance and emissions of a delivery truck with a dual-fuel RCCI engine. <i>Applied Energy</i> , 2021, 301, 117494.	5.1	12
28	Use of EGR e-pump for Dual-Mode Dual-Fuel engines in mild hybrid architectures. <i>Energy Conversion and Management</i> , 2021, 247, 114701.	4.4	3
29	Development of a fast-virtual CFR engine model and its use on autoignition studies. <i>Fuel Processing Technology</i> , 2021, 224, 107031.	3.7	6
30	Emissions reduction from passenger cars with RCCI plug-in hybrid electric vehicle technology. <i>Applied Thermal Engineering</i> , 2020, 164, 114430.	3.0	51
31	Potential of a two-stage variable compression ratio downsized spark ignition engine for passenger cars under different driving conditions. <i>Energy Conversion and Management</i> , 2020, 203, 112251.	4.4	10
32	Potential of bio-ethanol in different advanced combustion modes for hybrid passenger vehicles. <i>Renewable Energy</i> , 2020, 150, 58-77.	4.3	42
33	Assessment of a complete truck operating under dual-mode dual-fuel combustion in real life applications: Performance and emissions analysis. <i>Applied Energy</i> , 2020, 279, 115729.	5.1	16
34	Exploration of suitable injector configuration for dual-mode dual-fuel engine with diesel and OME <sub>x</sub> as high reactivity fuels. <i>Fuel</i> , 2020, 280, 118670.	3.4	16
35	Dual fuel combustion and hybrid electric powertrains as potential solution to achieve 2025 emissions targets in medium duty trucks sector. <i>Energy Conversion and Management</i> , 2020, 224, 113320.	4.4	38
36	1D Simulation and Experimental Analysis on the Effects of the Injection Parameters in Methane-Diesel Dual-Fuel Combustion. <i>Energies</i> , 2020, 13, 3734.	1.6	39

#	ARTICLE	IF	CITATIONS
37	OMEx-diesel blends as high reactivity fuel for ultra-low NOx and soot emissions in the dual-mode dual-fuel combustion strategy. <i>Fuel</i> , 2020, 275, 117898.	3.4	33
38	Clean and efficient dual-fuel combustion using OMEx as high reactivity fuel: Comparison to diesel-gasoline calibration. <i>Energy Conversion and Management</i> , 2020, 216, 112953.	4.4	30
39	Energy management strategies comparison for a parallel full hybrid electric vehicle using Reactivity Controlled Compression Ignition combustion. <i>Applied Energy</i> , 2020, 272, 115191.	5.1	24
40	Potential of using OMEx as substitute of diesel in the dual-fuel combustion mode to reduce the global CO2 emissions. <i>Transportation Engineering</i> , 2020, 1, 100001.	2.3	24
41	Computational optimization of the dual-mode dual-fuel concept through genetic algorithm at different engine loads. <i>Energy Conversion and Management</i> , 2020, 208, 112577.	4.4	20
42	Potential of hybrid powertrains in a variable compression ratio downsized turbocharged VVA Spark Ignition engine. <i>Energy</i> , 2020, 195, 117039.	4.5	42
43	Potential of e-Fischer Tropsch diesel and oxymethyl-ether (OMEx) as fuels for the dual-mode dual-fuel concept. <i>Applied Energy</i> , 2019, 253, 113622.	5.1	35
44	Application of a one-dimensional spray model to teach diffusion flame fundamentals for engineering students. <i>Computer Applications in Engineering Education</i> , 2019, 27, 1202-1216.	2.2	2
45	Fuel sensitivity effects on dual-mode dual-fuel combustion operation for different octane numbers. <i>Energy Conversion and Management</i> , 2019, 201, 112137.	4.4	18
46	Effectiveness of hybrid powertrains to reduce the fuel consumption and NOx emissions of a Euro 6d-temp diesel engine under real-life driving conditions. <i>Energy Conversion and Management</i> , 2019, 199, 111987.	4.4	57
47	Evaluation of a stratified prechamber ignition concept for vehicular applications in real world and standardized driving cycles. <i>Applied Energy</i> , 2019, 254, 113691.	5.1	37
48	Octane number influence on combustion and performance parameters in a Dual-Mode Dual-Fuel engine. <i>Fuel</i> , 2019, 258, 116140.	3.4	13
49	Impact of counter-bore nozzle on the combustion process and exhaust emissions for light-duty diesel engine application. <i>International Journal of Engine Research</i> , 2019, 20, 46-57.	1.4	21
50	Performance of a diesel oxidation catalyst under diesel-gasoline reactivity controlled compression ignition combustion conditions. <i>Energy Conversion and Management</i> , 2019, 196, 18-31.	4.4	26
51	Analysis of a series hybrid vehicle concept that combines low temperature combustion and biofuels as power source. <i>Results in Engineering</i> , 2019, 1, 100001.	2.2	25
52	Teaching combustion thermochemistry with an interactive Matlab application. <i>Computer Applications in Engineering Education</i> , 2019, 27, 642-652.	2.2	2
53	Optimization of the parallel and mild hybrid vehicle platforms operating under conventional and advanced combustion modes. <i>Energy Conversion and Management</i> , 2019, 190, 73-90.	4.4	66
54	Performance of a conventional diesel aftertreatment system used in a medium-duty multi-cylinder dual-mode dual-fuel engine. <i>Energy Conversion and Management</i> , 2019, 184, 327-337.	4.4	39

#	ARTICLE	IF	CITATIONS
55	Performance and emissions of a series hybrid vehicle powered by a gasoline partially premixed combustion engine. <i>Applied Thermal Engineering</i> , 2019, 150, 564-575.	3.0	23
56	Miller cycle for improved efficiency, load range and emissions in a heavy-duty engine running under reactivity controlled compression ignition combustion. <i>Applied Thermal Engineering</i> , 2018, 136, 161-168.	3.0	35
57	Benefits of E85 versus gasoline as low reactivity fuel for an automotive diesel engine operating in reactivity controlled compression ignition combustion mode. <i>Energy Conversion and Management</i> , 2018, 159, 85-95.	4.4	48
58	Exploring the limits of the reactivity controlled compression ignition combustion concept in a light-duty diesel engine and the influence of the direct-injected fuel properties. <i>Energy Conversion and Management</i> , 2018, 157, 277-287.	4.4	49
59	An assessment of the real-world driving gaseous emissions from a Euro 6 light-duty diesel vehicle using a portable emissions measurement system (PEMS). <i>Atmospheric Environment</i> , 2018, 174, 112-121.	1.9	104
60	Redesign and Characterization of a Single-Cylinder Optical Research Engine to Allow Full Optical Access and Fast Cleaning during Combustion Studies. <i>Experimental Techniques</i> , 2018, 42, 55-68.	0.9	4
61	Potential of RCCI Series Hybrid Vehicle Architecture to Meet the Future CO2 Targets with Low Engine-Out Emissions. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1472.	1.3	22
62	Potential of 1-octanol and di-n-butyl ether (DNBE) to improve the performance and reduce the emissions of a direct injected compression ignition diesel engine. <i>Energy Conversion and Management</i> , 2018, 177, 563-571.	4.4	41
63	Experimental investigation on the efficiency of a diesel oxidation catalyst in a medium-duty multi-cylinder RCCI engine. <i>Energy Conversion and Management</i> , 2018, 176, 1-10.	4.4	24
64	Sizing a conventional diesel oxidation catalyst to be used for RCCI combustion under real driving conditions. <i>Applied Thermal Engineering</i> , 2018, 140, 62-72.	3.0	22
65	Fuel consumption and engine-out emissions estimations of a light-duty engine running in dual-mode RCCI/CDC with different fuels and driving cycles. <i>Energy</i> , 2018, 157, 19-30.	4.5	72
66	Influence of Direct-Injected Fuel Properties on Performance and Emissions from a Light-Duty Diesel Engine Running Under RCCI Combustion Mode. , 2018, , .		4
67	Experimental investigation on RCCI heat transfer in a light-duty diesel engine with different fuels: Comparison versus conventional diesel combustion. <i>Applied Thermal Engineering</i> , 2018, 144, 424-436.	3.0	56
68	Achieving clean and efficient engine operation up to full load by combining optimized RCCI and dual-fuel diesel-gasoline combustion strategies. <i>Energy Conversion and Management</i> , 2017, 136, 142-151.	4.4	120
69	Evaluating the reactivity controlled compression ignition operating range limits in a high-compression ratio medium-duty diesel engine fueled with biodiesel and ethanol. <i>International Journal of Engine Research</i> , 2017, 18, 66-80.	1.4	41
70	An investigation on the particulate number and size distributions over the whole engine map from an optimized combustion strategy combining RCCI and dual-fuel diesel-gasoline. <i>Energy Conversion and Management</i> , 2017, 140, 98-108.	4.4	69
71	Gaseous emissions and particle size distribution of dual-mode dual-fuel diesel-gasoline concept from low to full load. <i>Applied Thermal Engineering</i> , 2017, 120, 138-149.	3.0	53
72	Evaluating the emissions and performance of two dual-mode RCCI combustion strategies under the World Harmonized Vehicle Cycle (WHVC). <i>Energy Conversion and Management</i> , 2017, 149, 263-274.	4.4	56

#	ARTICLE	IF	CITATIONS
73	Impact of diesel pilot distribution on the ignition process of a dual fuel medium speed marine engine. Energy Conversion and Management, 2017, 149, 192-205.	4.4	68
74	Dual-Fuel Combustion for Future Clean and Efficient Compression Ignition Engines. Applied Sciences (Switzerland), 2017, 7, 36.	1.3	49
75	An assessment of the dual-mode reactivity controlled compression ignition/conventional diesel combustion capabilities in a EURO VI medium-duty diesel engine fueled with an intermediate ethanol-gasoline blend and biodiesel. Energy Conversion and Management, 2016, 123, 381-391.	4.4	64
76	Effects of piston bowl geometry on Reactivity Controlled Compression Ignition heat transfer and combustion losses at different engine loads. Energy, 2016, 98, 64-77.	4.5	75
77	Influence of fuel properties on fundamental spray characteristics and soot emissions using different tailor-made fuels from biomass. Energy Conversion and Management, 2016, 108, 243-254.	4.4	50
78	Effects of low reactivity fuel characteristics and blending ratio on low load RCCI (reactivity) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td 2015, 90, 1261-1271.	4.5	122
79	An experimental investigation on the influence of piston bowl geometry on RCCI performance and emissions in a heavy-duty engine. Energy Conversion and Management, 2015, 103, 1019-1030.	4.4	75
80	Effects of direct injection timing and blending ratio on RCCI combustion with different low reactivity fuels. Energy Conversion and Management, 2015, 99, 193-209.	4.4	150
81	The potential of RCCI concept to meet EURO VI NOx limitation and ultra-low soot emissions in a heavy-duty engine over the whole engine map. Fuel, 2015, 159, 952-961.	3.4	123
82	The role of the in-cylinder gas temperature and oxygen concentration over low load reactivity controlled compression ignition combustion efficiency. Energy, 2014, 78, 854-868.	4.5	97
83	Performance and engine-out emissions evaluation of the double injection strategy applied to the gasoline partially premixed compression ignition spark assisted combustion concept. Applied Energy, 2014, 134, 90-101.	5.1	86
84	Conceptual model description of the double injection strategy applied to the gasoline partially premixed compression ignition combustion concept with spark assistance. Applied Energy, 2014, 129, 1-9.	5.1	51
85	Evaluation of Emissions and Performances from Partially Premixed Compression Ignition Combustion using Gasoline and Spark Assistance. , 2013, , .		12
86	Impact of Spark Assistance and Multiple Injections on Gasoline PPC Light Load. SAE International Journal of Engines, 0, 7, 1875-1887.	0.4	16
87	Particulates Size Distribution of Reactivity Controlled Compression Ignition (RCCI) on a Medium-Duty Engine Fueled with Diesel and Gasoline at Different Engine Speeds. SAE International Journal of Engines, 0, 10, 2382-2391.	0.4	11
88	OMEx Fuel and RCCI Combustion to Reach Engine-Out Emissions Beyond the Current EURO VI Legislation. , 0, , .		6
89	Modeling of Reactivity Controlled Compression Ignition Combustion Using a Stochastic Reactor Model Coupled with Detailed Chemistry. , 0, , .		6
90	Evaluating the Efficiency of a Conventional Diesel Oxidation Catalyst for Dual-Fuel RCCI Diesel-Gasoline Combustion. , 0, , .		5

#	ARTICLE	IF	CITATIONS
91	Dual-Fuel Ethanol-Diesel Technology Applied in Mild and Full Hybrid Powertrains. , 0, , .		2
92	Infrared/Visible Optical Diagnostics of RCCI Combustion with Dieseline in a Compression Ignition Engine. , 0, , .		4
93	CO2 Well-to-Wheel Abatement with Plug-In Hybrid Electric Vehicles Running under Low Temperature Combustion Mode with Green Fuels. SAE International Journal of Advances and Current Practices in Mobility, 0, 3, 731-743.	2.0	1
94	Surrogate Fuel Formulation to Improve the Dual-Mode Dual-Fuel Combustion Operation at Different Operating Conditions. , 0, , .		0
95	Combining DMDF and Hybrid Powertrains: A Look on the Effects of Different Battery Modelling Approaches. , 0, , .		0
96	Identifying Key Aspects of Thermal Runaway Modelling for Lithium-ion Battery Cells. SAE International Journal of Advances and Current Practices in Mobility, 0, 4, 1964-1976.	2.0	4
97	Numerical Optimization of the Piston Bowl Geometry and Investigation of the Key Geometric Parameters for the Dual-Mode Dual-Fuel (DMDF) Concept under a Wide Load Range. , 0, , .		1