

Juha M Hyypä

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/172287/publications.pdf>

Version: 2024-02-01

316
papers

16,291
citations

10986

71
h-index

22166

113
g-index

324
all docs

324
docs citations

324
times ranked

8622
citing authors

#	ARTICLE	IF	CITATIONS
1	A heterogeneous 3D map-based place recognition solution using virtual LiDAR and a polar grid height coding image descriptor. ISPRS Journal of Photogrammetry and Remote Sensing, 2022, 183, 1-18.	11.1	8
2	Pavement distress detection using terrestrial laser scanning point clouds – Accuracy evaluation and algorithm comparison. ISPRS Open Journal of Photogrammetry and Remote Sensing, 2022, 3, 100010.	3.1	15
3	Semantic segmentation of point cloud data using raw laser scanner measurements and deep neural networks. ISPRS Open Journal of Photogrammetry and Remote Sensing, 2022, 3, 100011.	3.1	9
4	Assessing the Dependencies of Scots Pine (Pinus sylvestris L.) Structural Characteristics and Internal Wood Property Variation. Forests, 2022, 13, 397.	2.1	2
5	Multispectral Imagery Provides Benefits for Mapping Spruce Tree Decline Due to Bark Beetle Infestation When Acquired Late in the Season. Remote Sensing, 2022, 14, 909.	4.0	15
6	Effects of Stem Density on Crown Architecture of Scots Pine Trees. Frontiers in Plant Science, 2022, 13, 817792.	3.6	6
7	Direct and automatic measurements of stem curve and volume using a high-resolution airborne laser scanning system. Science of Remote Sensing, 2022, 5, 100050.	4.8	8
8	Preliminary verification of hyperspectral LiDAR covering VIS-NIR-SWIR used for objects classification. European Journal of Remote Sensing, 2022, 55, 291-303.	3.5	6
9	Forest Data to Insights and Experiences Using Gamification. Frontiers in Forests and Global Change, 2022, 5, .	2.3	0
10	Leveraging Road Area Semantic Segmentation with Auxiliary Steering Task. Lecture Notes in Computer Science, 2022, , 727-738.	1.3	0
11	A LiDAR-based single-shot global localization solution using a cross-section shape context descriptor. ISPRS Journal of Photogrammetry and Remote Sensing, 2022, 189, 272-288.	11.1	13
12	Multimodal End-to-End Learning for Autonomous Steering in Adverse Road and Weather Conditions. , 2021, , .		7
13	Feasibility of Mobile Laser Scanning towards Operational Accurate Road Rut Depth Measurements. Sensors, 2021, 21, 1180.	3.8	12
14	Seamless integration of above- and under-canopy unmanned aerial vehicle laser scanning for forest investigation. Forest Ecosystems, 2021, 8, .	3.1	18
15	Near Real-Time Semantic View Analysis of 3D City Models in Web Browser. ISPRS International Journal of Geo-Information, 2021, 10, 138.	2.9	16
16	Analysis and Radiometric Calibration for Backscatter Intensity of Hyperspectral LiDAR Caused by Incident Angle Effect. Sensors, 2021, 21, 2960.	3.8	8
17	The Penetration Analysis of Airborne Ku-Band Radar Versus Satellite Infrared Lidar Based on the Height and Energy Percentiles in the Boreal Forest. Remote Sensing, 2021, 13, 1650.	4.0	0
18	Utilizing a Terrestrial Laser Scanner for 3D Luminance Measurement of Indoor Environments. Journal of Imaging, 2021, 7, 85.	3.0	2

#	ARTICLE	IF	CITATIONS
19	Revealing Changes in the Stem Form and Volume Allocation in Diverse Boreal Forests Using Two-Date Terrestrial Laser Scanning. <i>Forests</i> , 2021, 12, 835.	2.1	9
20	Hyperspectral LiDAR-Based Plant Spectral Profiles Acquisition: Performance Assessment and Results Analysis. <i>Remote Sensing</i> , 2021, 13, 2521.	4.0	2
21	Under-Canopy UAV Laser Scanning Providing Canopy Height and Stem Volume Accurately. <i>Forests</i> , 2021, 12, 856.	2.1	9
22	Using Microwave Profile Radar to Estimate Forest Canopy Leaf Area Index: Linking 3D Radiative Transfer Model and Forest Gap Model. <i>Remote Sensing</i> , 2021, 13, 297.	4.0	2
23	Efficient coarse registration method using translation- and rotation-invariant local descriptors towards fully automated forest inventory. <i>ISPRS Open Journal of Photogrammetry and Remote Sensing</i> , 2021, 2, 100007.	3.1	7
24	Review on Active and Passive Remote Sensing Techniques for Road Extraction. <i>Remote Sensing</i> , 2021, 13, 4235.	4.0	18
25	Interest point detection from multi-beam light detection and ranging point cloud using unsupervised convolutional neural network. <i>IET Image Processing</i> , 2021, 15, 369-377.	2.5	3
26	Performance Assessment of Reference Modelling Methods for Defect Evaluation in Asphalt Concrete. <i>Sensors</i> , 2021, 21, 8190.	3.8	1
27	A 91-Channel Hyperspectral LiDAR for Coal/Rock Classification. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2020, 17, 1052-1056.	3.1	23
28	A Novel Calibration Method between a Camera and a 3D LiDAR with Infrared Images. , 2020, , .		10
29	Performance of terrestrial laser scanning to characterize managed Scots pine (<i>Pinus sylvestris</i> L.) stands is dependent on forest structural variation. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 168, 277-287.	11.1	16
30	Assessing the effects of thinning on stem growth allocation of individual Scots pine trees. <i>Forest Ecology and Management</i> , 2020, 474, 118344.	3.2	33
31	Comparing features of single and multi-photon lidar in boreal forests. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 168, 268-276.	11.1	23
32	A practical method for employing multi-spectral LiDAR intensities in points cloud classification. <i>International Journal of Remote Sensing</i> , 2020, 41, 8366-8379.	2.9	2
33	Structural Changes in Boreal Forests Can Be Quantified Using Terrestrial Laser Scanning. <i>Remote Sensing</i> , 2020, 12, 2672.	4.0	16
34	The Determination of Effective Beamwidth of Ku Band Profiling Radar Based on Waveform Matching Method in the Boreal Forest of Finland. <i>Remote Sensing</i> , 2020, 12, 2710.	4.0	1
35	Evaluating the Quality of TLS Point Cloud Colorization. <i>Remote Sensing</i> , 2020, 12, 2748.	4.0	14
36	A practical method utilizing multi-spectral LiDAR to aid points cloud matching in SLAM. <i>Satellite Navigation</i> , 2020, 1, .	8.6	9

#	ARTICLE	IF	CITATIONS
37	Comparison of Backpack, Handheld, Under-Canopy UAV, and Above-Canopy UAV Laser Scanning for Field Reference Data Collection in Boreal Forests. <i>Remote Sensing</i> , 2020, 12, 3327.	4.0	70
38	Using Leaf-Off and Leaf-On Multispectral Airborne Laser Scanning Data to Characterize Seedling Stands. <i>Remote Sensing</i> , 2020, 12, 3328.	4.0	9
39	Lidar-aided analysis of boreal forest backscatter at Ku band. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2020, 91, 102133.	2.8	3
40	Multisensorial Close-Range Sensing Generates Benefits for Characterization of Managed Scots Pine (<i>Pinus sylvestris</i> L.) Stands. <i>ISPRS International Journal of Geo-Information</i> , 2020, 9, 309.	2.9	17
41	Simulation of Ku-Band Profile Radar Waveform by Extending Radiosity Applicable to Porous Individual Objects (RAPID2) Model. <i>Remote Sensing</i> , 2020, 12, 684.	4.0	4
42	An Investigation of Spectral Band Selection for Hyperspectral LiDAR Technique. <i>Electronics (Switzerland)</i> , 2020, 9, 148.	3.1	1
43	Feasibility Study on Hyperspectral LiDAR for Ancient Huizhou-Style Architecture Preservation. <i>Remote Sensing</i> , 2020, 12, 88.	4.0	17
44	Accurate derivation of stem curve and volume using backpack mobile laser scanning. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 161, 246-262.	11.1	77
45	Analyzing the Angle Effect of Leaf Reflectance Measured by Indoor Hyperspectral Light Detection and Ranging (LiDAR). <i>Remote Sensing</i> , 2020, 12, 919.	4.0	15
46	Registration of large-scale terrestrial laser scanner point clouds: A review and benchmark. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 163, 327-342.	11.1	220
47	Interactive dense point clouds in a game engine. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 163, 375-389.	11.1	23
48	Under-canopy UAV laser scanning for accurate forest field measurements. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 164, 41-60.	11.1	83
49	A Long-Term Terrestrial Laser Scanning Measurement Station to Continuously Monitor Structural and Phenological Dynamics of Boreal Forest Canopy. <i>Frontiers in Plant Science</i> , 2020, 11, 606752.	3.6	28
50	Combining single photon and multispectral airborne laser scanning for land cover classification. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020, 164, 200-216.	11.1	16
51	The potential of dual-wavelength terrestrial lidar in early detection of <i>Ips typographus</i> (L.) infestation – Leaf water content as a proxy. <i>Remote Sensing of Environment</i> , 2019, 231, 111264.	11.0	32
52	In situ biomass estimation at tree and plot levels: What did data record and what did algorithms derive from terrestrial and aerial point clouds in boreal forest. <i>Remote Sensing of Environment</i> , 2019, 232, 111309.	11.0	53
53	Investigating the Feasibility of Multi-Scan Terrestrial Laser Scanning to Characterize Tree Communities in Southern Boreal Forests. <i>Remote Sensing</i> , 2019, 11, 1423.	4.0	27
54	Variability of wood properties using airborne and terrestrial laser scanning. <i>Remote Sensing of Environment</i> , 2019, 235, 111474.	11.0	31

#	ARTICLE	IF	CITATIONS
55	Characterizing ecosystem phenological diversity and its macroecology with snow cover phenology. Scientific Reports, 2019, 9, 15074.	3.3	4
56	Multisource Point Clouds, Point Simplification and Surface Reconstruction. Remote Sensing, 2019, 11, 2659.	4.0	17
57	Assessing the Effects of Sample Size on Parametrizing a Taper Curve Equation and the Resultant Stem-Volume Estimates. Forests, 2019, 10, 848.	2.1	11
58	Study of a High Spectral Resolution Hyperspectral LiDAR in Vegetation Red Edge Parameters Extraction. Remote Sensing, 2019, 11, 2007.	4.0	20
59	Effect of canopy structure on the performance of tree mapping methods in urban parks. Urban Forestry and Urban Greening, 2019, 44, 126441.	5.3	5
60	Is field-measured tree height as reliable as believed – A comparison study of tree height estimates from field measurement, airborne laser scanning and terrestrial laser scanning in a boreal forest. ISPRS Journal of Photogrammetry and Remote Sensing, 2019, 147, 132-145.	11.1	179
61	Comparison of two-dimensional multitemporal Sentinel-2 data with three-dimensional remote sensing data sources for forest inventory parameter estimation over a boreal forest. International Journal of Applied Earth Observation and Geoinformation, 2019, 76, 167-178.	2.8	57
62	Examining Changes in Stem Taper and Volume Growth with Two-Date 3D Point Clouds. Forests, 2019, 10, 382.	2.1	24
63	Characterizing Seedling Stands Using Leaf-Off and Leaf-On Photogrammetric Point Clouds and Hyperspectral Imagery Acquired from Unmanned Aerial Vehicle. Forests, 2019, 10, 415.	2.1	33
64	Automated Multi-Sensor 3D Reconstruction for the Web. ISPRS International Journal of Geo-Information, 2019, 8, 221.	2.9	18
65	Power line mapping technique using all-terrain mobile laser scanning. Automation in Construction, 2019, 105, 102802.	9.8	24
66	Semantic segmentation of road furniture in mobile laser scanning data. ISPRS Journal of Photogrammetry and Remote Sensing, 2019, 154, 98-113.	11.1	29
67	Assessing spectral measures of post-harvest forest recovery with field plot data. International Journal of Applied Earth Observation and Geoinformation, 2019, 80, 102-114.	2.8	15
68	A 10-nm Spectral Resolution Hyperspectral LiDAR System Based on an Acousto-Optic Tunable Filter. Sensors, 2019, 19, 1620.	3.8	46
69	Detecting and characterizing downed dead wood using terrestrial laser scanning. ISPRS Journal of Photogrammetry and Remote Sensing, 2019, 151, 76-90.	11.1	24
70	Airborne Wind Vector Scatterometer for Sea Surface Measurements. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2019, 12, 2470-2476.	4.9	3
71	Preregistration Classification of Mobile LIDAR Data Using Spatial Correlations. IEEE Transactions on Geoscience and Remote Sensing, 2019, 57, 6900-6915.	6.3	4
72	Predicting Forest Inventory Attributes Using Airborne Laser Scanning, Aerial Imagery, and Harvester Data. Remote Sensing, 2019, 11, 797.	4.0	24

#	ARTICLE	IF	CITATIONS
73	Assessing log geometry and wood quality in standing timber using terrestrial laser-scanning point clouds. <i>Forestry</i> , 2019, 92, 177-187.	2.3	15
74	TanDEM-X digital surface models in boreal forest above-ground biomass change detection. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 148, 174-183.	11.1	14
75	Improving distribution models of riparian vegetation with mobile laser scanning and hydraulic modelling. <i>PLoS ONE</i> , 2019, 14, e0225936.	2.5	2
76	The effect of seasonal variation on automated land cover mapping from multispectral airborne laser scanning data. <i>International Journal of Remote Sensing</i> , 2019, 40, 3289-3307.	2.9	7
77	A Liquid Crystal Tunable Filter-Based Hyperspectral LiDAR System and Its Application on Vegetation Red Edge Detection. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2019, 16, 291-295.	3.1	25
78	Toward utilizing multitemporal multispectral airborne laser scanning, Sentinel-2, and mobile laser scanning in map updating. <i>Journal of Applied Remote Sensing</i> , 2019, 13, 1.	1.3	8
79	Estimating Ground Level and Canopy Top Elevation With Airborne Microwave Profiling Radar. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2018, 56, 2283-2294.	6.3	9
80	Depth camera indoor mapping for 3D virtual radio play. <i>Photogrammetric Record</i> , 2018, 33, 171-195.	0.4	15
81	Comparison of terrestrial laser scanning and X-ray scanning in measuring Scots pine (<i>Pinus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 1.4	1.4	20
82	GPS Time Series Analysis from Aboa the Finnish Antarctic Research Station. <i>Remote Sensing</i> , 2018, 10, 1937.	4.0	10
83	Extrinsic Calibration of 2D Laser Rangefinders Using an Existing Cuboid-Shaped Corridor as the Reference. <i>Sensors</i> , 2018, 18, 4371.	3.8	12
84	Fully Polarimetric Airborne Wind Vector Scatterometer to Support Space-Borne Gns-R Measurements. , 2018, , .		0
85	Assessing branching structure for biomass and wood quality estimation using terrestrial laser scanning point clouds. <i>Canadian Journal of Remote Sensing</i> , 2018, 44, 462-475.	2.4	24
86	Automated large scale indoor reconstruction using vehicle survey data. , 2018, , .		2
87	SLAM Based Indoor Mapping Comparison:Mobile or Terrestrial ?. , 2018, , .		3
88	Extrinsic Calibration of 2D Laser Rangefinders Using Indoor Geometric Constraints. , 2018, , .		1
89	A Hyperspectral LiDAR with Eight Channels Covering from VIS to SWIR. , 2018, , .		6
90	The Accuracy Comparison of Three Simultaneous Localization and Mapping (SLAM)-Based Indoor Mapping Technologies. <i>Sensors</i> , 2018, 18, 3228.	3.8	68

#	ARTICLE	IF	CITATIONS
91	Estimation of Canopy Height Using an Airborne Ku-Band Frequency-Modulated Continuous Waveform Profiling Radar. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 3590-3597.	4.9	4
92	The Comparison of Canopy Height Profiles Extracted from Ku-band Profile Radar Waveforms and LiDAR Data. Remote Sensing, 2018, 10, 701.	4.0	5
93	Extrinsic Calibration of 2D Laser Rangefinders Based on a Mobile Sphere. Remote Sensing, 2018, 10, 1176.	4.0	17
94	Assessing Biodiversity in Boreal Forests with UAV-Based Photogrammetric Point Clouds and Hyperspectral Imaging. Remote Sensing, 2018, 10, 338.	4.0	61
95	Topographical change caused by moderate and small floods in a gravel bed ephemeral river – a depth-averaged morphodynamic simulation approach. Earth Surface Dynamics, 2018, 6, 163-185.	2.4	18
96	In-situ measurements from mobile platforms: An emerging approach to address the old challenges associated with forest inventories. ISPRS Journal of Photogrammetry and Remote Sensing, 2018, 143, 97-107.	11.1	78
97	Quantitative Assessment of Scots Pine (Pinus Sylvestris L.) Whorl Structure in a Forest Environment Using Terrestrial Laser Scanning. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 3598-3607.	4.9	33
98	Feasibility Study of Ore Classification Using Active Hyperspectral LiDAR. IEEE Geoscience and Remote Sensing Letters, 2018, 15, 1785-1789.	3.1	38
99	International benchmarking of terrestrial laser scanning approaches for forest inventories. ISPRS Journal of Photogrammetry and Remote Sensing, 2018, 144, 137-179.	11.1	254
100	Can Leaf Water Content Be Estimated Using Multispectral Terrestrial Laser Scanning? A Case Study With Norway Spruce Seedlings. Frontiers in Plant Science, 2018, 9, 299.	3.6	24
101	Characterizing 3D City Modeling Projects: Towards a Harmonized Interoperable System. ISPRS International Journal of Geo-Information, 2018, 7, 55.	2.9	41
102	Aboveground forest biomass derived using multiple dates of WorldView-2 stereo-imagery: quantifying the improvement in estimation accuracy. International Journal of Remote Sensing, 2018, 39, 8766-8783.	2.9	15
103	Confirmation of post-harvest spectral recovery from Landsat time series using measures of forest cover and height derived from airborne laser scanning data. Remote Sensing of Environment, 2018, 216, 262-275.	11.0	60
104	Feasibility of Google Tango and Kinect for Crowdsourcing Forestry Information. Forests, 2018, 9, 6.	2.1	53
105	Landsat archive holdings for Finland: opportunities for forest monitoring. Silva Fennica, 2018, 52, .	1.3	10
106	Mobile mapping of night-time road environment lighting conditions. The Photogrammetric Journal of Finland, 2018, 26, 1-17.	0.5	7
107	Browser based 3D for the built environment. Nordic Journal of Surveying and Real Estate Research, 2018, 13, 54-76.	0.5	5
108	Feasibility of Multispectral Airborne Laser Scanning Data for Road Mapping. IEEE Geoscience and Remote Sensing Letters, 2017, 14, 294-298.	3.1	31

#	ARTICLE	IF	CITATIONS
109	Object-based analysis of multispectral airborne laser scanner data for land cover classification and map updating. ISPRS Journal of Photogrammetry and Remote Sensing, 2017, 128, 298-313.	11.1	101
110	Possibility of Applying SLAM-Aided LiDAR in Deep Space Exploration. Springer Proceedings in Physics, 2017, , 239-248.	0.2	5
111	Temporal and spatial variations of global ionospheric total electron content under various solar conditions. Journal of Geodesy, 2017, 91, 485-502.	3.6	8
112	Feasibility of Terrestrial laser scanning for collecting stem volume information from single trees. ISPRS Journal of Photogrammetry and Remote Sensing, 2017, 123, 140-158.	11.1	105
113	Automated matching of multiple terrestrial laser scans for stem mapping without the use of artificial references. International Journal of Applied Earth Observation and Geoinformation, 2017, 56, 13-23.	2.8	43
114	An overview of the laser ranging method of space laser altimeter. Infrared Physics and Technology, 2017, 86, 147-158.	2.9	24
115	Graph SLAM correction for single scanner MLS forest data under boreal forest canopy. ISPRS Journal of Photogrammetry and Remote Sensing, 2017, 132, 199-209.	11.1	75
116	<scp>Arctic Mackenzie Delta</scp> channel planform evolution during 1983â€“2013 utilising <scp>Landsat</scp> data and hydrological time series. Hydrological Processes, 2017, 31, 3979-3995.	2.6	10
117	A Novel GNSS Technique for Predicting Boreal Forest Attributes at Low Cost. IEEE Transactions on Geoscience and Remote Sensing, 2017, 55, 4855-4867.	6.3	12
118	Errors in the Short-Term Forest Resource Information Update. Lecture Notes in Geoinformation and Cartography, 2017, , 155-166.	1.0	2
119	Outlook for the Single-Tree-Level Forest Inventory in Nordic Countries. Lecture Notes in Geoinformation and Cartography, 2017, , 183-195.	1.0	8
120	An Integrated GNSS/INS/LiDAR-SLAM Positioning Method for Highly Accurate Forest Stem Mapping. Remote Sensing, 2017, 9, 3.	4.0	100
121	Single-Sensor Solution to Tree Species Classification Using Multispectral Airborne Laser Scanning. Remote Sensing, 2017, 9, 108.	4.0	95
122	Comparison of the Selected State-Of-The-Art 3D Indoor Scanning and Point Cloud Generation Methods. Remote Sensing, 2017, 9, 796.	4.0	141
123	Measuring Leaf Water Content with Dual-Wavelength Intensity Data from Terrestrial Laser Scanners. Remote Sensing, 2017, 9, 8.	4.0	30
124	UAV-Borne Profiling Radar for Forest Research. Remote Sensing, 2017, 9, 58.	4.0	19
125	Autonomous Collection of Forest Field Referenceâ€”The Outlook and a First Step with UAV Laser Scanning. Remote Sensing, 2017, 9, 785.	4.0	85
126	An Analysis of Ku-Band Profiling Radar Observations of Boreal Forest. Remote Sensing, 2017, 9, 1252.	4.0	4

#	ARTICLE	IF	CITATIONS
127	Assessing Precision in Conventional Field Measurements of Individual Tree Attributes. <i>Forests</i> , 2017, 8, 38.	2.1	80
128	Feasibility Study of Using Mobile Laser Scanning Point Cloud Data for GNSS Line of Sight Analysis. <i>Mobile Information Systems</i> , 2017, 2017, 1-11.	0.6	5
129	Individual Tree Detection and Classification with UAV-Based Photogrammetric Point Clouds and Hyperspectral Imaging. <i>Remote Sensing</i> , 2017, 9, 185.	4.0	307
130	Nationwide Point Clouds – The Future Topographic Core Data. <i>ISPRS International Journal of Geo-Information</i> , 2017, 6, 243.	2.9	14
131	Camera preparation and performance for 3D luminance mapping of road environments. <i>The Photogrammetric Journal of Finland</i> , 2017, 25, 1-23.	0.5	8
132	Evaluating the Performance of High-Altitude Aerial Image-Based Digital Surface Models in Detecting Individual Tree Crowns in Mature Boreal Forests. <i>Forests</i> , 2016, 7, 143.	2.1	21
133	An Algorithm for Automatic Road Asphalt Edge Delineation from Mobile Laser Scanner Data Using the Line Clouds Concept. <i>Remote Sensing</i> , 2016, 8, 740.	4.0	29
134	Comparison of Tree Species Classifications at the Individual Tree Level by Combining ALS Data and RGB Images Using Different Algorithms. <i>Remote Sensing</i> , 2016, 8, 1034.	4.0	34
135	International Benchmarking of the Individual Tree Detection Methods for Modeling 3-D Canopy Structure for Silviculture and Forest Ecology Using Airborne Laser Scanning. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 5011-5027.	6.3	129
136	Mobile laser scanning based 3D technology for mineral environment modeling and positioning. , 2016, , .		3
137	Effects of positional errors in model-assisted and model-based estimation of growing stock volume. <i>Remote Sensing of Environment</i> , 2016, 172, 101-108.	11.0	24
138	Range calibration of airborne profiling radar used in forest inventory. , 2016, , .		5
139	Remote sensing methods for power line corridor surveys. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2016, 119, 10-31.	11.1	265
140	Can global navigation satellite system signals reveal the ecological attributes of forests?. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 50, 74-79.	2.8	9
141	Scan matching technology for forest navigation with map information. , 2016, , .		5
142	Terrestrial laser scanning in forest inventories. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2016, 115, 63-77.	11.1	511
143	The effect of TLS point cloud sampling on tree detection and diameter measurement accuracy. <i>Remote Sensing Letters</i> , 2016, 7, 495-502.	1.4	27
144	A comprehensive but efficient framework of proposing and validating feature parameters from airborne LiDAR data for tree species classification. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2016, 46, 45-55.	2.8	45

#	ARTICLE	IF	CITATIONS
145	Forest stand age classification using time series of photogrammetrically derived digital surface models. <i>Scandinavian Journal of Forest Research</i> , 2016, 31, 194-205.	1.4	24
146	Using multi-source data to map and model the predisposition of forests to wind disturbance. <i>Scandinavian Journal of Forest Research</i> , 2016, 31, 66-79.	1.4	12
147	Object Classification and Recognition From Mobile Laser Scanning Point Clouds in a Road Environment. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 1226-1239.	6.3	93
148	Two-dimensional and three-dimensional computational models in hydrodynamic and morphodynamic reconstructions of a river bend: sensitivity and functionality. <i>Hydrological Processes</i> , 2015, 29, 1604-1629.	2.6	40
149	Intelligent Open Data 3D Maps in a Collaborative Virtual World. <i>ISPRS International Journal of Geo-Information</i> , 2015, 4, 837-857.	2.9	27
150	Evaluation of a Smartphone App for Forest Sample Plot Measurements. <i>Forests</i> , 2015, 6, 1179-1194.	2.1	29
151	Sparse Density, Leaf-Off Airborne Laser Scanning Data in Aboveground Biomass Component Prediction. <i>Forests</i> , 2015, 6, 1839-1857.	2.1	16
152	Reciprocal Estimation of Pedestrian Location and Motion State toward a Smartphone Geo-Context Computing Solution. <i>Micromachines</i> , 2015, 6, 699-717.	2.9	7
153	Automated 3D Scene Reconstruction from Open Geospatial Data Sources: Airborne Laser Scanning and a 2D Topographic Database. <i>Remote Sensing</i> , 2015, 7, 6710-6740.	4.0	20
154	Luminance-Corrected 3D Point Clouds for Road and Street Environments. <i>Remote Sensing</i> , 2015, 7, 11389-11402.	4.0	24
155	Comparison of Laser and Stereo Optical, SAR and InSAR Point Clouds from Air- and Space-Borne Sources in the Retrieval of Forest Inventory Attributes. <i>Remote Sensing</i> , 2015, 7, 15933-15954.	4.0	100
156	LiDAR Scan Matching Aided Inertial Navigation System in GNSS-Denied Environments. <i>Sensors</i> , 2015, 15, 16710-16728.	3.8	99
157	SLAM-Aided Stem Mapping for Forest Inventory with Small-Footprint Mobile LiDAR. <i>Forests</i> , 2015, 6, 4588-4606.	2.1	72
158	Accuracy of Kinematic Positioning Using Global Satellite Navigation Systems under Forest Canopies. <i>Forests</i> , 2015, 6, 3218-3236.	2.1	95
159	Sub-bend scale flow-sediment interaction of meander bends – A combined approach of field observations, close-range remote sensing and computational modelling. <i>Geomorphology</i> , 2015, 238, 119-134.	2.6	46
160	Model-assisted estimation of growing stock volume using different combinations of LiDAR and Landsat data as auxiliary information. <i>Remote Sensing of Environment</i> , 2015, 158, 431-440.	11.0	80
161	Gravel transport by ice in a subarctic river from accurate laser scanning. <i>Geomorphology</i> , 2015, 246, 113-122.	2.6	28
162	Fast Fingerprint Database Maintenance for Indoor Positioning Based on UGV SLAM. <i>Sensors</i> , 2015, 15, 5311-5330.	3.8	41

#	ARTICLE	IF	CITATIONS
163	Forest Data Collection Using Terrestrial Image-Based Point Clouds From a Handheld Camera Compared to Terrestrial and Personal Laser Scanning. IEEE Transactions on Geoscience and Remote Sensing, 2015, 53, 5117-5132.	6.3	90
164	Effects of sample size and model form on the accuracy of model-based estimators of growing stock volume. Canadian Journal of Forest Research, 2015, 45, 1524-1534.	1.7	33
165	Allocating tree crown pruning with ALS-data - A case study in the city of Helsinki. , 2015, , .		0
166	Diameter distribution estimation with laser scanning based multisource single tree inventory. ISPRS Journal of Photogrammetry and Remote Sensing, 2015, 108, 161-171.	11.1	59
167	Long-Term Prediction of the Arctic Ionospheric TEC Based on Time-Varying Periodograms. PLoS ONE, 2014, 9, e111497.	2.5	10
168	Rapid Prototyping – A Tool for Presenting 3-Dimensional Digital Models Produced by Terrestrial Laser Scanning. ISPRS International Journal of Geo-Information, 2014, 3, 871-890.	2.9	11
169	Assessment of Low Density Full-Waveform Airborne Laser Scanning for Individual Tree Detection and Tree Species Classification. Forests, 2014, 5, 1011-1031.	2.1	46
170	Urban-Tree-Attribute Update Using Multisource Single-Tree Inventory. Forests, 2014, 5, 1032-1052.	2.1	35
171	Outlook for the Next Generation – Precision Forestry in Finland. Forests, 2014, 5, 1682-1694.	2.1	133
172	Estimation of the Timber Quality of Scots Pine with Terrestrial Laser Scanning. Forests, 2014, 5, 1879-1895.	2.1	40
173	Prediction of Forest Stand Attributes Using TerraSAR-X Stereo Imagery. Remote Sensing, 2014, 6, 3227-3246.	4.0	21
174	Multisource Single-Tree Inventory in the Prediction of Tree Quality Variables and Logging Recoveries. Remote Sensing, 2014, 6, 3475-3491.	4.0	33
175	Nationwide Digital Terrain Models for Topographic Depression Modelling in Detection of Flood Detention Areas. Water (Switzerland), 2014, 6, 271-300.	2.7	4
176	The Use of a Hand-Held Camera for Individual Tree 3D Mapping in Forest Sample Plots. Remote Sensing, 2014, 6, 6587-6603.	4.0	84
177	The Use of Airborne and Mobile Laser Scanning for Modeling Railway Environments in 3D. Remote Sensing, 2014, 6, 3075-3100.	4.0	58
178	Fully-Automated Power Line Extraction from Airborne Laser Scanning Point Clouds in Forest Areas. Remote Sensing, 2014, 6, 11267-11282.	4.0	85
179	Annual bank and point bar morphodynamics of a meandering river determined by high-accuracy multitemporal laser scanning and flow data. Water Resources Research, 2014, 50, 5532-5559.	4.2	72
180	NAVIS-An UGV Indoor Positioning System Using Laser Scan Matching for Large-Area Real-Time Applications. Sensors, 2014, 14, 11805-11824.	3.8	46

#	ARTICLE	IF	CITATIONS
181	Possibilities of a Personal Laser Scanning System for Forest Mapping and Ecosystem Services. <i>Sensors</i> , 2014, 14, 1228-1248.	3.8	88
182	Spherical cap harmonic analysis of the Arctic ionospheric TEC for one solar cycle. <i>Journal of Geophysical Research: Space Physics</i> , 2014, 119, 601-619.	2.4	37
183	Development of a contextual thinking engine in mobile devices. , 2014, , .		2
184	Mapping of urban roadside trees – A case study in the tree register update process in Helsinki City. <i>Urban Forestry and Urban Greening</i> , 2014, 13, 562-570.	5.3	38
185	Automated Stem Curve Measurement Using Terrestrial Laser Scanning. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014, 52, 1739-1748.	6.3	166
186	The uses of ambient light for ubiquitous positioning. , 2014, , .		9
187	Knowledge-based indoor positioning based on LiDAR aided multiple sensors system for UGVs. , 2014, , .		7
188	Validation of Mobile Laser Scanning for Understory Tree Characterization in Urban Forest. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2014, 7, 3167-3173.	4.9	9
189	Accuracy in estimation of timber assortments and stem distribution – A comparison of airborne and terrestrial laser scanning techniques. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2014, 97, 89-97.	11.1	46
190	Geometrically modeling 2D scattered points: a review of the potential for methodologically improving mobile laser scanning in data processing. <i>International Journal of Digital Earth</i> , 2014, 7, 432-449.	3.9	3
191	Measurement of Snow Depth Using a Low-Cost Mobile Laser Scanner. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 587-591.	3.1	8
192	TerraSAR-X Stereo Radargrammetry and Airborne Scanning LiDAR Height Metrics in Imputation of Forest Aboveground Biomass and Stem Volume. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2014, 52, 1197-1204.	6.3	38
193	The Use of a Mobile Laser Scanning System for Mapping Large Forest Plots. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2014, 11, 1504-1508.	3.1	105
194	Performance of dense digital surface models based on image matching in the estimation of plot-level forest variables. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2013, 83, 104-115.	11.1	97
195	Classification of Spruce and Pine Trees Using Active Hyperspectral LiDAR. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2013, 10, 1138-1141.	3.1	58
196	Single tree biomass modelling using airborne laser scanning. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2013, 85, 66-73.	11.1	43
197	Tree mapping using airborne, terrestrial and mobile laser scanning – A case study in a heterogeneous urban forest. <i>Urban Forestry and Urban Greening</i> , 2013, 12, 546-553.	5.3	106
198	Individual tree biomass estimation using terrestrial laser scanning. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2013, 75, 64-75.	11.1	214

#	ARTICLE	IF	CITATIONS
199	Development of a UAV-MMS-Collaborative Aerial-to-Ground Remote Sensing System – A Preparatory Field Validation. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2013, 6, 1893-1898.	4.9	19
200	Fine-scale 3D biotope mapping using ultra high resolution airborne photography and mobile laser scanning. , 2013, , .		0
201	Morphological changes on meander point bars associated with flow structure at different discharges. Earth Surface Processes and Landforms, 2013, 38, 577-590.	2.5	77
202	Investigation of Tree Spectral Reflectance Characteristics Using a Mobile Terrestrial Line Spectrometer and Laser Scanner. Sensors, 2013, 13, 9305-9320.	3.8	7
203	Stop-and-Go Mode: Sensor Manipulation as Essential as Sensor Development in Terrestrial Laser Scanning. Sensors, 2013, 13, 8140-8154.	3.8	10
204	Automatic Stem Mapping by Merging Several Terrestrial Laser Scans at the Feature and Decision Levels. Sensors, 2013, 13, 1614-1634.	3.8	119
205	Seamless Mapping of River Channels at High Resolution Using Mobile LiDAR and UAV-Photography. Remote Sensing, 2013, 5, 6382-6407.	4.0	166
206	Data Processing and Quality Evaluation of a Boat-Based Mobile Laser Scanning System. Sensors, 2013, 13, 12497-12515.	3.8	34
207	Airborne laser scanning and digital stereo imagery measures of forest structure: comparative results and implications to forest mapping and inventory update. Canadian Journal of Remote Sensing, 2013, 39, 382-395.	2.4	165
208	Stem biomass estimation based on stem reconstruction from terrestrial laser scanning point clouds. Remote Sensing Letters, 2013, 4, 344-353.	1.4	70
209	Retrieval of Forest Aboveground Biomass and Stem Volume with Airborne Scanning LiDAR. Remote Sensing, 2013, 5, 2257-2274.	4.0	92
210	Classification of Needle Loss of Individual Scots Pine Trees by Means of Airborne Laser Scanning. Forests, 2013, 4, 386-403.	2.1	19
211	Area-Based Mapping of Defoliation of Scots Pine Stands Using Airborne Scanning LiDAR. Remote Sensing, 2013, 5, 1220-1234.	4.0	28
212	Performance Analysis of Mobile Laser Scanning Systems in Target Representation. Remote Sensing, 2013, 5, 3140-3155.	4.0	13
213	A Comparison of Precise Leveling and Persistent Scatterer SAR Interferometry for Building Subsidence Rate Measurement. ISPRS International Journal of Geo-Information, 2013, 2, 797-816.	2.9	23
214	Relative orientation between a single frame image and LIDAR point cloud using linear features. The Photogrammetric Journal of Finland, 2013, 23, 1-16.	0.5	4
215	3D City Modeling and Visualization for Smart Phone Applications. , 2013, , 1011-1052.		2
216	Three-level frame and RD-schematic algorithm for automatic detection of individual trees from MLS point clouds. International Journal of Remote Sensing, 2012, 33, 1701-1716.	2.9	22

#	ARTICLE	IF	CITATIONS
217	Benchmarking the Performance of Mobile Laser Scanning Systems Using a Permanent Test Field. <i>Sensors</i> , 2012, 12, 12814-12835.	3.8	82
218	Tree Height Growth Measurement with Single-Scan Airborne, Static Terrestrial and Mobile Laser Scanning. <i>Sensors</i> , 2012, 12, 12798-12813.	3.8	25
219	Multiplatform Mobile Laser Scanning: Usability and Performance. <i>Sensors</i> , 2012, 12, 11712-11733.	3.8	156
220	Automatic extraction of parallel edges based on eigenvalue analysis and collateral expansion. <i>International Journal of Remote Sensing</i> , 2012, 33, 382-395.	2.9	2
221	Multiecho-Recording Mobile Laser Scanning for Enhancing Individual Tree Crown Reconstruction. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2012, 50, 4323-4332.	6.3	25
222	Characterization of mobile LiDAR data collected with multiple echoes per pulse from crowns during foliation. <i>Scandinavian Journal of Forest Research</i> , 2012, 27, 298-311.	1.4	8
223	SAR radargrammetry and scanning LiDAR in predicting forest canopy height. , 2012, , .		2
224	An International Comparison of Individual Tree Detection and Extraction Using Airborne Laser Scanning. <i>Remote Sensing</i> , 2012, 4, 950-974.	4.0	376
225	Prediction of plot-level forest variables using TerraSAR-X stereo SAR data. <i>Remote Sensing of Environment</i> , 2012, 117, 338-347.	11.0	63
226	Detecting Changes in Forest Structure over Time with Bi-Temporal Terrestrial Laser Scanning Data. <i>ISPRS International Journal of Geo-Information</i> , 2012, 1, 242-255.	2.9	56
227	Advances in Forest Inventory Using Airborne Laser Scanning. <i>Remote Sensing</i> , 2012, 4, 1190-1207.	4.0	151
228	Laser Scanning in Forests. <i>Remote Sensing</i> , 2012, 4, 2919-2922.	4.0	40
229	Combination of individual tree detection and area-based approach in imputation of forest variables using airborne laser data. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2012, 67, 73-79.	11.1	86
230	Automatic Stem Mapping Using Single-Scan Terrestrial Laser Scanning. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2012, 50, 661-670.	6.3	236
231	The use of ALS, TLS and VLS measurements in mapping and monitoring urban trees. , 2011, , .		13
232	Laser scanning applications in fluvial studies. <i>Progress in Physical Geography</i> , 2011, 35, 782-809.	3.2	86
233	Transmittance of Airborne Laser Scanning Pulses for Boreal Forest Elevation Modeling. <i>Remote Sensing</i> , 2011, 3, 1365-1379.	4.0	7
234	Mapping Topography Changes and Elevation Accuracies Using a Mobile Laser Scanner. <i>Remote Sensing</i> , 2011, 3, 587-600.	4.0	75

#	ARTICLE	IF	CITATIONS
235	Photorealistic Building Reconstruction from Mobile Laser Scanning Data. Remote Sensing, 2011, 3, 1406-1426.	4.0	53
236	Effects of Individual Tree Detection Error Sources on Forest Management Planning Calculations. Remote Sensing, 2011, 3, 1614-1626.	4.0	47
237	Segment-Based Geometric Modeling of VLS Scan Lines. IEEE Geoscience and Remote Sensing Letters, 2011, 8, 93-97.	3.1	12
238	Mini-UAV-Borne LIDAR for Fine-Scale Mapping. IEEE Geoscience and Remote Sensing Letters, 2011, 8, 426-430.	3.1	260
239	Predicting individual tree attributes from airborne laser point clouds based on the random forests technique. ISPRS Journal of Photogrammetry and Remote Sensing, 2011, 66, 28-37.	11.1	286
240	Combining mobile and static terrestrial laser scanners to investigate individual crown attributes during foliation. Canadian Journal of Remote Sensing, 2011, 37, 359-375.	2.4	6
241	Mobile laser scanning in fluvial geomorphology: mapping and change detection of point bars. Zeitschrift für Geomorphologie, 2011, 55, 31-50.	0.8	30
242	Predicting stand-thinning maturity from airborne laser scanning data. Scandinavian Journal of Forest Research, 2011, 26, 187-196.	1.4	12
243	Absolute Radiometric Calibration of ALS Intensity Data: Effects on Accuracy and Target Classification. Sensors, 2011, 11, 10586-10602.	3.8	37
244	Tree Classification with Fused Mobile Laser Scanning and Hyperspectral Data. Sensors, 2011, 11, 5158-5182.	3.8	116
245	Classification of Defoliated Trees Using Tree-Level Airborne Laser Scanning Data Combined with Aerial Images. Remote Sensing, 2010, 2, 2665-2679.	4.0	51
246	Detection of Vertical Pole-Like Objects in a Road Environment Using Vehicle-Based Laser Scanning Data. Remote Sensing, 2010, 2, 641-664.	4.0	209
247	Comparison of Area-Based and Individual Tree-Based Methods for Predicting Plot-Level Forest Attributes. Remote Sensing, 2010, 2, 1481-1495.	4.0	94
248	A low-cost multi-sensoral mobile mapping system and its feasibility for tree measurements. ISPRS Journal of Photogrammetry and Remote Sensing, 2010, 65, 514-522.	11.1	276
249	Effect of tree-level airborne laser-scanning measurement accuracy on the timing and expected value of harvest decisions. European Journal of Forest Research, 2010, 129, 899-907.	2.5	23
250	Uncertainty in timber assortment estimates predicted from forest inventory data. European Journal of Forest Research, 2010, 129, 1131-1142.	2.5	53
251	Correcting Airborne Laser Scanning Intensity Data for Automatic Gain Control Effect. IEEE Geoscience and Remote Sensing Letters, 2010, 7, 511-514.	3.1	50
252	Range and AGC normalization in airborne discrete-return LiDAR intensity data for forest canopies. ISPRS Journal of Photogrammetry and Remote Sensing, 2010, 65, 369-379.	11.1	100

#	ARTICLE	IF	CITATIONS
253	Automatic Detection of Buildings and Changes in Buildings for Updating of Maps. Remote Sensing, 2010, 2, 1217-1248.	4.0	103
254	Comparing Accuracy of Airborne Laser Scanning and TerraSAR-X Radar Images in the Estimation of Plot-Level Forest Variables. Remote Sensing, 2010, 2, 432-445.	4.0	30
255	From TLS to VLS: Biomass Estimation at Individual Tree Level. Remote Sensing, 2010, 2, 1864-1879.	4.0	45
256	Cereal Yield Modeling in Finland Using Optical and Radar Remote Sensing. Remote Sensing, 2010, 2, 2185-2239.	4.0	17
257	Integrating Vegetation Indices Models and Phenological Classification with Composite SAR and Optical Data for Cereal Yield Estimation in Finland (Part I). Remote Sensing, 2010, 2, 76-114.	4.0	12
258	Individual Tree Species Classification by Illuminated Shaded Area Separation. Remote Sensing, 2010, 2, 19-35.	4.0	40
259	Leaf area index (LAI) estimation based on vehicle-based laser scanning. , 2010, , .		0
260	Fusion of geometric models from VLS overlapping profiles. , 2010, , .		0
261	Two-channel Hyperspectral LiDAR with a Supercontinuum Laser Source. Sensors, 2010, 10, 7057-7066.	3.8	157
262	An approach of 3D model simplification for mobile phone based navigation application. , 2010, , .		2
263	Tree species classification using airborne LiDAR – effects of stand and tree parameters, downsizing of training set, intensity normalization, and sensor type. Silva Fennica, 2010, 44, .	1.3	195
264	Calibration of laser scanning intensity data using brightness targets. The method developed by the Finnish Geodetic Institute. Geodesy and Cartography, 2009, 35, 77-81.	0.5	3
265	Pulsewidth coding approach for multi-sensor synchronization of urban mobile mapping system. , 2009, , .		2
266	3D city model for mobile phone using MMS data. , 2009, , .		9
267	Orientation of Airborne Laser Scanning Point Clouds with Multi-View, Multi-Scale Image Blocks. Sensors, 2009, 9, 6008-6027.	3.8	11
268	Radiometric Calibration of LIDAR Intensity With Commercially Available Reference Targets. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 588-598.	6.3	104
269	Comparison of measurement techniques and static theory applied to concrete beam deformation. Photogrammetric Record, 2009, 24, 351-371.	0.4	25
270	Boreal forest height estimation with SAR interferometry and laser measurements. , 2009, , .		2

#	ARTICLE	IF	CITATIONS
271	Accuracy of High-Resolution Radar Images in the Estimation of Plot-Level Forest Variables. Lecture Notes in Geoinformation and Cartography, 2009, , 67-82.	1.0	1
272	Map updating and change detection using vehicle-based laser scanning. , 2009, , .		15
273	Comparison Between First Pulse and Last Pulse Laser Scanner Data in the Automatic Detection of Buildings. Photogrammetric Engineering and Remote Sensing, 2009, 75, 133-146.	0.6	16
274	Small-footprint Laser Scanning Simulator for System Validation, Error Assessment, and Algorithm Development. Photogrammetric Engineering and Remote Sensing, 2009, 75, 1177-1189.	0.6	47
275	Brightness Measurements and Calibration With Airborne and Terrestrial Laser Scanners. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 528-534.	6.3	73
276	SAR Coherence Tomography for Boreal Forest with Aid of Laser Measurements. , 2008, , .		6
277	A Permanent Test Field for Digital Photogrammetric Systems. Photogrammetric Engineering and Remote Sensing, 2008, 74, 95-106.	0.6	44
278	Forest Inventory Using Small-Footprint Airborne LiDAR. , 2008, , 335-370.		8
279	Radiometric Calibration and Characterization of Large-format Digital Photogrammetric Sensors in a Test Field. Photogrammetric Engineering and Remote Sensing, 2008, 74, 1487-1500.	0.6	21
280	Agricultural Monitoring Using Envisat Alternating Polarization SAR Images. Photogrammetric Engineering and Remote Sensing, 2008, 74, 117-126.	0.6	24
281	Retrieval Algorithms for Road Surface Modelling Using Laser-Based Mobile Mapping. Sensors, 2008, 8, 5238-5249.	3.8	171
282	Toward Hyperspectral Lidar: Measurement of Spectral Backscatter Intensity With a Supercontinuum Laser Source. IEEE Geoscience and Remote Sensing Letters, 2007, 4, 211-215.	3.1	76
283	Improving Automation in Map Updating Based on National Laser Scanning, Classification Trees, Object-Based Change Detection and 3D Object Reconstruction. , 2007, , .		4
284	A comparative study of the use of laser scanner data and field measurements in the prediction of crown height in boreal forests. Scandinavian Journal of Forest Research, 2006, 21, 231-238.	1.4	23
285	Change Detection Techniques for Canopy Height Growth Measurements Using Airborne Laser Scanner Data. Photogrammetric Engineering and Remote Sensing, 2006, 72, 1339-1348.	0.6	120
286	Mapping Built-up Areas from Multitemporal Interferometric SAR Images - A Segment-based Approach. Photogrammetric Engineering and Remote Sensing, 2006, 72, 701-714.	0.6	10
287	Determination of Exterior Orientation Using Linear Features from Vector Maps. Photogrammetric Record, 2006, 21, 329-341.	0.4	20
288	Geometric test field calibration of digital photogrammetric sensors. ISPRS Journal of Photogrammetry and Remote Sensing, 2006, 60, 387-399.	11.1	48

#	ARTICLE	IF	CITATIONS
289	Estimation of stem volume using laser scanning-based canopy height metrics. <i>Forestry</i> , 2006, 79, 217-229.	2.3	140
290	Use of HRSC-A for sampling bidirectional reflectance. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2005, 59, 323-341.	11.1	4
291	Study of Surface Brightness From Backscattered Laser Intensity: Calibration of Laser Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2005, 2, 255-259.	3.1	95
292	Identifying and quantifying structural characteristics of heterogeneous boreal forests using laser scanner data. <i>Forest Ecology and Management</i> , 2005, 216, 41-50.	3.2	146
293	Automatic detection of harvested trees and determination of forest growth using airborne laser scanning. <i>Remote Sensing of Environment</i> , 2004, 90, 451-462.	11.0	262
294	Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions. <i>Remote Sensing of Environment</i> , 2004, 90, 319-330.	11.0	307
295	Calibration of laser-derived tree height estimates by means of photogrammetric techniques. <i>Scandinavian Journal of Forest Research</i> , 2004, 19, 524-528.	1.4	40
296	The accuracy of estimating individual tree variables with airborne laser scanning in a boreal nature reserve. <i>Canadian Journal of Forest Research</i> , 2004, 34, 1791-1801.	1.7	161
297	Laser scanning of forest resources: the nordic experience. <i>Scandinavian Journal of Forest Research</i> , 2004, 19, 482-499.	1.4	386
298	Land-cover classification using multitemporal ERS-1/2 insar data. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2003, 41, 1620-1628.	6.3	74
299	<title>Unsupervised land-cover classification using multitemporal ERS-1/2 tandem INSAR data</title> . , 2002, , .		2
300	The seasonal behavior of interferometric coherence in boreal forest. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2001, 39, 820-829.	6.3	50
301	A segmentation-based method to retrieve stem volume estimates from 3-D tree height models produced by laser scanners. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2001, 39, 969-975.	6.3	554
302	Effects of stand size on the accuracy of remote sensing-based forest inventory. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2001, 39, 2613-2621.	6.3	37
303	Accuracy comparison of various remote sensing data sources in the retrieval of forest stand attributes. <i>Forest Ecology and Management</i> , 2000, 128, 109-120.	3.2	318
304	Calibration accuracy of the HUTSCAT airborne scatterometer. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1999, 37, 1450-1454.	6.3	8
305	Evaluation of laser scanner data in forest areas. , 1999, , .		0
306	Radar-derived standwise forest inventory. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1997, 35, 392-404.	6.3	26

#	ARTICLE	IF	CITATIONS
307	Applicability of airborne profiling radar to forest inventory. Remote Sensing of Environment, 1996, 57, 39-57.	11.0	52
308	Backscattering properties of boreal forests at the C- and X-bands. IEEE Transactions on Geoscience and Remote Sensing, 1994, 32, 1041-1050.	6.3	117
309	A helicopter-borne eight-channel ranging scatterometer for remote sensing. I. System description. IEEE Transactions on Geoscience and Remote Sensing, 1993, 31, 161-169.	6.3	46
310	A helicopter-borne eight-channel ranging scatterometer for remote sensing. II. Forest inventory. IEEE Transactions on Geoscience and Remote Sensing, 1993, 31, 170-179.	6.3	34
311	Helicopter-borne measurements of radar backscatter from forests. International Journal of Remote Sensing, 1990, 11, 1179-1191.	2.9	22
312	Satellite microwave radiometry of forest and surface types in Finland. IEEE Transactions on Geoscience and Remote Sensing, 1988, 26, 622-628.	6.3	34
313	Airborne Laser Scanning. , 0, , 199-211.		17
314	MULTISPECTRAL AIRBORNE LASER SCANNING FOR AUTOMATED MAP UPDATING. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B3, 323-330.	0.2	9
315	MULTISPECTRAL AIRBORNE LASER SCANNING FOR AUTOMATED MAP UPDATING. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B3, 323-330.	0.2	7
316	3D City Modeling and Visualization for Smart Phone Applications. , 0, , 254-296.		0