

# Patricia Dargent-Molina

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1723354/publications.pdf>

Version: 2024-02-01

72  
papers

6,714  
citations

125106

35  
h-index

100535

70  
g-index

77  
all docs

77  
docs citations

77  
times ranked

7259  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospective associations between dietary patterns, screen and outdoor play times at 2 years and age at adiposity rebound: The EDEN mother-child cohort. <i>Preventive Medicine Reports</i> , 2022, 25, 101666.	0.8	2
2	Family-focused contextual factors associated with lifestyle patterns in young children from two mother-offspring cohorts: GUSTO and EDEN. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 26.	2.0	2
3	Cardiovascular Health at Age 5 Years: Distribution, Determinants, and Association With Neurodevelopment. <i>Frontiers in Pediatrics</i> , 2022, 10, 827525.	0.9	2
4	Family Socioecological Correlates of Lifestyle Patterns in Early Childhood: A Cross-Sectional Study from the EDEN Mother-child Cohort. <i>Nutrients</i> , 2021, 13, 3803.	1.7	7
5	Postpartum psychological distress associated with anal incontinence in the EDEN mother-child cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 619-627.	1.1	8
6	Clusters of diet, physical activity, television exposure and sleep habits and their association with adiposity in preschool children: the EDEN mother-child cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 20.	2.0	19
7	The Effect of Older Siblings on Language Development as a Function of Age Difference and Sex. <i>Psychological Science</i> , 2019, 30, 1333-1343.	1.8	25
8	Developmental trajectories of motor skills during the preschool period. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1461-1474.	2.8	19
9	Domain-specific physical activity and sedentary behavior during pregnancy and postpartum depression risk in the French EDEN and ELFE cohorts. <i>Preventive Medicine</i> , 2019, 121, 33-39.	1.6	19
10	Exposure to heavy metals during pregnancy related to gestational diabetes mellitus in diabetes-free mothers. <i>Science of the Total Environment</i> , 2019, 656, 870-876.	3.9	55
11	Prenatal Exposure to Select Phthalates and Phenols and Associations with Fetal and Placental Weight among Male Births in the EDEN Cohort (France). <i>Environmental Health Perspectives</i> , 2019, 127, 17002.	2.8	77
12	Cord-blood vitamin D level and night sleep duration in preschoolers in the EDEN mother-child birth cohort. <i>Sleep Medicine</i> , 2019, 53, 70-74.	0.8	11
13	Association of hypovitaminosis D with triceps brachii muscle fatigability among older women: Findings from the EPIDOS cohort. <i>Maturitas</i> , 2018, 111, 47-52.	1.0	6
14	Data on Determinants Are Needed to Curb the Sedentary Epidemic in Europe. Lessons Learnt from the DEDIPAC European Knowledge Hub. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1406.	1.2	8
15	Changes in children's television and computer time according to parental education, parental income and ethnicity: A 6-year longitudinal EYHS study. <i>PLoS ONE</i> , 2018, 13, e0203592.	1.1	15
16	Prospective associations between energy balance-related behaviors at 2 years of age and subsequent adiposity: the EDEN mother-child cohort. <i>International Journal of Obesity</i> , 2017, 41, 38-45.	1.6	22
17	A comprehensive fracture prevention strategy in older adults: the European Union Geriatric Medicine Society (EUGMS) statement. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 797-803.	1.4	75
18	A comprehensive fracture prevention strategy in older adults: The European union geriatric medicine society (EUGMS) statement. <i>European Geriatric Medicine</i> , 2016, 7, 519-525.	1.2	12

#	ARTICLE	IF	CITATIONS
19	A comprehensive fracture prevention strategy in older adults: The European Union Geriatric Medicine Society (EUGMS) statement. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 647-652.	1.5	65
20	Multidimensionality of the relationship between social status and dietary patterns in early childhood: longitudinal results from the French EDEN mother-child cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 122.	2.0	32
21	A systematic review of determinants of sedentary behaviour in youth: a DEDIPAC-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 133.	2.0	125
22	The effect of fall prevention exercise programmes on fall induced injuries in community dwelling older adults:. <i>British Journal of Sports Medicine</i> , 2015, 49, 1348-1348.	3.1	279
23	Effectiveness of two year balance training programme on prevention of fall induced injuries in at risk women aged 75-85 living in community: OssÃ©bo randomised controlled trial. <i>BMJ, The</i> , 2015, 351, h3830.	3.0	91
24	Beneficial effects of vitamin D on falls and fractures: is cognition rather than bone or muscle behind these benefits?. <i>Osteoporosis International</i> , 2015, 26, 1-10.	1.3	35
25	Effects of Antenatal Maternal Depression and Anxiety on Childrenâ€™s Early Cognitive Development: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0135849.	1.1	63
26	Authorsâ€™ reply to Bonten. <i>BMJ, The</i> , 2015, 351, h5116.	3.0	0
27	Cord serum 25-hydroxyvitamin D and risk of early childhood transient wheezing and atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 147-153.	1.5	138
28	Guidelines for Physical Activity During Pregnancy. <i>American Journal of Lifestyle Medicine</i> , 2014, 8, 102-121.	0.8	230
29	Living Lab Falls-MACVIA-LR: The falls prevention initiative of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA) in Languedoc-Roussillon. <i>European Geriatric Medicine</i> , 2014, 5, 416-425.	1.2	30
30	Degree of methylation of <i>ZAC1</i> ( <i>PLAGL1</i> ) is associated with prenatal and post-natal growth in healthy infants of the EDEN mother child cohort. <i>Epigenetics</i> , 2014, 9, 338-345.	1.3	70
31	Mortality and profiles of community-dwelling fallers. Results from the EPIDOS cohort. <i>Maturitas</i> , 2014, 79, 334-339.	1.0	17
32	Usefulness of bone density measurement in fallers. <i>Joint Bone Spine</i> , 2014, 81, 403-408.	0.8	34
33	Use of Calcium Supplements, Vitamin D Supplements and Specific Osteoporosis Drugs Among French Women Aged 75â€™85 Years: Patterns of Use and Associated Factors. <i>Drugs and Aging</i> , 2013, 30, 1029-1038.	1.3	8
34	The â€™OssÃ©boâ€™ intervention for the prevention of injurious falls in elderly women: background and design. <i>Global Health Promotion</i> , 2013, 20, 88-93.	0.7	7
35	Mobility impairment is associated with urge but not stress urinary incontinence in communityâ€™dwelling older women: results from the <i>OssÃ©bo</i> study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1566-1574.	1.1	58
36	Gestational Exposure to Urban Air Pollution Related to a Decrease in Cord Blood Vitamin D Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4087-4095.	1.8	62

#	ARTICLE	IF	CITATIONS
37	Is vascular calcification associated with bone mineral density and osteoporotic fractures in ambulatory, elderly women?. <i>Osteoporosis International</i> , 2012, 23, 1533-1539.	1.3	28
38	The DESIR cohort: A 10-year follow-up of early inflammatory back pain in France: Study design and baseline characteristics of the 708 recruited patients. <i>Joint Bone Spine</i> , 2011, 78, 598-603.	0.8	204
39	Higher Cord C-Peptide Concentrations Are Associated With Slower Growth Rate in the 1st Year of Life in Girls but Not in Boys. <i>Diabetes</i> , 2011, 60, 2152-2159.	0.3	42
40	Falls' and fallers' profiles. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 602-608.	1.5	31
41	Fracture risk prediction using BMD and clinical risk factors in early postmenopausal women: Sensitivity of the WHO FRAX tool. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1002-1009.	3.1	173
42	Aspects Épidémiologiques des fractures ostéoporotiques. <i>Les Cahiers De L'année Gerontologique</i> , 2009, 1, 164-171.	0.0	0
43	Persistence with teriparatide in postmenopausal osteoporosis; impact of a patient education and follow-up program: the French experience. <i>Osteoporosis International</i> , 2009, 20, 625-630.	1.3	53
44	Proteins, Dietary Acid Load, and Calcium and Risk of Postmenopausal Fractures in the E3N French Women Prospective Study. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1915-1922.	3.1	78
45	Devising global strategies for fracture-risk evaluation. <i>Joint Bone Spine</i> , 2007, 74, 240-244.	0.8	9
46	Identification of women at increased risk of osteoporosis: No need to use different screening tools at different ages. <i>Maturitas</i> , 2006, 54, 55-64.	1.0	10
47	Animal Protein and Calcium Intakes, and Risk of Post-Menopausal Fracture. <i>American Journal of Epidemiology</i> , 2006, 163, S175-S175.	1.6	0
48	Structural determinants of hip fracture in elderly women: re-analysis of the data from the EPIDOS study. <i>Osteoporosis International</i> , 2006, 17, 231-236.	1.3	115
49	BETA-BLOCKER USE, BONE MINERAL DENSITY, AND FRACTURE RISK IN OLDER WOMEN: RESULTS FROM THE EPIDEMIOLOGIE DE L'OSTÉOPOROSE PROSPECTIVE STUDY. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 550-552.	1.3	73
50	A triage strategy based on clinical risk factors for selecting elderly women for treatment or bone densitometry: the EPIDOS prospective study. <i>Osteoporosis International</i> , 2005, 16, 898-906.	1.3	17
51	Quantitative ultrasound parameters as well as bone mineral density are better predictors of trochanteric than cervical hip fractures in elderly women. Results from the EPIDOS study. <i>Bone</i> , 2005, 37, 858-863.	1.4	53
52	Effect of Hip Fracture on Mortality in Elderly Women: The EPIDOS Prospective Study. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 685-690.	1.3	165
53	Bone density measurement in older women: who and why?. <i>Joint Bone Spine</i> , 2004, 71, 264-265.	0.8	1
54	Should age influence the choice of quantitative bone assessment technique in elderly women? The EPIDOS study. <i>Osteoporosis International</i> , 2004, 15, 196-203.	1.3	18

#	ARTICLE	IF	CITATIONS
55	Prevalence of vertebral fractures in French women older than 75 years from the EPIDOS study. <i>Bone</i> , 2004, 34, 362-367.	1.4	72
56	A comparison of different screening strategies to identify elderly women at high risk of hip fracture: results from the EPIDOS prospective study. <i>Osteoporosis International</i> , 2003, 14, 969-977.	1.3	28
57	A New Approach to the Development of Assessment Guidelines for Osteoporosis. <i>Osteoporosis International</i> , 2002, 13, 527-536.	1.3	294
58	Use of Clinical Risk Factors in Elderly Women with Low Bone Mineral Density to Identify Women at Higher Risk of Hip Fracture: The EPIDOS Prospective Study. <i>Osteoporosis International</i> , 2002, 13, 593-599.	1.3	105
59	Risk Factors for Fractures of the Proximal Humerus: Results From the EPIDOS Prospective Study. <i>Journal of Bone and Mineral Research</i> , 2002, 17, 817-825.	3.1	199
60	An Assessment Tool for Predicting Fracture Risk in Postmenopausal Women. <i>Osteoporosis International</i> , 2001, 12, 519-528.	1.3	415
61	In Elderly Women Weight is the Best Predictor of a Very Low Bone Mineral Density: Evidence from the EPIDOS Study. <i>Osteoporosis International</i> , 2000, 11, 881-888.	1.3	97
62	Separate and Combined Value of Bone Mass and Gait Speed Measurements in Screening for Hip Fracture Risk: Results from the EPIDOS Study. <i>Osteoporosis International</i> , 1999, 9, 188-192.	1.3	49
63	How Hip and Whole-Body Bone Mineral Density Predict Hip Fracture in Elderly Women: The EPIDOS Prospective Study. <i>Osteoporosis International</i> , 1998, 8, 247-254.	1.3	324
64	Do Markers of Bone Resorption Add to Bone Mineral Density and Ultrasonographic Heel Measurement for the Prediction of Hip Fracture in Elderly Women? The EPIDOS Prospective Study. <i>Osteoporosis International</i> , 1998, 8, 563-569.	1.3	126
65	Risk factors and prevention of fractures in the elderly. <i>Current Opinion in Rheumatology</i> , 1998, 10, 357-361.	2.0	4
66	Ultrasonographic heel measurements to predict hip fracture in elderly women: the EPIDOS prospective study. <i>Lancet</i> , The, 1996, 348, 511-514.	6.3	1,025
67	Fall-related factors and risk of hip fracture: the EPIDOS prospective study. <i>Lancet</i> , The, 1996, 348, 145-149.	6.3	801
68	Sensory Impairments and Physical Disability in Aged Women Living at Home. <i>International Journal of Epidemiology</i> , 1996, 25, 621-629.	0.9	67
69	Healthy elderly French women living at home have secondary hyperparathyroidism and high bone turnover in winter. EPIDOS Study Group. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 1129-1133.	1.8	237
70	Association between maternal education and infant diarrhea in different household and community environments of Cebu, Philippines. <i>Social Science and Medicine</i> , 1994, 38, 343-350.	1.8	36
71	Herd-level risk factors for <i>Staphylococcus aureus</i> and <i>Streptococcus agalactiae</i> intramammary infections. <i>Preventive Veterinary Medicine</i> , 1988, 6, 127-142.	0.7	21
72	Happier Elderly Residents. The Positive Impact of Physical Activity on Objective and Subjective Health Condition of Elderly People in Nursing Homes. Evidence from a Multi-Site Randomized Controlled Trial. <i>Applied Research in Quality of Life</i> , 0, , 1.	1.4	2