

Patricia Dargent-Molina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1723354/publications.pdf>

Version: 2024-02-01

72
papers

6,714
citations

109321
35
h-index

88630
70
g-index

77
all docs

77
docs citations

77
times ranked

6845
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospective associations between dietary patterns, screen and outdoor play times at 2Âyears and age at adiposity rebound: The EDEN mother-child cohort. Preventive Medicine Reports, 2022, 25, 101666.	1.8	2
2	Family-focused contextual factors associated with lifestyle patterns in young children from two mother-offspring cohorts: GUSTO and EDEN. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, 26.	4.6	2
3	Cardiovascular Health at Age 5 Years: Distribution, Determinants, and Association With Neurodevelopment. Frontiers in Pediatrics, 2022, 10, 827525.	1.9	2
4	Family Socioecological Correlates of Lifestyle Patterns in Early Childhood: A Cross-Sectional Study from the EDEN Motherâ€child Cohort. Nutrients, 2021, 13, 3803.	4.1	7
5	Postpartum psychological distress associated with anal incontinence in the EDEN motherâ€child cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 619-627.	2.3	8
6	Clusters of diet, physical activity, television exposure and sleep habits and their association with adiposity in preschool children: the EDEN mother-child cohort. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 20.	4.6	19
7	The Effect of Older Siblings on Language Development as a Function of Age Difference and Sex. Psychological Science, 2019, 30, 1333-1343.	3.3	25
8	Developmental trajectories of motor skills during the preschool period. European Child and Adolescent Psychiatry, 2019, 28, 1461-1474.	4.7	19
9	Domain-specific physical activity and sedentary behavior during pregnancy and postpartum depression risk in the French EDEN and ELFE cohorts. Preventive Medicine, 2019, 121, 33-39.	3.4	19
10	Exposure to heavy metals during pregnancy related to gestational diabetes mellitus in diabetes-free mothers. Science of the Total Environment, 2019, 656, 870-876.	8.0	55
11	Prenatal Exposure to Select Phthalates and Phenols and Associations with Fetal and Placental Weight among Male Births in the EDEN Cohort (France). Environmental Health Perspectives, 2019, 127, 17002.	6.0	77
12	Cord-blood vitamin D level and night sleep duration in preschoolers in the EDEN mother-child birth cohort. Sleep Medicine, 2019, 53, 70-74.	1.6	11
13	Association of hypovitaminosis D with triceps brachii muscle fatigability among older women: Findings from the EPIDOS cohort. Maturitas, 2018, 111, 47-52.	2.4	6
14	Data on Determinants Are Needed to Curb the Sedentary Epidemic in Europe. Lessons Learnt from the DEDIPAC European Knowledge Hub. International Journal of Environmental Research and Public Health, 2018, 15, 1406.	2.6	8
15	Changes in childrenâ€™s television and computer time according to parental education, parental income and ethnicity: A 6-year longitudinal EYHS study. PLoS ONE, 2018, 13, e0203592.	2.5	15
16	Prospective associations between energy balance-related behaviors at 2 years of age and subsequent adiposity: the EDEN motherâ€child cohort. International Journal of Obesity, 2017, 41, 38-45.	3.4	22
17	A comprehensive fracture prevention strategy in older adults: the European Union Geriatric Medicine Society (EUGMS) statement. Aging Clinical and Experimental Research, 2016, 28, 797-803.	2.9	75
18	A comprehensive fracture prevention strategy in older adults: The European union geriatric medicine society (EUGMS) statement. European Geriatric Medicine, 2016, 7, 519-525.	2.8	12

#	ARTICLE	IF	CITATIONS
19	A comprehensive fracture prevention strategy in older adults: The European Union Geriatric Medicine Society (EUGMS) statement. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 647-652.	3.3	65
20	Multidimensionality of the relationship between social status and dietary patterns in early childhood: longitudinal results from the French EDEN mother-child cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 122.	4.6	32
21	A systematic review of determinants of sedentary behaviour in youth: a DEDIPAC-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 133.	4.6	125
22	The effect of fall prevention exercise programmes on fall induced injuries in community dwelling older adults:. <i>British Journal of Sports Medicine</i> , 2015, 49, 1348-1348.	6.7	279
23	Effectiveness of two year balance training programme on prevention of fall induced injuries in at risk women aged 75-85 living in community: OssÃ©bo randomised controlled trial. <i>BMJ, The</i> , 2015, 351, h3830.	6.0	91
24	Beneficial effects of vitamin D on falls and fractures: is cognition rather than bone or muscle behind these benefits?. <i>Osteoporosis International</i> , 2015, 26, 1-10.	3.1	35
25	Effects of Antenatal Maternal Depression and Anxiety on Childrenâ€™s Early Cognitive Development: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0135849.	2.5	63
26	Authorsâ€™ reply to Bonten. <i>BMJ, The</i> , 2015, 351, h5116.	6.0	0
27	Cord serum 25-hydroxyvitamin D and risk of early childhood transient wheezing and atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 147-153.	2.9	138
28	Guidelines for Physical Activity During Pregnancy. <i>American Journal of Lifestyle Medicine</i> , 2014, 8, 102-121.	1.9	230
29	Living Lab Falls-MACVIA-LR: The falls prevention initiative of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA) in Languedoc-Roussillon. <i>European Geriatric Medicine</i> , 2014, 5, 416-425.	2.8	30
30	Degree of methylation of <i>ZAC1</i> (<i>PLAGL1</i>) is associated with prenatal and post-natal growth in healthy infants of the EDEN mother child cohort. <i>Epigenetics</i> , 2014, 9, 338-345.	2.7	70
31	Mortality and profiles of community-dwelling fallers. Results from the EPIDOS cohort. <i>Maturitas</i> , 2014, 79, 334-339.	2.4	17
32	Usefulness of bone density measurement in fallers. <i>Joint Bone Spine</i> , 2014, 81, 403-408.	1.6	34
33	Use of Calcium Supplements, Vitamin D Supplements and Specific Osteoporosis Drugs Among French Women Aged 75â€“85 Years: Patterns of Use and Associated Factors. <i>Drugs and Aging</i> , 2013, 30, 1029-1038.	2.7	8
34	The â€œOssÃ©boâ€™ intervention for the prevention of injurious falls in elderly women: background and design. <i>Global Health Promotion</i> , 2013, 20, 88-93.	1.3	7
35	Mobility impairment is associated with urge but not stress urinary incontinence in communityâ€™dwelling older women: results from the <sc>O</sc>ssÃ©bo study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1566-1574.	2.3	58
36	Gestational Exposure to Urban Air Pollution Related to a Decrease in Cord Blood Vitamin D Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4087-4095.	3.6	62

#	ARTICLE	IF	CITATIONS
37	Is vascular calcification associated with bone mineral density and osteoporotic fractures in ambulatory, elderly women?. Osteoporosis International, 2012, 23, 1533-1539.	3.1	28
38	The DESIR cohort: A 10-year follow-up of early inflammatory back pain in France: Study design and baseline characteristics of the 708 recruited patients. Joint Bone Spine, 2011, 78, 598-603.	1.6	204
39	Higher Cord C-Peptide Concentrations Are Associated With Slower Growth Rate in the 1st Year of Life in Girls but Not in Boys. Diabetes, 2011, 60, 2152-2159.	0.6	42
40	Falls' and fallers' profiles. Journal of Nutrition, Health and Aging, 2010, 14, 602-608.	3.3	31
41	Fracture risk prediction using BMD and clinical risk factors in early postmenopausal women: Sensitivity of the WHO FRAX tool. Journal of Bone and Mineral Research, 2010, 25, 1002-1009.	2.8	173
42	Aspects Épidémiologiques des fractures ostéoporotiques. Les Cahiers De L'année Gerontologique, 2009, 1, 164-171.	0.0	0
43	Persistence with teriparatide in postmenopausal osteoporosis; impact of a patient education and follow-up program: the French experience. Osteoporosis International, 2009, 20, 625-630.	3.1	53
44	Proteins, Dietary Acid Load, and Calcium and Risk of Postmenopausal Fractures in the E3N French Women Prospective Study. Journal of Bone and Mineral Research, 2008, 23, 1915-1922.	2.8	78
45	Devising global strategies for fracture-risk evaluation. Joint Bone Spine, 2007, 74, 240-244.	1.6	9
46	Identification of women at increased risk of osteoporosis: No need to use different screening tools at different ages. Maturitas, 2006, 54, 55-64.	2.4	10
47	Animal Protein and Calcium Intakes, and Risk of Post-Menopausal Fracture. American Journal of Epidemiology, 2006, 163, S175-S175.	3.4	0
48	Structural determinants of hip fracture in elderly women: re-analysis of the data from the EPIDOS study. Osteoporosis International, 2006, 17, 231-236.	3.1	115
49	BETA-BLOCKER USE, BONE MINERAL DENSITY, AND FRACTURE RISK IN OLDER WOMEN: RESULTS FROM THE EPIDEMIOLOGIE DE L'OSTÉOPOROSE PROSPECTIVE STUDY. Journal of the American Geriatrics Society, 2005, 53, 550-552.	2.6	73
50	A triage strategy based on clinical risk factors for selecting elderly women for treatment or bone densitometry: the EPIDOS prospective study. Osteoporosis International, 2005, 16, 898-906.	3.1	17
51	Quantitative ultrasound parameters as well as bone mineral density are better predictors of trochanteric than cervical hip fractures in elderly women. Results from the EPIDOS study. Bone, 2005, 37, 858-863.	2.9	53
52	Effect of Hip Fracture on Mortality in Elderly Women: The EPIDOS Prospective Study. Journal of the American Geriatrics Society, 2004, 52, 685-690.	2.6	165
53	Bone density measurement in older women: who and why?. Joint Bone Spine, 2004, 71, 264-265.	1.6	1
54	Should age influence the choice of quantitative bone assessment technique in elderly women? The EPIDOS study. Osteoporosis International, 2004, 15, 196-203.	3.1	18

#	ARTICLE	IF	CITATIONS
55	Prevalence of vertebral fractures in French women older than 75 years from the EPIDOS study. Bone, 2004, 34, 362-367.	2.9	72
56	A comparison of different screening strategies to identify elderly women at high risk of hip fracture: results from the EPIDOS prospective study. Osteoporosis International, 2003, 14, 969-977.	3.1	28
57	A New Approach to the Development of Assessment Guidelines for Osteoporosis. Osteoporosis International, 2002, 13, 527-536.	3.1	294
58	Use of Clinical Risk Factors in Elderly Women with Low Bone Mineral Density to Identify Women at Higher Risk of Hip Fracture: The EPIDOS Prospective Study. Osteoporosis International, 2002, 13, 593-599.	3.1	105
59	Risk Factors for Fractures of the Proximal Humerus: Results From the EPIDOS Prospective Study. Journal of Bone and Mineral Research, 2002, 17, 817-825.	2.8	199
60	An Assessment Tool for Predicting Fracture Risk in Postmenopausal Women. Osteoporosis International, 2001, 12, 519-528.	3.1	415
61	In Elderly Women Weight is the Best Predictor of a Very Low Bone Mineral Density: Evidence from the EPIDOS Study. Osteoporosis International, 2000, 11, 881-888.	3.1	97
62	Separate and Combined Value of Bone Mass and Gait Speed Measurements in Screening for Hip Fracture Risk: Results from the EPIDOS Study. Osteoporosis International, 1999, 9, 188-192.	3.1	49
63	How Hip and Whole-Body Bone Mineral Density Predict Hip Fracture in Elderly Women: The EPIDOS Prospective Study. Osteoporosis International, 1998, 8, 247-254.	3.1	324
64	Do Markers of Bone Resorption Add to Bone Mineral Density and Ultrasonographic Heel Measurement for the Prediction of Hip Fracture in Elderly Women? The EPIDOS Prospective Study. Osteoporosis International, 1998, 8, 563-569.	3.1	126
65	Risk factors and prevention of fractures in the elderly. Current Opinion in Rheumatology, 1998, 10, 357-361.	4.3	4
66	Ultrasonographic heel measurements to predict hip fracture in elderly women: the EPIDOS prospective study. Lancet, The, 1996, 348, 511-514.	13.7	1,025
67	Fall-related factors and risk of hip fracture: the EPIDOS prospective study. Lancet, The, 1996, 348, 145-149.	13.7	801
68	Sensory Impairments and Physical Disability in Aged Women Living at Home. International Journal of Epidemiology, 1996, 25, 621-629.	1.9	67
69	Healthy elderly French women living at home have secondary hyperparathyroidism and high bone turnover in winter. EPIDOS Study Group. Journal of Clinical Endocrinology and Metabolism, 1996, 81, 1129-1133.	3.6	237
70	Association between maternal education and infant diarrhea in different household and community environments of Cebu, Philippines. Social Science and Medicine, 1994, 38, 343-350.	3.8	36
71	Herd-level risk factors for Staphylococcus aureus and Streptococcus agalactiae intramammary infections. Preventive Veterinary Medicine, 1988, 6, 127-142.	1.9	21
72	Happier Elderly Residents. The Positive Impact of Physical Activity on Objective and Subjective Health Condition of Elderly People in Nursing Homes. Evidence from a Multi-Site Randomized Controlled Trial. Applied Research in Quality of Life, 0, , 1.	2.4	2