

Tsuyoshi Hosoya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/172365/publications.pdf>

Version: 2024-02-01

33
papers

683
citations

840776

11
h-index

580821

25
g-index

34
all docs

34
docs citations

34
times ranked

1030
citing authors

#	ARTICLE	IF	CITATIONS
1	De Novo Genome Assembly of Stinkhorn Mushroom <i>Clathrus columnatus</i> (Basidiomycota, Fungi) Using Illumina and Nanopore Sequencing Data. <i>Microbiology Resource Announcements</i> , 2022, , e0102621.	0.6	1
2	<i>Euantennaria pleioblasti</i>, sp. nov. (<i>Euantennariaceae</i>) and <i>Metacapnodium</i> cf. <i>quinqueseptatum</i> (<i>Metacapnodiaceae</i>), two mixed sooty moulds in subicula on <i>Pleioblastus</i>, sp. in Taiwan. <i>Mycoscience</i> , 2022, 63, 58-64.	0.8	0
3	Examination of the generic concept and species boundaries of the genus <i>Erioscyphella</i> (Lachnaceae, Tj ETQq1 1 0.784314 rgBT /O materials. <i>MycoKeys</i> , 2022, 87, 1-52.	1.9	0
4	Systematics, ecology, and application of <i>Helotiales</i>: Recent progress and future perspectives for research with special emphasis on activities within Japan. <i>Mycoscience</i> , 2021, 62, 1-9.	0.8	9
5	First report of ophidiomycosis in Asia caused by <i>Ophidiomyces ophiodiicola</i> in captive snakes in Japan. <i>Journal of Veterinary Medical Science</i> , 2021, 83, 1234-1239.	0.9	7
6	<i>Microstoma longipilum</i> sp. nov. (<i>Sarcoscyphaceae, Pezizales</i>) from Japan. <i>Mycoscience</i> , 2021, 62, 217-223.	0.8	0
7	Lifecycle of <i>Pyrenopeziza protrusa</i> (<i>Helotiales</i>,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 507 observation and molecular quantification. <i>Mycoscience</i> , 2021, 62, 373-381.	0.8	3
8	Non-destructive DNA extraction from herbarium specimens: a method particularly suitable for plants with small and fragile leaves. <i>Journal of Plant Research</i> , 2020, 133, 133-141.	2.4	9
9	Taxonomic and nomenclatural changes in euantennariaceous sooty moulds: Ten new combinations in <i>Euantennaria</i> for species of <i>Antennatula</i> . <i>Mycoscience</i> , 2020, 61, 353-358.	0.8	2
10	Phylogeny and taxonomic revision of the genus <i>Candelabrum</i> , aero-aquatic fungi. <i>Mycoscience</i> , 2020, 61, 265-281.	0.8	3
11	<i>Antennatula katumotoi</i> , a new euantennariaceous sooty mould, with a <i>Hormisciomyces</i> -like synasexual morph from central Honshu, Japan. <i>Mycoscience</i> , 2019, 60, 302-306.	0.8	3
12	A multigene phylogeny toward a new phylogenetic classification of Leotiomycetes. <i>IMA Fungus</i> , 2019, 10, 1.	3.8	140
13	Three new species of <i>Incrucipulum</i> (Lachnaceae, Helotiales, Ascomycota) from Japan. <i>Phytotaxa</i> , 2019, 403, 25.	0.3	5
14	The ash dieback invasion of Europe was founded by two genetically divergent individuals. <i>Nature Ecology and Evolution</i> , 2018, 2, 1000-1008.	7.8	82
15	A check list of non-lichenised fungi occurring on <i>Fagus crenata</i> , a tree endemic to Japan. <i>Mycology</i> , 2018, 9, 29-34.	4.4	4
16	Detection of a root-associated group of Hyaloscyphaceae (Helotiales) species that commonly colonizes Fagaceae roots and description of three new species in genus <i>Glutinomyces</i> . <i>Mycoscience</i> , 2018, 59, 397-408.	0.8	8
17	Sydowianumols A, B, and C, Three New Compounds from Discomycete <i>Poculum pseudosydowianum</i>. <i>Chemical and Pharmaceutical Bulletin</i> , 2018, 66, 826-829.	1.3	5
18	The enigmatic <i>Mixia osmundae</i> revisited: a systematic review including new distributional data and recent advances in its phylogeny and phylogenomics. <i>Mycologia</i> , 2018, 110, 179-191.	1.9	3

#	ARTICLE	IF	CITATIONS
19	Type study of Japanese Dacrymycetes described by Yosio Kobayasi: Redescriptions of five species and a new name proposal. <i>Mycoscience</i> , 2017, 58, 129-136.	0.8	3
20	Early-diverging wood-decaying fungi detected using three complementary sampling methods. <i>Molecular Phylogenetics and Evolution</i> , 2016, 98, 11-20.	2.7	16
21	Three New Chlorinated Cyclopentenols, Palmaenols A and B and Palmaetriol, from the Discomycete <i>Lachnum palmae</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501001.	0.5	2
22	First report of <i>Veronaea botryosa</i> as a causal agent of chromomycosis in frogs. <i>Medical Mycology</i> , 2015, 53, 369-377.	0.7	14
23	<i>Hymenoscyphus fraxineus</i> , the correct scientific name for the fungus causing ash dieback in Europe. <i>IMA Fungus</i> , 2014, 5, 79-80.	3.8	157
24	First Report of the Ash Dieback Pathogen <i>Hymenoscyphus fraxineus</i> in Korea. <i>Mycobiology</i> , 2014, 42, 391-396.	1.7	30
25	Phylogenetic reassessment of Hyaloscyphaceae sensu lato (Helotiales, Leotiomyces) based on multigene analyses. <i>Fungal Biology</i> , 2014, 118, 150-167.	2.5	56
26	Molecular phylogenetic assessment of the genus <i>Hyphodiscus</i> with description of <i>Hyphodiscus hyaloscyphoides</i> sp. nov.. <i>Mycological Progress</i> , 2011, 10, 239-248.	1.4	10
27	Molecular phylogenetic studies of <i>Lachnum</i> and its allies based on the Japanese material. <i>Mycoscience</i> , 2010, 51, 170-181.	0.8	31
28	Hyaloscyphaceae in Japan (6)**: the genus <i>Hyphodiscus</i> in Japan and its anamorph <i>Catenulifera</i> gen. nov. <i>Mycoscience</i> , 2002, 43, 47-57.	0.8	21
29	Hyaloscyphaceae in Japan (7): <i>Hyaloscypha albohyalina</i> var. <i>monodictys</i> var. nov.. <i>Mycoscience</i> , 2002, 43, 405-409.	0.8	13
30	Hyaloscyphaceae in Japan (4): New records of the genus <i>Lachnum</i> . <i>Mycoscience</i> , 2001, 42, 597-609.	0.8	6
31	Hyaloscyphaceae in Japan (5): Some <i>Lachnum</i> -like members. <i>Mycoscience</i> , 2001, 42, 611-622.	0.8	7
32	Hyaloscyphaceae in Japan (1): Non-glassy-haired members of the tribe Hyaloscypheae. <i>Mycoscience</i> , 1997, 38, 171-186.	0.8	25
33	Hyaloscyphaceae in Japan (2): Glassy-haired members of the tribe Hyaloscypheae. <i>Mycoscience</i> , 1997, 38, 187-205.	0.8	8