Liang Guo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1724591/publications.pdf

Version: 2024-02-01

		840119	580395
32	679	11	25
papers	citations	h-index	g-index
33	33	33	1527
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Lymphocyte subset (CD4+, CD8+) counts reflect the severity of infection and predict the clinical outcomes in patients with COVID-19. Journal of Infection, 2020, 81, 318-356.	1.7	169
2	Clinical characteristics of laboratory confirmed positive cases of SARS-CoV-2 infection in Wuhan, China: A retrospective single center analysis. Travel Medicine and Infectious Disease, 2020, 36, 101606.	1.5	164
3	Dynamic Interleukin-6 Level Changes as a Prognostic Indicator in Patients With COVID-19. Frontiers in Pharmacology, 2020, 11, 1093.	1.6	55
4	Bilirubin Levels as Potential Indicators of Disease Severity in Coronavirus Disease Patients: A Retrospective Cohort Study. Frontiers in Medicine, 2020, 7, 598870.	1.2	31
5	Association Between Diabetes and COVID-19: A Retrospective Observational Study With a Large Sample of 1,880 Cases in Leishenshan Hospital, Wuhan. Frontiers in Endocrinology, 2020, 11, 478.	1.5	29
6	MicroRNA expression signature and the therapeutic effect of the microRNA-21 antagomir in hypertrophic scarring. Molecular Medicine Reports, 2017, 15, 1211-1221.	1.1	25
7	Analysis of the Risk Factors for Mortality in Adult COVID-19 Patients in Wuhan: A Multicenter Study. Frontiers in Medicine, 2020, 7, 545.	1.2	21
8	Expression Profile of Long Noncoding RNAs in Human Earlobe Keloids: A Microarray Analysis. BioMed Research International, 2016, 2016, 1-9.	0.9	19
9	Transcription factor EBâ€'mediated autophagy promotes dermal fibroblast differentiation and collagen production by regulating endoplasmic reticulum stress and autophagyâ€'dependent secretion. International Journal of Molecular Medicine, 2020, 47, 547-560.	1.8	18
10	Abnormal Fibrinogen Level as a Prognostic Indicator in Coronavirus Disease Patients: A Retrospective Cohort Study. Frontiers in Medicine, 2021, 8, 687220.	1,2	17
11	Minimal extrathyroidal extension affects the prognosis of differentiated thyroid cancer: Is there a need for change in the AJCC classification system?. PLoS ONE, 2019, 14, e0218171.	1.1	15
12	Factors associated with distant metastasis in pediatric thyroid cancer: evaluation of the SEER database. Endocrine Connections, 2019, 8, 78-85.	0.8	15
13	Elevated αâ€hydroxybutyrate dehydrogenase as an independent prognostic factor for mortality in hospitalized patients with COVIDâ€19. ESC Heart Failure, 2021, 8, 644-651.	1.4	14
14	Synergic effects of histology subtype, tumor size, and lymph node metastasis on distant metastasis in differentiated thyroid cancer. Annals of Translational Medicine, 2019, 7, 533-533.	0.7	13
15	Comparing the Value of Cystatin C and Serum Creatinine for Evaluating the Renal Function and Predicting the Prognosis of COVID-19 Patients. Frontiers in Pharmacology, 2021, 12, 587816.	1.6	10
16	Surgical Disparities of Parathyroid Carcinoma: Long-Term Outcomes and Deep Excavation Based on a Large Database. Journal of Oncology, 2021, 2021, 1-8.	0.6	10
17	Potential Prognostic Predictors and Molecular Targets for Skin Melanoma Screened by Weighted Gene Co-expression Network Analysis. Current Gene Therapy, 2020, 20, 5-14.	0.9	9
18	Innovative analysis of distant metastasis in differentiated thyroid cancer. Oncology Letters, 2020, 19, 1985-1992.	0.8	8

#	Article	IF	Citations
19	Effective Combination of Isoniazid and Core-Shell Magnetic Nanoradiotherapy Against Gastrointestinal Tumor Cell Types. International Journal of Nanomedicine, 2022, Volume 17, 1005-1014.	3.3	8
20	Decreased CO2 Levels as Indicators of Possible Mechanical Ventilation-Induced Hyperventilation in COVID-19 Patients: A Retrospective Analysis. Frontiers in Public Health, 2020, 8, 596168.	1.3	6
21	Patients Aged ≥55 Years With Stage T1-2N1M1 Differentiated Thyroid Cancer Should Be Downstaged in the Eighth Edition AJCC/TNM Cancer Staging System. Frontiers in Oncology, 2019, 9, 1093.	1.3	5
22	Refusal of cancer-directed surgery in male breast cancer. Medicine (United States), 2021, 100, e25116.	0.4	4
23	Prognosis of a rare subtype of thyroid cancer. Medicine (United States), 2018, 97, e13053.	0.4	3
24	The effect of metastasis patterns on survival in male patients with different breast cancer subtypes: results from the Surveillance, Epidemiology, and End Results (SEER) database. Translational Cancer Research, 2020, 9, 2267-2279.	0.4	3
25	Synergic effects of histology subtype, lymph node metastasis, and distant metastasis on prognosis in differentiated thyroid carcinoma using the SEER database. Gland Surgery, 2020, 9, 907-918.	0.5	3
26	Effect of breast cancer as the first or second primary cancer on the prognosis of women with thyroid cancer: a SEER database analysis. Translational Cancer Research, 2020, 9, 6955-6962.	0.4	2
27	Rethinking the 8th AJCC System: Is It Suitable for Patients Aged <55 Years With Stage T4N1M0 Follicular Variant of Papillary Thyroid Carcinoma to Be Placed in Stage I?. Frontiers in Oncology, 2020, 10, 543055.	1.3	1
28	Is a simplified TNM staging system more clinically relevant than the American Joint Committee on Cancer system for the follicular variant of papillary thyroid cancer?. Annals of Translational Medicine, 2020, 8, 463-463.	0.7	1
29	Synergistic effect of clinicopathological factors on mortality risk in patients with differentiated thyroid cancer: An analysis using the SEER database. Surgical Oncology, 2020, 34, 96-102.	0.8	1
30	Novel analysis of prognosis of young patients with stage II differentiated thyroid cancer based on AJCC 8.0 and 6.0 criteria to implement the staging system. Gland Surgery, 2020, 9, 1244-1257.	0.5	0
31	Synergistic effects of histologic subtype, T-stage, and M-stage in the prognosis of differentiated thyroid cancer: a retrospective observational study. Translational Cancer Research, 2020, 9, 4676-4685.	0.4	0
32	Confusion and Thinking on the Diagnosis and Treatment of Patients with Negative RT-PCR Results for SARS-CoV-2. SSRN Electronic Journal, 0, , .	0.4	0