Liang Guo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1724591/publications.pdf

Version: 2024-02-01

840585 580701 25 32 679 11 h-index citations g-index papers 33 33 33 1527 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Effective Combination of Isoniazid and Core-Shell Magnetic Nanoradiotherapy Against Gastrointestinal Tumor Cell Types. International Journal of Nanomedicine, 2022, Volume 17, 1005-1014.	3.3	8
2	Comparing the Value of Cystatin C and Serum Creatinine for Evaluating the Renal Function and Predicting the Prognosis of COVID-19 Patients. Frontiers in Pharmacology, 2021, 12, 587816.	1.6	10
3	Refusal of cancer-directed surgery in male breast cancer. Medicine (United States), 2021, 100, e25116.	0.4	4
4	Surgical Disparities of Parathyroid Carcinoma: Long-Term Outcomes and Deep Excavation Based on a Large Database. Journal of Oncology, 2021, 2021, 1-8.	0.6	10
5	Abnormal Fibrinogen Level as a Prognostic Indicator in Coronavirus Disease Patients: A Retrospective Cohort Study. Frontiers in Medicine, 2021, 8, 687220.	1.2	17
6	Elevated αâ€hydroxybutyrate dehydrogenase as an independent prognostic factor for mortality in hospitalized patients with COVIDâ€19. ESC Heart Failure, 2021, 8, 644-651.	1.4	14
7	Bilirubin Levels as Potential Indicators of Disease Severity in Coronavirus Disease Patients: A Retrospective Cohort Study. Frontiers in Medicine, 2020, 7, 598870.	1.2	31
8	Novel analysis of prognosis of young patients with stage II differentiated thyroid cancer based on AJCC 8.0 and 6.0 criteria to implement the staging system. Gland Surgery, 2020, 9, 1244-1257.	0.5	0
9	The effect of metastasis patterns on survival in male patients with different breast cancer subtypes: results from the Surveillance, Epidemiology, and End Results (SEER) database. Translational Cancer Research, 2020, 9, 2267-2279.	0.4	3
10	Dynamic Interleukin-6 Level Changes as a Prognostic Indicator in Patients With COVID-19. Frontiers in Pharmacology, 2020, 11, 1093.	1.6	55
11	Association Between Diabetes and COVID-19: A Retrospective Observational Study With a Large Sample of 1,880 Cases in Leishenshan Hospital, Wuhan. Frontiers in Endocrinology, 2020, 11, 478.	1.5	29
12	Synergic effects of histology subtype, lymph node metastasis, and distant metastasis on prognosis in differentiated thyroid carcinoma using the SEER database. Gland Surgery, 2020, 9, 907-918.	0.5	3
13	Analysis of the Risk Factors for Mortality in Adult COVID-19 Patients in Wuhan: A Multicenter Study. Frontiers in Medicine, 2020, 7, 545.	1.2	21
14	Rethinking the 8th AJCC System: Is It Suitable for Patients Aged & lt;55 Years With Stage T4N1M0 Follicular Variant of Papillary Thyroid Carcinoma to Be Placed in Stage I?. Frontiers in Oncology, 2020, 10, 543055.	1.3	1
15	Is a simplified TNM staging system more clinically relevant than the American Joint Committee on Cancer system for the follicular variant of papillary thyroid cancer?. Annals of Translational Medicine, 2020, 8, 463-463.	0.7	1
16	Synergistic effect of clinicopathological factors on mortality risk in patients with differentiated thyroid cancer: An analysis using the SEER database. Surgical Oncology, 2020, 34, 96-102.	0.8	1
17	Clinical characteristics of laboratory confirmed positive cases of SARS-CoV-2 infection in Wuhan, China: A retrospective single center analysis. Travel Medicine and Infectious Disease, 2020, 36, 101606.	1.5	164
18	Lymphocyte subset (CD4+, CD8+) counts reflect the severity of infection and predict the clinical outcomes in patients with COVID-19. Journal of Infection, 2020, 81, 318-356.	1.7	169

#	Article	IF	CITATIONS
19	Decreased CO2 Levels as Indicators of Possible Mechanical Ventilation-Induced Hyperventilation in COVID-19 Patients: A Retrospective Analysis. Frontiers in Public Health, 2020, 8, 596168.	1.3	6
20	Potential Prognostic Predictors and Molecular Targets for Skin Melanoma Screened by Weighted Gene Co-expression Network Analysis. Current Gene Therapy, 2020, 20, 5-14.	0.9	9
21	Transcription factor EB‑mediated autophagy promotes dermal fibroblast differentiation and collagen production by regulating endoplasmic reticulum stress and autophagy‑dependent secretion. International Journal of Molecular Medicine, 2020, 47, 547-560.	1.8	18
22	Innovative analysis of distant metastasis in differentiated thyroid cancer. Oncology Letters, 2020, 19, 1985-1992.	0.8	8
23	Synergistic effects of histologic subtype, T-stage, and M-stage in the prognosis of differentiated thyroid cancer: a retrospective observational study. Translational Cancer Research, 2020, 9, 4676-4685.	0.4	O
24	Effect of breast cancer as the first or second primary cancer on the prognosis of women with thyroid cancer: a SEER database analysis. Translational Cancer Research, 2020, 9, 6955-6962.	0.4	2
25	Patients Aged ≥55 Years With Stage T1-2N1M1 Differentiated Thyroid Cancer Should Be Downstaged in the Eighth Edition AJCC/TNM Cancer Staging System. Frontiers in Oncology, 2019, 9, 1093.	1.3	5
26	Minimal extrathyroidal extension affects the prognosis of differentiated thyroid cancer: Is there a need for change in the AJCC classification system? PLoS ONE, 2019, 14, e0218171.	1.1	15
27	Factors associated with distant metastasis in pediatric thyroid cancer: evaluation of the SEER database. Endocrine Connections, 2019, 8, 78-85.	0.8	15
28	Synergic effects of histology subtype, tumor size, and lymph node metastasis on distant metastasis in differentiated thyroid cancer. Annals of Translational Medicine, 2019, 7, 533-533.	0.7	13
29	Prognosis of a rare subtype of thyroid cancer. Medicine (United States), 2018, 97, e13053.	0.4	3
30	MicroRNA expression signature and the therapeutic effect of the microRNA-21 antagomir in hypertrophic scarring. Molecular Medicine Reports, 2017, 15, 1211-1221.	1,1	25
31	Expression Profile of Long Noncoding RNAs in Human Earlobe Keloids: A Microarray Analysis. BioMed Research International, 2016, 2016, 1-9.	0.9	19
32	Confusion and Thinking on the Diagnosis and Treatment of Patients with Negative RT-PCR Results for SARS-CoV-2. SSRN Electronic Journal, 0, , .	0.4	0