## Xiaomin Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1725532/publications.pdf

Version: 2024-02-01

31	950	16	29
papers	citations	h-index	g-index
31	31	31	1547 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Tenuigenin protects dopaminergic neurons from inflammation via suppressing NLRP3 inflammasome activation in microglia. Journal of Neuroinflammation, 2017, 14, 256.	3.1	91
2	<i>Empty pericarp7</i> encodes a mitochondrial E–subgroup pentatricopeptide repeat protein that is required for <i>ccmFF</i> <3ub> <i>F</i> <3ub> <i>F</i>	2.8	89
3	AAV2-mediated striatum delivery of human CDNF prevents the deterioration of midbrain dopamine neurons in a 6-hydroxydopamine induced parkinsonian rat model. Experimental Neurology, 2013, 248, 148-156.	2.0	84
4	Triptolide inhibits COXâ€2 expression and PGE <sub>2</sub> release by suppressing the activity of NFâ€PB and JNK in LPSâ€treated microglia. Journal of Neurochemistry, 2008, 107, 779-788.	2.1	82
5	Prussian blue mediated amplification combined with signal enhancement of ordered mesoporous carbon for ultrasensitive and specific quantification of metolcarb by a three-dimensional molecularly imprinted electrochemical sensor. Biosensors and Bioelectronics, 2015, 64, 247-254.	5.3	54
6	The pentatricopeptide repeat protein <scp>EMPTY PERICARP</scp> 8 is required for the splicing of three mitochondrial introns and seed development in maize. Plant Journal, 2018, 95, 919-932.	2.8	52
7	Triptolide treatment reduces Alzheimer's disease (AD)-like pathology through inhibition of BACE1 in a transgenic mouse model of AD. DMM Disease Models and Mechanisms, 2014, 7, 1385-1395.	1.2	50
8	Isolation, purification and identification of antioxidants in an aqueous aged garlic extract. Food Chemistry, 2015, 187, 37-43.	4.2	42
9	Triptolide Promotes the Clearance of α-Synuclein by Enhancing Autophagy in Neuronal Cells. Molecular Neurobiology, 2017, 54, 2361-2372.	1.9	41
10	Sensitive and selective electrochemical determination of quinoxaline-2-carboxylic acid based on bilayer of novel poly(pyrrole) functional composite using one-step electro-polymerization and molecularly imprinted poly(o-phenylenediamine). Analytica Chimica Acta, 2014, 806, 136-143.	2.6	40
11	Composite Hydrogel Modified by IGF-1C Domain Improves Stem Cell Therapy for Limb Ischemia. ACS Applied Materials & Samp; Interfaces, 2018, 10, 4481-4493.	4.0	36
12	Novel Anti-Inflammatory and Neuroprotective Agents for Parkinsons Disease. CNS and Neurological Disorders - Drug Targets, 2010, 9, 232-240.	0.8	27
13	Disease Progression-Dependent Expression of CD200R1 and CX3CR1 in Mouse Models of Parkinson's Disease. , 2020, 11, 254.		25
14	PIF4-PAP1 interaction affects MYB-bHLH-WD40 complex formation and anthocyanin accumulation in Arabidopsis. Journal of Plant Physiology, 2022, 268, 153558.	1.6	25
15	Hydrogen peroxide is involved in the regulation of rice (Oryza sativa L.) tolerance to salt stress. Acta Physiologiae Plantarum, 2013, 35, 891-900.	1.0	24
16	Nitric oxide and hydrogen peroxide increase glucose-6-phosphate dehydrogenase activities and expression upon drought stress in soybean roots. Plant Cell Reports, 2020, 39, 63-73.	2.8	20
17	The DYW-subgroup pentatricopeptide repeat protein PPR27 interacts with ZmMORF1 to facilitate mitochondrial RNA editing and seed development in maize. Journal of Experimental Botany, 2020, 71, 5495-5505.	2.4	20
18	EP2-PKA signaling is suppressed by triptolide in lipopolysaccharide-induced microglia activation. Journal of Neuroinflammation, 2015, 12, 50.	3.1	19

#	Article	IF	CITATIONS
19	The response mechanism to salt stress in Arabidopsis transgenic lines over-expressing of GmG6PD. Plant Physiology and Biochemistry, 2021, 162, 74-85.	2.8	18
20	Electroacupuncture Alleviates Depressive-Like Symptoms and Modulates BDNF Signaling in 6-Hydroxydopamine Rats. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-11.	0.5	14
21	The Mitochondrial Pentatricopeptide Repeat Protein PPR18 Is Required for the cis-Splicing of nad4 Intron 1 and Essential to Seed Development in Maize. International Journal of Molecular Sciences, 2020, 21, 4047.	1.8	13
22	Involvement of active MKK9-MAPK3/MAPK6 in increasing respiration in salt-treated Arabidopsis callus. Protoplasma, 2020, 257, 965-977.	1.0	13
23	Electroacupuncture Produces the Sustained Motor Improvement in 6-Hydroxydopamine-Lesioned Mice. PLoS ONE, 2016, 11, e0149111.	1.1	13
24	Empty Pericarp24 and Empty Pericarp25 Are Required for the Splicing of Mitochondrial Introns, Complex I Assembly, and Seed Development in Maize. Frontiers in Plant Science, 2020, 11, 608550.	1.7	11
25	An intact cytokinin-signaling pathway is required for Bacillus sp. LZR216-promoted plant growth and root system architecture altereation in Arabidopsis thaliana seedlings. Plant Growth Regulation, 2018, 84, 507-518.	1.8	9
26	CD200 maintains the regionâ€specific phenotype of microglia in the midbrain and its role in Parkinson's disease. Glia, 2020, 68, 1874-1890.	2.5	9
27	Identification of Antioxidants in Aged Garlic Extract by Gas Chromatography-Mass Spectrometry and Liquid Chromatography-Mass Spectrometry. International Journal of Food Properties, 2016, 19, 474-483.	1.3	8
28	Regulator of Chromosome Condensation 1-Domain Protein DEK47 Functions on the Intron Splicing of Mitochondrial Nad2 and Seed Development in Maize. Frontiers in Plant Science, 2021, 12, 695249.	1.7	8
29	PPR-DYW Protein EMP17 Is Required for Mitochondrial RNA Editing, Complex III Biogenesis, and Seed Development in Maize. Frontiers in Plant Science, 2021, 12, 693272.	1.7	7
30	UCP1 and AOX1a contribute to regulation of carbon and nitrogen metabolism and yield in Arabidopsis under low nitrogen stress. Cellular and Molecular Life Sciences, 2022, 79, 1.	2.4	5
31	Bimatrix Replicator Dynamics with Periodic Impulses. Dynamic Games and Applications, 2020, 10, 676-694.	1.1	1

3