
Christoph Schukro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1727163/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Conduction disturbances following surgical aortic valve replacement with a rapid-deployment bioprosthesis. Journal of Thoracic and Cardiovascular Surgery, 2021, 162, 803-811.	0.8	22
2	The BRASH syndrome: an interaction of bradycardia, renal failure, AV block, shock and hyperkalemia. Internal and Emergency Medicine, 2021, 16, 509-511.	2.0	6
3	Pacemaker lead-associated tricuspid regurgitation in patients with or without pre-existing right ventricular dilatation. Clinical Research in Cardiology, 2021, 110, 884-894.	3.3	15
4	Twiddler's syndrome after implantation of baroreflex activation therapy: a case report. European Heart Journal - Case Reports, 2021, 5, ytab126.	0.6	2
5	Long-term physical activity modulates adipsin and ANGPTL4 serum levels, a potential link to exercise-induced metabolic changes. Panminerva Medica, 2021, , .	0.8	3
6	Stateâ€ofâ€theâ€art consensus on nonâ€transvenous implantable cardioverterâ€defibrillator therapy. Clinical Cardiology, 2020, 43, 1084-1092.	1.8	6
7	Sex Differences and Long-Term Outcome in Patients With Pacemakers. Frontiers in Cardiovascular Medicine, 2020, 7, 569060.	2.4	6
8	Regular Training Increases sTWEAK and Its Decoy Receptor sCD163–Does Training Trigger the sTWEAK/sCD163-Axis to Induce an Anti-Inflammatory Effect?. Journal of Clinical Medicine, 2020, 9, 1899.	2.4	5
9	Safety and efficiency of low-field magnetic resonance imaging in patients with cardiac rhythm management devices. European Journal of Radiology, 2019, 118, 96-100.	2.6	9
10	Influence of a fully magnetically levitated left ventricular assist device on functional interrogation of implantable cardioverter defibrillators. Clinical Cardiology, 2019, 42, 914-918.	1.8	9
11	Prevalence of early repolarization syndrome and long-term clinical outcome in patients with the diagnosis of idiopathic ventricular fibrillation. Heart and Vessels, 2019, 34, 625-631.	1.2	9
12	The monitoring of performance progress due to long-term physical activity by paper-based training diaries: do training diaries reflect training progress?. Polish Archives of Internal Medicine, 2019, 129, 679-685.	0.4	3
13	The subcutaneous implantable cardioverter-defibrillator: A tertiary center experience. Cardiology Journal, 2019, 26, 543-549.	1.2	3
14	Specific indications and clinical outcome in patients with subcutaneous implantable cardioverter-defibrillator (ICD) – A nationwide multicentre registry. European Journal of Internal Medicine, 2018, 48, 64-68.	2.2	7
15	Health-related quality of life changes in patients undergoing repeated catheter ablation for atrial fibrillation. Clinical Research in Cardiology, 2016, 105, 1-9.	3.3	11
16	Selection for atrial fibrillation ablation: Importance of diastolic function grading. Journal of Cardiology, 2015, 65, 479-486.	1.9	7
17	Single, remote-magnetic catheter approach for pulmonary vein isolation in patients with paroxysmal and non-paroxysmal atrial fibrillation. International Journal of Cardiology, 2014, 174, 18-24.	1.7	10
18	Impact of accelerated ventricular tachyarrhythmias on mortality in patients with implantable cardioverter-defibrillator therapy. International Journal of Cardiology, 2013, 167, 3006-3010.	1.7	30

CHRISTOPH SCHUKRO

#	Article	IF	CITATIONS
19	Regional prevalence and clinical benefit of implantable cardioverter defibrillators in Brugada syndrome. International Journal of Cardiology, 2010, 144, 191-194.	1.7	23
20	Duration of development of symptomatic in-stent restenosis correlates with the stent-to-vessel-diameter ratio: an intravascular ultrasound study. Coronary Artery Disease, 2007, 18, 507-512.	0.7	2
21	Randomized comparison between intracoronary β-radiation brachytherapy and implantation of paclitaxel-eluting stents for the treatment of diffuse in-stent restenosis. Radiotherapy and Oncology, 2007, 82, 18-23.	0.6	15
22	Volumetric intravascular ultrasound imaging to illustrate the extent of coronary plaque burden in type 2 diabetic patients. Journal of Diabetes and Its Complications, 2007, 21, 381-386.	2.3	9
23	Randomized blinded clinical trial of intracoronary brachytherapy with 90Sr/Y beta-radiation for the prevention of restenosis after stent implantation in native coronary arteries in diabetic patients. Radiotherapy and Oncology, 2006, 78, 60-66.	0.6	6
24	Intracoronary brachytherapy with ??-radiation for the treatment of long diffuse in-stent restenosis. Coronary Artery Disease, 2004, 15, 285-289.	0.7	2