

# David Allen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1727390/david-allen-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136  
papers

13,297  
citations

64  
h-index

114  
g-index

146  
ext. papers

14,241  
ext. citations

6  
avg, IF

6.49  
L-index

#	Paper	IF	Citations
136	Conserved Role of the Large Conductance Calcium-Activated Potassium Channel, K1.1, in Sinus Node Function and Arrhythmia Risk. <i>Circulation Genomic and Precision Medicine</i> , <b>2021</b> , 14, e003144	5.2	2
135	Human muscle performance. <i>Journal of Physiology</i> , <b>2020</b> , 598, 613-614	3.9	
134	Calcium sensitivity and muscle disease. <i>Journal of Physiology</i> , <b>2019</b> , 597, 4435-4436	3.9	
133	Muscle specific kinase protects dystrophic mdx mouse muscles from eccentric contraction-induced loss of force-producing capacity. <i>Journal of Physiology</i> , <b>2019</b> , 597, 4831-4850	3.9	7
132	Why do older humans fatigue more quickly?. <i>Journal of Physiology</i> , <b>2018</b> , 596, 3815	3.9	
131	Cooling muscles following exercise. <i>Journal of Physiology</i> , <b>2017</b> , 595, 7269	3.9	
130	Absence of Dystrophin Disrupts Skeletal Muscle Signaling: Roles of Ca <sup>2+</sup> , Reactive Oxygen Species, and Nitric Oxide in the Development of Muscular Dystrophy. <i>Physiological Reviews</i> , <b>2016</b> , 96, 253-305	47.9	217
129	Store-operated calcium entry and the localization of STIM1 and Orai1 proteins in isolated mouse sinoatrial node cells. <i>Frontiers in Physiology</i> , <b>2015</b> , 6, 69	4.6	20
128	The involvement of TRPC3 channels in sinoatrial arrhythmias. <i>Frontiers in Physiology</i> , <b>2015</b> , 6, 86	4.6	19
127	P2X7 receptors mediate innate phagocytosis by human neural precursor cells and neuroblasts. <i>Stem Cells</i> , <b>2015</b> , 33, 526-41	5.8	32
126	RhoA/ROCK signaling and pleiotropic $\alpha$ A-adrenergic receptor regulation of cardiac contractility. <i>PLoS ONE</i> , <b>2014</b> , 9, e99024	3.7	13
125	Inositol 1,4,5-trisphosphate receptors and pacemaker rhythms. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2012</b> , 53, 375-81	5.8	16
124	Pathways of Ca <sup>2+</sup> entry and cytoskeletal damage following eccentric contractions in mouse skeletal muscle. <i>Journal of Applied Physiology</i> , <b>2012</b> , 112, 2077-86	3.7	45
123	The multiple roles of phosphate in muscle fatigue. <i>Frontiers in Physiology</i> , <b>2012</b> , 3, 463	4.6	37
122	Duchenne muscular dystrophy--what causes the increased membrane permeability in skeletal muscle?. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2011</b> , 43, 290-4	5.6	84
121	Emerging roles of ROS/RNS in muscle function and fatigue. <i>Antioxidants and Redox Signaling</i> , <b>2011</b> , 15, 2487-99	8.4	83
120	Interactions between intracellular calcium and phosphate in intact mouse muscle during fatigue. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 358-66	3.7	34

119	Resettlement Outcomes for People with Severe Challenging Behaviour Moving from Institutional to Community Living. <i>Journal of Applied Research in Intellectual Disabilities</i> , <b>2011</b> , 24, 1-17	2.2	10
118	Caveolae respond to cell stretch and contribute to stretch-induced signaling. <i>Journal of Cell Science</i> , <b>2011</b> , 124, 3581-90	5.3	64
117	RNA binding protein QKI inhibits the ischemia/reperfusion-induced apoptosis in neonatal cardiomyocytes. <i>Cellular Physiology and Biochemistry</i> , <b>2011</b> , 28, 593-602	3.9	27
116	Regulation of murine cardiac contractility by activation of $\beta_1$ -adrenergic receptor-operated $Ca^{2+}$ entry. <i>Cardiovascular Research</i> , <b>2011</b> , 91, 310-9	9.9	38
115	Distribution and functional role of inositol 1,4,5-trisphosphate receptors in mouse sinoatrial node. <i>Circulation Research</i> , <b>2011</b> , 109, 848-57	15.7	36
114	Calcium and the damage pathways in muscular dystrophy. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2010</b> , 88, 83-91	2.4	132
113	Skeletal muscle NADPH oxidase is increased and triggers stretch-induced damage in the mdx mouse. <i>PLoS ONE</i> , <b>2010</b> , 5, e15354	3.7	132
112	Stretch-Activated Channels in the Heart: Contribution to Cardiac Performance <b>2010</b> , 141-167		2
111	Stretch-induced membrane damage in muscle: comparison of wild-type and mdx mice. <i>Advances in Experimental Medicine and Biology</i> , <b>2010</b> , 682, 297-313	3.6	27
110	Fatigue in working muscles. <i>Journal of Applied Physiology</i> , <b>2009</b> , 106, 358-9	3.7	26
109	Iron injections in mice increase skeletal muscle iron content, induce oxidative stress and reduce exercise performance. <i>Experimental Physiology</i> , <b>2009</b> , 94, 720-30	2.4	57
108	Time to fatigue is increased in mouse muscle at 37 degrees C; the role of iron and reactive oxygen species. <i>Journal of Physiology</i> , <b>2009</b> , 587, 4705-16	3.9	17
107	Why did the NHE inhibitor clinical trials fail?. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2009</b> , 46, 137-418	4.8	56
106	N-Acetylcysteine ameliorates skeletal muscle pathophysiology in mdx mice. <i>Journal of Physiology</i> , <b>2008</b> , 586, 2003-14	3.9	177
105	Stretch-activated channels in the heart: contributions to length-dependence and to cardiomyopathy. <i>Progress in Biophysics and Molecular Biology</i> , <b>2008</b> , 97, 232-49	4.7	85
104	Skeletal muscle fatigue: cellular mechanisms. <i>Physiological Reviews</i> , <b>2008</b> , 88, 287-332	47.9	1415
103	Impaired calcium release during fatigue. <i>Journal of Applied Physiology</i> , <b>2008</b> , 104, 296-305	3.7	145
102	TRPC1 binds to caveolin-3 and is regulated by Src kinase - role in Duchenne muscular dystrophy. <i>Journal of Cell Science</i> , <b>2008</b> , 121, 2246-55	5.3	133

101	Role of the calcium-calpain pathway in cytoskeletal damage after eccentric contractions. <i>Journal of Applied Physiology</i> , <b>2008</b> , 105, 352-7	3.7	54
100	Store-operated Ca <sup>2+</sup> entry and TRPC expression; possible roles in cardiac pacemaker tissue. <i>Heart Lung and Circulation</i> , <b>2007</b> , 16, 349-55	1.8	29
99	Understanding muscle from its length. <i>Journal of Physiology</i> , <b>2007</b> , 583, 3-4	3.9	5
98	Activation of Ca(2+)-dependent protein kinase II during repeated contractions in single muscle fibres from mouse is dependent on the frequency of sarcoplasmic reticulum Ca(2+) release. <i>Acta Physiologica</i> , <b>2007</b> , 191, 131-7	5.6	10
97	The rise of [Na(+)] (i) during ischemia and reperfusion in the rat heart-underlying mechanisms. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2007</b> , 454, 903-12	4.6	24
96	Store-operated Ca <sup>2+</sup> influx and expression of TRPC genes in mouse sinoatrial node. <i>Circulation Research</i> , <b>2007</b> , 100, 1605-14	15.7	105
95	The role of reactive oxygen species in the hearts of dystrophin-deficient mdx mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2007</b> , 293, H1969-77	5.2	128
94	Intracellular calcium handling in ventricular myocytes from mdx mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2007</b> , 292, H846-55	5.2	136
93	Molecular insights from a novel cardiac troponin I mouse model of familial hypertrophic cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2006</b> , 41, 623-32	5.8	29
92	Streptomycin reduces stretch-induced membrane permeability in muscles from mdx mice. <i>Neuromuscular Disorders</i> , <b>2006</b> , 16, 845-54	2.9	88
91	Muscle damage in mdx (dystrophic) mice: role of calcium and reactive oxygen species. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2006</b> , 33, 657-62	3	212
90	Fibroblasts modulate cardiomyocyte excitability: implications for cardiac gene therapy. <i>Gene Therapy</i> , <b>2006</b> , 13, 1611-5	4	35
89	The activity-induced reduction of myofibrillar Ca <sup>2+</sup> sensitivity in mouse skeletal muscle is reversed by dithiothreitol. <i>Journal of Physiology</i> , <b>2006</b> , 571, 191-200	3.9	49
88	Why stretched muscles hurt--is there a role for half-sarcomere dynamics?. <i>Journal of Physiology</i> , <b>2006</b> , 573, 4	3.9	3
87	AICAR inhibits the Na <sup>+</sup> /H <sup>+</sup> exchanger in rat hearts--possible contribution to cardioprotection. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2006</b> , 453, 147-56	4.6	12
86	Effects of stretch-activated channel blockers on [Ca <sup>2+</sup> ] <sub>i</sub> and muscle damage in the mdx mouse. <i>Journal of Physiology</i> , <b>2005</b> , 562, 367-80	3.9	217
85	Reactive oxygen species reduce myofibrillar Ca <sup>2+</sup> sensitivity in fatiguing mouse skeletal muscle at 37 degrees C. <i>Journal of Physiology</i> , <b>2005</b> , 564, 189-99	3.9	115
84	Mechanisms of stretch-induced muscle damage in normal and dystrophic muscle: role of ionic changes. <i>Journal of Physiology</i> , <b>2005</b> , 567, 723-35	3.9	142

83	Cyanide inhibits the Na <sup>+</sup> /Ca <sup>2+</sup> exchanger in isolated cardiac pacemaker cells of the cane toad. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2005</b> , 449, 442-8	4.6	8
82	Fibroblasts can be genetically modified to produce excitable cells capable of electrical coupling. <i>Circulation</i> , <b>2005</b> , 111, 394-8	16.7	439
81	How to perform well in the heat <b>2005</b> , 28-29		
80	Skeletal muscle function: role of ionic changes in fatigue, damage and disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2004</b> , 31, 485-93	3	95
79	C2C12 co-culture on a fibroblast substratum enables sustained survival of contractile, highly differentiated myotubes with peripheral nuclei and adult fast myosin expression. <i>Cytoskeleton</i> , <b>2004</b> , 58, 200-11		115
78	Role of the cardiac Na <sup>+</sup> /H <sup>+</sup> exchanger during ischemia and reperfusion. <i>Cardiovascular Research</i> , <b>2003</b> , 57, 934-41	9.9	86
77	Intracellular sodium in mammalian muscle fibers after eccentric contractions. <i>Journal of Applied Physiology</i> , <b>2003</b> , 94, 2475-82	3.7	32
76	Early effects of metabolic inhibition on intracellular Ca <sup>2+</sup> in toad pacemaker cells: involvement of Ca <sup>2+</sup> stores. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2003</b> , 284, H1087-94	5.2	7
75	The role of endogenous angiotensin II in ischaemia, reperfusion and preconditioning of the isolated rat heart. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2003</b> , 445, 643-50	4.6	15
74	The cardioprotective effects of Na <sup>+</sup> /H <sup>+</sup> exchange inhibition and mitochondrial KATP channel activation are additive in the isolated rat heart. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2003</b> , 447, 272-9	4.6	10
73	IGF-1 enhances a store-operated Ca <sup>2+</sup> channel in skeletal muscle myoblasts: involvement of a CD20-like protein. <i>Journal of Cellular Physiology</i> , <b>2003</b> , 197, 53-60	7	18
72	ATP modulates intracellular Ca <sup>2+</sup> and firing rate through a P2Y1 purinoceptor in cane toad pacemaker cells. <i>Journal of Physiology</i> , <b>2003</b> , 552, 777-87	3.9	16
71	Cellular mechanisms of skeletal muscle fatigue. <i>Advances in Experimental Medicine and Biology</i> , <b>2003</b> , 538, 563-70; discussion 571	3.6	65
70	Calmodulin kinase modulates Ca <sup>2+</sup> release in mouse skeletal muscle. <i>Journal of Physiology</i> , <b>2003</b> , 551, 5-12	3.9	29
69	Gadolinium reduces short-term stretch-induced muscle damage in isolated mdx mouse muscle fibres. <i>Journal of Physiology</i> , <b>2003</b> , 552, 449-58	3.9	70
68	Effect of eccentric contraction-induced injury on force and intracellular pH in rat skeletal muscles. <i>Journal of Applied Physiology</i> , <b>2002</b> , 92, 93-9	3.7	24
67	Muscle fatigue: lactic acid or inorganic phosphate the major cause?. <i>Physiology</i> , <b>2002</b> , 17, 17-21	9.8	169
66	Intracellular ATP measured with luciferin/luciferase in isolated single mouse skeletal muscle fibres. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2002</b> , 443, 836-42	4.6	23

65	Development of T-tubular vacuoles in eccentrically damaged mouse muscle fibres. <i>Journal of Physiology</i> , <b>2002</b> , 540, 581-92	3.9	49
64	Recent advances in the understanding of skeletal muscle fatigue. <i>Current Opinion in Rheumatology</i> , <b>2002</b> , 14, 648-52	5.3	74
63	Muscle fatigue: the role of intracellular calcium stores. <i>Applied Physiology, Nutrition, and Metabolism</i> , <b>2002</b> , 27, 83-96		50
62	Eccentric muscle damage: mechanisms of early reduction of force. <i>Acta Physiologica Scandinavica</i> , <b>2001</b> , 171, 311-9		132
61	Does Ca <sup>2+</sup> release from the sarcoplasmic reticulum influence heart rate?. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2001</b> , 28, 703-8	3	7
60	The use of the indicator fluo-5N to measure sarcoplasmic reticulum calcium in single muscle fibres of the cane toad. <i>Journal of Physiology</i> , <b>2001</b> , 534, 87-97	3.9	62
59	Role of phosphate and calcium stores in muscle fatigue. <i>Journal of Physiology</i> , <b>2001</b> , 536, 657-65	3.9	187
58	The mechanisms of sarcoplasmic reticulum Ca <sup>2+</sup> release in toad pacemaker cells. <i>Journal of Physiology</i> , <b>2000</b> , 525 Pt 3, 695-705	3.9	13
57	Intracellular calcium during fatigue of cane toad skeletal muscle in the absence of glucose. <i>Journal of Muscle Research and Cell Motility</i> , <b>2000</b> , 21, 481-9	3.5	21
56	Functional significance of Ca <sup>2+</sup> in long-lasting fatigue of skeletal muscle. <i>European Journal of Applied Physiology</i> , <b>2000</b> , 83, 166-74	3.4	107
55	The distribution of calcium in toad cardiac pacemaker cells during spontaneous firing. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2000</b> , 441, 219-27	4.6	15
54	Activity of the Na <sup>(+)/</sup> H <sup>(+)</sup> exchanger is critical to reperfusion damage and preconditioning in the isolated rat heart. <i>Cardiovascular Research</i> , <b>2000</b> , 48, 244-53	9.9	50
53	The use of caged adenine nucleotides and caged phosphate in intact skeletal muscle fibres of the mouse. <i>Acta Physiologica Scandinavica</i> , <b>1999</b> , 166, 341-7		10
52	Early events in stretch-induced muscle damage. <i>Journal of Applied Physiology</i> , <b>1999</b> , 87, 2007-15	3.7	208
51	Changes in intracellular Na <sup>+</sup> and pH in rat heart during ischemia: role of Na <sup>+</sup> /H <sup>+</sup> exchanger. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>1999</b> , 276, H1581-90	5.2	42
50	Role of Na <sup>(+)/</sup> H <sup>(+)</sup> exchanger during ischemia and preconditioning in the isolated rat heart. <i>Circulation Research</i> , <b>1999</b> , 85, 723-30	15.7	77
49	Skeletal muscle hypertrophy is mediated by a Ca <sup>2+</sup> -dependent calcineurin signalling pathway. <i>Nature</i> , <b>1999</b> , 400, 576-81	50.4	389
48	The role of calcium stores in fatigue of isolated single muscle fibres from the cane toad. <i>Journal of Physiology</i> , <b>1999</b> , 519 Pt 1, 169-76	3.9	43

47	How does beta-adrenergic stimulation increase the heart rate? The role of intracellular Ca <sup>2+</sup> release in amphibian pacemaker cells. <i>Journal of Physiology</i> , <b>1999</b> , 516 ( Pt 3), 793-804	3.9	54
46	Measurement of sarcoplasmic reticulum Ca <sup>2+</sup> content in intact amphibian skeletal muscle fibres with 4-chloro-m-cresol. <i>Cell Calcium</i> , <b>1999</b> , 25, 227-35	4	27
45	Intracellular calcium and Na <sup>+</sup> -Ca <sup>2+</sup> exchange current in isolated toad pacemaker cells. <i>Journal of Physiology</i> , <b>1998</b> , 508 ( Pt 1), 153-66	3.9	107
44	Effect of hydrogen peroxide and dithiothreitol on contractile function of single skeletal muscle fibres from the mouse. <i>Journal of Physiology</i> , <b>1998</b> , 509 ( Pt 2), 565-75	3.9	304
43	Effect of nitric oxide on single skeletal muscle fibres from the mouse. <i>Journal of Physiology</i> , <b>1998</b> , 509 ( Pt 2), 577-86	3.9	99
42	The contribution of pH-dependent mechanisms to fatigue at different intensities in mammalian single muscle fibres. <i>Journal of Physiology</i> , <b>1998</b> , 512 ( Pt 3), 831-40	3.9	86
41	Evidence for Na <sup>+</sup> /Ca <sup>2+</sup> exchange in intact single skeletal muscle fibers from the mouse. <i>American Journal of Physiology - Cell Physiology</i> , <b>1998</b> , 274, C940-6	5.4	58
40	Slowed relaxation in fatigued skeletal muscle fibers of Xenopus and Mouse. Contribution of [Ca <sup>2+</sup> ] <sub>i</sub> and cross-bridges. <i>Journal of General Physiology</i> , <b>1997</b> , 109, 385-99	3.4	66
39	Effects of reduced muscle glycogen concentration on force, Ca <sup>2+</sup> release and contractile protein function in intact mouse skeletal muscle. <i>Journal of Physiology</i> , <b>1997</b> , 498 ( Pt 1), 17-29	3.9	135
38	Role of intracellular calcium and metabolites in low-frequency fatigue of mouse skeletal muscle. <i>American Journal of Physiology - Cell Physiology</i> , <b>1997</b> , 272, C550-9	5.4	92
37	Distribution of sarcomere length and intracellular calcium in mouse skeletal muscle following stretch-induced injury. <i>Journal of Physiology</i> , <b>1997</b> , 502 ( Pt 3), 649-59	3.9	48
36	The effects of intracellular injections of phosphate on intracellular calcium and force in single fibres of mouse skeletal muscle. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1996</b> , 431, 964-970	4.6	4
35	The effects of intracellular injections of phosphate on intracellular calcium and force in single fibres of mouse skeletal muscle. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1996</b> , 431, 964-70	4.6	59
34	The role of elevations in intracellular [Ca <sup>2+</sup> ] in the development of low frequency fatigue in mouse single muscle fibres. <i>Journal of Physiology</i> , <b>1996</b> , 491 ( Pt 3), 813-24	3.9	132
33	Section Review: Cardiovascular & Renal: Calcium sensitisers and heart failure. <i>Expert Opinion on Investigational Drugs</i> , <b>1995</b> , 4, 1057-1065	5.9	3
32	Muscle cell function during prolonged activity: cellular mechanisms of fatigue. <i>Experimental Physiology</i> , <b>1995</b> , 80, 497-527	2.4	231
31	Intracellular calcium and force in single mouse muscle fibres following repeated contractions with stretch. <i>Journal of Physiology</i> , <b>1995</b> , 488 ( Pt 1), 25-36	3.9	145
30	The effects of caffeine on intracellular calcium, force and the rate of relaxation of mouse skeletal muscle. <i>Journal of Physiology</i> , <b>1995</b> , 487 ( Pt 2), 331-42	3.9	103

29	The role of intracellular acidosis in muscle fatigue. <i>Advances in Experimental Medicine and Biology</i> , <b>1995</b> , 384, 57-68	3.6	25
28	Changes in myoplasmic sodium concentration during exposure to lactate in perfused rat heart. <i>Cardiovascular Research</i> , <b>1994</b> , 28, 987-93	9.9	13
27	The role of sarcoplasmic reticulum in relaxation of mouse muscle; effects of 2,5-di(tert-butyl)-1,4-benzohydroquinone. <i>Journal of Physiology</i> , <b>1994</b> , 474, 291-301	3.9	90
26	The metabolic consequences of an increase in the frequency of stimulation in isolated ferret hearts. <i>Journal of Physiology</i> , <b>1994</b> , 474, 147-59	3.9	31
25	Changes in myoplasmic pH and calcium concentration during exposure to lactate in isolated rat ventricular myocytes. <i>Journal of Physiology</i> , <b>1993</b> , 464, 561-74	3.9	45
24	The contribution of $[Ca^{2+}]_i$ to the slowing of relaxation in fatigued single fibres from mouse skeletal muscle. <i>Journal of Physiology</i> , <b>1993</b> , 468, 729-40	3.9	109
23	Intracellular calcium concentration during low-frequency fatigue in isolated single fibers of mouse skeletal muscle. <i>Journal of Applied Physiology</i> , <b>1993</b> , 75, 382-8	3.7	225
22	Changes of tension and $[Ca^{2+}]_i$ during beta-adrenoceptor activation of single, intact fibres from mouse skeletal muscle. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1993</b> , 425, 150-5	4.6	40
21	The influence of intracellular pH on contraction, relaxation and $[Ca^{2+}]_i$ in intact single fibres from mouse muscle. <i>Journal of Physiology</i> , <b>1993</b> , 466, 611-28	3.9	69
20	Changes of intracellular pH due to repetitive stimulation of single fibres from mouse skeletal muscle. <i>Journal of Physiology</i> , <b>1992</b> , 449, 49-71	3.9	69
19	Role of excitation-contraction coupling in muscle fatigue. <i>Sports Medicine</i> , <b>1992</b> , 13, 116-26	10.6	48
18	Changes in intracellular free calcium concentration during long exposures to simulated ischemia in isolated mammalian ventricular muscle. <i>Circulation Research</i> , <b>1992</b> , 71, 58-69	15.7	60
17	Myoplasmic free $Mg^{2+}$ concentration during repetitive stimulation of single fibres from mouse skeletal muscle. <i>Journal of Physiology</i> , <b>1992</b> , 453, 413-34	3.9	114
16	Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. <i>Journal of Physiology</i> , <b>1992</b> , 454, 467-90	3.9	69
15	Changes of myoplasmic calcium concentration during fatigue in single mouse muscle fibers. <i>Journal of General Physiology</i> , <b>1991</b> , 98, 615-35	3.4	312
14	Spatial gradients of intracellular calcium in skeletal muscle during fatigue. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1990</b> , 415, 734-40	4.6	95
13	Intracellular calcium and tension during fatigue in isolated single muscle fibres from <i>Xenopus laevis</i> . <i>Journal of Physiology</i> , <b>1989</b> , 415, 433-58	3.9	170
12	The consequences of simulated ischaemia on intracellular $Ca^{2+}$ and tension in isolated ferret ventricular muscle. <i>Journal of Physiology</i> , <b>1989</b> , 410, 297-323	3.9	88



11	Calcium concentration in the myoplasm of skinned ferret ventricular muscle following changes in muscle length. <i>Journal of Physiology</i> , <b>1988</b> , 407, 489-503	3.9	111
10	The effects of changes in muscle length during diastole on the calcium transient in ferret ventricular muscle. <i>Journal of Physiology</i> , <b>1988</b> , 406, 359-70	3.9	55
9	The effects of hypertonicity on tension and intracellular calcium concentration in ferret ventricular muscle. <i>Journal of Physiology</i> , <b>1987</b> , 383, 425-39	3.9	35
8	Myocardial contractile function during ischemia and hypoxia. <i>Circulation Research</i> , <b>1987</b> , 60, 153-68	15.7	451
7	The relationship between intracellular calcium and contraction in calcium-overloaded ferret papillary muscles. <i>Journal of Physiology</i> , <b>1985</b> , 364, 169-82	3.9	85
6	A nuclear magnetic resonance study of metabolism in the ferret heart during hypoxia and inhibition of glycolysis. <i>Journal of Physiology</i> , <b>1985</b> , 361, 185-204	3.9	226
5	The cellular basis of the length-tension relation in cardiac muscle. <i>Journal of Molecular and Cellular Cardiology</i> , <b>1985</b> , 17, 821-40	5.8	471
4	The effects of low sodium solutions on intracellular calcium concentration and tension in ferret ventricular muscle. <i>Journal of Physiology</i> , <b>1983</b> , 345, 391-407	3.9	88
3	The effects of muscle length on intracellular calcium transients in mammalian cardiac muscle. <i>Journal of Physiology</i> , <b>1982</b> , 327, 79-94	3.9	445
2	Calcium transients in aequorin-injected frog cardiac muscle. <i>Nature</i> , <b>1978</b> , 273, 509-13	50.4	393
1	[31] Practical aspects of the use of aequorin as a calcium indicator: Assay, preparation, microinjection, and interpretation of signals. <i>Methods in Enzymology</i> , <b>1978</b> , 292-328	1.7	120