

Tomaz Kocjan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1728103/tomaz-kocjan-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25
papers

759
citations

12
h-index

27
g-index

28
ext. papers

1,099
ext. citations

5.3
avg, IF

3.33
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 25 | Feasibility of Imaging-Guided Adrenalectomy in Young Patients With Primary Aldosteronism. <i>Hypertension</i> , 2022 , 79, 187-195 | 8.5 | 0 |
| 24 | Acromegaly: Clinical Care in Central and Eastern Europe, Israel, and Kazakhstan.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 816426 | 5.7 | 0 |
| 23 | Treatment of osteoporosis with teriparatide: The Slovenian experience. <i>Open Medicine (Poland)</i> , 2021 , 16, 1544-1551 | 2.2 | 1 |
| 22 | Natural history of nonfunctioning adrenal incidentalomas: a 10-year longitudinal follow-up study. <i>Endocrine Connections</i> , 2021 , 10, 637-645 | 3.5 | 0 |
| 21 | Adrenal Venous Sampling-Guided Adrenalectomy Rates in Primary Aldosteronism: Results of an International Cohort (AVSTAT). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e1400-e1407 | 5.6 | 9 |
| 20 | Drug-resistant hypertension in primary aldosteronism patients undergoing adrenal vein sampling: the AVIS-2-RH study. <i>European Journal of Preventive Cardiology</i> , 2021 , | 3.9 | 4 |
| 19 | Identification of Surgically Curable Primary Aldosteronism by Imaging in a Large, Multiethnic International Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4340-e4349 | 5.6 | 4 |
| 18 | Limited diagnostic utility of partially successful adrenal vein sampling for primary aldosteronism subtyping. <i>Endokrynologia Polska</i> , 2021 , 72, 293-300 | 1.1 | 0 |
| 17 | Switching to Denosumab or Bisphosphonates After Completion of Teriparatide Treatment in Women With Severe Postmenopausal Osteoporosis. <i>Endocrine Practice</i> , 2021 , 27, 941-947 | 3.2 | 4 |
| 16 | Adrenal vein sampling for primary aldosteronism: a 15-year national referral center experience. <i>Radiology and Oncology</i> , 2020 , 54, 409-418 | 3.8 | 1 |
| 15 | Subtyping of Primary Aldosteronism in the AVIS-2 Study: Assessment of Selectivity and Lateralization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105, | 5.6 | 27 |
| 14 | F-Fluorocholine PET/CT in Primary Hyperparathyroidism: Superior Diagnostic Performance to Conventional Scintigraphic Imaging for Localization of Hyperfunctioning Parathyroid Glands. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 577-583 | 8.9 | 22 |
| 13 | Clinical Outcomes of 1625 Patients With Primary Aldosteronism Subtyped With Adrenal Vein Sampling. <i>Hypertension</i> , 2019 , 74, 800-808 | 8.5 | 47 |
| 12 | Adrenal crisis after first infusion of zoledronic acid: a case report. <i>Osteoporosis International</i> , 2018 , 29, 1675-1678 | 5.3 | 4 |
| 11 | Computed Tomography and Adrenal Venous Sampling in the Diagnosis of Unilateral Primary Aldosteronism. <i>Hypertension</i> , 2018 , 72, 641-649 | 8.5 | 54 |
| 10 | Outcomes after adrenalectomy for unilateral primary aldosteronism: an international consensus on outcome measures and analysis of remission rates in an international cohort. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 689-699 | 18.1 | 355 |
| 9 | Focused parathyroidectomy without intraoperative parathormone testing is safe after pre-operative localization with F-Fluorocholine PET/CT. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 133-137 | 3.6 | 51 |

| | | | |
|---|---|-----|----|
| 8 | Outcome parameters in orthogeriatric co-management – a mini-review. <i>Wiener Klinische Wochenschrift</i> , 2016 , 128, 492-496 | 2.3 | 4 |
| 7 | A NEW CLINICAL PREDICTION CRITERION ACCURATELY DETERMINES A SUBSET OF PATIENTS WITH BILATERAL PRIMARY ALDOSTERONISM BEFORE ADRENAL VENOUS SAMPLING. <i>Endocrine Practice</i> , 2016 , 22, 587-94 | 3.2 | 20 |
| 6 | Short term monotherapy with GLP-1 receptor agonist liraglutide or PDE 4 inhibitor roflumilast is superior to metformin in weight loss in obese PCOS women: a pilot randomized study. <i>Journal of Ovarian Research</i> , 2015 , 8, 32 | 5.5 | 36 |
| 5 | A 12-week treatment with the long-acting glucagon-like peptide 1 receptor agonist liraglutide leads to significant weight loss in a subset of obese women with newly diagnosed polycystic ovary syndrome. <i>Hormones</i> , 2015 , 14, 81-90 | 3.1 | 43 |
| 4 | Optimal scan time for evaluation of parathyroid adenoma with [(18)F]-fluorocholine PET/CT. <i>Radiology and Oncology</i> , 2015 , 49, 327-33 | 3.8 | 34 |
| 3 | Methimazole upregulates T-cell-derived cytokines without improving the existing Th1/Th2 imbalance in Graves disease. <i>Journal of Endocrinological Investigation</i> , 2004 , 27, 302-7 | 5.2 | 8 |
| 2 | Changes in Th1/Th2 cytokine balance in Graves disease. <i>Pflugers Archiv European Journal of Physiology</i> , 2000 , 440, R094-R095 | 4.6 | 16 |
| 1 | Changes in Th1/Th2 cytokine balance in Graves disease. <i>Pflugers Archiv European Journal of Physiology</i> , 2000 , 440, R94-5 | 4.6 | 12 |