

Stefan Mergler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1729032/stefan-mergler-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

1,584
citations

25
h-index

37
g-index

72
ext. papers

1,787
ext. citations

4.4
avg, IF

4.16
L-index

#	Paper	IF	Citations
65	Effects of butyrate on ruminal Ca transport: evidence for the involvement of apically expressed TRPV3 and TRPV4 channels.. <i>Pflugers Archiv European Journal of Physiology</i> , 2022 , 474, 315	4.6	
64	TRPV4 Stimulation Level Regulates Ca-Dependent Control of Human Corneal Endothelial Cell Viability and Survival.. <i>Membranes</i> , 2022 , 12,	3.8	1
63	Protein Profiling of WERI-RB1 and Etoposide-Resistant WERI-ETOR Reveals New Insights into Topoisomerase Inhibitor Resistance in Retinoblastoma.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
62	Ascorbate-induced oxidative stress mediates TRP channel activation and cytotoxicity in human etoposide-sensitive and -resistant retinoblastoma cells. <i>Laboratory Investigation</i> , 2021 , 101, 70-88	5.9	4
61	L-carnitine suppresses transient receptor potential vanilloid type 1 activity and myofibroblast transdifferentiation in human corneal keratocytes. <i>Laboratory Investigation</i> , 2021 , 101, 680-689	5.9	0
60	Targeted esterase-induced dye (TED) loading supports direct calcium imaging in eukaryotic cell-free systems.. <i>RSC Advances</i> , 2021 , 11, 16285-16296	3.7	0
59	An incretin-based tri-agonist promotes superior insulin secretion from murine pancreatic islets via PLC activation. <i>Cellular Signalling</i> , 2018 , 51, 13-22	4.9	7
58	Vascular Endothelial Growth Factor (VEGF) Induced Downstream Responses to Transient Receptor Potential Vanilloid 1 (TRPV1) and 3-Iodothyronamine (3-TAM) in Human Corneal Keratocytes. <i>Frontiers in Endocrinology</i> , 2018 , 9, 670	5.7	8
57	TRPM8 Activation via 3-Iodothyronamine Blunts VEGF-Induced Transactivation of TRPV1 in Human Uveal Melanoma Cells. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1234	5.6	7
56	3-Iodothyronamine Activates a Set of Membrane Proteins in Murine Hypothalamic Cell Lines. <i>Frontiers in Endocrinology</i> , 2018 , 9, 523	5.7	11
55	TRPV4 regulates insulin mRNA expression and INS-1E cell death via ERK1/2 and NO-dependent mechanisms. <i>Cellular Signalling</i> , 2017 , 35, 242-249	4.9	11
54	3-Iodothyronamine, a Novel Endogenous Modulator of Transient Receptor Potential Melastatin 8?. <i>Frontiers in Endocrinology</i> , 2017 , 8, 198	5.7	18
53	Role of TRPV channels in regulating various pancreatic cell functions: Lessons from in vitro studies. <i>BioScience Trends</i> , 2017 , 11, 9-15	9.9	2
52	3-Iodothyronamine Decreases Expression of Genes Involved in Iodide Metabolism in Mouse Thyroids and Inhibits Iodide Uptake in PCCL3 Thyrocytes. <i>Thyroid</i> , 2017 , 27, 11-22	6.2	18
51	3-Iodothyronamine increases transient receptor potential melastatin channel 8 (TRPM8) activity in immortalized human corneal epithelial cells. <i>Cellular Signalling</i> , 2016 , 28, 136-147	4.9	25
50	Upregulation of Transient Receptor Potential Vanilloid Type-1 Channel Activity and Ca ²⁺ Influx Dysfunction in Human Pterygial Cells 2016 , 57, 2564-77		14
49	TRPV6 modulates proliferation of human pancreatic neuroendocrine BON-1 tumour cells. <i>Bioscience Reports</i> , 2016 , 36,	4.1	7

48	Polymodal roles of transient receptor potential channels in the control of ocular function. <i>Eye and Vision (London, England)</i> , 2015 , 2, 5	4.9	15
47	TRPV6 channel modulates proliferation of insulin secreting INS-1E beta cell line. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015 , 1853, 3202-10	4.9	14
46	Thyronamine induces TRPM8 channel activation in human conjunctival epithelial cells. <i>Cellular Signalling</i> , 2015 , 27, 315-25	4.9	30
45	The Multitarget Ligand 3-Iodothyronamine Modulates β Adrenergic Receptor 2 Signaling. <i>European Thyroid Journal</i> , 2015 , 4, 21-9	4.2	23
44	Ocular transient receptor potential channel function in health and disease. <i>BMC Ophthalmology</i> , 2015 , 15 Suppl 1, 153	2.3	23
43	Capsaicin induces cytotoxicity in pancreatic neuroendocrine tumor cells via mitochondrial action. <i>Cellular Signalling</i> , 2014 , 26, 41-8	4.9	43
42	Temperature-sensitive transient receptor potential channels in corneal tissue layers and cells. <i>Ophthalmic Research</i> , 2014 , 52, 151-9	2.9	37
41	L-carnitine reduces in human conjunctival epithelial cells hypertonic-induced shrinkage through interacting with TRPV1 channels. <i>Cellular Physiology and Biochemistry</i> , 2014 , 34, 790-803	3.9	13
40	Calcium regulation by temperature-sensitive transient receptor potential channels in human uveal melanoma cells. <i>Cellular Signalling</i> , 2014 , 26, 56-69	4.9	25
39	Functional significance of thermosensitive transient receptor potential melastatin channel 8 (TRPM8) expression in immortalized human corneal endothelial cells. <i>Experimental Eye Research</i> , 2013 , 116, 337-49	3.7	22
38	Cannabinoid receptor 1 suppresses transient receptor potential vanilloid 1-induced inflammatory responses to corneal injury. <i>Cellular Signalling</i> , 2013 , 25, 501-11	4.9	49
37	Activation of TRPV4 channel in pancreatic INS-1E beta cells enhances glucose-stimulated insulin secretion via calcium-dependent mechanisms. <i>FEBS Letters</i> , 2013 , 587, 3281-7	3.8	19
36	Functional TRPV1 expression in human corneal fibroblasts. <i>Experimental Eye Research</i> , 2013 , 107, 121-9	3.7	30
35	Application of two-dimensional gel-based mass spectrometry to functionally dissect resistance to targeted cancer therapy. <i>Proteomics - Clinical Applications</i> , 2013 , 7, 813-24	3.1	7
34	Multifocal ERG recordings under visual control of the stimulated fundus in mice 2013 , 54, 2582-9		12
33	Altered calcium regulation by thermosensitive transient receptor potential channels in etoposide-resistant WERI-Rb1 retinoblastoma cells. <i>Experimental Eye Research</i> , 2012 , 94, 157-73	3.7	30
32	Calcium regulation by thermo- and osmosensing transient receptor potential vanilloid channels (TRPVs) in human conjunctival epithelial cells. <i>Histochemistry and Cell Biology</i> , 2012 , 137, 743-61	2.4	27
31	Thermo-sensitive transient receptor potential vanilloid channel-1 regulates intracellular calcium and triggers chromogranin A secretion in pancreatic neuroendocrine BON-1 tumor cells. <i>Cellular Signalling</i> , 2012 , 24, 233-46	4.9	33

30	Characterization of transient receptor potential vanilloid channel 4 (TRPV4) in human corneal endothelial cells. <i>Experimental Eye Research</i> , 2011 , 93, 710-9	3.7	32
29	Thermosensitive transient receptor potential channels in human corneal epithelial cells. <i>Journal of Cellular Physiology</i> , 2011 , 226, 1828-42	7	36
28	TRPV channels mediate temperature-sensing in human corneal endothelial cells. <i>Experimental Eye Research</i> , 2010 , 90, 758-70	3.7	45
27	Anti-TNF-alpha treatment: a possible promoter in endogenous uveitis? observational report on six patients: occurrence of uveitis following etanercept treatment. <i>Current Eye Research</i> , 2010 , 35, 751-6	2.9	68
26	Insulinostatic activity of cerebellin--evidence from in vivo and in vitro studies in rats. <i>Regulatory Peptides</i> , 2009 , 157, 19-24		10
25	Dependence of regulatory volume decrease on transient receptor potential vanilloid 4 (TRPV4) expression in human corneal epithelial cells. <i>Cell Calcium</i> , 2008 , 44, 374-85	4	66
24	Gastrin transactivates the chromogranin A gene through MEK-1/ERK- and PKC-dependent phosphorylation of Sp1 and CREB. <i>Cellular Signalling</i> , 2008 , 20, 60-72	4.9	25
23	Characterization of voltage operated R-type Ca ²⁺ channels in modulating somatostatin receptor subtype 2- and 3-dependent inhibition of insulin secretion from INS-1 cells. <i>Cellular Signalling</i> , 2008 , 20, 2286-95	4.9	24
22	Orexin-A inhibits glucagon secretion and gene expression through a Foxo1-dependent pathway. <i>Endocrinology</i> , 2008 , 149, 1618-26	4.8	42
21	Roles of Corneal Epithelial Ion Transport Mechanisms in Mediating Responses to Cytokines and Osmotic Stress 2008 , 17-46		1
20	Transient receptor potential vanilloid 1 activation induces inflammatory cytokine release in corneal epithelium through MAPK signaling. <i>Journal of Cellular Physiology</i> , 2007 , 213, 730-9	7	92
19	The human corneal endothelium: new insights into electrophysiology and ion channels. <i>Progress in Retinal and Eye Research</i> , 2007 , 26, 359-78	20.5	50
18	Characterization of somatostatin receptor subtype-specific regulation of insulin and glucagon secretion: an in vitro study on isolated human pancreatic islets. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 673-80	5.6	91
17	Effects of spironolactone on corneal allograft survival in the rat. <i>Ophthalmic Research</i> , 2007 , 39, 325-9	2.9	6
16	Gene transfer of cyto-protective molecules in corneal endothelial cells and cultured corneas: analysis of protective effects in vitro and in vivo. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 357, 302-7	3.4	11
15	Transient receptor potential channel TRPM8 agonists stimulate calcium influx and neurotensin secretion in neuroendocrine tumor cells. <i>Neuroendocrinology</i> , 2007 , 85, 81-92	5.6	36
14	PKC isoform-specific enhancement of capacitative calcium entry in human corneal epithelial cells. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 3989-4000		14
13	EGF suppresses hydrogen peroxide induced Ca ²⁺ influx by inhibiting L-type channel activity in cultured human corneal endothelial cells. <i>Experimental Eye Research</i> , 2005 , 80, 285-93	3.7	27

12	Insulin-like growth factor-1 increases intracellular calcium concentration in human primary neuroendocrine pancreatic tumor cells and a pancreatic neuroendocrine tumor cell line (BON-1) via R-type Ca ²⁺ channels and regulates chromogranin a secretion in BON-1 cells. <i>Neuroendocrinology</i> , 2005 , 82, 87-102	5.6	11
11	Valine-286 residue in the third intracellular loop of the cholecystokinin 2 receptor exerts a pivotal role in cholecystokinin 2 receptor mediated intracellular signal transduction in human colon cancer cells. <i>Cellular Signalling</i> , 2005 , 17, 1505-15	4.9	8
10	TRPC4 knockdown suppresses epidermal growth factor-induced store-operated channel activation and growth in human corneal epithelial cells. <i>Journal of Biological Chemistry</i> , 2005 , 280, 32230-7	5.4	61
9	Ca(2+) channel properties in neuroendocrine tumor cell cultures investigated by whole-cell patch-clamp technique. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1014, 137-9	6.5	8
8	R-type Ca(2+)-channel activity is associated with chromogranin A secretion in human neuroendocrine tumor BON cells. <i>Journal of Membrane Biology</i> , 2003 , 194, 177-86	2.3	17
7	Ca ²⁺ channel characteristics in neuroendocrine tumor cell cultures analyzed by color contour plots. <i>Journal of Neuroscience Methods</i> , 2003 , 129, 169-81	3	10
6	Calcium influx induced by activation of receptor tyrosine kinases in SV40-transfected human corneal endothelial cells. <i>Experimental Eye Research</i> , 2003 , 77, 485-95	3.7	21
5	Stimulation of L-type Ca(2+) channels by increase of intracellular InsP3 in rat retinal pigment epithelial cells. <i>Experimental Eye Research</i> , 2002 , 74, 29-40	3.7	27
4	Activation of neuroendocrine L-type channels (alpha1D subunits) in retinal pigment epithelial cells and brain neurons by pp60(c-src). <i>Biochemical and Biophysical Research Communications</i> , 2000 , 270, 806-10	3.4	39
3	Altered regulation of L-type channels by protein kinase C and protein tyrosine kinases as a pathophysiologic effect in retinal degeneration. <i>FASEB Journal</i> , 1998 , 12, 1125-34	0.9	38
2	Regulation of L-type calcium channels by protein tyrosine kinase and protein kinase C in cultured rat and human retinal pigment epithelial cells. <i>FASEB Journal</i> , 1997 , 11, 859-67	0.9	73
1	Protein profiling of WERI RB1 and etoposide resistant WERI ETOR reveals new insights into topoisomerase inhibitor resistance in retinoblastoma		1