

Lynn R Webster

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1729639/publications.pdf>

Version: 2024-02-01

118
papers

4,555
citations

172207

29
h-index

106150

65
g-index

120
all docs

120
docs citations

120
times ranked

3855
citing authors

#	ARTICLE	IF	CITATIONS
1	Establishing Minimal Clinically Important Differences in Quality of Life Measures in Opioid-Induced Constipation. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 855-863.	2.4	6
2	Evaluation of the abuse potential of difelikefalin, a selective kappa-opioid receptor agonist, in recreational polydrug users. <i>Clinical and Translational Science</i> , 2022, 15, 535-547.	1.5	15
3	Effects of buprenorphine buccal film and oral oxycodone on pupil diameter in a respiratory study. <i>Journal of Opioid Management</i> , 2022, 18, 181-190.	0.2	1
4	Drug trafficking, good faith, and legal standards to convict: How the United States Supreme Court is about to affect every prescriber in America. <i>Journal of Opioid Management</i> , 2022, 18, 203-204.	0.2	0
5	Pharmacokinetics of Buprenorphine Buccal Film and Orally-administered Oxycodone in a Respiratory Study: An Analysis of Secondary Outcomes from a Randomized Controlled Trial. <i>Pain and Therapy</i> , 2022, 11, 817-825.	1.5	1
6	Open-Label Adhesion Performance Studies of a New Lidocaine Topical System 1.8% versus Lidocaine Patches 5% and Lidocaine Medicated Plaster 5% in Healthy Subjects. <i>Journal of Pain Research</i> , 2021, Volume 14, 513-526.	0.8	3
7	Ventilatory Response to Hypercapnia as Experimental Model to Study Effects of Oxycodone on Respiratory Depression. <i>Current Clinical Pharmacology</i> , 2021, 16, .	0.2	1
8	Naldemedine Improves Patient-Reported Outcomes of Opioid-Induced Constipation in Patients with Chronic Non-Cancer Pain in the COMPOSE Phase 3 Studies. <i>Journal of Pain Research</i> , 2021, Volume 14, 2179-2189.	0.8	6
9	Atypical opioids and their effect on respiratory drive. <i>Journal of Opioid Management</i> , 2021, 17, 109-118.	0.2	5
10	Dilemma of Addiction and Respiratory Depression in the Treatment of Pain: A Prototypical Endomorphin as a New Approach. <i>Pain Medicine</i> , 2020, 21, 992-1004.	0.9	12
11	Understanding Buprenorphine for Use in Chronic Pain: Expert Opinion. <i>Pain Medicine</i> , 2020, 21, 714-723.	0.9	57
12	A Longitudinal Study of the Association of Opioid Use with Change in Pain Interference and Functional Limitations in a Nationally Representative Cohort of Adults with Osteoarthritis in the United States. <i>Advances in Therapy</i> , 2020, 37, 819-832.	1.3	12
13	The Physiology and Maintenance of Respiration: A Narrative Review. <i>Pain and Therapy</i> , 2020, 9, 467-486.	1.5	9
14	A Phase-III Placebo-Controlled Trial Comparing the Effects of Buprenorphine Buccal Film and Oral Oxycodone Hydrochloride Administration on Respiratory Drive. <i>Advances in Therapy</i> , 2020, 37, 4685-4696.	1.3	6
15	Randomized Crossover Trial to Compare Abuse Liability of Intravenous Remimazolam Versus Intravenous Midazolam and Placebo in Recreational Central Nervous System Depressant Users. <i>Journal of Clinical Pharmacology</i> , 2020, 60, 1189-1197.	1.0	13
16	Safety and Efficacy of Naldemedine for the Treatment of Opioid-Induced Constipation in Patients with Chronic Non-Cancer Pain Receiving Opioid Therapy: A Subgroup Analysis of Patients ≥ 65 Years of Age. <i>Drugs and Aging</i> , 2020, 37, 271-279.	1.3	13
17	A Renal Impairment Subgroup Analysis of the Safety and Efficacy of Naldemedine for the Treatment of Opioid-Induced Constipation in Patients with Chronic Non-Cancer Pain Receiving Opioid Therapy. <i>Journal of Pain Research</i> , 2020, Volume 13, 605-612.	0.8	7
18	The association of pain interference and opioid use with healthcare utilization and costs, and wage loss among adults with osteoarthritis in the United States. <i>Journal of Medical Economics</i> , 2019, 22, 1192-1201.	1.0	16

#	ARTICLE	IF	CITATIONS
19	Relative Oral Bioavailability of an Abuse-Deterrent, Immediate-Release Formulation of Oxycodone, Oxycodone ARIR in a Randomized Study. <i>Advances in Therapy</i> , 2019, 36, 1730-1740.	1.3	2
20	Desmetramadol Has the Safety and Analgesic Profile of Tramadol Without Its Metabolic Liabilities: Consecutive Randomized, Double-Blind, Placebo- and Active Comparator-Controlled Trials. <i>Journal of Pain</i> , 2019, 20, 1218-1235.	0.7	10
21	Real-world misuse, abuse, and dependence of abuse-deterrent versus non-abuse-deterrent extended-release morphine in Medicaid non-cancer patients. <i>Postgraduate Medicine</i> , 2019, 131, 225-229.	0.9	3
22	Effects of intravenous oxycodone alone or in combination with naltrexone on measures of respiratory depression: a randomized placebo-controlled study. <i>Therapeutic Advances in Drug Safety</i> , 2019, 10, 204209861882127.	1.0	1
23	A Randomized, Double-Blind, Double-Dummy, Placebo-Controlled, Intranasal Human Abuse Potential Study of Oxycodone ARIR, a Novel, Immediate-Release, Abuse-Deterrent Formulation. <i>Pain Medicine</i> , 2019, 20, 747-757.	0.9	5
24	Extended-release morphine sulfate and naltrexone hydrochloride (EMBEDA): naltrexone-associated withdrawal and abuse-related effects in patients with chronic pain and recreational opioid users. <i>Current Medical Research and Opinion</i> , 2019, 35, 503-512.	0.9	3
25	Human abuse potential studies of abuse-deterrent opioids: lessons from oral and intranasal studies with morphine abuse-deterrent, extended-release, injection-molded tablets. <i>Current Medical Research and Opinion</i> , 2018, 34, 893-901.	0.9	2
26	Long-term use of naldemedine in the treatment of opioid-induced constipation in patients with chronic noncancer pain: a randomized, double-blind, placebo-controlled phase 3 study. <i>Pain</i> , 2018, 159, 987-994.	2.0	65
27	Human Abuse Potential of the New Opioid Analgesic Molecule NKTR-181 Compared with Oxycodone. <i>Pain Medicine</i> , 2018, 19, 307-318.	0.9	25
28	Opioid-sparing Effects of SoluMatrix Indomethacin in a Phase 3 Study in Patients With Acute Postoperative Pain. <i>Clinical Journal of Pain</i> , 2018, 34, 138-144.	0.8	0
29	Treatment with Naloxegol Versus Placebo: Pain Assessment in Patients with Noncancer Pain and Opioid-Induced Constipation. <i>Pain Practice</i> , 2018, 18, 505-514.	0.9	12
30	Pharmacokinetics and Abuse Potential of Benzhydrocodone, a Novel Prodrug of Hydrocodone, After Intranasal Administration in Recreational Drug Users. <i>Pain Medicine</i> , 2018, 19, 2438-2449.	0.9	5
31	Oral methylnaltrexone is efficacious and well tolerated for the treatment of opioid-induced constipation in patients with chronic noncancer pain receiving concomitant methadone. <i>Journal of Pain Research</i> , 2018, Volume 11, 2509-2516.	0.8	6
32	Evaluation of the Relative Intranasal Abuse Potential of a Hydrocodone Extended-Release Tablet Formulated with Abuse-Deterrence Technology in Nondependent, Recreational Opioid Users. <i>Pain Medicine</i> , 2018, 19, 1597-1612.	0.9	0
33	The Prescription Drug Abuse Epidemic and Emerging Prescribing Guidelines. , 2018, , 389-394.e1.		0
34	Oral methylnaltrexone does not negatively impact analgesia in patients with opioid-induced constipation and chronic noncancer pain. <i>Journal of Pain Research</i> , 2018, Volume 11, 1503-1510.	0.8	11
35	Intranasal Pharmacokinetics of Morphine ARER, a Novel Abuse-Deterrent Formulation: Results from a Randomized, Double-Blind, Four-Way Crossover Study in Nondependent, Opioid-Experienced Subjects. <i>Pain Research and Management</i> , 2018, 2018, 1-10.	0.7	7
36	Efficacy of Lubiprostone for the Treatment of Opioid-Induced Constipation, Analyzed by Opioid Class. <i>Pain Medicine</i> , 2018, 19, 1195-1205.	0.9	14

#	ARTICLE	IF	CITATIONS
37	Discerning suicide in drug intoxication deaths: Paucity and primacy of suicide notes and psychiatric history. PLoS ONE, 2018, 13, e0190200.	1.1	112
38	Pharmacogenetics of Pain: The Future of Personalized Medicine. , 2018, , 435-445.		0
39	A nasal abuse potential randomized clinical trial of REMOXYA® ER, a high-viscosity extended-release oxycodone formulation. Journal of Opioid Management, 2018, 14, 437-443.	0.2	1
40	Abuse Potential with Oral Route of Administration of a Hydrocodone Extended-Release Tablet Formulated with Abuse-Deterrence Technology in Nondependent, Recreational Opioid Users. Pain Medicine, 2017, 18, 61-77.	0.9	8
41	Current and future development of extended-release, abuse-deterrent opioid formulations in the United States. Postgraduate Medicine, 2017, 129, 102-110.	0.9	22
42	A Phase 2b, Randomized, Double-Blind Placebo-Controlled Study to Evaluate the Efficacy and Safety of Naldemedine for the Treatment of Opioid-Induced Constipation in Patients with Chronic Noncancer Pain. Pain Medicine, 2017, 18, 2350-2360.	0.9	46
43	Treatment Options for Failed Back Surgery Syndrome Patients With Refractory Chronic Pain: An Evidence Based Approach. Spine, 2017, 42, S41-S52.	1.0	74
44	Measurement of Drug Liking in Abuse Potential Studies: A Comparison of Unipolar and Bipolar Visual Analog Scales. Journal of Clinical Pharmacology, 2017, 57, 266-274.	1.0	9
45	Risk Factors for Opioid-Use Disorder and Overdose. Anesthesia and Analgesia, 2017, 125, 1741-1748.	1.1	328
46	Analysis of Nausea in Clinical Studies of Lubiprostone for the Treatment of Constipation Disorders. Digestive Diseases and Sciences, 2017, 62, 3568-3578.	1.1	36
47	Long-Term Safety and Efficacy of Subcutaneous Methylnaltrexone in Patients with Opioid-Induced Constipation and Chronic Noncancer Pain: A Phase 3, Open-Label Trial. Pain Medicine, 2017, 18, 1496-1504.	0.9	24
48	Insights and issues from FDA Advisory Committee meetings on abuse-deterrent opioids. Journal of Opioid Management, 2017, 13, 379-389.	0.2	1
49	Interpreting labels of abuse-deterrent opioid analgesics. Journal of Opioid Management, 2017, 13, 415-423.	0.2	2
50	Doctor driven problem or doctor driven solution?. Journal of Opioid Management, 2017, 13, 351-352.	0.2	0
51	Daclatasvir + asunaprevir + beclabuvir ± ribavirin for chronic <scp>HCV</scp> genotype 1â€infectèd treatmentâ€naive patients. Liver International, 2016, 36, 189-197.	1.9	23
52	Intravenous abuse potential study of oxycodone alone or in combination with naltrexone in nondependent recreational opioid users. American Journal of Drug and Alcohol Abuse, 2016, 42, 539-549.	1.1	12
53	Chronic Pain and the Opioid Conundrum. Anesthesiology Clinics, 2016, 34, 341-355.	0.6	14
54	Poster 427 Pharmacodynamic Effects From a Category 3 Intranasal Human Abuse Potential Study of an Abuseâ€Deterrent, Extendedâ€Release Morphine Product Candidate in Nondependent, Recreational Opioid Users. PM and R, 2016, 8, S300-S301.	0.9	0

#	ARTICLE	IF	CITATIONS
55	A Randomized, Double-Blind, Double-Dummy, Placebo-Controlled, Intranasal Drug Liking Study on a Novel Abuse-Deterrent Formulation of Morphine—Morphine ARER. <i>Pain Medicine</i> , 2016, 18, pnw213.	0.9	12
56	Human Abuse Potential of an Abuse-Deterrent (AD), Extended-Release (ER) Morphine Product Candidate (Morphine-ADER Injection-Molded Tablets) vs Extended-Release Morphine Administered Intranasally in Nondependent Recreational Opioid Users. <i>Pain Medicine</i> , 2016, 18, pnw219.	0.9	12
57	Human Abuse Potential of an Abuse-Deterrent (AD), Extended-Release (ER) Morphine Product Candidate (Morphine-ADER Injection-Molded Tablets) versus Extended-Release Morphine Administered Orally in Nondependent Recreational Opioid Users. <i>Pain Medicine</i> , 2016, 18, pnw174.	0.9	12
58	Pharmacogenetics and Personalized Medicine in Pain Management. <i>Clinics in Laboratory Medicine</i> , 2016, 36, 493-506.	0.7	23
59	Efficacy and safety of a sublingual buprenorphine/naloxone rapidly dissolving tablet for the treatment of adults with opioid dependence: A randomized trial. <i>Journal of Addictive Diseases</i> , 2016, 35, 325-338.	0.8	10
60	Safety profile of extended-release morphine sulfate with sequestered naltrexone hydrochloride in older patients: pooled analysis of three clinical trials. <i>Current Medical Research and Opinion</i> , 2016, 32, 563-572.	0.9	2
61	Opioid abuse-deterrent strategies: role of clinicians in acute pain management. <i>Postgraduate Medicine</i> , 2016, 128, 76-84.	0.9	7
62	An Online Survey of Patients'™ Experiences Since the Rescheduling of Hydrocodone: The First 100 Days. <i>Pain Medicine</i> , 2016, 17, 1686-1693.	0.9	12
63	Evaluation of the Tolerability of Switching Patients on Chronic Full- μ -Opioid Agonist Therapy to Buccal Buprenorphine. <i>Pain Medicine</i> , 2016, 17, pnv110.	0.9	26
64	A 12-week extension study to assess the safety and tolerability of naloxegol in patients with noncancer pain and opioid-induced constipation. <i>Journal of Opioid Management</i> , 2016, 12, 405-419.	0.2	17
65	Risk Mitigation Strategies. , 2016, , 163-180.		1
66	Current Regulations Related to Opioid Prescribing. <i>PM and R</i> , 2015, 7, S236-S247.	0.9	29
67	Correlation of Subjective Effects with Systemic Opioid Exposure from Fixed-Dose Combinations of Oxycodone/Acetaminophen in Recreational Users of Prescription Drugs. <i>Pain Medicine</i> , 2015, 17, n/a-n/a.	0.9	4
68	The Economic Impact of Opioid Use in the Management of Chronic Nonmalignant Pain. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2015, 21, 891-899.	0.5	18
69	The health insurance industry: perpetuating the opioid crisis through policies of cost-containment and profitability. <i>Journal of Pain Research</i> , 2015, 8, 153.	0.8	22
70	Analysis of opioid-mediated analgesia in Phase III studies of methylnaltrexone for opioid-induced constipation in patients with chronic noncancer pain. <i>Journal of Pain Research</i> , 2015, 8, 771.	0.8	20
71	Definitions and Outcome Measures of Clinical Trials Regarding Opioid-induced Constipation. <i>Journal of Clinical Gastroenterology</i> , 2015, 49, 9-16.	1.1	71
72	A Randomized, Placebo-Controlled Trial of Lubiprostone for Opioid-Induced Constipation in Chronic Noncancer Pain. <i>American Journal of Gastroenterology</i> , 2015, 110, 725-732.	0.2	87

#	ARTICLE	IF	CITATIONS
73	Human abuse potential of immediate-release/extended-release versus immediate-release hydrocodone bitartrate/acetaminophen: a randomized controlled trial in recreational users of prescription opioids. <i>Postgraduate Medicine</i> , 2015, 127, 13-21.	0.9	3
74	Opioid Therapy and Sleep Disorders: Risks and Mitigation Strategies. <i>Pain Medicine</i> , 2015, 16, S22-S26.	0.9	51
75	A Randomized, Double-Blind, Double-Dummy Study to Evaluate the Intranasal Human Abuse Potential and Pharmacokinetics of a Novel Extended-Release Abuse-Deterrent Formulation of Oxycodone. <i>Pain Medicine</i> , 2015, 17, pnv020.	0.9	20
76	Opioid-Induced Constipation. <i>Pain Medicine</i> , 2015, 16, S16-S21.	0.9	59
77	Consensus Recommendations on Initiating Prescription Therapies for Opioid-Induced Constipation. <i>Pain Medicine</i> , 2015, 16, 2324-2337.	0.9	95
78	The Relationship Between the Mechanisms of Action and Safety Profiles of Intrathecal Morphine and Ziconotide: A Review of the Literature. <i>Pain Medicine</i> , 2015, 16, 1265-1277.	0.9	37
79	Eight principles for safer opioid prescribing and cautions with benzodiazepines. <i>Postgraduate Medicine</i> , 2015, 127, 27-32.	0.9	9
80	Comparative Effects of Morning vs Evening Dosing of Extended-Release Hydromorphone on Sleep Physiology in Patients with Low Back Pain: A Pilot Study. <i>Pain Medicine</i> , 2015, 16, 460-471.	0.9	14
81	Medical Management of Chronic Low Back Pain: Efficacy and Outcomes. <i>Neuromodulation</i> , 2014, 17, 18-23.	0.4	13
82	Comparison of Subjective Effects of Extended-Release Versus Immediate-Release Oxycodone/Acetaminophen Tablets in Healthy Nondependent Recreational Users of Prescription Opioids: A Randomized Trial. <i>Postgraduate Medicine</i> , 2014, 126, 20-32.	0.9	17
83	Acute Pain: Effective Management Requires Comprehensive Assessment. <i>Postgraduate Medicine</i> , 2014, 126, 59-72.	0.9	31
84	It Takes Many True Leaders to Become a Top-Tier Pain Organization. <i>Pain Medicine</i> , 2014, 15, 3-3.	0.9	0
85	Poster 526 Abuse Quotient of Orally Administered MNK-795 Extended-Release Oxycodone/Acetaminophen Tablets vs Immediate-Release Oxycodone/Acetaminophen Tablets in Recreational Users of Prescription Opioids. <i>PM and R</i> , 2014, 6, S370-S371.	0.9	1
86	Naloxegol for Opioid-Induced Constipation in Patients with Noncancer Pain. <i>New England Journal of Medicine</i> , 2014, 370, 2387-2396.	13.9	292
87	Eight Principles for Safer Opioid Prescribing. <i>Pain Medicine</i> , 2013, 14, 959-961.	0.9	11
88	Assessment of Pharmacodynamic Effects Following Oral Administration of Crushed Morphine Sulfate and Naltrexone Hydrochloride Extended-Release Capsules Compared with Crushed Morphine Sulfate Controlled-Release Tablets and Placebo in Nondependent Recreational Opioid Users. <i>Pain Medicine</i> , 2013, 14, 1173-1186.	0.9	21
89	A phase 2, double-blind, randomized, placebo-controlled, dose-escalation study to evaluate the efficacy, safety, and tolerability of naloxegol in patients with opioid-induced constipation. <i>Pain</i> , 2013, 154, 1542-1550.	2.0	102
90	Methadone Side Effects: Constipation, Respiratory Depression, Sedation, Sleep-Disordered Breathing, and the Endocrine System. , 2013, , 39-49.		7

#	ARTICLE	IF	CITATIONS
91	Benzodiazepines in Long-Term Opioid Therapy. <i>Pain Medicine</i> , 2013, 14, 1441-1446.	0.9	22
92	American Academy of Pain Medicine Response to PROP Petition to the FDA That Seeks to Limit Pain Medications for Legitimate Noncancer Pain Sufferers. <i>Pain Medicine</i> , 2012, 13, 1259-1264.	0.9	5
93	Effects of concurrent intravenous morphine sulfate and naltrexone hydrochloride on end-tidal carbon dioxide. <i>Harm Reduction Journal</i> , 2012, 9, 13.	1.3	5
94	Randomized, double-blind, placebo-controlled and active-controlled study to assess the relative abuse potential of oxycodone HCl-niacin tablets compared with oxycodone alone in nondependent, recreational opioid users. <i>Substance Abuse and Rehabilitation</i> , 2012, 3, 101.	1.6	2
95	Efficacy and Safety of Dual-Opioid Therapy in Acute Pain. <i>Pain Medicine</i> , 2012, 13, S12-S20.	0.9	19
96	Overdose Deaths Demand a New Paradigm for Opioid Rotation: Table 1. <i>Pain Medicine</i> , 2012, 13, 571-574.	0.9	33
97	Review and Critique of Opioid Rotation Practices and Associated Risks of Toxicity. <i>Pain Medicine</i> , 2012, 13, 562-570.	0.9	76
98	Randomized, Double-Blind, Placebo-Controlled Study of the Abuse Potential of Different Formulations of Oral Oxycodone. <i>Pain Medicine</i> , 2012, 13, 790-801.	0.9	43
99	Impact of Intravenous Naltrexone on Intravenous Morphine-Induced High, Drug Liking, and Euphoric Effects in Experienced, Nondependent Male Opioid Users. <i>Drugs in R and D</i> , 2011, 11, 259-275.	1.1	36
100	The Abuse Potential of Remoxy [®] , an Extended-Release Formulation of Oxycodone, Compared with Immediate- and Extended-Release Oxycodone. <i>Pain Medicine</i> , 2011, 12, 618-631.	0.9	39
101	Long-Term Safety of Remoxy [®] (Extended-Release Oxycodone) in Patients with Moderate to Severe Chronic Osteoarthritis or Low Back Pain. <i>Pain Medicine</i> , 2011, 12, 755-760.	0.9	29
102	Ending Unnecessary Opioid-Related Deaths: A National Priority. <i>Pain Medicine</i> , 2011, 12, S13-S15.	0.9	7
103	A Review of Forensic Implications of Opioid Prescribing with Examples from Malpractice Cases Involving Opioid-Related Overdose. <i>Pain Medicine</i> , 2011, 12, S59-S65.	0.9	25
104	Obtaining Adequate Data to Determine Causes of Opioid-Related Overdose Deaths. <i>Pain Medicine</i> , 2011, 12, S86-S92.	0.9	27
105	An Analysis of the Root Causes for Opioid-Related Overdose Deaths in the United States. <i>Pain Medicine</i> , 2011, 12, S26-S35.	0.9	249
106	Tolerability of NGX-4010, a capsaicin 8% dermal patch, following pretreatment with lidocaine 2.5%/prilocaine 2.5% cream in patients with post-herpetic neuralgia. <i>BMC Anesthesiology</i> , 2011, 11, 25.	0.7	27
107	Oxycodone extended-release using gel-cap technology to resist alteration and abuse for the treatment of moderate-to-severe pain. <i>Pain Management</i> , 2011, 1, 417-425.	0.7	5
108	Opioid Titration and Conversion in Patients Receiving Morphine Sulfate and Naltrexone Hydrochloride Extended Release Capsules. <i>Postgraduate Medicine</i> , 2011, 123, 155-164.	0.9	7

#	ARTICLE	IF	CITATIONS
109	Current status and evolving role of abuse-deterrent opioids in managing patients with chronic pain. <i>Journal of Opioid Management</i> , 2011, 7, 235-245.	0.2	35
110	Long-Term Safety of NGX-4010, a High-Concentration Capsaicin Patch, in Patients with Peripheral Neuropathic Pain. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 1053-1064.	0.6	95
111	A double-blind, placebo-controlled study of dual-opioid treatment with the combination of morphine plus oxycodone in patients with acute postoperative pain. <i>Journal of Opioid Management</i> , 2010, 6, 329-340.	0.2	18
112	Hypoxemia in patients on chronic opiate therapy with and without sleep apnea. <i>Sleep and Breathing</i> , 2009, 13, 49-57.	0.9	105
113	Unintended Harm from Opioid Prescribing Guidelines. <i>Pain Medicine</i> , 2009, 10, 285-286.	0.9	6
114	Opioid formulations in development designed to curtail abuse: who is the target?. <i>Expert Opinion on Investigational Drugs</i> , 2009, 18, 255-263.	1.9	50
115	Sleep-Disordered Breathing and Chronic Opioid Therapy. <i>Pain Medicine</i> , 2008, 9, 425-432.	0.9	283
116	Alvimopan, a peripherally acting mu-opioid receptor (PAM-OR) antagonist for the treatment of opioid-induced bowel dysfunction: Results from a randomized, double-blind, placebo-controlled, dose-finding study in subjects taking opioids for chronic non-cancer pain. <i>Pain</i> , 2008, 137, 428-440.	2.0	133
117	Predicting Aberrant Behaviors in Opioid-Treated Patients: Preliminary Validation of the Opioid Risk Tool. <i>Pain Medicine</i> , 2005, 6, 432-442.	0.9	918
118	Methadone-related deaths. <i>Journal of Opioid Management</i> , 2005, 1, 211-217.	0.2	19