Dimitri Barski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1730570/publications.pdf

Version: 2024-02-01

24
index
1085
g authors

#	Article	IF	CITATIONS
1	Nomograms including the UBC $<$ sup $>$ Â $^{\odot}<$ /sup $>$ Rapid test to detect primary bladder cancer based on a multicentre dataset. BJU International, 2022, 130, 754-763.	1.3	6
2	Application of Dried Human Amnion Graft to Improve Post-Prostatectomy Incontinence and Potency: A Randomized Exploration Study Protocol. Advances in Therapy, 2020, 37, 592-602.	1.3	10
3	UBC® Rapid Test—A Urinary Point-of-Care (POC) Assay for Diagnosis of Bladder Cancer with a focus on Non-Muscle Invasive High-Grade Tumors: Results of a Multicenter-Study. International Journal of Molecular Sciences, 2018, 19, 3841.	1.8	21
4	Human amniotic membrane dressing for the treatment of an infected wound due to an entero-cutaneous fistula: Case report. International Journal of Surgery Case Reports, 2018, 51, 11-13.	0.2	15
5	Desperate need for better management of Fournier's Gangrene. Central European Journal of Urology, 2018, 71, 360-365.	0.2	12
6	Protocol for a Randomized Phase II Trial for Mesh Optimization by Autologous Plasma Coating in Prolapse Repair: IDEAL Stage 3. Advances in Therapy, 2017, 34, 995-1006.	1.3	3
7	Transvaginal PVDF-mesh for cystocele repair: A cohort study. International Journal of Surgery, 2017, 39, 249-254.	1.1	23
8	Registry of implants for the reconstruction of pelvic floor in males and females: A feasibility case series. International Journal of Surgery, 2017, 42, 27-33.	1.1	3
9	UBC [®] <i>Rapid</i> Test for detection of carcinoma in situ for bladder cancer. Tumor Biology, 2017, 39, 101042831770162.	0.8	28
10	Review of surgical implant procedures for male incontinence after radical prostatectomy according to IDEAL framework. Updates in Surgery, 2017, 69, 327-338.	0.9	4
11	Human Amniotic Membrane Is Not Suitable for the Grafting of Colon Lesions and Prevention of Adhesions in a Xenograft Rat Model. Surgical Innovation, 2017, 24, 313-320.	0.4	5
12	Transvesical Suprapubic Externalization of Ureteral Stents - Introduction of a Surgical Innovation at the Development Stage. Urologia Internationalis, 2017, 99, 69-76.	0.6	3
13	Retrospective analysis of a surgical innovation using the IDEAL framework: radical cystectomy with epidural anaesthesia. Journal of International Medical Research, 2017, 45, 714-722.	0.4	6
14	Evidence in Urologic- and Pelvic-Surgery Research: Finding the IDEAL Way of Reporting. BioMed Research International, 2017, 2017, 1-2.	0.9	0
15	Bladder Reconstruction with Human Amniotic Membrane in a Xenograft Rat Model: A Preclinical Study. International Journal of Medical Sciences, 2017, 14, 310-318.	1.1	24
16	Presentation of a method at the Exploration Stage according to IDEAL: Percutaneous nephrolithotomy (PCNL) under local infiltrative anesthesia is a feasible and effective method - retrospective analysis of 439 patients. International Journal of Medical Sciences, 2017, 14, 302-309.	1.1	11
17	Mulitcenter study on antibiotic prophylaxis, infectious complications and risk assessment in TUR-P. Central European Journal of Urology, 2017, 70, 112-117.	0.2	8
18	Prostatic sarcoma of the Ewing family in a 33-year-old male – A case report and review of the literature. Asian Journal of Urology, 2016, 3, 103-106.	0.5	6

#	Article	IF	Citations
19	A Need for Catching up in Testing Meshes. Deutsches Ärzteblatt International, 2016, 113, 543.	0.6	O
20	Repair of a vesico-vaginal fistula with amniotic membrane – Step 1 of the IDEAL recommendations of surgical innovation. Central European Journal of Urology, 2015, 68, 459-61.	0.2	19
21	Management of Mesh Complications after SUI and POP Repair: Review and Analysis of the Current Literature. BioMed Research International, 2015, 2015, 1-8.	0.9	28
22	A Novel Operative Procedure for Pelvic Organ Prolapse Utilizing a MRI-Visible Mesh Implant: Safety and Outcome of Modified Laparoscopic Bilateral Sacropexy. BioMed Research International, 2015, 2015, 1-9.	0.9	14
23	Management and follow up of extraadrenal phaeochromocytoma. Central European Journal of Urology, 2014, 67, 156-61.	0.2	15
24	The arguments for an early cystectomy in patients with urothelial carcinoma. Central European Journal of Urology, 2014, 67, 333-4.	0.2	3
25	Coating of Mesh Grafts for Prolapse and Urinary Incontinence Repair with Autologous Plasma: Exploration Stage of a Surgical Innovation. BioMed Research International, 2014, 2014, 1-7.	0.9	23
26	Inflammatory Reaction as Determinant of Foreign Body Reaction Is an Early and Susceptible Event after Mesh Implantation. BioMed Research International, 2014, 2014, 1-6.	0.9	24
27	Metastatic penile carcinoma – an update on the current diagnosis and treatment options. Central European Journal of Urology, 2014, 67, 126-32.	0.2	35
28	Diagnosis of extraadrenal phaeochromocytoma after nephrectomy. Central European Journal of Urology, 2014, 67, 162-6.	0.2	0
29	Systematic review and classification of complications after anterior, posterior, apical, and total vaginal mesh implantation for prolapse repair. Surgical Technology International, 2014, 24, 217-24.	0.1	53
30	Coating with Autologous Plasma Improves Biocompatibility of Mesh Grafts <i>In Vitro </i> Development Stage of a Surgical Innovation. BioMed Research International, 2013, 2013, 1-6.	0.9	15
31	Rs11892031[A] on chromosome 2q37 in an intronic region of the UGT1A locus is associated with urinary bladder cancer risk. Archives of Toxicology, 2012, 86, 1369-1378.	1.9	32
32	Urinary bladder cancer risk in relation to a single nucleotide polymorphism (rs2854744) in the insulin-like growth factor-binding protein-3 (IGFBP3) gene. Archives of Toxicology, 2012, 86, 195-203.	1.9	14
33	Genotyping NAT2 with only two SNPs (rs1041983 and rs1801280) outperforms the tagging SNP rs1495741 and is equivalent to the conventional 7-SNP NAT2 genotype. Pharmacogenetics and Genomics, 2011, 21, 673-678.	0.7	50
34	Rs710521[A] on chromosome 3q28 close to TP63 is associated with increased urinary bladder cancer risk. Archives of Toxicology, 2010, 84, 967-978.	1.9	37
35	Hypermethylation and Transcriptional Downregulation of the <i>TIMP3</i> Gene is Associated with Allelic Loss on 22q12.3 and Malignancy in Meningiomas. Brain Pathology, 2010, 20, 623-631.	2.1	74