
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1731236/publications.pdf Version: 2024-02-01



ΙΙ Η ΑΝΙ ΣΑΤΜΑΝΙ

#	Article	IF	CITATIONS
1	Twelve-year trends in the prevalence and risk factors of diabetes and prediabetes in Turkish adults. European Journal of Epidemiology, 2013, 28, 169-180.	2.5	487
2	Population-Based Study of Diabetes and Risk Characteristics in Turkey: Results of the Turkish Diabetes Epidemiology Study (TURDEP). Diabetes Care, 2002, 25, 1551-1556.	4.3	425
3	Salivary Glucose Concentration and Excretion in Normal and Diabetic Subjects. Journal of Biomedicine and Biotechnology, 2009, 2009, 1-6.	3.0	127
4	Oxidative protein damage in early stage Type 1 diabetic patients. Diabetes Research and Clinical Practice, 2000, 50, 213-223.	1.1	117
5	Self-Monitoring of Blood Glucose in Type 2 Diabetes: Recent Studies. Journal of Diabetes Science and Technology, 2013, 7, 478-488.	1.3	67
6	Lessons Learnt from Influences of the Marmara Earthquake on Glycemic Control and Quality of Life in People with Type 1 Diabetes. Endocrine Journal, 2004, 51, 407-414.	0.7	45
7	Addressing Schemes of Self-Monitoring of Blood Glucose in Type 2 Diabetes: A European Perspective and Expert Recommendation. Diabetes Technology and Therapeutics, 2011, 13, 959-965.	2.4	45
8	The phenotypic and molecular genetic spectrum of Alström syndrome in 44 Turkish kindreds and a literature review of Alström syndrome in Turkey. Journal of Human Genetics, 2015, 60, 1-9.	1.1	38
9	Comparison of Acarbose and Gliclazide as First-line Agents in Patients with Type 2 Diabetes. Current Medical Research and Opinion, 2001, 16, 296-306.	0.9	38
10	Evaluation of insulin resistant diabetes mellitus in Alström syndrome: a long-term prospective follow-up of three siblings. Diabetes Research and Clinical Practice, 2002, 56, 189-196.	1.1	37
11	Impact of Obesity on the Metabolic Control of Type 2 Diabetes: Results of the Turkish Nationwide Survey of Glycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMD Obesity) Tj ETQqI	. 1 <b>D</b> <i>6</i> 7843	31433gBT /Ov
12	Effect of insulin degludec versus sitagliptin in patients with type 2 diabetes uncontrolled on oral antidiabetic agents. Diabetes, Obesity and Metabolism, 2013, 15, 760-766.	2.2	34
13	Obesity attenuates gender differences in cardiovascular mortality. Cardiovascular Diabetology, 2014, 13, 144.	2.7	33
14	Turkish inappropriate medication use in the elderly (TIME) criteria to improve prescribing in older adults: TIME-to-STOP/TIME-to-START. European Geriatric Medicine, 2020, 11, 491-498.	1.2	31
15	A patient-based study on the adherence of physicians to guidelines for the management of type 2 diabetes in Turkey. Diabetes Research and Clinical Practice, 2012, 98, 75-82.	1.1	27
16	The effect of physicians' awareness on influenza and pneumococcal vaccination rates and correlates of vaccination in patients with diabetes in Turkey: An epidemiological Study "diaVAX― Human Vaccines and Immunotherapeutics, 2013, 9, 2618-2626.	1.4	26
17	Incidence of hypoglycemia in patients with type 2 diabetes treated with gliclazide versus DPP-4 inhibitors during Ramadan: A meta-analytical approach. Diabetes Research and Clinical Practice, 2015, 109, 226-232.	1.1	26
18	Clinical characteristics and outcomes of <scp>COVID</scp> â€19 in patients with type 2 diabetes in <scp>Turkey</scp> : A nationwide study ( <scp>TurCoviDia</scp> ). Journal of Diabetes, 2021, 13, 585-595.	0.8	26

#	Article	IF	CITATIONS
19	Turkish nationwide survEy of glycemic and other Metabolic parameters of patients with Diabetes mellitus (TEMD study). Diabetes Research and Clinical Practice, 2018, 146, 138-147.	1.1	25
20	Early prevention of diabetes microvascular complications in people with hyperglycaemia in Europe. ePREDICE randomized trial. Study protocol, recruitment and selected baseline data. PLoS ONE, 2020, 15, e0231196.	1.1	23
21	Utility of DN4 questionnaire in assessment of neuropathic pain and its clinical correlations in Turkish patients with diabetes mellitus. Primary Care Diabetes, 2016, 10, 259-264.	0.9	21
22	The effects of Internet-based exercise compared with supervised group exercise in people with type 2 diabetes: a randomized controlled study. Clinical Rehabilitation, 2018, 32, 799-810.	1.0	19
23	Effectiveness of gliclazide MR 60Âmg in the management of type 2 diabetes: analyses from the EASYDia trial. Diabetology and Metabolic Syndrome, 2018, 10, 30.	1.2	19
24	Molecular analysis and longâ€ŧerm clinical evaluation of three siblings with Alström syndrome. Clinical Genetics, 2007, 72, 351-356.	1.0	18
25	Diabetes education: a chance to improve well-being of Turkish people with type 2 diabetes. Patient Education and Counseling, 2003, 51, 39-44.	1.0	17
26	Diagnosis, Treatment and Prevention of Diabetic Foot Wounds and Infections: Turkish Consensus Report. Klimik Dergisi, 2016, 28, 2-34.	0.1	17
27	Alstrom syndrome: A case report Journal of Oral Science, 2001, 43, 221-224.	0.7	16
28	A Comparison of hs-CRP Levels in New Diabetes Groups Diagnosed Based on FPG, 2-hPG, or HbA1c Criteria. Journal of Diabetes Research, 2016, 2016, 1-9.	1.0	15
29	A Cross-Sectional Study of Overtreatment and Deintensification of Antidiabetic and Antihypertensive Medications in Diabetes Mellitus: The TEMD Overtreatment Study. Diabetes Therapy, 2020, 11, 1045-1059.	1.2	14
30	Sexual Dysfunction and Sexual Quality of Life in Women with Diabetes: The Study Based on a Diabetic Center. Sexuality and Disability, 2015, 33, 233-241.	0.4	13
31	LEADER-4. Journal of Hypertension, 2016, 34, 1140-1150.	0.3	13
32	Characteristics of patients with hypertension in a population with type 2 diabetes mellitus. Results from the Turkish Nationwide SurvEy of Glycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMD Hypertension Study). Primary Care Diabetes, 2021, 15, 332-339.	0.9	13
33	Unexpectedly lower mortality rates in COVID-19 patients with and without type 2 diabetes in Istanbul. Diabetes Research and Clinical Practice, 2021, 174, 108753.	1.1	13
34	Cost-Effectiveness of Increasing Influenza Vaccination Coverage in Adults with Type 2 Diabetes in Turkey. PLoS ONE, 2016, 11, e0157657.	1.1	13
35	The Role of Self-Monitoring of Blood Glucose in Glucagon-like Peptide-1-Based Treatment Approaches: A European Expert Recommendation. Journal of Diabetes Science and Technology, 2012, 6, 665-673.	1.3	12
36	Fine-scale haplotype mapping of MUT, AACS, SLC6A15 and PRKCA genes indicates association with insulin resistance of metabolic syndrome and relationship with branched chain amino acid metabolism or regulation. PLoS ONE, 2019, 14, e0214122.	1.1	12

#	Article	IF	CITATIONS
37	Monogenic Childhood Diabetes: Dissecting Clinical Heterogeneity by Next-Generation Sequencing in Maturity-Onset Diabetes of the Young. OMICS A Journal of Integrative Biology, 2021, 25, 431-449.	1.0	12
38	Diabetes and impaired glucose tolerance among Turkish immigrants in Sweden. Diabetes Research and Clinical Practice, 2011, 92, 118-123.	1.1	11
39	Contrasting cardiovascular mortality trends in Eastern Mediterranean populations: Contributions from risk factor changes and treatments. International Journal of Cardiology, 2016, 208, 150-161.	0.8	11
40	Implementing an optimized glucose-lowering strategy with a novel once daily modified release gliclazide formulation. Diabetes Research and Clinical Practice, 2016, 112, 50-56.	1.1	11
41	Lower COVID-19 Mortality in Patients with Type 2 Diabetes Mellitus Taking Dipeptidyl Peptidase-4 Inhibitors: Results from a Turkish Nationwide Study. Diabetes Therapy, 2021, 12, 2857-2870.	1.2	11
42	Diabetic sclerodactyly. Diabetes Research and Clinical Practice, 1995, 27, 153-157.	1.1	10
43	Immunoprotection in spontaneous remission of type 1 diabetes: long-term follow-up results. Diabetes Research and Clinical Practice, 1993, 19, 151-162.	1.1	9
44	The Metabolic Effects of Pre-probiotic Supplementation After Roux-en-Y Gastric Bypass (RYGB) Surgery: a Prospective, Randomized Controlled Study. Obesity Surgery, 2021, 31, 215-223.	1.1	9
45	Clinical Characteristics and Outcomes of COVID-19 Patients with Overweight and Obesity: Turkish Nationwide Cohort Study (TurCObesity). Experimental and Clinical Endocrinology and Diabetes, 2022, 130, 115-124.	0.6	9
46	Gastroesophageal Reflux in Asymptomatic Patients with Diabetes: An Impedance Study Diabetes, Obesity and Gastroesophageal Reflux. Experimental and Clinical Endocrinology and Diabetes, 2020, 128, 52-58.	0.6	8
47	Utilization of statins and LDL-cholesterol target attainment in Turkish patients with type 2 diabetes - a nationwide cross-sectional study (TEMD dyslipidemia study). Lipids in Health and Disease, 2020, 19, 237.	1.2	8
48	Determination of genetic changes of Rev-erb beta and Rev-erb alpha genes in Type 2 diabetes mellitus by next-generation sequencing. Gene, 2020, 763, 145058.	1.0	8
49	The clinical outcomes of COVIDâ€19 infection in patients with a history of thyroid cancer: A nationwide study. Clinical Endocrinology, 2021, 95, 628-637.	1.2	7
50	Precision Diagnosis of Maturity-Onset Diabetes of the Young with Next-Generation Sequencing: Findings from the MODY-IST Study in Adult Patients. OMICS A Journal of Integrative Biology, 2022, 26, 218-235.	1.0	7
51	Reducing The Modifiable Risks of Cardiovascular Disease in Turkish Patients With Type 2 Diabetes. Clinical Nursing Research, 2015, 24, 299-317.	0.7	6
52	Evaluation of Glutathione Peroxidase and KCNJ11 Gene Polymorphisms in Patients with New Onset Diabetes Mellitus After Renal Transplantation. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 408-413.	0.6	6
53	Patterns and preferences of antidiabetic drug use in Turkish patients with type 2 diabetes – A nationwide cross-sectional study (TEMD treatment study). Diabetes Research and Clinical Practice, 2021, 171, 108556.	1.1	6
54	LEADER-6: Baseline renal function and associated factors in a high cardiovascular risk type 2 diabetes population. Journal of Diabetes and Its Complications, 2016, 30, 1631-1639.	1.2	5

#	Article	IF	CITATIONS
55	Branched-Chain Amino Acid Database Integrated in MEDIPAD Software as a Tool for Nutritional Investigation of Mediterranean Populations. Nutrients, 2018, 10, 1392.	1.7	5
56	Sensitivity of FRAMINGHAM, PROCAM and SCORE models in Turkish people with Type 2 diabetes: comparison of three cardiovascular risk calculations. Contemporary Nurse, 2015, 50, 183-195.	0.4	4
57	The Effects of Kefir on Kidney Tissues and Functions in Diabetic Rats. Probiotics and Antimicrobial Proteins, 2021, 13, 375-382.	1.9	4
58	Clinical outcomes of non-diabetic COVID-19 patients with different blood glucose levels: a nationwide Turkish study (TurCoGlycemia). Endocrine, 2021, 73, 261-269.	1.1	4
59	Turkish Adaptation of Michigan Diabetes Research and Training Center's Revised Diabetes Knowledge Test and Determination of Factors Affecting the Knowledge Level of Diabetic Individuals. Turkish Journal of Endocrinology and Metabolism, 2020, 24, 38-46.	0.5	4
60	A SOD2 polymorphism is associated with abnormal quantitative sensory testing in type 2 diabetic patients. Noropsikiyatri Arsivi, 2018, 55, 276-279.	0.2	4
61	Comparison of Acarbose and Gliclazide as First-line Agents in Patients with Type 2 Diabetes. Current Medical Research and Opinion, 2000, 16, 296-306.	0.9	3
62	Adherence to Guidelines and Its Effect on Glycemic Control During the Management of Type 2 Diabetes in Turkey: The ADMIRE Study. , 2012, , .		3
63	Presenting Turkish Inappropriate Medication Use in the Elderly (TIME) Criteria Set in Turkish. European Journal of Geriatrics and Gerontology, 2021, 3, 40-100.	0.1	3
64	Higher rate of COVID-19 mortality in patients with type 1 than type 2 diabetes: a nationwide study. Endokrynologia Polska, 2022, , .	0.3	3
65	Rates and associates of influenza and pneumococcus vaccination in diabetes mellitus: A nationwide cross-sectional study (TEMD vaccination study). World Journal of Diabetes, 2021, 12, 2107-2118.	1.3	3
66	Physical Activity Indicators, Metabolic Biomarkers, and Comorbidity in Type 2 Diabetes. Research Quarterly for Exercise and Sport, 2019, 90, 690-698.	0.8	2
67	Diyabetlilerde Kendi Kendine Kan Şekeri İzlemi ile HbA1c ve Diyabet Komplikasyonlarının Karşılaştıl Journal of Nutrition and Dietetics, 2019, 46, 118-124.	′ılması 0.1	<sup>=.</sup> 2
68	The factors associated with disease mismanagement in young patients with type 1 diabetes: a qualitative study. International Journal of Community Based Nursing and Midwifery, 2015, 3, 84-95.	0.2	2
69	No association of Gaucher disease with COVIDâ€19â€related outcomes: a nationwide cohort study. Internal Medicine Journal, 2021, , .	0.5	2
70	Patient education: A crucial factor in well-being of type 2 diabetic patients. Diabetes Research and Clinical Practice, 2000, 50, 217-218.	1.1	1
71	Could the ENPP1 p.D85H Mutation be Associated with Hypophosphatemic Rickets?. Bezmiâlem Science, 2018, 6, 126-129.	0.1	1
72	Obesity in Istanbul: Results from outpatient clinic records over a period of 10 years. Diabetes Research and Clinical Practice, 1990, 10, S49-S60.	1.1	0

#	Article	IF	CITATIONS
73	The Role of Self-Monitoring of Blood Glucose in Patients Treated With SGLT-2 Inhibitors. Journal of Diabetes Science and Technology, 2014, 8, 783-790.	1.3	0
74	HDL-C levels in newly diagnosed type 2 diabetes in Turkey. International Journal of Diabetes in Developing Countries, 2015, 35, 184-188.	0.3	0
75	Relationship between lipid profile and lipid hydroperoxide levels in early stage type 1 diabetic patients. Biomedical Research, 2004, 25, 189-193.	0.3	Ο
76	Cost Effectiveness of Insulin Glargine versus Neutral Protamin Hagedorn Insulin in the Treatment of Type 2 Diabetes Patients in Turkey. Journal of Health Economics and Outcomes Research, 2013, 1, 108-122.	0.6	0
77	The Rates of Overtreatment and Deintensification of Antidiabetic and Antihypertensive Medications in Patients with Diabetes Mellitus. Diabetes, 2018, 67, .	0.3	0