

Ilhan Satman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1731236/publications.pdf>

Version: 2024-02-01

77
papers

2,180
citations

361045

20
h-index

253896

43
g-index

81
all docs

81
docs citations

81
times ranked

3000
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Characteristics and Outcomes of COVID-19 Patients with Overweight and Obesity: Turkish Nationwide Cohort Study (TurCObesity). <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 115-124.	0.6	9
2	Higher rate of COVID-19 mortality in patients with type 1 than type 2 diabetes: a nationwide study. <i>Endokrynologia Polska</i> , 2022, , .	0.3	3
3	Precision Diagnosis of Maturity-Onset Diabetes of the Young with Next-Generation Sequencing: Findings from the MODY-IST Study in Adult Patients. <i>OMICS A Journal of Integrative Biology</i> , 2022, 26, 218-235.	1.0	7
4	The Metabolic Effects of Pre-probiotic Supplementation After Roux-en-Y Gastric Bypass (RYGB) Surgery: a Prospective, Randomized Controlled Study. <i>Obesity Surgery</i> , 2021, 31, 215-223.	1.1	9
5	Patterns and preferences of antidiabetic drug use in Turkish patients with type 2 diabetes â€“ A nationwide cross-sectional study (TEMd treatment study). <i>Diabetes Research and Clinical Practice</i> , 2021, 171, 108556.	1.1	6
6	Characteristics of patients with hypertension in a population with type 2 diabetes mellitus. Results from the Turkish Nationwide SurvEy of Glycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMd Hypertension Study). <i>Primary Care Diabetes</i> , 2021, 15, 332-339.	0.9	13
7	The Effects of Kefir on Kidney Tissues and Functions in Diabetic Rats. <i>Probiotics and Antimicrobial Proteins</i> , 2021, 13, 375-382.	1.9	4
8	Clinical characteristics and outcomes of COVID-19 in patients with type 2 diabetes in Turkey: A nationwide study (TurCoviDia). <i>Journal of Diabetes</i> , 2021, 13, 585-595.	0.8	26
9	Unexpectedly lower mortality rates in COVID-19 patients with and without type 2 diabetes in Istanbul. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108753.	1.1	13
10	The clinical outcomes of COVID-19 infection in patients with a history of thyroid cancer: A nationwide study. <i>Clinical Endocrinology</i> , 2021, 95, 628-637.	1.2	7
11	Clinical outcomes of non-diabetic COVID-19 patients with different blood glucose levels: a nationwide Turkish study (TurCoGlycemia). <i>Endocrine</i> , 2021, 73, 261-269.	1.1	4
12	Monogenic Childhood Diabetes: Dissecting Clinical Heterogeneity by Next-Generation Sequencing in Maturity-Onset Diabetes of the Young. <i>OMICS A Journal of Integrative Biology</i> , 2021, 25, 431-449.	1.0	12
13	Presenting Turkish Inappropriate Medication Use in the Elderly (TIME) Criteria Set in Turkish. <i>European Journal of Geriatrics and Gerontology</i> , 2021, 3, 40-100.	0.1	3
14	Lower COVID-19 Mortality in Patients with Type 2 Diabetes Mellitus Taking Dipeptidyl Peptidase-4 Inhibitors: Results from a Turkish Nationwide Study. <i>Diabetes Therapy</i> , 2021, 12, 2857-2870.	1.2	11
15	No association of Gaucher disease with COVID-19-related outcomes: a nationwide cohort study. <i>Internal Medicine Journal</i> , 2021, , .	0.5	2
16	Rates and associates of influenza and pneumococcus vaccination in diabetes mellitus: A nationwide cross-sectional study (TEMd vaccination study). <i>World Journal of Diabetes</i> , 2021, 12, 2107-2118.	1.3	3
17	Gastroesophageal Reflux in Asymptomatic Patients with Diabetes: An Impedance Study <i>Diabetes, Obesity and Gastroesophageal Reflux</i> . <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 52-58.	0.6	8
18	Utilization of statins and LDL-cholesterol target attainment in Turkish patients with type 2 diabetes - a nationwide cross-sectional study (TEMd dyslipidemia study). <i>Lipids in Health and Disease</i> , 2020, 19, 237.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Determination of genetic changes of Rev-erb beta and Rev-erb alpha genes in Type 2 diabetes mellitus by next-generation sequencing. <i>Gene</i> , 2020, 763, 145058.	1.0	8
20	Turkish inappropriate medication use in the elderly (TIME) criteria to improve prescribing in older adults: TIME-to-STOP/TIME-to-START. <i>European Geriatric Medicine</i> , 2020, 11, 491-498.	1.2	31
21	A Cross-Sectional Study of Overtreatment and Deintensification of Antidiabetic and Antihypertensive Medications in Diabetes Mellitus: The TEMD Overtreatment Study. <i>Diabetes Therapy</i> , 2020, 11, 1045-1059.	1.2	14
22	Early prevention of diabetes microvascular complications in people with hyperglycaemia in Europe. ePREDICE randomized trial. Study protocol, recruitment and selected baseline data. <i>PLoS ONE</i> , 2020, 15, e0231196.	1.1	23
23	Turkish Adaptation of Michigan Diabetes Research and Training Center's Revised Diabetes Knowledge Test and Determination of Factors Affecting the Knowledge Level of Diabetic Individuals. <i>Turkish Journal of Endocrinology and Metabolism</i> , 2020, 24, 38-46.	0.5	4
24	Physical Activity Indicators, Metabolic Biomarkers, and Comorbidity in Type 2 Diabetes. <i>Research Quarterly for Exercise and Sport</i> , 2019, 90, 690-698.	0.8	2
25	Impact of Obesity on the Metabolic Control of Type 2 Diabetes: Results of the Turkish Nationwide Survey of Glycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMDObesity) Tj ETQq1 1 0678431438BT /Over	1.1	12
26	Fine-scale haplotype mapping of MUT, AACs, SLC6A15 and PRKCA genes indicates association with insulin resistance of metabolic syndrome and relationship with branched chain amino acid metabolism or regulation. <i>PLoS ONE</i> , 2019, 14, e0214122.	1.1	12
27	Diyabetlilerde Kendi Kendine Kan zkeri zlemi ile HbA1c ve Diyabet KomplikasyonlarÄ±nÄ±n KarÄ±laÅ±tÄ±rÄ±lmasÄ±. <i>Journal of Nutrition and Dietetics</i> , 2019, 46, 118-124.	0.1	2
28	The effects of Internet-based exercise compared with supervised group exercise in people with type 2 diabetes: a randomized controlled study. <i>Clinical Rehabilitation</i> , 2018, 32, 799-810.	1.0	19
29	Effectiveness of gliclazide MR 60Åmg in the management of type 2 diabetes: analyses from the EASYDia trial. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 30.	1.2	19
30	Branched-Chain Amino Acid Database Integrated in MEDIPAD Software as a Tool for Nutritional Investigation of Mediterranean Populations. <i>Nutrients</i> , 2018, 10, 1392.	1.7	5
31	Turkish nationwide survey of glycemic and other Metabolic parameters of patients with Diabetes mellitus (TEMDO study). <i>Diabetes Research and Clinical Practice</i> , 2018, 146, 138-147.	1.1	25
32	A SOD2 polymorphism is associated with abnormal quantitative sensory testing in type 2 diabetic patients. <i>Noropsikiyatri Arsivi</i> , 2018, 55, 276-279.	0.2	4
33	Could the ENPP1 p.D85H Mutation be Associated with Hypophosphatemic Rickets?. <i>BezmÄ±lem Science</i> , 2018, 6, 126-129.	0.1	1
34	The Rates of Overtreatment and Deintensification of Antidiabetic and Antihypertensive Medications in Patients with Diabetes Mellitus. <i>Diabetes</i> , 2018, 67, .	0.3	0
35	Evaluation of Glutathione Peroxidase and KCNJ11 Gene Polymorphisms in Patients with New Onset Diabetes Mellitus After Renal Transplantation. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 408-413.	0.6	6
36	A Comparison of hs-CRP Levels in New Diabetes Groups Diagnosed Based on FPG, 2-hPG, or HbA1c Criteria. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-9.	1.0	15

#	ARTICLE	IF	CITATIONS
37	LEADER-4. Journal of Hypertension, 2016, 34, 1140-1150.	0.3	13
38	LEADER-6: Baseline renal function and associated factors in a high cardiovascular risk type 2 diabetes population. Journal of Diabetes and Its Complications, 2016, 30, 1631-1639.	1.2	5
39	Contrasting cardiovascular mortality trends in Eastern Mediterranean populations: Contributions from risk factor changes and treatments. International Journal of Cardiology, 2016, 208, 150-161.	0.8	11
40	Implementing an optimized glucose-lowering strategy with a novel once daily modified release gliclazide formulation. Diabetes Research and Clinical Practice, 2016, 112, 50-56.	1.1	11
41	Utility of DN4 questionnaire in assessment of neuropathic pain and its clinical correlations in Turkish patients with diabetes mellitus. Primary Care Diabetes, 2016, 10, 259-264.	0.9	21
42	Cost-Effectiveness of Increasing Influenza Vaccination Coverage in Adults with Type 2 Diabetes in Turkey. PLoS ONE, 2016, 11, e0157657.	1.1	13
43	Diagnosis, Treatment and Prevention of Diabetic Foot Wounds and Infections: Turkish Consensus Report. Klimik Dergisi, 2016, 28, 2-34.	0.1	17
44	Reducing The Modifiable Risks of Cardiovascular Disease in Turkish Patients With Type 2 Diabetes. Clinical Nursing Research, 2015, 24, 299-317.	0.7	6
45	Sensitivity of FRAMINGHAM, PROCAM and SCORE models in Turkish people with Type 2 diabetes: comparison of three cardiovascular risk calculations. Contemporary Nurse, 2015, 50, 183-195.	0.4	4
46	HDL-C levels in newly diagnosed type 2 diabetes in Turkey. International Journal of Diabetes in Developing Countries, 2015, 35, 184-188.	0.3	0
47	Sexual Dysfunction and Sexual Quality of Life in Women with Diabetes: The Study Based on a Diabetic Center. Sexuality and Disability, 2015, 33, 233-241.	0.4	13
48	Incidence of hypoglycemia in patients with type 2 diabetes treated with gliclazide versus DPP-4 inhibitors during Ramadan: A meta-analytical approach. Diabetes Research and Clinical Practice, 2015, 109, 226-232.	1.1	26
49	The phenotypic and molecular genetic spectrum of Alstr�m syndrome in 44 Turkish kindreds and a literature review of Alstr�m syndrome in Turkey. Journal of Human Genetics, 2015, 60, 1-9.	1.1	38
50	The factors associated with disease mismanagement in young patients with type 1 diabetes: a qualitative study. International Journal of Community Based Nursing and Midwifery, 2015, 3, 84-95.	0.2	2
51	The Role of Self-Monitoring of Blood Glucose in Patients Treated With SGLT-2 Inhibitors. Journal of Diabetes Science and Technology, 2014, 8, 783-790.	1.3	0
52	Obesity attenuates gender differences in cardiovascular mortality. Cardiovascular Diabetology, 2014, 13, 144.	2.7	33
53	Effect of insulin degludec versus sitagliptin in patients with type 2 diabetes uncontrolled on oral antidiabetic agents. Diabetes, Obesity and Metabolism, 2013, 15, 760-766.	2.2	34
54	Twelve-year trends in the prevalence and risk factors of diabetes and prediabetes in Turkish adults. European Journal of Epidemiology, 2013, 28, 169-180.	2.5	487

#	ARTICLE	IF	CITATIONS
55	Self-Monitoring of Blood Glucose in Type 2 Diabetes: Recent Studies. <i>Journal of Diabetes Science and Technology</i> , 2013, 7, 478-488.	1.3	67
56	The effect of physicians' awareness on influenza and pneumococcal vaccination rates and correlates of vaccination in patients with diabetes in Turkey: An epidemiological Study. <i>Human Vaccines and Immunotherapeutics</i> , 2013, 9, 2618-2626.	1.4	26
57	Cost Effectiveness of Insulin Glargine versus Neutral Protamin Hagedorn Insulin in the Treatment of Type 2 Diabetes Patients in Turkey. <i>Journal of Health Economics and Outcomes Research</i> , 2013, 1, 108-122.	0.6	0
58	The Role of Self-Monitoring of Blood Glucose in Glucagon-like Peptide-1-Based Treatment Approaches: A European Expert Recommendation. <i>Journal of Diabetes Science and Technology</i> , 2012, 6, 665-673.	1.3	12
59	A patient-based study on the adherence of physicians to guidelines for the management of type 2 diabetes in Turkey. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 75-82.	1.1	27
60	Adherence to Guidelines and Its Effect on Glycemic Control During the Management of Type 2 Diabetes in Turkey: The ADMIRE Study. , 2012, , .		3
61	Diabetes and impaired glucose tolerance among Turkish immigrants in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 118-123.	1.1	11
62	Addressing Schemes of Self-Monitoring of Blood Glucose in Type 2 Diabetes: A European Perspective and Expert Recommendation. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 959-965.	2.4	45
63	Salivary Glucose Concentration and Excretion in Normal and Diabetic Subjects. <i>Journal of Biomedicine and Biotechnology</i> , 2009, 2009, 1-6.	3.0	127
64	Molecular analysis and long-term clinical evaluation of three siblings with Alström syndrome. <i>Clinical Genetics</i> , 2007, 72, 351-356.	1.0	18
65	Lessons Learnt from Influences of the Marmara Earthquake on Glycemic Control and Quality of Life in People with Type 1 Diabetes. <i>Endocrine Journal</i> , 2004, 51, 407-414.	0.7	45
66	Relationship between lipid profile and lipid hydroperoxide levels in early stage type 1 diabetic patients. <i>Biomedical Research</i> , 2004, 25, 189-193.	0.3	0
67	Diabetes education: a chance to improve well-being of Turkish people with type 2 diabetes. <i>Patient Education and Counseling</i> , 2003, 51, 39-44.	1.0	17
68	Population-Based Study of Diabetes and Risk Characteristics in Turkey: Results of the Turkish Diabetes Epidemiology Study (TURDEP). <i>Diabetes Care</i> , 2002, 25, 1551-1556.	4.3	425
69	Evaluation of insulin resistant diabetes mellitus in Alström syndrome: a long-term prospective follow-up of three siblings. <i>Diabetes Research and Clinical Practice</i> , 2002, 56, 189-196.	1.1	37
70	Alstrom syndrome: A case report.. <i>Journal of Oral Science</i> , 2001, 43, 221-224.	0.7	16
71	Comparison of Acarbose and Gliclazide as First-line Agents in Patients with Type 2 Diabetes. <i>Current Medical Research and Opinion</i> , 2001, 16, 296-306.	0.9	38
72	Oxidative protein damage in early stage Type 1 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2000, 50, 213-223.	1.1	117

#	ARTICLE	IF	CITATIONS
73	Patient education: A crucial factor in well-being of type 2 diabetic patients. Diabetes Research and Clinical Practice, 2000, 50, 217-218.	1.1	1
74	Comparison of Acarbose and Gliclazide as First-line Agents in Patients with Type 2 Diabetes. Current Medical Research and Opinion, 2000, 16, 296-306.	0.9	3
75	Diabetic sclerodactyly. Diabetes Research and Clinical Practice, 1995, 27, 153-157.	1.1	10
76	Immunoprotection in spontaneous remission of type 1 diabetes: long-term follow-up results. Diabetes Research and Clinical Practice, 1993, 19, 151-162.	1.1	9
77	Obesity in Istanbul: Results from outpatient clinic records over a period of 10 years. Diabetes Research and Clinical Practice, 1990, 10, S49-S60.	1.1	0