

Francisco Murilo Zerbini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1733084/francisco-murilo-zerbini-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

7,199
citations

43
h-index

83
g-index

151
ext. papers

9,814
ext. citations

3.7
avg, IF

6.01
L-index

#	Paper	IF	Citations
138	Differentiating between viruses and virus species by writing their names correctly.. <i>Archives of Virology</i> , 2022 , 167, 1231	2.6	5
137	ICTV Virus Taxonomy Profile: 2021.. <i>Journal of General Virology</i> , 2021 , 102,	4.9	16
136	A new bipartite begomovirus naturally infecting <i>Pyrenacantha</i> sp. in Mozambique. <i>Archives of Virology</i> , 2021 , 1	2.6	
135	Establishment of five new genera in the family Geminiviridae: Citlodavirus, Maldovirus, Mulcrilevirus, Opunvirus, and Topilevirus. <i>Archives of Virology</i> , 2021 , 1	2.6	7
134	Small but mighty: Functional landscape of the versatile geminivirus-encoded C4 protein. <i>PLoS Pathogens</i> , 2021 , 17, e1009915	7.6	7
133	Revealing the Complexity of Sweepovirus-Deltasatellite-Plant Host Interactions: Expanded Natural and Experimental Helper Virus Range and Effect Dependence on Virus-Host Combination. <i>Microorganisms</i> , 2021 , 9,	4.9	1
132	Evolutionary dynamics of bipartite begomoviruses revealed by complete genome analysis. <i>Molecular Ecology</i> , 2021 , 30, 3747-3767	5.7	7
131	Intra-host evolution of the ssDNA virus tomato severe rugose virus (ToSRV). <i>Virus Research</i> , 2021 , 292, 198234	6.4	2
130	First complete genome sequence of an isolate of cowpea severe mosaic virus from South America. <i>Virus Genes</i> , 2021 , 57, 238-241	2.3	1
129	Speciation driven by recombination in the evolution of tomato curly stunt virus in Mozambique. <i>Plant Pathology</i> , 2021 , 70, 994-1002	2.8	3
128	Malvaviscus yellow mosaic virus, a divergent begomovirus carrying a nanovirus-like nonanucleotide and a modified stem-loop structure. <i>Annals of Applied Biology</i> , 2021 , 179, 96-107	2.6	
127	Changes to virus taxonomy and to the International Code of Virus Classification and Nomenclature ratified by the International Committee on Taxonomy of Viruses (2021). <i>Archives of Virology</i> , 2021 , 166, 2633-2648	2.6	52
126	Complete genome sequence of a recombinant isolate of yambean mosaic virus from <i>Canavalia ensiformis</i> . <i>Virus Genes</i> , 2021 , 57, 561-564	2.3	
125	2021 Taxonomic update of phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales. <i>Archives of Virology</i> , 2021 , 166, 3513-3566	2.6	10
124	Taxonomy update for the family Alphasatellitidae: new subfamily, genera, and species. <i>Archives of Virology</i> , 2021 , 166, 3503-3511	2.6	4
123	The Association between New World Alphasatellites and Bipartite Begomoviruses: Effects on Infection and Vector Transmission. <i>Pathogens</i> , 2021 , 10,	4.5	2
122	High molecular diversity and divergent subpopulations of the begomovirus cnidoscolus mosaic leaf deformation virus associated with <i>Cnidoscolus urens</i> . <i>Archives of Virology</i> , 2021 , 166, 3289-3299	2.6	

121	Experimental evolution of cowpea mild mottle virus reveals recombination-driven reduction in virulence accompanied by increases in diversity and viral fitness. <i>Virus Research</i> , 2021 , 303, 198389	6.4	0
120	Molecular detection of Euphorbia yellow mosaic virus infecting chili pepper. <i>Tropical Plant Pathology</i> , 2020 , 45, 454-460	2.5	2
119	Global Organization and Proposed Megataxonomy of the Virus World. <i>Microbiology and Molecular Biology Reviews</i> , 2020 , 84,	13.2	178
118	: a Virus Phylum Unifying Seven Families of Rep-Encoding Viruses with Single-Stranded, Circular DNA Genomes. <i>Journal of Virology</i> , 2020 , 94,	6.6	47
117	Identification and Characterization of Two Novel Geminiviruses Associated with Paper Mulberry () Leaf Curl Disease. <i>Plant Disease</i> , 2020 , 104, 3010-3018	1.5	6
116	The new scope of virus taxonomy: partitioning the virosphere into 15 hierarchical ranks. <i>Nature Microbiology</i> , 2020 , 5, 668-674	26.6	87
115	Binomial nomenclature for virus species: a consultation. <i>Archives of Virology</i> , 2020 , 165, 519-525	2.6	27
114	Taxonomy of the order Mononegavirales: second update 2018. <i>Archives of Virology</i> , 2019 , 164, 1233-1244.6		50
113	Taxonomy of the order Bunyavirales: second update 2018. <i>Archives of Virology</i> , 2019 , 164, 927-941	2.6	76
112	Additional changes to taxonomy ratified in a special vote by the International Committee on Taxonomy of Viruses (October 2018). <i>Archives of Virology</i> , 2019 , 164, 943-946	2.6	66
111	Life on the Edge: Geminiviruses at the Interface Between Crops and Wild Plant Hosts. <i>Annual Review of Virology</i> , 2019 , 6, 411-433	14.6	49
110	Changes to virus taxonomy and the International Code of Virus Classification and Nomenclature ratified by the International Committee on Taxonomy of Viruses (2019). <i>Archives of Virology</i> , 2019 , 164, 2417-2429	2.6	171
109	Taxonomy of the order Bunyavirales: update 2019. <i>Archives of Virology</i> , 2019 , 164, 1949-1965	2.6	148
108	Taxonomy of the order Mononegavirales: update 2019. <i>Archives of Virology</i> , 2019 , 164, 1967-1980	2.6	133
107	Two new begomoviruses infecting tomato and Hibiscus sp. in the Amazon region of Brazil. <i>Archives of Virology</i> , 2019 , 164, 1897-1901	2.6	9
106	Strengthening the Interaction of the Virology Community with the International Committee on Taxonomy of Viruses (ICTV) by Linking Virus Names and Their Abbreviations to Virus Species. <i>Systematic Biology</i> , 2019 , 68, 828-839	8.4	5
105	New approach for the construction of infectious clones of a circular DNA plant virus using Gibson Assembly. <i>Journal of Virological Methods</i> , 2019 , 263, 20-23	2.6	4
104	Evidence for a complex of emergent poleroviruses affecting pepper worldwide. <i>Archives of Virology</i> , 2018 , 163, 1171-1178	2.6	12

103	A novel mycovirus associated to <i>Alternaria alternata</i> comprises a distinct lineage in Partitiviridae. <i>Virus Research</i> , 2018 , 244, 21-26	6.4	16
102	Complete genome sequences of two gemycircularviruses associated with non-cultivated plants in Brazil. <i>Archives of Virology</i> , 2018 , 163, 3163-3166	2.6	5
101	First report of <i>Candidatus Phytoplasma asteris</i> associated with napier grass in Cuba. <i>Journal of Plant Pathology</i> , 2018 , 100, 603-603	1	0
100	Alphasatellitidae: a new family with two subfamilies for the classification of geminivirus- and nanovirus-associated alphasatellites. <i>Archives of Virology</i> , 2018 , 163, 2587-2600	2.6	78
99	World Management of Geminiviruses. <i>Annual Review of Phytopathology</i> , 2018 , 56, 637-677	10.8	133
98	Changes to taxonomy and the International Code of Virus Classification and Nomenclature ratified by the International Committee on Taxonomy of Viruses (2018). <i>Archives of Virology</i> , 2018 , 163, 2601-2631	2.6	187
97	Translationally controlled tumour protein (TCTP) from tomato and <i>Nicotiana benthamiana</i> is necessary for successful infection by a potyvirus. <i>Molecular Plant Pathology</i> , 2017 , 18, 672-683	5.7	13
96	The ever increasing diversity of begomoviruses infecting non-cultivated hosts: new species from <i>Sida</i> spp. and <i>Leonurus sibiricus</i> , plus two New World alphasatellites. <i>Annals of Applied Biology</i> , 2017 , 170, 204-218	2.6	24
95	Capulavirus and Grablovirus: two new genera in the family Geminiviridae. <i>Archives of Virology</i> , 2017 , 162, 1819-1831	2.6	166
94	Two new begomoviruses that infect non-cultivated malvaceae in Brazil. <i>Archives of Virology</i> , 2017 , 162, 1795-1797	2.6	4
93	50 years of the International Committee on Taxonomy of Viruses: progress and prospects. <i>Archives of Virology</i> , 2017 , 162, 1441-1446	2.6	53
92	Changes to taxonomy and the International Code of Virus Classification and Nomenclature ratified by the International Committee on Taxonomy of Viruses (2017). <i>Archives of Virology</i> , 2017 , 162, 2505-2538	2.6	398
91	Geminivirus data warehouse: a database enriched with machine learning approaches. <i>BMC Bioinformatics</i> , 2017 , 18, 240	3.6	18
90	Consensus statement: Virus taxonomy in the age of metagenomics. <i>Nature Reviews Microbiology</i> , 2017 , 15, 161-168	22.2	375
89	ICTV Virus Taxonomy Profile: Geminiviridae. <i>Journal of General Virology</i> , 2017 , 98, 131-133	4.9	400
88	Possibility and Challenges of Conversion of Current Virus Species Names to Linnaean Binomials. <i>Systematic Biology</i> , 2017 , 66, 463-473	8.4	12
87	Complete genome sequence of a new bipartite begomovirus infecting <i>Macroptilium lathyroides</i> in Brazil. <i>Archives of Virology</i> , 2017 , 162, 3551-3554	2.6	5
86	The diversification of begomovirus populations is predominantly driven by mutational dynamics. <i>Virus Evolution</i> , 2017 , 3, vex005	3.7	45

85	ICTV Virus Taxonomy Profile: Potyviridae. <i>Journal of General Virology</i> , 2017 , 98, 352-354	4.9	194
84	Genetic variability and population structure of the New World begomovirus Euphorbia yellow mosaic virus. <i>Journal of General Virology</i> , 2017 , 98, 1537-1551	4.9	14
83	Interaction between the New World begomovirus Euphorbia yellow mosaic virus and its associated alphasatellite: effects on infection and transmission by the whitefly Bemisia tabaci. <i>Journal of General Virology</i> , 2017 , 98, 1552-1562	4.9	30
82	Ratification vote on taxonomic proposals to the International Committee on Taxonomy of Viruses (2016). <i>Archives of Virology</i> , 2016 , 161, 2921-49	2.6	195
81	Novel begomoviruses recovered from Pavonia sp. in Brazil. <i>Archives of Virology</i> , 2016 , 161, 735-9	2.6	9
80	The dsRNA Virus Papaya Meleira Virus and an ssRNA Virus Are Associated with Papaya Sticky Disease. <i>PLoS ONE</i> , 2016 , 11, e0155240	3.7	24
79	First report of Tobacco leaf curl Cuba virus infecting common bean in Cuba. <i>New Disease Reports</i> , 2016 , 33, 17-17	1.3	3
78	Complete nucleotide sequence of a new begomovirus infecting a malvaceous weed in Brazil. <i>Archives of Virology</i> , 2016 , 161, 1735-8	2.6	4
77	Sustained NIK-mediated antiviral signalling confers broad-spectrum tolerance to begomoviruses in cultivated plants. <i>Plant Biotechnology Journal</i> , 2015 , 13, 1300-1311	11.6	32
76	A novel, highly divergent ssDNA virus identified in Brazil infecting apple, pear and grapevine. <i>Virus Research</i> , 2015 , 210, 27-33	6.4	27
75	Revision of Begomovirus taxonomy based on pairwise sequence comparisons. <i>Archives of Virology</i> , 2015 , 160, 1593-619	2.6	430
74	Complete nucleotide sequences of two new begomoviruses infecting the wild malvaceous plant Melochia sp. in Brazil. <i>Archives of Virology</i> , 2015 , 160, 3161-4	2.6	11
73	Genetic variability of badnaviruses infecting yam (Dioscorea spp.) in northeastern Brazil. <i>Tropical Plant Pathology</i> , 2015 , 40, 111-118	2.5	2
72	Screening of papaya accessions resistant to Papaya lethal yellowing virus and capacity of Tetranychus urticae to transmit the virus. <i>Pesquisa Agropecuaria Brasileira</i> , 2015 , 50, 97-105	1.8	2
71	Response of tomato (Solanum L. section Lycopersicon Mill.) germplasm to begomovirus inoculation under controlled and field conditions. <i>Genetic Resources and Crop Evolution</i> , 2014 , 61, 435-450	2	
70	Revisiting the classification of curtoviruses based on genome-wide pairwise identity. <i>Archives of Virology</i> , 2014 , 159, 1873-82	2.6	55
69	Molecular variability of cowpea mild mottle virus infecting soybean in Brazil. <i>Archives of Virology</i> , 2014 , 159, 727-37	2.6	20
68	Contrasting genetic structure between two begomoviruses infecting the same leguminous hosts. <i>Journal of General Virology</i> , 2014 , 95, 2540-2552	4.9	27

67	Begomovirus diversity in tomato crops and weeds in Ecuador and the detection of a recombinant isolate of rhynchosia golden mosaic Yucatan virus infecting tomato. <i>Archives of Virology</i> , 2014 , 159, 2127-32	2.6	14
66	Establishment of three new genera in the family Geminiviridae: Becurtovirus, Eragrovirus and Turncurtovirus. <i>Archives of Virology</i> , 2014 , 159, 2193-203	2.6	177
65	Recombination and pseudorecombination driving the evolution of the begomoviruses Tomato severe rugose virus (ToSRV) and Tomato rugose mosaic virus (ToRMV): two recombinant DNA-A components sharing the same DNA-B. <i>Virology Journal</i> , 2014 , 11, 66	6.1	29
64	Transgenic Plants 2014 , 179-199		
63	Occurrence of a new recombinant begomovirus species infecting tomato in the Al-Batinah region of Oman. <i>Plant Pathology</i> , 2014 , 63, 1177-1184	2.8	12
62	Molecular and biological characterization of Cowpea mild mottle virus isolates infecting soybean in Brazil and evidence of recombination. <i>Plant Pathology</i> , 2014 , 63, 456-465	2.8	18
61	Synonymous site variation due to recombination explains higher genetic variability in begomovirus populations infecting non-cultivated hosts. <i>Journal of General Virology</i> , 2013 , 94, 418-431	4.9	66
60	Brazilian begomovirus populations are highly recombinant, rapidly evolving, and segregated based on geographical location. <i>Journal of Virology</i> , 2013 , 87, 5784-99	6.6	83
59	Characterization of a new world monopartite begomovirus causing leaf curl disease of tomato in Ecuador and Peru reveals a new direction in geminivirus evolution. <i>Journal of Virology</i> , 2013 , 87, 5397-413	6.6	112
58	Variabilidade genética de isolados de badnavirus infectando inhame (<i>Dioscorea</i> spp.) no nordeste do Brasil. <i>Tropical Plant Pathology</i> , 2013 , 38, 349-353	2.5	6
57	Production of polyclonal antiserum against Cowpea mild mottle virus coat protein and its application in virus detection. <i>Tropical Plant Pathology</i> , 2013 , 38, 49-54	2.5	8
56	Analysis of the full-length genome sequence of papaya lethal yellowing virus (PLYV), determined by deep sequencing, confirms its classification in the genus Sobemovirus. <i>Archives of Virology</i> , 2012 , 157, 2009-11	2.6	9
55	Genetic structure of a Brazilian population of the begomovirus Tomato severe rugose virus (ToSRV). <i>Tropical Plant Pathology</i> , 2012 , 37, 346-353	2.5	12
54	Further molecular characterization of weed-associated begomoviruses in Brazil with an emphasis on <i>Sida</i> spp. <i>Planta Daninha</i> , 2012 , 30, 305-315	0.7	19
53	Species diversity, phylogeny and genetic variability of begomovirus populations infecting leguminous weeds in northeastern Brazil. <i>Plant Pathology</i> , 2012 , 61, 457-467	2.8	50
52	Genetic variability of papaya lethal yellowing virus isolates from Ceará and Rio Grande do Norte States, Brazil. <i>Tropical Plant Pathology</i> , 2012 , 37, 37-43	2.5	6
51	Partial genome sequence of a Potyvirus and of a virus in the order Tymovirales found in <i>Senna macranthera</i> in Brazil. <i>Tropical Plant Pathology</i> , 2011 , 36, 116-120	2.5	2
50	Identificação dos genes Ty-2 e Ty-3 de resistência a begomovírus em genótipos de tomateiro. <i>Pesquisa Agropecuária Brasileira</i> , 2011 , 46, 772-775	1.8	4

49	Molecular characterisation and relative incidence of bean- and soybean-infecting begomoviruses in northwestern Argentina. <i>Annals of Applied Biology</i> , 2011 , 158, 69-78	2.6	23
48	Comparative analysis of the genomes of two isolates of cowpea aphid-borne mosaic virus (CABMV) obtained from different hosts. <i>Archives of Virology</i> , 2011 , 156, 1085-91	2.6	13
47	Molecular and biological characterization of a new Brazilian begomovirus, euphorbia yellow mosaic virus (EuYMV), infecting Euphorbia heterophylla plants. <i>Archives of Virology</i> , 2011 , 156, 2063-9	2.6	21
46	High genetic variability and recombination in a begomovirus population infecting the ubiquitous weed <i>Cleome affinis</i> in northeastern Brazil. <i>Archives of Virology</i> , 2011 , 156, 2205-13	2.6	29
45	Characterization of Passionfruit severe leaf distortion virus, a novel begomovirus infecting passionfruit in Brazil, reveals a close relationship with tomato-infecting begomoviruses. <i>Plant Pathology</i> , 2010 , 59, 221-230	2.8	13
44	Sources of resistance against the Pepper yellow mosaic virus in chili pepper. <i>Horticultura Brasileira</i> , 2009 , 27, 196-201	0.9	14
43	Synergism and negative interference during co-infection of tomato and <i>Nicotiana benthamiana</i> with two bipartite begomoviruses. <i>Virology</i> , 2009 , 387, 257-66	3.6	33
42	Three distinct begomoviruses associated with soybean in central Brazil. <i>Archives of Virology</i> , 2009 , 154, 1567-70	2.6	27
41	Genome-wide analysis of differentially expressed genes during the early stages of tomato infection by a potyvirus. <i>Molecular Plant-Microbe Interactions</i> , 2009 , 22, 352-61	3.6	36
40	A novel nucleocytoplasmic traffic GTPase identified as a functional target of the bipartite geminivirus nuclear shuttle protein. <i>Plant Journal</i> , 2008 , 55, 869-80	6.9	43
39	Passionfruit 2008 , 213-234		22
38	NSP-interacting GTPase: A cytosolic protein as cofactor for nuclear shuttle proteins. <i>Plant Signaling and Behavior</i> , 2008 , 3, 752-4	2.5	20
37	Base genética da resistência de um acesso de tomate silvestre ao mosaico-amarelo do pimentão. <i>Pesquisa Agropecuaria Brasileira</i> , 2008 , 43, 713-720	1.8	7
36	A mosaic of beach bean (<i>Canavalia rosea</i>) caused by an isolate of Cowpea aphid-borne mosaic virus (CABMV) in Brazil. <i>Archives of Virology</i> , 2008 , 153, 743-7	2.6	11
35	Six novel begomoviruses infecting tomato and associated weeds in Southeastern Brazil. <i>Archives of Virology</i> , 2008 , 153, 1985-9	2.6	73
34	Begomoviruses: molecular cloning and identification of replication origin. <i>Methods in Molecular Biology</i> , 2008 , 451, 145-66	1.4	
33	Characterization of Tomato yellow spot virus, a novel tomato-infecting begomovirus in Brazil. <i>Pesquisa Agropecuaria Brasileira</i> , 2007 , 42, 1335-1343	1.8	17
32	Diversidade genética de begomovírus em cultivos de tomateiro no Centro-Oeste Paulista. <i>Summa Phytopathologica</i> , 2007 , 33, 300-303	0.4	7

31	Further characterization of two sequiviruses infecting lettuce and development of specific RT-PCR primers. <i>Archives of Virology</i> , 2007 , 152, 999-1007	2.6	5
30	Expression of Grapevine leafroll-associated virus 3 coat protein gene in <i>Escherichia coli</i> and production of polyclonal antibodies. <i>Tropical Plant Pathology</i> , 2007 , 32, 496-500		10
29	Functional analysis of the naturally recombinant DNA-A of the bipartite begomovirus Tomato chlorotic mottle virus. <i>Virus Research</i> , 2007 , 126, 262-7	6.4	18
28	Quantitative control of Lettuce mosaic virus fitness and host defence inhibition by P1-HCPro. <i>Summa Phytopathologica</i> , 2007 , 33, 119-123	0.4	
27	A PERK-like receptor kinase interacts with the geminivirus nuclear shuttle protein and potentiates viral infection. <i>Journal of Virology</i> , 2006 , 80, 6648-56	6.6	70
26	Tomato yellow spot virus, a tomato-infecting begomovirus from Brazil with a closer relationship to viruses from <i>Sida</i> sp., forms pseudorecombinants with begomoviruses from tomato but not from <i>Sida</i> . <i>Journal of General Virology</i> , 2006 , 87, 3687-3696	4.9	51
25	Genetic diversity of begomoviruses infecting soybean, bean and associated weeds in Northwestern Argentina. <i>Tropical Plant Pathology</i> , 2006 , 31, 342-348		8
24	Caracterizaçã de um isolado do Bean rugose mosaic virus (BRMV) de Minas Gerais e estimativa de perdas em feijoeiro em infecçã simples ou em conjunto com o BCMV. <i>Tropical Plant Pathology</i> , 2006 , 31, 455-461		2
23	Biological and molecular properties of Tomato rugose mosaic virus (ToRMV), a new tomato-infecting begomovirus from Brazil. <i>Plant Pathology</i> , 2006 , 55, 513-522	2.8	34
22	Cowpea aphid-borne mosaic virus (CABMV) is widespread in passionfruit in Brazil and causes passionfruit woodiness disease. <i>Archives of Virology</i> , 2006 , 151, 1797-809	2.6	52
21	Tomato rugose mosaic virus in Tomato Crops in Sã Paulo State, Brazil. <i>Tropical Plant Pathology</i> , 2006 , 31, 606-606		1
20	Screening of <i>Lycopersicon</i> sp. accessions for resistance to Pepper yellow mosaic virus. <i>Scientia Agricola</i> , 2006 , 63, 510-512	2.5	8
19	Molecular mapping of the viral determinants of systemic wilting induced by a Lettuce mosaic virus (LMV) isolate in some lettuce cultivars. <i>Virus Research</i> , 2005 , 109, 175-80	6.4	34
18	Traditional and novel strategies for geminivirus management in Brazil. <i>Australasian Plant Pathology</i> , 2005 , 34, 475	1.4	13
17	Transgenic passionfruit expressing RNA derived from Cowpea aphid-borne mosaic virus is resistant to passionfruit woodiness disease. <i>Tropical Plant Pathology</i> , 2005 , 30, 33-38		21
16	Reaçã de acessos de <i>Cucurbita</i> sp. ao Zucchini yellow mosaic virus (ZYMV). <i>Horticultura Brasileira</i> , 2005 , 23, 206-210	0.9	3
15	Expressã em <i>Escherichia coli</i> da proteãa capsidial do Watermelon mosaic virus e produã de anti-soro. <i>Tropical Plant Pathology</i> , 2004 , 29, 215-219		6
14	Specific detection of lettuce mosaic virus isolates belonging to the "Most" type. <i>Journal of Virological Methods</i> , 2004 , 121, 119-24	2.6	9

- 13 A naturally occurring recombinant isolate of Lettuce mosaic virus. *Archives of Virology*, **2004**, 149, 191-7 2.6 18
- 12 Análise filogenética de potyvírus causando endurecimento dos frutos do maracujazeiro no Nordeste do Brasil. *Tropical Plant Pathology*, **2004**, 29, 378-383 19
- 11 Identidade e propriedades de isolados de potyvírus provenientes de Capsicum spp.. *Tropical Plant Pathology*, **2004**, 29, 160-168 13
- 10 Efeitos na fotossíntese e área foliar de cultivares de alface inoculadas mecanicamente com patótipos do Lettuce mosaic virus e Lettuce mottle virus. *Tropical Plant Pathology*, **2004**, 29, 7-11
- 9 Distribution and genetic diversity of tomato-infecting begomoviruses in Brazil. *Archives of Virology*, **2003**, 148, 281-95 2.6 114
- 8 Purification and some properties of Papaya meleira virus, a novel virus infecting papayas in Brazil. *Plant Pathology*, **2003**, 52, 389-394 2.8 34
- 7 A naturally occurring recombinant DNA-A of a typical bipartite begomovirus does not require the cognate DNA-B to infect *Nicotiana benthamiana* systemically. *Journal of General Virology*, **2003**, 84, 715-726 4.9 57
- 6 Genetic diversity of begomovirus infecting tomato and associated weeds in Southeastern Brazil. *Tropical Plant Pathology*, **2002**, 27, 372-377 44
- 5 Molecular and Biological Characterization of Lettuce mosaic virus (LMV) Isolates Reveals a Distinct and Widespread Type of Resistance-Breaking Isolate: LMV-Most. *Phytopathology*, **2002**, 92, 563-72 3.8 48
- 4 Caracterização molecular de dois isolados brasileiros de Lettuce mosaic virus apresentando propriedades biológicas distintas. *Tropical Plant Pathology*, **2001**, 26, 153-157 15
- 3 *Gazania* spp.: A New Host of Lettuce Mosaic Potyvirus, and a Potential Inoculum Source for Recent Lettuce Mosaic Outbreaks in the Salinas Valley of California. *Plant Disease*, **1997**, 81, 641-646 1.5 6
- 2 Capsid protein and helper component-proteinase function as potyvirus cell-to-cell movement proteins. *Virology*, **1997**, 237, 283-95 3.6 206
- 1 Biological and Molecular Characterization of Lettuce Mosaic Potyvirus Isolates from the Salinas Valley of California. *Phytopathology*, **1995**, 85, 746 3.8 25