

See Mun Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1733519/publications.pdf>

Version: 2024-02-01

105
papers

335
citations

1163117

8
h-index

1058476

14
g-index

105
all docs

105
docs citations

105
times ranked

234
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis, characterisation and biological activity of diorganotin compounds of (E)-N'-(5-nitro-2-hydroxybenzylidene)-3-hydroxy-2-naphthohydrazide. <i>Polyhedron</i> , 2022, 223, 115955.	2.2	1
2	Experimental and computational evidence for a stabilising C=Cl(lone-pair)→C(chelate-ring) interaction. <i>CrystEngComm</i> , 2021, 23, 119-130.	2.6	4
3	A Structural Survey of Poly-Functional Dithiocarbamate Ligands and the Aggregation Patterns They Sustain. <i>Inorganics</i> , 2021, 9, 7.	2.7	13
4	4-[(4-Chlorophenyl)carbamoyl]butanoic Acid. <i>MolBank</i> , 2021, 2021, M1209.	0.5	3
5	4-[(2,4-Dichlorophenyl)carbamoyl]butanoic Acid. <i>MolBank</i> , 2021, 2021, M1227.	0.5	3
6	Synthesis, structural and in vitro biological evaluation of diamondoid-decorated lipophilic organotin(IV) derivatives. <i>Journal of Organometallic Chemistry</i> , 2021, 941, 121802.	1.8	6
7	Crystal structure of 4-(dimethylamino)pyridinium dibromido-tris(4-chlorophenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)stannate(IV), $\text{C}_{25}\text{H}_{23}\text{Br}_2\text{Cl}_3\text{N}_2\text{Sn}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, 236, 1267-1269.	0.3	2
8	Crystal structure of dichlorido-bis(4-methylphenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)tin(IV), $\text{C}_{14}\text{H}_{14}\text{Cl}_2\text{Sn}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, 236, 1211-1213.	0.3	1
9	Crystal structure of (4-methylbenzyl)(triphenyl)phosphonium chloride dihydrate, $\text{C}_{26}\text{H}_{28}\text{ClO}_2\text{P}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, 236, 1283-1285.	0.3	0
10	Crystal structure of dichlorido-bis(4-chlorophenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)bis(triphenylarsine oxide- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{O}$)tin(IV), $\text{C}_{48}\text{H}_{38}\text{As}_2\text{Cl}_4\text{O}_2\text{Sn}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, .	0.3	0
11	Crystal structure of dichlorido-bis(4-chlorophenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)tin(IV), $\text{C}_{12}\text{H}_8\text{Cl}_4\text{Sn}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, .	0.3	5
12	Crystal structure of dimethyl-bis(4-bromophenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)tin(IV), $\text{C}_{14}\text{H}_{14}\text{Br}_2\text{Sn}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, 236, 1227-1229.	0.3	0
13	Crystal structure of dichlorido-bis(dimethyl sulfoxide- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{O}$)bis(4-methylphenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)tin(IV), $\text{C}_{18}\text{H}_{26}\text{Cl}_2\text{O}_2\text{S}_2\text{Sn}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, .	0.3	0
14	Crystal structure of dichlorido-bis(4-chlorophenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)tin(IV), $(2,2\text{-bipyridyl-}\text{I}^{\text{p}}\langle\text{i}\rangle)$ Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 72 Td ($\text{I}^{\text{p}}\langle\text{i}\rangle$)	0.3	0
15	Redetermination of the crystal structure of $\text{Ni}^{\text{p}}\langle\text{i}\rangle$ -(3-ethoxy-2-hydroxybenzylidene)-4-fluorobenzohydrazide monohydrate, $\text{C}_{16}\text{H}_{17}\text{FN}_2\text{O}_4$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2020, 235, 259-261.	0.3	2
16	Crystal structure of bis(ammonium) diaqua-tetrakis(4-hydroxybenzoato)-manganese(II) tetrahydrate, $[\text{NH}_4]_2[\text{C}_{28}\text{H}_{24}\text{MnO}_{14}] \cdot 4\text{H}_2\text{O}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2020, 235, 313-315.	0.3	1
17	Crystal structure of (4-fluorobenzyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)(bis(2-hydroxyethyl) carbamodithioato- $\text{I}^{\text{p}}\langle\text{i}\rangle$) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 72 Td ($\text{I}^{\text{p}}\langle\text{i}\rangle$)	0.3	1
18	Crystal structure of dichloridobis(4-chlorophenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 72 Td ($\text{I}^{\text{p}}\langle\text{i}\rangle$)(1,10-phenanthroline)	0.3	2
	Crystal structure of dichlorido-bis(4-chlorophenyl- $\text{I}^{\text{p}}\langle\text{i}\rangle\text{C}\langle\text{i}\rangle$)tin(IV), $\text{C}_{24}\text{H}_{16}\text{Cl}_4\text{N}_2\text{Sn}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2020, 235, 695-697.		

#	ARTICLE	IF	CITATIONS
19	Crystal structure of dichlorido-bis(dimethyl sulphoxide- $\hat{\nu}$ O)-bis(4-methylbenzyl- $\hat{\nu}$ C1)tin(IV), C ₂₀ H ₃₀ Cl ₂ O ₂ S ₂ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1235-1237.	0.3	2
20	Crystal structure of dichlorido-bis(tri-4-tolylphosphane) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 712 Td (oxide- $\hat{\nu}$ O</i>)-di(4-chlorophenyl) C₅₄H₅₀Cl₄O₂P₂Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1523-1525.	0.3	2
21	Low temperature redetermination of the crystal structure of <i>catena</i>-poly[[tri-4-fluorobenzyltin(IV)] $\frac{1}{4}$ ₂-pyridine-4-carboxylato- $\hat{\nu}$ ² ²<i>N</i>:<i>O</i>], {C₂₇H₂₂F₃NO₂Sn}_n. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 493-496.	0.3	1
22	Crystal structure of chloridotris(4-chlorophenyl)(dimethyl sulfoxide- $\hat{\nu}$ O)tin(IV), C ₂₀ H ₁₈ Cl ₄ OSSn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1241-1243.	0.3	0
23	Crystal structure of bis{bromido-triphenyltin(IV)}($\frac{1}{4}$ ₂-[4,4- $\hat{\nu}$ -bipyridine]1,1- $\hat{\nu}$ -dioxide- $\hat{\nu}$ ² ²<i>O</i>:<i>O</i>- $\hat{\nu}$ ² ²), C₄₆H₃₈Br₂N₂O₂Sn₂. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 699-701.	0.3	0
24	Crystal structure of ethane-1,2-diylbis(diphenylphosphine oxide) $\hat{\nu}$ dihydrogenperoxide (1/2), C₂₆H₂₈O₆P₂. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1511-1513.	0.3	1
25	Synthesis, structural characterization, cytotoxicity and encapsulation studies of N, $\hat{\nu}$ ¹ -(1, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 500 Td) drug. Main Group Metal Chemistry, 2019, 42, 94-101.	1.6	3
26	Crystal structure of dibromidobis(4-bromobenzyl)tin(IV), C₁₄H₁₂Br₄Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 947-948.	0.3	3
27	Crystal structure of (2,2- $\hat{\nu}$ -bipyridyl)bis(4-bromobenzyl)dibromidotin(IV), C₂₄H₂₀Br₄N₂Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1317-1319.	0.3	3
28	Crystal structure of chlorido-diphenyl-(isopropyl(propyl)carbamodithioato- $\hat{\nu}$ ² ²) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td Kristallographie - New Crystal Structures, 2019, 235, 211-214.	0.3	1
29	2-[[Bis(propan-2-yl)carbamothioyl]sulfanyl]acetic acid. MolBank, 2019, 2019, M1082.	0.5	1
30	Crystal structure of chlorido-4-fluorobenzyl-bis(2-methylquinolin-8-olato- $\hat{\nu}$ ² ²) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 823-825.	0.3	2
31	Redetermination of the crystal structure of tetrakis(4-chlorobenzyl)tin(IV), C₂₈H₂₄Cl₄Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 777-778.	0.3	0
32	Redetermination of the crystal structure of bis($\frac{1}{4}$ -di-ethylthiocarbamato- $\hat{\nu}$ ³ S, $\hat{\nu}$ ² S; $\hat{\nu}$ ³ S:S) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 220 Td Structures, 2019, 234, 719-721.	0.3	2
33	Crystal structure of benzyltrichloridobis(1<i>H</i>-pyrazole- $\hat{\nu}$ ² ²<i>N</i>)tin(IV), C₁₃H₁₅Cl₃N₄Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 821-822.	0.3	0
34	Redetermination of the crystal structure of <i>catena</i>-poly[[tribenzyltin(IV)]($\frac{1}{4}$ ₂-pyridine-4-carboxylato- $\hat{\nu}$ ² ²) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 140 Td Kristallographie - New Crystal Structures, 2019, 234, 835-837.	0.3	3
35	Crystal structure of (2,2- $\hat{\nu}$ -bipyridyl)bis(4-chlorobenzyl)dichloridotin(IV), C₂₄H₂₀Cl₄N₂Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1321-1323.	0.3	4
36	Crystal structure of bromido-dimethyl-4-tolyl-(triphenylphosphine oxide)tin(IV), C₂₇H₂₈BrOPSn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 163-165.	0.3	2

#	ARTICLE	IF	CITATIONS
37	Crystal structure of octa(4-chlorobenzyl)-dichlorido-bis($\frac{1}{4}$ -methanolato)-bis($\frac{3}{4}$ -oxo)-tetratin(IV), C ₅₈ H ₅₄ Cl ₁₀ O ₄ Sn ₄ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 175-177.	0.3	2
38	Crystal structure of dichlorido-bis(4-methylphenyl- λ^5 -C</i>)-bis(triphenylarsine oxide- λ^5 -O</i>)tin(IV), C ₅₀ H ₄₄ As ₂ Cl ₂ O ₂ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 183-185.	0.3	7
39	Crystal structure of aqua-2,2a ² ,2a ² a ² -(((nitrido- λ^5 -N</i>)-tris(ethane-2,1-diyl))tris(azanyliidene- λ^5 -sup>3</sup>)) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 587 789. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 765-767.	0.3	1
40	Crystal structure of bis(di- λ^5 -n-butylammonium) tetrachlorodiphenylstannate(IV), C ₂₈ H ₅₀ Cl ₄ N ₂ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 889-891.	0.3	1
41	Crystal structure of (dibenzyl sulphoxide- λ^5 -O</i>)-bis(2-chlorobenzyl- λ^5 -C</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 587 789. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 787-789.	0.3	4
42	Crystal structure of benzylbis(1,3-diphenylpropane-1,3-dionato- λ^5 -sup>2</sup> <i>O</i>, <i>O</i>-chloridotin(IV), C ₃₇ H ₂₉ ClO ₄ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 915-917.	0.3	0
43	bis($\frac{1}{4}$ -oxido)-($\frac{1}{4}$ - λ^5 -N</i>)-diisopropylthiocarbamoylthio) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 587 789. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 943-946.	0.3	2
44	Crystal structure of hexacarbonyl-bis($\frac{1}{4}$ -di-n-propyldithiocarbamato- λ^5 -3S, S λ^5 -S; λ^5 -3S:S: S λ^5 -2)-di-rhenium(I), C ₂₀ H ₂₈ N ₂ O ₆ Re ₂ S ₄ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1125-1127.	0.3	2
45	Crystal structure of fac-tricarbonyl-morpholine- λ^5 -N-(morpholinocarbamodithioato- λ^5 -2S, S λ^5 -2)-rhenium(I), C ₁₂ H ₁₇ N ₂ O ₅ ReS ₂ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1129-1132.	0.3	0
46	Crystal structure of chlorido-dimethyl-(phenylpiperazine-1-carbodithioato- λ^5 -2S, S λ^5 -2)-tin(IV), C ₁₃ H ₁₉ ClN ₂ S ₂ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1309-1311.	0.3	7
47	Crystal structure of <i>N</i>-methyl-<i>N</i>-phenyl(methylsulfanyl)carbothioamide, C ₉ H ₁₁ NS ₂ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1325-1327.	0.3	5
48	Crystal structure of 4-phenylpiperazin-1-ium (4-phenylpiperazin-1-yl)carbothioylsulfanide, [C ₁₀ H ₁₅ N ₂][C ₁₁ H ₁₃ N ₂ S ₂]. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1329-1331.	0.3	4
49	Crystal structure of <i>catena</i>-{[tri-<i>aqua</i>-di-sodium bis(2-{<i>n</i>-butyl(methyl)carbamothioyl]sulfanyl}acetate)]} _n, [C ₁₆ H ₃₄ N ₂ Na ₂ O ₇ S ₄] _n . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 91-94.	0.3	0
50	Crystal structure of <i>catena</i>-{di-<i>aqua</i>-sodium [<i>n</i>-butyl(methyl)carbamothioyl]sulfanide} _n, [C ₆ H ₁₆ NNaO ₂ S ₂] _n . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1333-1335.	0.3	4
51	Crystal structure of (2-([1,1-bis(hydroxymethyl)-2-oxoethyl]iminomethyl)-5-(λ^5 -decyl)phenolato)-dimethyl-tin(IV), C ₂₃ H ₃₉ NO ₅ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1337-1340.	0.3	1
52	Crystal structure of 2-([1<i>E</i>]-{[1,3-dihydroxy-2-(hydroxymethyl)propan-2-yl]iminiumyl}methyl)-5-(dodecyloxy)benzen-1-olate, C ₂₃ H ₃₉ NO ₅ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 101-103.	0.3	1
53	Crystal structure of 4-chloro-<i>N</i>-[(1<i>E</i>)-(3-ethoxy-2-hydroxyphenyl)methylidene]benzohydrazide \hat{a}^{∞} a <i>Z</i> = 3 structure, C ₁₆ H ₁₅ ClN ₂ O ₃ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1341-1344.	0.3	5
54	Crystal structure of <i>catena</i>-poly[dibenzyl-dichlorido-($\frac{1}{4}$ -[4,4- λ^5 -bipyridine]1,1- λ^5 -dioxide- λ^5 -sup>2</sup>)] Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 587 789. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 117-119.	0.3	1

#	ARTICLE	IF	CITATIONS
55	Crystal structure of benzyl-chlorido-(4-chloro- <i>N</i> -[(2-oxidophenyl)methylidene]benzenecarbohydrazonato)-methanol-tin(IV), C ₂₂ H ₂₀ Cl ₂ N ₂ O ₃ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 121-124.	0.3	3
56	Crystal structure of 8-hydroxy-2-methylquinolin-1-ium chloride dihydrate, C ₁₀ H ₁₄ ClNO ₃ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 135-137.	0.3	0
57	Crystal structure of (dibenzyl sulphoxide- <i>η</i> ³ O)dibromido-bis(4-bromobenzyl- <i>η</i> ³ C)tin(IV), C ₂₈ H ₂₆ Br ₄ OSSn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 139-141.	0.3	2
58	Crystal structure of bromido-tri(4-chlorophenyl- <i>η</i> ³ C)-(ethanol- <i>η</i> ³ O) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 C ₅₂ H ₄₈ Br ₃ Cl ₆ N ₂ O ₂ Sn ₂ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 143-145.	0.3	1
59	Crystal structure of (4-chloro- <i>N</i> -[(2-oxido-5-chlorophenyl)methylidene]) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 592 Td C ₂₈ H ₂₀ Cl ₂ F ₂ N ₂ O ₂ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 151-153.	0.3	4
60	Crystal structure of aqua-chlorido-(4-fluorobenzyl- <i>η</i> ³ C)-(4-methoxy-2-oxidobenzylidene)-3-hydroxy-2-naphthohydrazidato- <i>η</i> ³ O Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 155-157.	0.3	3
61	Crystal structure of <i>catena</i> -poly[tri(4-chlorophenyl)-(1/4 ₂ -hydroxido)tin(IV)] â€“ 2-propanol (1/1), C ₂₁ H ₂₁ Cl ₃ O ₂ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 159-161.	0.3	0
62	Crystal structure of iodido-triphenyl-(triphenylphosphine oxide)tin(IV), C ₃₆ H ₃₀ IOPSn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 179-181.	0.3	3
63	Crystal structure of bis{(<i>N</i> -[(5-chloro-2-oxidophenyl)methylidene]-2-hydroxybenzenecarbohydrazonato)-dioxo-molybdenum(VI)}(1/4 ₂ - C ₃₈ H ₂₆ Cl ₂ Mo ₂ N ₆ O ₁₀ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 189-191.	0.3	2
64	Crystal structure of dichlorido-octamethyl-bis(1/4 ₃ -oxido)-bis(1/4 ₂ -2-(phenylamino)ethanolato- <i>η</i> ² O) Tj ETQq0 0 0 rgBT C ₂₄ H ₄₄ Cl ₂ N ₂ O ₄ Sn ₄ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 193-195.	0.3	2
65	Crystal structure of (<i>N</i> , <i>O</i> , <i>O</i> â€“ ₂]molybdenum(VI), C ₁₉ H ₂₀ MoN ₂ O ₆ S. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 203-205.	0.3	1
66	Crystal structure of bis(acetylacetonato- <i>η</i> ² O, <i>O</i> â€“ ₂)-(ethanolamine- <i>η</i> ² O) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 592 Td (sulfoxide)-dioxido-[2-hydroxy- <i>N</i> â€“ ₂ -(4-oxo-4 Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 235, 207-209.	0.3	0
67	A new structural motif for cadmium dithiocarbamates: crystal structures and Hirshfeld surface analyses of homoleptic zinc and cadmium morpholine dithiocarbamates. Zeitschrift Fur Kristallographie - Crystalline Materials, 2019, 234, 341-349.	0.8	11
68	1-Chloro-4-[2-(4-chlorophenyl)ethyl]benzene and its bromo analogue: crystal structure, Hirshfeld surface analysis and computational chemistry. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 624-631.	0.5	3
69	Crystal structure of (<i>N</i> - <i>n</i> -butyl, <i>N</i> -methyl-dithiocarbamato- <i>η</i> ² O) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 592 Td C ₁₀ H ₁₄ ClN ₂ S ₂ O. Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 1313-1315.	0.3	2
70	Molecular and supramolecular chemistry of mono- and di-selenium analogues of metal dithiocarbamates. Coordination Chemistry Reviews, 2018, 375, 410-423.	18.8	19
71	1-(2-Hydroxyethyl)imidazolidine-2-thione. MolBank, 2018, 2018, M1035.	0.5	3
72	Crystal structure of (N-(3-ethoxy-2-oxidobenzylidene)-4-fluorobenzohydrazonato- <i>η</i> ³ N,O,â€“ ₂)-diphenyltin(IV), C ₂₈ H ₂₃ FN ₂ O ₃ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 331-333.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Crystal structure of {N-(3-ethoxy-2-oxidobenzylidene)-4-fluorobenzohydronato- $\hat{\text{P}}^{\text{3}}\text{O}, \text{N}, \text{O} \hat{\text{A}}^{\text{2}}$ }dimethyltin(IV), C ₁₈ H ₁₉ FN ₂ O ₃ Sn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 335-337.	0.3	1
74	<i>fac</i> -Acetonitriletricarbonyl(dimethylcarbomodithioato- $\hat{\text{P}}^{\text{2}}$) $\hat{\text{S}}^{\text{2}}$ rhenium(I): crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 213-218.	0.5	2
75	<i>N</i> -[1-(5-Bromo-2-hydroxyphenyl)ethylidene]isonicotinohydrazide monohydrate: crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 630-636.	0.5	5
76	Secondary bonding in dimethylbis(morpholine-4-carbodithioato- $\hat{\text{P}}^{\text{2}}$) $\hat{\text{S}}^{\text{2}}$ tin(IV): crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 842-848.	0.5	6
77	Bis($\frac{1}{2}$ -N-methyl-N-phenyldithiocarbamato- $\hat{\text{P}}^{\text{3}}\text{S}, \hat{\text{S}}^{\text{2}}$; $\hat{\text{P}}^{\text{3}}\text{S}, \hat{\text{S}}^{\text{2}}$ -bis[(N-methyl-N-phenyldithiocarbamato- $\hat{\text{P}}^{\text{2}}\text{S}, \hat{\text{S}}^{\text{2}}$)cadmium]: crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 429-433.	0.5	1
78	<i>trans</i> -Dichloridobis(dimethyl sulfoxide- $\hat{\text{P}}^{\text{2}}$) $\hat{\text{O}}$ bis(4-fluorobenzyl- $\hat{\text{P}}^{\text{2}}$) $\hat{\text{C}}$ Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (<sup>E: Crystallographic Communications, 2017, 73, 667-672.	0.5	9
79	<i>N</i> -[4-Decyloxy-2-oxidobenzylidene)-3-hydroxy-2-naphthohydrazidato- $\hat{\text{P}}^{\text{3}}$) $\hat{\text{N}}, \hat{\text{O}}, \hat{\text{O}}$ dimethyltin(IV): crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 390-396.	0.5	3
80	Zwitterionic 4-bromo-6-methoxy-2-[[tris(hydroxymethyl)methyl]iminiumylmethyl]phenolate: crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 1223-1227.	0.5	1
81	(Tris{2-[(5-chloro-2-oxidobenzylidene- $\hat{\text{P}}^{\text{2}}$) $\hat{\text{O}}$ amino- $\hat{\text{P}}^{\text{2}}$]ethyl}amine- $\hat{\text{P}}^{\text{2}}$)ytterbium(III): crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 1390-1395.	0.5	3
82	Electrochemical Preparation and Characterization of a Gold Nanoparticles Graphite Electrode: Application to Myricetin Antioxidant Analysis. Analytical Sciences, 2015, 31, 1075-1081.	1.6	11
83	Synthesis, characterization and biological studies of diorganotin(IV) complexes with tris[(hydroxymethyl)aminomethane] Schiff bases. Inorganica Chimica Acta, 2015, 429, 195-208.	2.4	29
84	Synthesis, characterization and biological activity of diorganotin complexes with ONO terdentate Schiff base. Inorganica Chimica Acta, 2013, 406, 272-278.	2.4	33
85	Synthesis, structural characterization and <i>in vitro</i> cytotoxicity of diorganotin complexes with Schiff base ligands derived from 3- $\hat{\text{H}}$ - $\hat{\text{N}}$ -naphthoylhydrazide. Applied Organometallic Chemistry, 2012, 26, 310-319.	3.5	22
86	Aqua{6,6-dimethoxy-2,2-[(ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato- $\hat{\text{P}}^{\text{4}}\text{O}, \text{N}, \text{N} \hat{\text{A}}^{\text{2}}, \text{O} \hat{\text{A}}^{\text{2}}$ } (formato- $\hat{\text{P}}^{\text{2}}$)manganse(III) dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m746-m746.	0.2	0
87	(2-[[1,1-Bis(hydroxymethyl)-2-oxidoethyl]iminomethyl]-4-chlorophenolato- $\hat{\text{P}}^{\text{3}}$) $\hat{\text{O}}, \hat{\text{N}}, \hat{\text{O}}$ dibutyltin(IV). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m793-m793.	0.2	2
88	Dibutyl{N-[[1-(5-chloro-2-oxidophenyl- $\hat{\text{P}}^{\text{2}}$)ethylidene]-3-hydroxy-2-naphthohydrazidato- $\hat{\text{P}}^{\text{2}}\text{N} \hat{\text{A}}^{\text{2}}, \text{O}_2$]tin(IV). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m803-m803.	0.2	1
89	Tricyclohexyl{2-[(3,5-di-tert-butyl-4-hydroxybenzyl)sulfanyl]acetato- $\hat{\text{P}}^{\text{2}}$ }tin(IV). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m792-m792.	0.2	0
90	[N-[(5-Bromo-2-oxidobenzylidene- $\hat{\text{P}}^{\text{2}}$)ethylidene]-3-hydroxy-2-naphthohydrazidato- $\hat{\text{P}}^{\text{2}}\text{N} \hat{\text{A}}^{\text{2}}, \text{O}$]dimethyltin(IV). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m161-m161.	0.2	4

#	ARTICLE	IF	CITATIONS
91	[Nâ€²-(5-Bromo-2-oxidobenzylidene-ÎºO)-3-hydroxy-2-naphthohydrazidato-Îº2Nâ€²,O]dicyclohexyltin(IV). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m162-m162.	0.2	0
92	Dicyclohexyl{3-hydroxy-Nâ€²-[1-(2-oxidophenyl-ÎºO)ethylidene]-2-naphthohydrazidato-Îº2Nâ€²,O}tin(IV). Acta Crystallographica Section E: Structure Reports Online, 2010, 66, m309-m309.	0.2	0
93	Synthesis, structures and characterization of diorganotin complexes. Acta Crystallographica Section A: Foundations and Advances, 2010, 66, s271-s271.	0.3	1
94	[Nâ€²-(5-Chloro-2-oxidobenzylidene-ÎºO)-3-hydroxy-2-naphthohydrazidato-Îº2Nâ€²,O]dimethyltin(IV). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m816-m816.	0.2	5
95	[Nâ€²-(5-Bromo-2-oxidobenzylidene-ÎºO)-3-hydroxy-2-naphthohydrazidato-Îº2Nâ€²,O]dibutyltin(IV). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m862-m862.	0.2	4
96	{Nâ€²-[1-(5-Bromo-2-oxidophenyl-ÎºO)ethylidene]-3-hydroxy-2-naphthohydrazidato-Îº2Nâ€²,O}dibutyltin(IV). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m863-m863.	0.2	2
97	[Nâ€²-(5-Chloro-2-oxidobenzylidene-ÎºO)-3-hydroxy-2-naphthohydrazidato-Îº2Nâ€²,O2]diphenyltin(IV). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m1689-m1689.	0.2	1
98	catena-Poly[[triphenyltin(IV)]-Î¼4-2-[(3,5-di-tert-butyl-4-hydroxybenzyl)sulfanyl]acetato-Îº2O:Oâ€²]. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m808-m808.	0.2	1
99	Dichlorido{Î¼3-6,6â€²-diethoxy-2,2â€²-[ethane-1,2-diylbis(nitrilomethylidyne)]diphenolato}octamethyl-di-Î¼3-oxido-tetratin(IV). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m1103-m1104.	0.2	0
100	2-[1-[2-(Bis{2-[1-(5-chloro-2-hydroxyphenyl)ethylideneamino]ethyl}amino)ethyliminio]ethyl]-4-chlorophenolate toluene hemisolvate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o409-o409.	0.2	1
101	2-[1-[2-((2-Ammonioethyl){2-[1-(5-chloro-2-hydroxyphenyl)ethylideneamino]ethyl}amino)ethyliminio]ethyl]-4-chlorophenolate trifluoroacetate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o410-o410.	0.2	0
102	Bis[4-(dimethylamino)pyridinium] tetrabromidobis(4-chlorophenyl)stannate(IV)â€²4-bromochlorobenzene (1/1). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m1039-m1039.	0.2	0
103	Bis[4-(dimethylamino)pyridinium] tetrabromidobis(4-methylphenyl)stannate(IV). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m1040-m1040.	0.2	0
104	3-Hydroxy-Nâ€²-isopropylidene-2-naphthohydrazide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o3282-o3282.	0.2	0
105	[N-(2-Aminocyclohexyl)salicylaldiminato-Îº3O,N,Nâ€²]dichlorophenyltin(IV) chloroform solvate. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, m1614-m1616.	0.2	2