

Andre Ricardo Fajardo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/173414/publications.pdf>

Version: 2024-02-01

86
papers

4,679
citations

94415

37
h-index

102480

66
g-index

88
all docs

88
docs citations

88
times ranked

5872
citing authors

#	ARTICLE	IF	CITATIONS
1	Superabsorbent hydrogels based on polysaccharides for application in agriculture as soil conditioner and nutrient carrier: A review. <i>European Polymer Journal</i> , 2015, 72, 365-385.	5.4	514
2	Chitosan-graft-poly(acrylic acid)/rice husk ash based superabsorbent hydrogel composite: preparation and characterization. <i>Journal of Polymer Research</i> , 2012, 19, 1.	2.4	293
3	Superabsorbent hydrogel composite made of cellulose nanofibrils and chitosan-graft-poly(acrylic acid) Tj ETQq1 1 0.784314 rgBT /Overlock 238	10.2	238
4	Cellulose nanowhiskers improve the methylene blue adsorption capacity of chitosan-g-poly(acrylic acid) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	10.2	181
5	Reaction of Glycidyl Methacrylate at the Hydroxyl and Carboxylic Groups of Poly(vinyl alcohol) and Poly(acrylic acid): Is This Reaction Mechanism Still Unclear?. <i>Journal of Organic Chemistry</i> , 2009, 74, 3750-3757.	3.2	160
6	Status and future scope of plant-based green hydrogels in biomedical engineering. <i>Applied Materials Today</i> , 2019, 16, 213-246.	4.3	154
7	Recent advances on composite hydrogels designed for the remediation of dye-contaminated water and wastewater: A review. <i>Journal of Cleaner Production</i> , 2021, 284, 124703.	9.3	141
8	Chitosan/waste coffee-grounds composite: An efficient and eco-friendly adsorbent for removal of pharmaceutical contaminants from water. <i>Carbohydrate Polymers</i> , 2018, 189, 257-266.	10.2	127
9	Superabsorbent hydrogel nanocomposites based on starch-g-poly(sodium acrylate) matrix filled with cellulose nanowhiskers. <i>Cellulose</i> , 2012, 19, 1225-1237.	4.9	126
10	Nanocomposites based on poly(acrylamide-co-acrylate) and cellulose nanowhiskers. <i>European Polymer Journal</i> , 2012, 48, 454-463.	5.4	118
11	Fast dye removal from water by starch-based nanocomposites. <i>Journal of Colloid and Interface Science</i> , 2015, 454, 200-209.	9.4	111
12	Characterization of polyelectrolytes complexes based on N,N,N-trimethyl chitosan/heparin prepared at different pH conditions. <i>Carbohydrate Polymers</i> , 2011, 86, 1266-1272.	10.2	97
13	Superabsorbent hydrogel based on modified polysaccharide for removal of Pb ²⁺ and Cu ²⁺ from water with excellent performance. <i>Journal of Applied Polymer Science</i> , 2007, 105, 2903-2909.	2.6	95
14	Silver sulfadiazine loaded chitosan/chondroitin sulfate films for a potential wound dressing application. <i>Materials Science and Engineering C</i> , 2013, 33, 588-595.	7.3	92
15	Hydrogel based on an alginate-Ca ²⁺ /chondroitin sulfate matrix as a potential colon-specific drug delivery system. <i>RSC Advances</i> , 2012, 2, 11095.	3.6	88
16	Time- and pH-dependent self-rearrangement of a swollen polymer network based on polyelectrolytes complexes of chitosan/chondroitin sulfate. <i>Carbohydrate Polymers</i> , 2010, 80, 934-943.	10.2	75
17	Natural polymer-based magnetic hydrogels: Potential vectors for remote-controlled drug release. <i>Carbohydrate Polymers</i> , 2012, 90, 1216-1225.	10.2	74
18	Preparation and Characterization of Zein and Zein-Chitosan Microspheres with Great Prospective of Application in Controlled Drug Release. <i>Journal of Nanomaterials</i> , 2011, 2011, 1-6.	2.7	72

#	ARTICLE	IF	CITATIONS
19	Starch-based microspheres for sustained-release of curcumin: Preparation and cytotoxic effect on tumor cells. <i>Carbohydrate Polymers</i> , 2013, 98, 711-720.	10.2	72
20	Fast decolorization of azo methyl orange via heterogeneous Fenton and Fenton-like reactions using alginate-Fe ²⁺ /Fe ³⁺ films as catalysts. <i>Carbohydrate Polymers</i> , 2017, 177, 443-450.	10.2	72
21	Orange waste: A valuable carbohydrate source for the development of beads with enhanced adsorption properties for cationic dyes. <i>Carbohydrate Polymers</i> , 2017, 157, 660-668.	10.2	72
22	Chitosan-based film supported copper nanoparticles: A potential and reusable catalyst for the reduction of aromatic nitro compounds. <i>Carbohydrate Polymers</i> , 2017, 161, 187-196.	10.2	70
23	Polysaccharide-based film loaded with vitamin C and propolis: A promising device to accelerate diabetic wound healing. <i>International Journal of Pharmaceutics</i> , 2018, 552, 340-351.	5.2	66
24	Microparticles based on carboxymethyl starch/chitosan polyelectrolyte complex as vehicles for drug delivery systems. <i>Arabian Journal of Chemistry</i> , 2020, 13, 2183-2194.	4.9	64
25	Superabsorbent hydrogel composites with a focus on hydrogels containing nanofibers or nanowhiskers of cellulose and chitin. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	60
26	Development and application of chitosan/poly(vinyl alcohol) films for removal and recovery of Pb(II). <i>Chemical Engineering Journal</i> , 2012, 183, 253-260.	12.7	59
27	Dual-network hydrogels based on chemically and physically crosslinked chitosan/chondroitin sulfate. <i>Reactive and Functional Polymers</i> , 2013, 73, 1662-1671.	4.1	58
28	Hydrogels based on chemically modified poly(vinyl alcohol) (PVA-GMA) and PVA-GMA/chondroitin sulfate: Preparation and characterization. <i>EXPRESS Polymer Letters</i> , 2012, 6, 383-395.	2.1	54
29	Methylene Blue Adsorption on Chitosan-g-Poly(Acrylic Acid)/Rice Husk Ash Superabsorbent Composite: Kinetics, Equilibrium, and Thermodynamics. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	2.4	53
30	Starch/rice husk ash based superabsorbent composite: high methylene blue removal efficiency. <i>Iranian Polymer Journal (English Edition)</i> , 2017, 26, 93-105.	2.4	51
31	Polyelectrolyte complexes based on pectin-NH ₂ and chondroitin sulfate. <i>Carbohydrate Polymers</i> , 2012, 87, 1950-1955.	10.2	50
32	Enhanced photocatalytic degradation of organic pollutants mediated by Zn(II)-porphyrin/poly(acrylic acid) hydrogel composites. <i>Journal of Applied Polymer Science</i> , 2017, 133, 4500-4508.	26.2	50
33	Poly(acrylamide-co-acrylate)/rice husk ash hydrogel composites. II. Temperature effect on rice husk ash obtention. <i>Composites Part B: Engineering</i> , 2013, 51, 246-253.	12.0	43
34	Preparation, characterization and antitumor activity of a cationic starch-derivative membrane embedded with a β -cyclodextrin/curcumin inclusion complex. <i>International Journal of Biological Macromolecules</i> , 2020, 148, 140-152.	7.5	41
35	Magnetic microspheres based on pectin coated by chitosan towards smart drug release. <i>Carbohydrate Polymers</i> , 2021, 265, 118013.	10.2	41
36	Porous nanocomposite hydrogel of vinylated montmorillonite-crosslinked maltodextrin-co-dimethylacrylamide as a highly stable polymer carrier for controlled release systems. <i>European Polymer Journal</i> , 2010, 46, 1465-1474.	5.4	39

#	ARTICLE	IF	CITATIONS
37	Chitosan/poly(vinyl alcohol)/bovine bone powder biocomposites: A potential biomaterial for the treatment of atopic dermatitis-like skin lesions. <i>Carbohydrate Polymers</i> , 2016, 148, 115-124.	10.2	39
38	Removal of multi-metals from water using reusable pectin/cellulose microfibers composite beads. <i>Arabian Journal of Chemistry</i> , 2020, 13, 709-720.	4.9	39
39	First report of electrospun cellulose acetate nanofibers mats with chitin and chitosan nanowhiskers: Fabrication, characterization, and antibacterial activity. <i>Carbohydrate Polymers</i> , 2020, 250, 116954.	10.2	39
40	Co-nanoencapsulation of antimalarial drugs increases their in vitro efficacy against <i>Plasmodium falciparum</i> and decreases their toxicity to <i>Caenorhabditis elegans</i> . <i>European Journal of Pharmaceutical Sciences</i> , 2018, 118, 1-12.	4.0	38
41	Adsorption of benzene and toluene from aqueous solution using a composite hydrogel of alginate-grafted with mesoporous silica. <i>Journal of Hazardous Materials</i> , 2021, 418, 126405.	12.4	37
42	Sulfated Glycosaminoglycan-Based Block Copolymer: Preparation of Biocompatible Chondroitin Sulfate-poly(lactic acid) Micelles. <i>Biomacromolecules</i> , 2014, 15, 2691-2700.	5.4	35
43	Polysaccharide-based superporous hydrogel embedded with copper nanoparticles: a green and versatile catalyst for the synthesis of 1,2,3-triazoles. <i>Catalysis Science and Technology</i> , 2019, 9, 136-145.	4.1	33
44	Recent Advances in Designing Hydrogels from Chitin and Chitin-Derivatives and their Impact on Environment and Agriculture: A Review. <i>Revista Virtual De Quimica</i> , 2017, 9, 370-386.	0.4	33
45	Polysaccharide-Based Materials Associated with or Coordinated to Gold Nanoparticles: Synthesis and Medical Application. <i>Current Medicinal Chemistry</i> , 2017, 24, 2701-2735.	2.4	33
46	Hydrogel composites containing nanocellulose as adsorbents for aqueous removal of heavy metals: design, optimization, and application. <i>Cellulose</i> , 2019, 26, 9119-9133.	4.9	32
47	Polysaccharides derived from natural sources applied to the development of chemically modified electrodes for environmental applications: A review. <i>Trends in Environmental Analytical Chemistry</i> , 2019, 22, e00062.	10.3	31
48	Synthesis of chitosan derivatives with organoselenium and organosulfur compounds: Characterization, antimicrobial properties and application as biomaterials. <i>Carbohydrate Polymers</i> , 2019, 219, 240-250.	10.2	29
49	Kinetic study of Chondroitin Sulphate release from Chondroitin Sulphate/Chitosan complex hydrogel. <i>Journal of Molecular Liquids</i> , 2010, 156, 28-32.	4.9	26
50	Effect of stoichiometry and pH on the structure and properties of Chitosan/Chondroitin sulfate complexes. <i>Colloid and Polymer Science</i> , 2011, 289, 1739-1748.	2.1	25
51	Therapeutic and technological potential of 7-chloro-4-phenylselanyl quinoline for the treatment of atopic dermatitis-like skin lesions in mice. <i>Materials Science and Engineering C</i> , 2018, 84, 90-98.	7.3	25
52	Hybrid hydrogels containing one-step biosynthesized silver nanoparticles: Preparation, characterization and catalytic application. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 79, 326-337.	5.8	25
53	Supported porphyrins for the photocatalytic degradation of organic contaminants in water: a review. <i>Environmental Chemistry Letters</i> , 2022, 20, 731-771.	16.2	25
54	Alginate-cellulose biopolymeric beads as efficient vehicles for encapsulation and slow-release of herbicide. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 583, 123970.	4.7	24

#	ARTICLE	IF	CITATIONS
55	Synthesis and characterization of chitosan- <i>graft</i> -poly(acrylic acid)/nontronite hydrogel composites based on a design of experiments. <i>Journal of Applied Polymer Science</i> , 2013, 128, 3480-3489.	2.6	22
56	Superabsorbent Hydrogel Composite Based on Starch/Rice Husk Ash as a Soil Conditioner in Melon (<i>Cucumis melo</i> L.) Seedling Culture. <i>Journal of Polymers and the Environment</i> , 2020, 28, 131-140.	5.0	21
57	Glassy carbon electrode modified with carbon black and cross-linked alginate film: a new voltammetric electrode for paraquat determination. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 3269-3280.	3.7	20
58	Curcumin-loaded nanocapsules: Influence of surface characteristics on technological parameters and potential antimalarial activity. <i>Materials Science and Engineering C</i> , 2021, 118, 111356.	7.3	19
59	Polysaccharide/Fe(III)-porphyrin hybrid film as catalyst for oxidative decolorization of toxic azo dyes: An approach for wastewater treatment. <i>Arabian Journal of Chemistry</i> , 2020, 13, 5923-5938.	4.9	17
60	Effect of chitin nanowhiskers on mechanical and swelling properties of Gum Arabic hydrogels nanocomposites. <i>Carbohydrate Polymers</i> , 2021, 266, 118116.	10.2	16
61	Two-step synthesis and properties of a magnetic field-sensitive modified maltodextrin-based hydrogel. <i>Polymer International</i> , 2011, 60, 1324-1333.	3.1	15
62	Alginate-copper microspheres as efficient and reusable heterogeneous catalysts for the one-pot synthesis of 4-organylselanyl-1H-pyrazoles. <i>Catalysis Science and Technology</i> , 2020, 10, 3918-3930.	4.1	15
63	Hydrogels Nanocomposites Based on Crystals, Whiskers and Fibrils Derived from Biopolymers. <i>Advanced Structured Materials</i> , 2015, , 43-71.	0.5	14
64	Biopolymeric films as delivery vehicles for controlled release of hydrocortisone: Promising devices to treat chronic skin diseases. <i>Materials Science and Engineering C</i> , 2020, 114, 111074.	7.3	14
65	Development of superabsorbent hydrogel based on Gum Arabic for enhanced removal of anxiolytic drug from water. <i>Journal of Environmental Management</i> , 2021, 288, 112455.	7.8	14
66	Organoselenium-chitosan derivative: Synthesis via click reaction, characterization and antioxidant activity. <i>International Journal of Biological Macromolecules</i> , 2021, 191, 19-26.	7.5	14
67	Sub- and supercritical D-limonene technology as a green process to recover glass fibres from glass fibre-reinforced polyester composites. <i>Journal of Cleaner Production</i> , 2020, 254, 119984.	9.3	13
68	Enzymatic depolymerization – An easy approach to reduce the chondroitin sulfate molecular weight. <i>Process Biochemistry</i> , 2018, 74, 118-124.	3.7	9
69	Hydrogen generation and hydrogenation reactions efficiently mediated by a thin film of reduced graphene oxide-grafted with carboxymethyl chitosan and Ag nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2021, 583, 626-641.	9.4	9
70	Chitosan-based hydrogel crosslinked through an aza-Michael addition catalyzed by boric acid. <i>International Journal of Biological Macromolecules</i> , 2021, 193, 1032-1042.	7.5	9
71	Incorporation of theophylline in a chitosan/chondroitin sulfate hydrogel matrix: <i>in vitro</i> release studies and mechanical properties according to pH changes. <i>Journal of Applied Polymer Science</i> , 2013, 128, 3417-3424.	2.6	8
72	Development, characterization and biocompatibility of chondroitin sulfate/poly(vinyl alcohol)/bovine bone powder porous biocomposite. <i>Materials Science and Engineering C</i> , 2017, 72, 526-535.	7.3	8

#	ARTICLE	IF	CITATIONS
73	Hybrid polymer aerogels containing porphyrins as catalysts for efficient photodegradation of pharmaceuticals in water. <i>Journal of Colloid and Interface Science</i> , 2022, 613, 461-476.	9.4	8
74	Utilization of Pineapple Crown Fiber and Recycled Polypropylene for Production of Sustainable Composites. <i>Journal of Renewable Materials</i> , 2020, 8, 1327-1341.	2.2	8
75	Vapor-induced polyelectrolyte complexation of chitosan/pectin: A promising strategy for the preparation of hydrogels for controlled drug delivery. <i>Journal of Molecular Liquids</i> , 2022, 361, 119604.	4.9	7
76	The efficacy of microemulsion-based delivery to improve vitamin E properties: evaluation of the antinociceptive, antioxidant, antidepressant- and anxiolytic-like activities in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2018, 70, 1723-1732.	2.4	6
77	Hydrogels Based on Chitosan and Chitosan Derivatives for Biomedical Applications. , 0, , .		6
78	(3Z)-5-Chloro-3-(Hydroxyimino)indolin-2-one attenuates hyperglycemia, increased hepatic glycogen content and hepatic damage induced by malathion acute exposure in rats. <i>Nutrition and Metabolism</i> , 2019, 16, 61.	3.0	6
79	Synthesis and characterization of poly(vinyl alcohol)/chondroitin sulfate composite hydrogels containing strontium-doped hydroxyapatite as promising biomaterials. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 1160-1172.	4.0	6
80	Transdermal release of methotrexate by cationic starch/poly(vinyl alcohol)-based films as an approach for rheumatoid arthritis treatment. <i>International Journal of Pharmaceutics</i> , 2022, 611, 121285.	5.2	6
81	NOVEL SUPERABSORBENT HYDROGEL COMPOSITE BASED ON POLY(ACRYLAMIDE- <i>co</i> -ACRYLATE)/NONTRONITE: CHARACTERIZATION AND SWELLING PERFORMANCE. <i>Quimica Nova</i> , 2015, , .	0.3	5
82	Copper species supported in polysaccharide-based materials: from preparation to application in catalysis. <i>Catalysis Reviews - Science and Engineering</i> , 0, , 1-66.	12.9	4
83	Chitosan-Based Hydrogels for Drug Delivery. , 2019, , 163-190.		4
84	Phosphine-Functionalized Chitosan Microparticles as Support Materials for Palladium Nanoparticles in Heck Reactions. <i>Catalysis Letters</i> , 2022, 152, 2933-2946.	2.6	4
85	The Method of Small-Angle X-ray Scattering and Its Application to the Structural Analysis of Oligo- and Polysaccharides in Solution. , 2016, , 281-340.		2
86	Outstanding Features of Starch-based Hydrogel Nanocomposites. <i>RSC Green Chemistry</i> , 2015, , 236-262.	0.1	1