Giancarlo Colelli

List of Publications by Citations

Source: https://exaly.com/author-pdf/1734221/giancarlo-colelli-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers1,420
citations21
h-index34
g-index108
ext. papers1,748
ext. citations2.9
avg, IF4.82
L-index

#	Paper	IF	Citations
103	Factors affecting quality and safety of fresh-cut produce. <i>Critical Reviews in Food Science and Nutrition</i> , 2012 , 52, 595-610	11.5	147
102	Photocatalytic degradation of ethylene on mesoporous TiO2/SiO2 nanocomposites: Effects on the ripening of mature green tomatoes. <i>Biosystems Engineering</i> , 2015 , 132, 61-70	4.8	67
101	A comparative study of composition and postharvest performance of organically and conventionally grown kiwifruits. <i>Journal of the Science of Food and Agriculture</i> , 2007 , 87, 1228-1236	4.3	65
100	Potential of NIR spectroscopy for predicting internal quality and discriminating among strawberry fruits from different production systems. <i>Postharvest Biology and Technology</i> , 2017 , 125, 112-121	6.2	58
99	Suitability of five different potato cultivars (Solanum tuberosum L.) to be processed as fresh-cut products. <i>Postharvest Biology and Technology</i> , 2009 , 53, 138-144	6.2	58
98	Retention of quality and functional values of broccoli ParthenonIstored in modified atmosphere packaging. <i>Food Control</i> , 2013 , 31, 302-313	6.2	55
97	Effect of different temperatures and storage atmospheres on Coratina olive oil quality. <i>Food Chemistry</i> , 2007 , 102, 571-576	8.5	54
96	Post-cutting quality changes of fresh-cut artichokes treated with different anti-browning agents as evaluated by image analysis. <i>Postharvest Biology and Technology</i> , 2011 , 62, 213-220	6.2	52
95	A study of the estimated shelf life of fresh rocket using a non-linear model. <i>Journal of Food Engineering</i> , 2015 , 150, 19-28	6	48
94	Carvacrol-loaded chitosan nanoparticles maintain quality of fresh-cut carrots. <i>Innovative Food Science and Emerging Technologies</i> , 2017 , 41, 56-63	6.8	44
93	Probiotic lactic acid bacteria for the production of multifunctional fresh-cut cantaloupe. <i>Food Research International</i> , 2015 , 77, 762-772	7	44
92	and Table Grapes: A Review of the Main Physical, Chemical, and Bio-Based Control Treatments in Post-Harvest. <i>Foods</i> , 2020 , 9,	4.9	38
91	Quality and safety of fresh horticultural commodities: Recent advances and future perspectives. <i>Food Packaging and Shelf Life</i> , 2017 , 14, 2-11	8.2	35
90	Modeling phenolic content during storage of cut fruit and vegetables: A consecutive reaction mechanism. <i>Journal of Food Engineering</i> , 2014 , 140, 1-8	6	32
89	Extension of Postharvest Life of 'Mission' Figs by CO2-enriched Atmospheres. <i>Hortscience: A Publication of the American Society for Hortcultural Science</i> , 1991 , 26, 1193-1195	2.4	32
88	Application of multivariate accelerated test for the shelf life estimation of fresh-cut lettuce. Journal of Food Engineering, 2016 , 169, 122-130	6	26
87	Exposure to 1-methylcyclopropene (1-MCP) delays the effects of ethylene on fresh-cut broccoli raab (Brassica rapa L.). <i>Postharvest Biology and Technology</i> , 2010 , 58, 29-35	6.2	23

86	Effect of temperature and exogenous ethylene on the physiological and quality traits of purslane (Portulaca oleracea L.) leaves during storage. <i>Postharvest Biology and Technology</i> , 2010 , 58, 147-156	6.2	23
85	Effect of solution pH of cysteine-based pre-treatments to prevent browning of fresh-cut artichokes. <i>Postharvest Biology and Technology</i> , 2013 , 75, 17-23	6.2	22
84	Effect of atmosphere composition on the quality of ready-to-use broccoli raab (Brassica rapa L.). <i>Journal of the Science of Food and Agriculture</i> , 2010 , 90, 789-97	4.3	22
83	Fig (Ficus carica L.) 2011 , 134-160e		21
82	The use of hyperspectral imaging to predict the distribution of internal constituents and to classify edible fennel heads based on the harvest time. <i>Computers and Electronics in Agriculture</i> , 2017 , 134, 1-10	6.5	20
81	Hyperspectral imaging and multivariate accelerated shelf life testing (MASLT) approach for determining shelf life of rocket leaves. <i>Journal of Food Engineering</i> , 2018 , 238, 122-133	6	20
80	Screening quality and browning susceptibility of five artichoke cultivars for fresh-cut processing. Journal of the Science of Food and Agriculture, 2009, 89, 2588-2594	4.3	20
79	Effect of anti-browning solutions on quality of fresh-cut fennel during storage. <i>Postharvest Biology and Technology</i> , 2018 , 137, 21-30	6.2	19
78	Effect of harvest time on table grape quality during on-vine storage. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 131-9	4.3	18
77	Potential use of microwave treatment on fresh-cut carrots: physical, chemical and microbiological aspects. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 2063-72	4.3	17
76	Effect of modified atmosphere packaging and temperature abuse on flavor related volatile compounds of rocket leaves (L.). <i>Journal of Food Science and Technology</i> , 2017 , 54, 2433-2442	3.3	16
75	Spectra evolution over on-vine holding of Italia table grapes: prediction of maturity and discrimination for harvest times using a Vis-NIR hyperspectral device. <i>Journal of Agricultural Engineering</i> , 2017 , 48, 109	1.3	15
74	Quality of fresh-cut products as affected by harvest and postharvest operations. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 3614-3626	4.3	15
73	Early detection of chilling injury in green bell peppers by hyperspectral imaging and chemometrics. <i>Postharvest Biology and Technology</i> , 2020 , 162, 111100	6.2	15
72	FLOW BEHAVIOR OF OLIVE PASTE. Applied Engineering in Agriculture, 1997, 13, 751-755	0.8	14
71	Chemical, physical and sensorial characterization of fresh quinoa sprouts (Chenopodium quinoa Willd.) and effects of modified atmosphere packaging on quality during cold storage. <i>Food Packaging and Shelf Life</i> , 2017 , 14, 52-58	8.2	12
70	Suitability of 4 Potato Cultivars (Solanum tuberosum L.) to be Processed as Fresh-Cut Product. Early Cultivars. <i>American Journal of Potato Research</i> , 2011 , 88, 403-412	2.1	11
69	Effect of Organic Production Systems on Quality and Postharvest Performance of Horticultural Produce. <i>Horticulturae</i> , 2016 , 2, 4	2.5	11

68	Early detection of eggplant fruit stored at chilling temperature using different non-destructive optical techniques and supervised classification algorithms. <i>Postharvest Biology and Technology</i> , 2020 , 159, 111001	6.2	10
67	Effect of temperature abuse and improper atmosphere packaging on volatile profile and quality of rocket leaves. <i>Food Packaging and Shelf Life</i> , 2017 , 14, 59-65	8.2	9
66	The use of hyperspectral imaging in the visible and near infrared region to discriminate between table grapes harvested at different times. <i>Journal of Agricultural Engineering</i> , 2013 , 44, 7	1.3	9
65	Modelling sensorial and nutritional changes to better define quality and shelf life of fresh-cut melons. <i>Journal of Agricultural Engineering</i> , 2013 , 43, 6	1.3	9
64	Microbial inactivations with hydrolysed lactoferrin and other natural antimicrobials in fresh-cut fennel. <i>LWT - Food Science and Technology</i> , 2017 , 84, 353-358	5.4	8
63	Organic strawberry in Mediterranean greenhouse: Effect of different production systems on soil fertility and fruit quality. <i>Renewable Agriculture and Food Systems</i> , 2017 , 32, 485-497	1.8	8
62	Modelling sensorial and nutritional changes to better define quality and shelf life of fresh-cut melons. <i>Journal of Agricultural Engineering</i> , 2013 , 44, 6	1.3	8
61	Feasibility study for the surface prediction and mapping of phytonutrients in minimally processed rocket leaves (Diplotaxis tenuifolia) during storage by hyperspectral imaging. <i>Computers and Electronics in Agriculture</i> , 2020 , 175, 105575	6.5	7
60	Spectral and Hyperspectral Technologies as an Additional Tool to Increase Information on Quality and Origin of Horticultural Crops. <i>Agronomy</i> , 2020 , 10, 7	3.6	7
59	Influence of pre-cutting operations on quality of fresh-cut artichokes (Cynara scolymus L.): Effect of storage time and temperature before cutting. <i>Postharvest Biology and Technology</i> , 2013 , 85, 124-131	6.2	7
58	INFLUENCE OF HIGH CO2 ATMOSPHERE COMPOSITION ON FRESH-CUT ARTICHOKE QUALITY ATTRIBUTES. <i>Acta Horticulturae</i> , 2012 , 633-640	0.3	7
57	Microbial-based Biocontrol Solutions for Fruits and Vegetables: Recent Insight, Patents, and Innovative Trends. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2021 , 12, 3-18	1.9	7
56	Discrimination of common defects in loquat fruit cv. Algeriellsing hyperspectral imaging and machine learning techniques. <i>Postharvest Biology and Technology</i> , 2021 , 171, 111356	6.2	7
55	Influence of pre-cutting operations on quality of fresh-cut artichokes (Cynara scolymus L.): Effect of harvest dates. <i>Postharvest Biology and Technology</i> , 2013 , 83, 90-96	6.2	6
54	APPLICATION OF ANTIOXIDANT COMPOUNDS TO PRESERVE FRESH-CUT PEACHES QUALITY. <i>Acta Horticulturae</i> , 2015 , 633-642	0.3	6
53	INFLUENCE OF ATMOSPHERE COMPOSITION ON QUALITY ATTRIBUTES OF READY-TO- COOK FRESH-CUT VEGETABLE SOUP. <i>Acta Horticulturae</i> , 2006 , 677-684	0.3	6
52	EFFECTS OF ATMOSPHERE COMPOSITION ON POSTHARVEST QUALITY OF FRESH BASIL LEAVES (OCIMUM BASILICUM L.). <i>Acta Horticulturae</i> , 2005 , 731-736	0.3	6
51	Using chemometrics to characterise and unravel the near infra-red spectral changes induced in aubergine fruit by chilling injury as influenced by storage time and temperature. <i>Biosystems Engineering</i> , 2020 , 198, 137-146	4.8	6

(2020-2021)

50	Screening of Lactic Acid Bacteria for the Bio-Control of and the Potential of for Eco-Friendly Preservation of Fresh-Cut Kiwifruit. <i>Microorganisms</i> , 2021 , 9,	4.9	6
49	Design and preliminary test of a fluidised bed photoreactor for ethylene oxidation on mesoporous mixed SiO2/TiO2 nanocomposites under UV-A illumination. <i>Journal of Agricultural Engineering</i> , 2014 , 45, 146	1.3	5
48	CONTROLLED-ATMOSPHERE STORAGE OF FRESH-CUT 'CARDONCELLO' MUSHROOMS (PLEUROTUS ERYNGII). <i>Acta Horticulturae</i> , 2003 , 731-735	0.3	5
47	EFFECTS OF CONTROLLED ATMOSPHERE AND TREATMENT WITH 1-METHYLCYCLOPROPENE (1-MCP) ON RIPENING ATTRIBUTES OF TOMATOES. <i>Acta Horticulturae</i> , 2005 , 737-742	0.3	5
46	Effects of equipments and processing conditions on quality of fresh-cut produce. <i>Journal of Agricultural Engineering</i> , 2018 , 49, 139-150	1.3	5
45	Antioxidant capacity, phenolic and vitamin C contents of quinoa (Chenopodium quinoa Willd.) as affected by sprouting and storage conditions. <i>Italian Journal of Agronomy</i> , 2017 , 12,	1.4	4
44	The effect of passive atmosphere on quality of D ottatolbreba fig stored at low temperature. <i>Acta Horticulturae</i> , 2017 , 315-318	0.3	4
43	QUALITY AND POSTHARVEST PERFORMANCE OF ORGANICALLY-GROWN TOMATO (LYCOPERSICON ESCULENTUM L. 'MARMANDE') UNDER UNHEATED TUNNEL IN MEDITERRANEAN CLIMATE. <i>Acta Horticulturae</i> , 2015 , 487-494	0.3	4
42	PCR-based Quality Control of Listeria spp. and L. monocytogenes in Ready-To-Eat Salads Sold in Italy. <i>Current Nutrition and Food Science</i> , 2011 , 7, 57-62	0.7	4
41	Self-Configuring CVS to Discriminate Rocket Leaves According to Cultivation Practices and to Correctly Attribute Visual Quality Level. <i>Agronomy</i> , 2021 , 11, 1353	3.6	4
40	The table grape 'Victoria' with a long shaped berry: a potential mutation with attractive characteristics for consumers. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 5398-5405	4.3	3
39	Potentials of Thai tropical edible flowers as fresh cut salad mix. <i>Acta Horticulturae</i> , 2018 , 1187-1194	0.3	3
38	SHELF-LIFE OF ROCKET LEAVES STORED IN ARGON ENRICHED ATMOSPHERES. <i>Acta Horticulturae</i> , 2015 , 779-786	0.3	3
37	COMPOSITIONAL AND MARKETABLE QUALITY OF FRESH-CUT FLORETS OF FOUR SPECIALTY BRASSICAS IN RELATION TO CONTROLLED ATMOSPHERE STORAGE. <i>Acta Horticulturae</i> , 2015 , 455-462	0.3	3
36	The use of multivariate analysis as a method for obtaining a more reliable shelf-life estimation of fresh-cut produce: a study on pineapple. <i>Acta Horticulturae</i> , 2016 , 131-136	0.3	3
35	Modeling Shelf Life of Packaged, Ready-to-Eat Fruits and Vegetables with Reference to the Fate of Nutritional Compounds 2017 , 833-856		2
34	Shipping container equipped with controlled atmosphere: Case study on table grape. <i>Journal of Agricultural Engineering</i> , 2020 , 51, 1-8	1.3	2
33	CA/MA on bioactive compounds 2020 , 131-146		2

32	Application of modified atmosphere packaging with moisture absorber to extend the shelf life of Domenico Taurolbreba fruit. <i>Acta Horticulturae</i> , 2017 , 365-370	0.3	2
31	Effect of organic agronomic techniques and packaging on the quality of lamb's lettuce. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 4606-4615	4.3	2
30	Effects of thermal treatments on quality of B etrelli F igs during storage. <i>Acta Horticulturae</i> , 2018 , 879-8	3 88 .3	2
29	EFFECT OF ARGON-ENRICHED ATMOSPHERES ON SHELF LIFE OF FRESH-CUT 'ICEBERG' LETTUCE. Acta Horticulturae, 2015, 755-761	0.3	2
28	DETECTION AND ENUMERATION OF LISTERIA MONOCYTOGENES IN FRESH CUT VEGETABLES USING MPN-REAL-TIME PCR. <i>Acta Horticulturae</i> , 2015 , 567-674	0.3	2
27	COMPARISON OF DIFFERENT GAS COMPOSITIONS ON FRESH-CUT PEACH QUALITY: A PRELIMINARY STUDY. <i>Acta Horticulturae</i> , 2015 , 763-770	0.3	2
26	DEGRADATION PATTERNS FOR EXTERNAL AND INTERNAL QUALITY ATTRIBUTES OF FRESH-CUT APPLES. <i>Acta Horticulturae</i> , 2015 , 175-182	0.3	2
25	DEGRADATION PATTERNS FOR EXTERNAL AND NUTRITIONAL QUALITY PARAMETERS OF FRESH-CUT 'CANTALOUPE' MELONS. <i>Acta Horticulturae</i> , 2012 , 641-647	0.3	2
24	A QUAFETY approach to quality monitoring and prediction for fresh-cut produce. <i>Acta Horticulturae</i> , 2016 , 1-12	0.3	2
23	Extending postharvest life of ready-to-use zucchini flowers: effects of the atmosphere composition. <i>Acta Horticulturae</i> , 2016 , 123-130	0.3	2
22	Effects of electrolyzed water on apples: field treatment and postharvest application. <i>Acta Horticulturae</i> , 2016 , 439-446	0.3	2
21	Design of the correct modified atmosphere packaging for fresh-cut broccoli raab. <i>Acta Horticulturae</i> , 2016 , 117-122	0.3	2
20	Design and optimization of fluidized bed photoreactor for ethylene reduction within cold storage room for fruits and vegetables using TiO2-based materials. <i>Acta Horticulturae</i> , 2018 , 623-630	0.3	1
19	INFLUENCE OF MODIFIED ATMOSPHERE PACKAGING ON SHELF-LIFE OF WHOLE AND SLICED 'CARDONCELLO' MUSHROOM (PLEUROTUS ERYNGII). <i>Acta Horticulturae</i> , 2015 , 553-559	0.3	1
18	Effect of type of fertilization and maturity on quality of fresh-cut red and yellow peppers (Capsicum annuumL.). <i>Acta Horticulturae</i> , 2018 , 391-398	0.3	1
17	Ammonia accumulation in plant tissues: a potentially useful indicator of postharvest physiological stress. <i>Acta Horticulturae</i> , 2018 , 1511-1518	0.3	1
16	The use of rapid FT-NIR methods to predict soluble solids, pH, titratable acidity and phenols of clingstone peaches (B aby Gold 9) Acta Horticulturae, 2018 , 1111-1118	0.3	1
15	Characterization and postharvest behavior of goji berry (Lycium barbarum L.) during ripening. <i>Postharvest Biology and Technology</i> , 2022 , 191, 111975	6.2	1

LIST OF PUBLICATIONS

14	Changes in quality attributes and volatile profile of ready-to-eat Cabsilpomegranate arils as affected by storage duration and temperatures. <i>Journal of Food Processing and Preservation</i> , 2020 , 45, e14415	2.1	О
13	Modified atmosphere packaging and quality determination of fresh cut Mazettolalmond kernels. <i>Acta Horticulturae</i> , 2020 , 349-354	0.3	O
12	Operating conditions for microwave application throughout production process to reduce microbial load of fresh-cut apples. <i>Acta Horticulturae</i> , 2021 , 223-230	0.3	O
11	Non-destructive and contactless estimation of chlorophyll and ammonia contents in packaged fresh-cut rocket leaves by a Computer Vision System. <i>Postharvest Biology and Technology</i> , 2022 , 189, 111910	6.2	0
10	Physico-chemical parameters to predict microbiological and sensory quality aspects of baby lettuce leaves. <i>Acta Horticulturae</i> , 2017 , 249-256	0.3	
9	The Use of Non-destructive Techniques to Assess the Nutritional Content of Fruits and Vegetables 2017 , 763-780		
8	Fruits and Vegetables 2019 , 101-126		
7	Floral vegetables: Fresh-cut artichokes 2020 , 567-576		
7	Floral vegetables: Fresh-cut artichokes 2020, 567-576 Innovative approaches to improve quality and safety of fresh minimally-processed fruit and vegetables. <i>Acta Horticulturae</i> , 2018, 1161-1174	0.3	
	Innovative approaches to improve quality and safety of fresh minimally-processed fruit and	0.3	
6	Innovative approaches to improve quality and safety of fresh minimally-processed fruit and vegetables. <i>Acta Horticulturae</i> , 2018 , 1161-1174 CONCENTRATIONS OF INTACT GLUCOSINOLATES IN 'PARTHENON' BROCCOLI FLORETS STORED		
6 5	Innovative approaches to improve quality and safety of fresh minimally-processed fruit and vegetables. <i>Acta Horticulturae</i> , 2018 , 1161-1174 CONCENTRATIONS OF INTACT GLUCOSINOLATES IN 'PARTHENON' BROCCOLI FLORETS STORED IN MODIFIED ATMOSPHERE PACKAGING AND AIR. <i>Acta Horticulturae</i> , 2015 , 583-588 Effect of Elevated CO2 during Low Temperature Storage on the Quality Attributes of Cut	0.3	
6 5 4	Innovative approaches to improve quality and safety of fresh minimally-processed fruit and vegetables. <i>Acta Horticulturae</i> , 2018 , 1161-1174 CONCENTRATIONS OF INTACT GLUCOSINOLATES IN 'PARTHENON' BROCCOLI FLORETS STORED IN MODIFIED ATMOSPHERE PACKAGING AND AIR. <i>Acta Horticulturae</i> , 2015 , 583-588 Effect of Elevated CO2 during Low Temperature Storage on the Quality Attributes of Cut Spearmint. <i>Horticulturae</i> , 2022 , 8, 126 Evaluation of ready-to-eat arils quality attributes processed from cold stored Tunisian Gabsi	0.3	