List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1734316/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Timing of Antiretroviral Therapy after Diagnosis of Cryptococcal Meningitis. New England Journal of Medicine, 2014, 370, 2487-2498.	27.0	387
2	Latent Mycobacterium tuberculosis–persistence, patience and winning by waiting. Nature Medicine, 2000, 6, 1327-1329.	30.7	244
3	Antigen-Based Testing but Not Real-Time Polymerase Chain Reaction Correlates With Severe Acute Respiratory Syndrome Coronavirus 2 Viral Culture. Clinical Infectious Diseases, 2021, 73, e2861-e2866.	5.8	217
4	COVID-19 Serology at Population Scale: SARS-CoV-2-Specific Antibody Responses in Saliva. Journal of Clinical Microbiology, 2020, 59, .	3.9	193
5	Immune Reconstitution Inflammatory Syndrome. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 46, 456-462.	2.1	174
6	Different Strains of Mycobacterium tuberculosis Cause Various Spectrums of Disease in the Rabbit Model of Tuberculosis. Infection and Immunity, 2003, 71, 6004-6011.	2.2	136
7	Longitudinal Assessment of Diagnostic Test Performance Over the Course of Acute SARS-CoV-2 Infection. Journal of Infectious Diseases, 2021, 224, 976-982.	4.0	119
8	Causeâ€Specific Mortality and the Contribution of Immune Reconstitution Inflammatory Syndrome in the First 3 Years after Antiretroviral Therapy Initiation in an Urban African Cohort. Clinical Infectious Diseases, 2009, 49, 965-972.	5.8	116
9	The wide utility of rabbits as models of human diseases. Experimental and Molecular Medicine, 2018, 50, 1-10.	7.7	103
10	Daily longitudinal sampling of SARS-CoV-2 infection reveals substantial heterogeneity in infectiousness. Nature Microbiology, 2022, 7, 640-652.	13.3	99
11	The Need for More and Better Testing for COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 2153.	7.4	84
12	Durable SARS-CoV-2 B cell immunity after mild or severe disease. Journal of Clinical Investigation, 2021, 131, .	8.2	76
13	Diagnostic Accuracy of a Rapid Urine Lipoarabinomannan Test for Tuberculosis in HIV-Infected Adults. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 270-279.	2.1	70
14	Comparison of the analytical sensitivity of seven commonly used commercial SARS-CoV-2 automated molecular assays. Journal of Clinical Virology, 2020, 130, 104578.	3.1	70
15	The Clinical Course of COVID-19 in the Outpatient Setting: A Prospective Cohort Study. Open Forum Infectious Diseases, 2021, 8, ofab007.	0.9	55
16	Factors that Influence the Reported Sensitivity of Rapid Antigen Testing for SARS-CoV-2. Frontiers in Microbiology, 2021, 12, 714242.	3.5	51
17	Evaluation of Portable Point-of-Care CD4 Counter with High Sensitivity for Detecting Patients Eligible for Antiretroviral Therapy. PLoS ONE, 2012, 7, e34319.	2.5	50
18	Academic promotion policies and equity in global health collaborations. Lancet, The, 2018, 392, 1607-1609.	13.7	46

#	Article	IF	CITATIONS
19	Evaluation of Serological SARS-CoV-2 Lateral Flow Assays for Rapid Point-of-Care Testing. Journal of Clinical Microbiology, 2021, 59, .	3.9	46
20	Point-of-Care Lateral Flow Assays for Tuberculosis and Cryptococcal Antigenuria Predict Death in HIV Infected Adults in Uganda. PLoS ONE, 2014, 9, e101459.	2.5	44
21	A portable magnetofluidic platform for detecting sexually transmitted infections and antimicrobial susceptibility. Science Translational Medicine, 2021, 13, .	12.4	41
22	Naturally Attenuated, Orally Administered Mycobacterium microti as a Tuberculosis Vaccine Is Better than Subcutaneous Mycobacterium bovis BCG. Infection and Immunity, 2002, 70, 1566-1570.	2.2	36
23	Is Urinary Lipoarabinomannan the Result of Renal Tuberculosis? Assessment of the Renal Histology in an Autopsy Cohort of Ugandan HIV-Infected Adults. PLoS ONE, 2015, 10, e0123323.	2.5	36
24	Longitudinal Analysis of SARS-CoV-2 Vaccine Breakthrough Infections Reveals Limited Infectious Virus Shedding and Restricted Tissue Distribution. Open Forum Infectious Diseases, 2022, 9, .	0.9	36
25	Predictors and outcomes of mycobacteremia among HIV-infected smear- negative presumptive tuberculosis patients in Uganda. BMC Infectious Diseases, 2015, 15, 62.	2.9	35
26	Reflexive Laboratory-Based Cryptococcal Antigen Screening and Preemptive Fluconazole Therapy for Cryptococcal Antigenemia in HIV-Infected Individuals With CD4 <100 Cells/µL: A Stepped-Wedge, Cluster-Randomized Trial. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 182-189.	2.1	35
27	Conditional Sigma Factor Expression, Using the Inducible Acetamidase Promoter, Reveals that the <i>Mycobacterium tuberculosis sigF</i> Gene Modulates Expression of the 16-Kilodalton Alpha-Crystallin Homologue. Journal of Bacteriology, 1999, 181, 7629-7633.	2.2	35
28	Accelerating the Uptake and Timing of Antiretroviral Therapy Initiation in Sub-Saharan Africa: An Operations Research Agenda. PLoS Medicine, 2016, 13, e1002106.	8.4	34
29	Delayed Sputum Culture Conversion in Tuberculosis–Human Immunodeficiency Virus–Coinfected Patients With Low Isoniazid and Rifampicin Concentrations. Clinical Infectious Diseases, 2018, 67, 708-716.	5.8	34
30	Vitamin-D deficiency impairs CD4+T-cell count recovery rate in HIV-positive adults on highly active antiretroviral therapy: A longitudinal study. Clinical Nutrition, 2016, 35, 1110-1117.	5.0	33
31	Developing independent investigators for clinical research relevant for Africa. Health Research Policy and Systems, 2011, 9, 44.	2.8	29
32	Safety and Tolerability of Maraviroc-Containing Regimens to Prevent HIV Infection in Women. Annals of Internal Medicine, 2017, 167, 384.	3.9	29
33	Multicenter Study of the Accuracy of the BD MAX Multidrug-resistant Tuberculosis Assay for Detection of Mycobacterium tuberculosis Complex and Mutations Associated With Resistance to Rifampin and Isoniazid. Clinical Infectious Diseases, 2020, 71, 1161-1167.	5.8	29
34	Both Corynebacterium diphtheriae DtxR(E175K) and Mycobacterium tuberculosis IdeR(D177K) Are Dominant Positive Repressors of IdeR-Regulated Genes in M. tuberculosis. Infection and Immunity, 2005, 73, 5988-5994.	2.2	27
35	Accuracy of Lipoarabinomannan and Xpert MTB/RIF Testing in Cerebrospinal Fluid To Diagnose Tuberculous Meningitis in an Autopsy Cohort of HIV-Infected Adults. Journal of Clinical Microbiology, 2015, 53, 2667-2673.	3.9	27
36	Pregnancy alters interleukin-1 beta expression and antiviral antibody responses during severe acute respiratory syndrome coronavirus 2 infection. American Journal of Obstetrics and Gynecology, 2021, 225, 301.e1-301.e14.	1.3	27

#	Article	IF	CITATIONS
37	Cost-effectiveness of CRAG-LFA screening for cryptococcal meningitis among people living with HIV in Uganda. BMC Infectious Diseases, 2017, 17, 225.	2.9	25
38	Integration of antenatal syphilis screening in an urban HIV clinic: a feasibility study. BMC Infectious Diseases, 2015, 15, 15.	2.9	24
39	High Burden of Bloodstream Infections Associated With Antimicrobial Resistance and Mortality in the Neonatal Intensive Care Unit in Pune, India. Clinical Infectious Diseases, 2021, 73, 271-280.	5.8	23
40	A Narrative Review of Where We Are With Point-of-Care Sexually Transmitted Infection Testing in the United States. Sexually Transmitted Diseases, 2021, 48, S71-S77.	1.7	22
41	Mentorship and Ethics in Global Health: Fostering Scientific Integrity and Responsible Conduct of Research. American Journal of Tropical Medicine and Hygiene, 2019, 100, 42-47.	1.4	22
42	Resurrecting the Triple Threat: Academic Social Responsibility in the Context of Global Health Research. Clinical Infectious Diseases, 2009, 48, 1420-1422.	5.8	21
43	A Cross-Cutting Approach to Surveillance and Laboratory Capacity as a Platform to Improve Health Security in Uganda. Health Security, 2018, 16, S-76-S-86.	1.8	21
44	Comparison of Methods for Correction of Mortality Estimates for Loss to Follow-Up after ART Initiation: A Case of the Infectious Diseases Institute, Uganda. PLoS ONE, 2013, 8, e83524.	2.5	21
45	Mitigation of SARS-CoV-2 transmission at a large public university. Nature Communications, 2022, 13, .	12.8	21
46	Practice of percutaneous needle autopsy; a descriptive study reporting experiences from Uganda. BMC Clinical Pathology, 2014, 14, 44.	1.8	20
47	Immune Reconstitution Inflammatory Syndrome (IRIS): What pathologists should know. Seminars in Diagnostic Pathology, 2017, 34, 340-351.	1.5	20
48	Implementation and Accuracy of BinaxNOW Rapid Antigen COVID-19 Test in Asymptomatic and Symptomatic Populations in a High-Volume Self-Referred Testing Site. Microbiology Spectrum, 2021, 9, e0100821.	3.0	20
49	Performance of loop-mediated isothermal amplification assay in the diagnosis of pulmonary tuberculosis in a high prevalence TB/HIV rural setting in Uganda. BMC Infectious Diseases, 2018, 18, 87.	2.9	19
50	"Tuberculosis in advanced HIV infection is associated with increased expression of IFNγ and its downstream targets― BMC Infectious Diseases, 2018, 18, 220.	2.9	18
51	Low male partner attendance after syphilis screening in pregnant women leads to worse birth outcomes: the Syphilis Treatment of Partners (STOP) randomised control trial. Sexual Health, 2020, 17, 214.	0.9	18
52	Telemedicine and visit completion among people with HIV during the coronavirus disease 2019 pandemic compared with prepandemic. Aids, 2022, 36, 355-362.	2.2	18
53	Rapid Improvement in Passive Tuberculosis Case Detection and Tuberculosis Treatment Outcomes After Implementation of a Bundled Laboratory Diagnostic and On-Site Training Intervention Targeting Mid-Level Providers. Open Forum Infectious Diseases, 2015, 2, ofv030.	0.9	17
54	Overcoming Challenges With the Adoption of Point-of-Care Testing. Point of Care, 2020, 19, 77-83.	0.4	17

#	Article	IF	CITATIONS
55	Self-Collected Oral Fluid Saliva Is Insensitive Compared With Nasal-Oropharyngeal Swabs in the Detection of Severe Acute Respiratory Syndrome Coronavirus 2 in Outpatients. Open Forum Infectious Diseases, 2021, 8, ofaa648.	0.9	17
56	Evaluation of WHO Criteria for Viral Failure in Patients on Antiretroviral Treatment in Resource-Limited Settings. AIDS Research and Treatment, 2011, 2011, 1-6.	0.7	16
57	Rapid antiretroviral therapy initiation in low- and middle-income countries: A resource-based approach. PLoS Medicine, 2019, 16, e1002723.	8.4	16
58	High Genotypic Discordance of Concurrent Mycobacterium tuberculosis Isolates from Sputum and Blood of HIV-Infected Individuals. PLoS ONE, 2015, 10, e0132581.	2.5	15
59	Training tomorrow's leaders in global health: impact of the Afya Bora Consortium Fellowship on the careers of its alumni. BMC Medical Education, 2016, 16, 241.	2.4	15
60	Infectious Diseases Physicians: Improving and Protecting the Public's Health: Why Equitable Compensation Is Critical. Clinical Infectious Diseases, 2019, 69, 352-356.	5.8	15
61	Implementation of a standardised and quality-assured enhanced gonococcal antimicrobial surveillance programme in accordance with WHO protocols in Kampala, Uganda. Sexually Transmitted Infections, 2021, 97, 312-316.	1.9	15
62	Group Mentorship Model to Enhance the Efficiency and Productivity of PhD Research Training in Sub-Saharan Africa. Annals of Global Health, 2018, 84, 170.	2.0	15
63	Evaluation of Four Point of Care (POC) Antigen Assays for the Detection of the SARS-CoV-2 Variant Omicron. Microbiology Spectrum, 2022, 10, .	3.0	15
64	Antimicrobial Resistance of Sterile Site Infections in Sub-Saharan Africa: A Systematic Review. Open Forum Infectious Diseases, 2017, 4, ofx209.	0.9	14
65	The utility of pharmacokinetic studies for the evaluation of exposure-response relationships for standard dose anti-tuberculosis drugs. Tuberculosis, 2018, 108, 77-82.	1.9	14
66	Perspectives on male partner notification and treatment for syphilis among antenatal women and their partners in Kampala and Wakiso districts, Uganda. BMC Infectious Diseases, 2019, 19, 124.	2.9	14
67	Antimicrobial Resistance of Neisseria Gonorrhoeae in a Newly Implemented Surveillance Program in Uganda: Surveillance Report. JMIR Public Health and Surveillance, 2020, 6, e17009.	2.6	14
68	Delayed Rise of Oral Fluid Antibodies, Elevated BMI, and Absence of Early Fever Correlate With Longer Time to SARS-CoV-2 RNA Clearance in a Longitudinally Sampled Cohort of COVID-19 Outpatients. Open Forum Infectious Diseases, 2021, 8, ofab195.	0.9	13
69	Reducing Uncertainty for Acute Febrile Illness in Resource-Limited Settings: The Current Diagnostic Landscape. American Journal of Tropical Medicine and Hygiene, 2017, 96, 1285-1295.	1.4	13
70	Limitations of Molecular and Antigen Test Performance for SARS-CoV-2 in Symptomatic and Asymptomatic COVID-19 Contacts. Journal of Clinical Microbiology, 2022, 60, .	3.9	13
71	High rate of misclassification of treatment failure based on WHO immunological criteria. Aids, 2009, 23, 1295-1296.	2.2	12
72	Salmonella Bloodstream Infections in Hospitalized Children with Acute Febrile Illness—Uganda, 2016–2019. American Journal of Tropical Medicine and Hygiene, 2021, 105, 37-46.	1.4	12

#	Article	IF	CITATIONS
73	Multi-media Educational Tool Increases Knowledge of Clinical Trials in Uganda. Journal of Clinical Research & Bioethics, 2014, 05, 165.	0.2	11
74	The effect of standard dose multivitamin supplementation on disease progression in HIV-infected adults initiating HAART: a randomized double blind placebo-controlled trial in Uganda. BMC Infectious Diseases, 2015, 15, 348.	2.9	11
75	Prevention of Early Mortality by Presumptive Tuberculosis Therapy Study: An Open Label, Randomized Controlled Trial. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1265-1271.	1.4	11
76	Effect of TB/HIV Integration on TB and HIV Indicators in Rural Ugandan Health Facilities. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 605-611.	2.1	11
77	Complete ciprofloxacin resistance in gonococcal isolates in an urban Ugandan clinic: findings from a cross-sectional study. International Journal of STD and AIDS, 2019, 30, 256-263.	1.1	11
78	A Parsimonious Host Inflammatory Biomarker Signature Predicts Incident Tuberculosis and Mortality in Advanced Human Immunodeficiency Virus. Clinical Infectious Diseases, 2020, 71, 2645-2654.	5.8	11
79	Antigen-based Rapid Diagnostic Testing or Alternatives for Diagnosis of Symptomatic COVID-19. Epidemiology, 2021, 32, 811-819.	2.7	11
80	Rifampicin for Continuation Phase Tuberculosis Treatment in Uganda: A Cost-Effectiveness Analysis. PLoS ONE, 2012, 7, e39187.	2.5	11
81	Among Patients with Sustained Viral Suppression in a Resource-Limited Setting, CD4 Gains Are Continuous Although Gender-Based Differences Occur. PLoS ONE, 2013, 8, e73190.	2.5	11
82	Predictors for MTB Culture-Positivity among HIV-Infected Smear-Negative Presumptive Tuberculosis Patients in Uganda: Application of New Tuberculosis Diagnostic Technology. PLoS ONE, 2015, 10, e0133756.	2.5	11
83	Estimating the effect of pretreatment loss to follow up on TB associated mortality at public health facilities in Uganda. PLoS ONE, 2020, 15, e0241611.	2.5	11
84	Prospective Cross-Sectional Evaluation of the Small Membrane Filtration Method for Diagnosis of Pulmonary Tuberculosis. Journal of Clinical Microbiology, 2014, 52, 2513-2520.	3.9	10
85	Treatment decisions and mortality in HIV-positive presumptive smear-negative TB in the Xpert® MTB/RIF era: a cohort study. BMC Infectious Diseases, 2017, 17, 433.	2.9	10
86	Higher colorectal tissue HIV infectivity in cisgender women compared with MSM before and during oral preexposure prophylaxis. Aids, 2021, 35, 1585-1595.	2.2	10
87	Respiratory viruses in rural Zambia before and during the <scp>COVID</scp> â€19 pandemic. Tropical Medicine and International Health, 2022, 27, 647-654.	2.3	10
88	Optimisation of the Medical Education Partnership Initiative to address African health-care challenges. The Lancet Global Health, 2014, 2, e392.	6.3	9
89	Prevalence and predictors of prior antibacterial use among patients presenting to hospitals in Northern Uganda. BMC Pharmacology & amp; Toxicology, 2015, 16, 26.	2.4	9
90	Point-of-care diagnostics: needs of African health care workers and their role combating global antimicrobial resistance. International Journal of STD and AIDS, 2019, 30, 404-410.	1.1	9

#	Article	IF	CITATIONS
91	Vector-Borne Disease is a Common Cause of Hospitalized Febrile Illness in India. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1526-1533.	1.4	9
92	Brief Report: Pulmonary Tuberculosis Is Associated With Persistent Systemic Inflammation and Decreased HIV-1 Reservoir Markers in Coinfected Ugandans. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 407-411.	2.1	8
93	Chest X-ray interpretation does not complement Xpert MTB/RIF in diagnosis of smear-negative pulmonary tuberculosis among TB-HIV co-infected adults in a resource-limited setting. BMC Infectious Diseases, 2021, 21, 63.	2.9	8
94	Clinical Utility of a Novel Molecular Assay in Various Combination Strategies with Existing Methods for Diagnosis of HIV-Related Tuberculosis in Uganda. PLoS ONE, 2014, 9, e107595.	2.5	8
95	Supporting Women's Leadership Development in Global Health through Virtual Events and Near-Peer Networking. Annals of Global Health, 2022, 88, 2.	2.0	7
96	High Sensitivity and NPV for BinaxNOW Rapid Antigen Test in Children at a Mass Testing Site during Prevalent Delta Variant Period. Microbiology Spectrum, 2022, 10, .	3.0	7
97	Effect of On-Site Support on Laboratory Practice for Human Immunodeficiency Virus, Tuberculosis, and Malaria Testing. American Journal of Clinical Pathology, 2016, 146, 469-477.	0.7	6
98	Research Capacity Strengthening in Sub-Saharan Africa: Recognizing the Importance of Local Partnerships in Designing and Disseminating HIV Implementation Science to Reach the 90–90–90 Goals. AIDS and Behavior, 2019, 23, 206-213.	2.7	6
99	Reduction in Baseline CD4 Count Testing Following Human Immunodeficiency Virus "Treat All― Adoption in Uganda. Clinical Infectious Diseases, 2020, 71, 2497-2499.	5.8	6
100	Implementation of the Comprehensive Unit-Based Safety Program to Improve Infection Prevention and Control Practices in Four Neonatal Intensive Care Units in Pune, India. Frontiers in Pediatrics, 2021, 9, 794637.	1.9	6
101	High burden of untreated syphilis, drug resistant Neisseria gonorrhoeae, and other sexually transmitted infections in men with urethral discharge syndrome in Kampala, Uganda. BMC Infectious Diseases, 2022, 22, 440.	2.9	6
102	Clustering of SARS-CoV-2 Infections in Households of Patients Diagnosed in the Outpatient Setting in Baltimore, Maryland. Open Forum Infectious Diseases, 2021, 8, ofab121.	0.9	5
103	Differentiation of Individuals Previously Infected with and Vaccinated for SARS-CoV-2 in an Inner-City Emergency Department. Journal of Clinical Microbiology, 2022, 60, jcm0239021.	3.9	5
104	Retrospective Analysis of Ugandan Men with Urethritis Reveals Mycoplasma genitalium and Associated Macrolide Resistance. Microbiology Spectrum, 2022, , e0230421.	3.0	5
105	Improving the Sensitivity of the Xpert MTB/RIF Assay on Sputum Pellets by Decreasing the Amount of Added Sample Reagent: a Laboratory and Clinical Evaluation. Journal of Clinical Microbiology, 2015, 53, 1258-1263.	3.9	4
106	Synergistic Impact of Training Followed by On-Site Support on HIV Clinical Practice: A Mixed-Design Study in Uganda With Pre/Post and Cluster-Randomized Trial Components. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, 467-475.	2.1	4
107	Patient and health system factors associated with pretreatment loss to follow up among patients diagnosed with tuberculosis using Xpert® MTB/RIF testing in Uganda. BMC Public Health, 2020, 20, 1855.	2.9	4
108	Urine Lipoarabinomannan Testing in Adults With Advanced Human Immunodeficiency Virus in a Trial of Empiric Tuberculosis Therapy. Clinical Infectious Diseases, 2021, 73, e870-e877.	5.8	4

#	Article	IF	CITATIONS
109	Future potential of Rapid Acceleration of Diagnostics (RADx Tech) in molecular diagnostics. Expert Review of Molecular Diagnostics, 2021, 21, 251-253.	3.1	4
110	Baseline Xpert MTB/RIF ct values predict sputum conversion during the intensive phase of anti-TB treatment in HIV infected patients in Kampala, Uganda: a retrospective study. BMC Infectious Diseases, 2021, 21, 513.	2.9	4
111	Association of testosterone levels with socio-demographic characteristics in a sample of Ugandan men. African Health Sciences, 2014, 14, 348.	0.7	3
112	Reply to "A Word of Caution in Considering the Use of the Lipoarabinomannan Lateral Flow Assay on Cerebrospinal Fluid for Detection of Tuberculous Meningitis― Journal of Clinical Microbiology, 2016, 54, 243-243.	3.9	3
113	A new vision for bioethics training in global health. The Lancet Global Health, 2019, 7, e1002-e1003.	6.3	3
114	Antiâ€retroviral therapy scaleâ€up and its impact on sexâ€stratified tuberculosis notification trends in Uganda. Journal of the International AIDS Society, 2019, 22, e25394.	3.0	3
115	Change in Plasma Cryptococcal Antigen Titer Is Not Associated With Survival Among Human Immunodeficiency Virus–infected Persons Receiving Preemptive Therapy for Asymptomatic Cryptococcal Antigenemia. Clinical Infectious Diseases, 2020, 70, 353-355.	5.8	3
116	Leadership training to accelerate progress in public health in sub-Saharan Africa: time for action. The Lancet Global Health, 2020, 8, e1253-e1254.	6.3	3
117	Preclinical Validation of a Novel Injection-Molded Swab for the Molecular Assay Detection of SARS-CoV-2. Diagnostics, 2022, 12, 206.	2.6	3
118	Improving the specificity of nucleic acid detection with endonuclease-actuated degradation. Communications Biology, 2022, 5, 290.	4.4	3
119	Empirical tuberculosis therapy in advanced HIV disease. Lancet HIV,the, 2020, 7, e3-e5.	4.7	1
120	Functional adrenal insufficiency among tuberculosis-human immunodeficiency virus co-infected patients: a cross-sectional study in Uganda. BMC Research Notes, 2020, 13, 224.	1.4	1
121	Effect of Educational Outreach Timing and Duration on Facility Performance for Infectious Disease Care in Uganda: A Trial with Pre-Post and Cluster Randomized Controlled Components. PLoS ONE, 2015, 10, e0136966.	2.5	1
122	Severe Acute Respiratory Syndrome Coronavirus 2 Antibody Status in Decedents Undergoing Forensic Postmortem Examination in Maryland, May 24 to June 30, 2020. Open Forum Infectious Diseases, 2021, 8, ofaa611.	0.9	1
123	The impact of COVID-19 pandemic on technologic and process innovation in point-of-care diagnostics for sexually transmitted infections. Clinical Biochemistry, 2023, 117, 75-83.	1.9	1
124	Population-level tuberculosis incidence in the ART era. Lancet Infectious Diseases, The, 2015, 15, 997-998.	9.1	0
125	P1.05â€Current use and perceived obstacles to use of point-of-care tests in sub-saharan africa. , 2017, , .		0
126	High-Level Neisseria gonorrhea Resistance Detected in a Newly Implemented Surveillance Program in Kampala, Uganda. Open Forum Infectious Diseases, 2017, 4, S103-S103.	0.9	0

#	ARTICLE	IF	CITATIONS
127	Users beware! Biological variation in complete blood counts over short time intervals. BMJ Evidence-Based Medicine, 2019, 24, 207-208.	3.5	0
128	Severe Acute Respiratory Syndrome Coronavirus 2 Antibody Seroprevalence in Decedents Undergoing Forensic Postmortem Examination: Feasibility for Real-Time Pandemic Surveillance. Open Forum Infectious Diseases, 2022, 9, ofac142.	0.9	0