Armandodoriano Bianco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1735709/publications.pdf Version: 2024-02-01

		186265	254184
134	2,874	28	43
papers	citations	h-index	g-index
142	142	142	3282
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Phytochemical analysis on the aerial parts of <i>Teucrium capitatum</i> L. with aspects of chemosystematics and ethnobotany. Natural Product Research, 2023, 37, 2398-2407.	1.8	1
2	Phytochemical analysis on the seeds of a new Iranian <i>Plantago ovata</i> Forssk. population specimen. Natural Product Research, 2022, 36, 3761-3764.	1.8	4
3	Non-volatile compounds from Araucaria columnaris (G.Forst.) Hook leaves. Biochemical Systematics and Ecology, 2022, 103, 104430.	1.3	2
4	Qualitative and semi-quantitative phytochemical analysis on the seeds of a new Nigella sativa L. population exemplar from Iran. Plant Biosystems, 2021, 155, 1056-1062.	1.6	1
5	Phytochemical Analysis and Biological Activities of the Ethanolic Extract of Daphne sericea Vahl Flowering Aerial Parts Collected in Central Italy. Biomolecules, 2021, 11, 379.	4.0	4
6	Occurrence of flavonoids in different Lamiaceae taxa for a preliminary study on their evolution based on phytochemistry. Biochemical Systematics and Ecology, 2021, 96, 104247.	1.3	10
7	The Genus Haplophyllum Juss.: Phytochemistry and Bioactivities—A Review. Molecules, 2021, 26, 4664.	3.8	19
8	Electrochemical monitoring of plastic artefacts degradation. Natural Product Research, 2020, 34, 2862-2866.	1.8	1
9	Secondary metabolites of <i>Tilia tomentosa</i> Moench inflorescences collected in Central Italy: chemotaxonomy relevance and phytochemical rationale of traditional use. Natural Product Research, 2020, 34, 1167-1174.	1.8	11
10	Production of verbascoside and its analogues in in vitro cultures of Verbascum thapsus L. Plant Cell, Tissue and Organ Culture, 2020, 140, 83-93.	2.3	9
11	Phytochemistry, Chemotaxonomy, and Biological Activities of the Araucariaceae Family—A Review. Plants, 2020, 9, 888.	3.5	25
12	Phytochemical Analysis and Trypanocidal Activity of Marrubium incanum Desr Molecules, 2020, 25, 3140.	3.8	4
13	Harpagide: Occurrence in plants and biological activities - A review. Fìtoterapìâ, 2020, 147, 104764.	2.2	12
14	Nor-Lignans: Occurrence in Plants and Biological Activities—A Review. Molecules, 2020, 25, 197.	3.8	16
15	A new diterpene and other compounds from the unripe female cones of Wollemia nobilis. Natural Product Research, 2020, 35, 1-11.	1.8	4
16	Dyes from the Ashes: Discovering and Characterizing Natural Dyes from Mineralized Textiles. Molecules, 2020, 25, 1417.	3.8	8
17	HPLC and NMR analysis of the phenyl-ethanoid glycosides pattern of <i>Verbascum thapsus</i> L. cultivated in the Etnean area. Natural Product Research, 2019, 33, 1310-1316.	1.8	16
18	Detection of picramic acid and picramate in henné products by NMR Spectroscopy. Natural Product Research, 2019, 33, 2073-2078.	1.8	4

4.4

1

#	Article	IF	CITATIONS
19	Phytochemical analysis of Linaria purpurea (L.) Mill. and inhibitory activity on the production of aflatoxin B1 (AFB1) in Aspergillus flavus Link. of one of its metabolites, antirrhinoside. Industrial Crops and Products, 2019, 139, 111554.	5.2	7
20	Deepening Inside the Pictorial Layers of Etruscan Sarcophagus of Hasti Afunei: An Innovative Micro-Sampling Technique for Raman/SERS Analyses. Molecules, 2019, 24, 3403.	3.8	5
21	Pedicularis L. Genus: Systematics, Botany, Phytochemistry, Chemotaxonomy, Ethnopharmacology, and Other. Plants, 2019, 8, 306.	3.5	15
22	Phytochemistry, Chemotaxonomy, Ethnopharmacology, and Nutraceutics of Lamiaceae. Studies in Natural Products Chemistry, 2019, 62, 125-178.	1.8	44
23	Preliminary study on the phytochemical evolution of different Lamiaceae species based on iridoids. Biochemical Systematics and Ecology, 2019, 82, 44-51.	1.3	10
24	A new byciclic monoterpene glucoside and a new biflavone from the male reproduction organs of Wollemia nobilis. FìtoterapA¬Ã¢, 2019, 133, 62-69.	2.2	8
25	Coumarins and other components of Daphne oleoides Schreb. subsp. oleoides from Majella National Park. Biochemical Systematics and Ecology, 2019, 83, 39-46.	1.3	8
26	Essential oil composition and total metabolite content of a chemotype of <i>Ajuga reptans</i> L. (Lamiaceae) collected in Central Italy. Plant Biosystems, 2019, 153, 552-558.	1.6	7
27	A syn-ent-labdadiene derivative with a rare spiro-β-lactone function from the male cones of Wollemia nobilis. Phytochemistry, 2019, 158, 91-95.	2.9	12
28	A new multi analytical approach for the identification of synthetic and natural dyes mixtures. The case of orcein-mauveine mixture in a historical dress of a Sicilian noblewoman of nineteenth century. Natural Product Research, 2019, 33, 1040-1051.	1.8	18
29	The Vatican museum and the organic natural products. The Raphael's frescoes and the "Last Judgment― by Nicolò and Giovanni. Natural Product Research, 2019, 33, 943-946.	1.8	0
30	Volatile components, polar constituents and biological activity of tansy daisy (Tanacetum) Tj ETQq0 0 0 rgBT /Ove	rlock 10 T	f 50 302 Td
31	Anti-HIV Agents From Nature: Natural Compounds From Hypericum hircinum and Carbocyclic Nucleosides From Iridoids. Studies in Natural Products Chemistry, 2018, 56, 173-228.	1.8	9
32	New advanced extraction and analytical methods applied to discrimination of different lichen species used for orcein dyed yarns: Preliminary results. Microchemical Journal, 2018, 138, 447-456.	4.5	13
33	Iridoid glycosides and polyphenolic compounds from <i>Teucrium chamaedrys</i> L Natural Product Research, 2018, 32, 1583-1589.	1.8	33
34	lridoids of Chemotaxonomy Relevance, a New Antirrhinoside Ester and Other Constituents from <i>Kickxia spuria</i> subsp. <i>integrifolia</i> (<scp>Brot</scp> .) R. <scp>Fern</scp> Chemistry and Biodiversity, 2018, 15, e1700473.	2.1	15

35	Lignans and secoiridoid glycosides from the stem barks of <i>Jasminum tortuosum</i> . Natural Product Research, 2018, 32, 1853-1857.	1.8	10

New Developments in the Synthesis of EMICORON. High-Throughput, 2018, 7, 22.

#	Article	IF	CITATIONS
37	Bioactive Constituents of <i>Juniperus turbinata </i> <scp>Guss</scp> . from La Maddalena Archipelago. Chemistry and Biodiversity, 2018, 15, e1800148.	2.1	24
38	Phytochemical profile of Euphorbia peplus L. collected in Central Italy and NMR semi-quantitative analysis of the diterpenoid fraction. Journal of Pharmaceutical and Biomedical Analysis, 2018, 160, 152-159.	2.8	23
39	Natural Aromatic Compounds as Scaffolds to Develop Selective G-Quadruplex Ligands: From Previously Reported Berberine Derivatives to New Palmatine Analogues. Molecules, 2018, 23, 1423.	3.8	18
40	A new natural neo -clerodane from Teucrium polium L. collected in Northern Iran. Industrial Crops and Products, 2017, 97, 632-638.	5.2	30
41	New Coumarinyl Ethers in <i>Daphne oleoides </i> <scp>Schreb</scp> . Collected from Sardinia Island. Chemistry and Biodiversity, 2017, 14, e1700072.	2.1	18
42	Phytochemical analysis of the ethanolic extract of <i>Agathis robusta</i> (C. Moore ex F. Muell.) F.M. Bailey. Natural Product Research, 2017, 31, 1604-1611.	1.8	14
43	Chemical Traits of Hemiparasitism in <i>Odontites luteus</i> . Chemistry and Biodiversity, 2017, 14, e1600416.	2.1	8
44	How the extraction method could be crucial in the characterization of natural dyes from dyed yarns and lake pigments: The case of American and Armenian cochineal dyes, extracted through the new ammonia-EDTA method. Microchemical Journal, 2017, 134, 237-245.	4.5	17
45	Polar Constituents, Essential Oil and Antioxidant Activity of Marsh Woundwort (<i>Stachys) Tj ETQq1 1 0.78431</i>	4 <u>rg</u> βT /O\	verlgck 10 Tf
46	Primary and secondary metabolites of an European edible mushroom and its nutraceutical value: <i>Suillus bellinii</i> (Inzenga) Kuntze. Natural Product Research, 2017, 31, 1910-1919.	1.8	22
47	Phytochemical study on the leaves of Wollemia nobilis. Biochemical Systematics and Ecology, 2017, 74, 63-66.	1.3	10
48	Composition of the Essential Oil of Coristospermum cuneifolium and Antimicrobial Activity Evaluation. Planta Medica International Open, 2017, 4, e74-e81.	0.5	6
49	Iridoids and phenylethanoid glycosides from the aerial parts of <i>Ajuga tenorei</i> , an endemic Italian species. Natural Product Research, 2017, 31, 218-223.	1.8	23
50	Terpenoids and More Polar Compounds from the Male Cones of <i>Wollemia nobilis</i> . Chemistry and Biodiversity, 2017, 14, e1600332.	2.1	16
51	Polar constituents, protection against reactive oxygen species, and nutritional value of Chinese artichoke (Stachys affinis Bunge). Food Chemistry, 2017, 221, 473-481.	8.2	29
52	Isoflavones and Other Compounds from the Roots of Iris marsica I. Ricci E Colas. Collected from Majella National Park, Italy. , 2017, 07, .		13
53	Reassessment of the polar fraction of Stachys alopecuros (L.) Benth. subsp. divulsa (Ten.) Grande (Lamiaceae) from the Monti Sibillini National Park and its potential pharmacologic uses Journal of Intercultural Ethnopharmacology, 2017, 6, 1.	0.9	18
54	Endemic Plants of Italy and Their Peculiar Molecular Pattern. Studies in Natural Products Chemistry, 2016, 50, 215-247.	1.8	8

#	Article	IF	CITATIONS
55	Polar Constituents and Biological Activity of the Berry-Like Fruits from Hypericum androsaemum L Frontiers in Plant Science, 2016, 7, 232.	3.6	38
56	Bioactive Secondary Metabolites from <i>SchizogyneÂsericea</i> (Asteraceae) Endemic to Canary Islands. Chemistry and Biodiversity, 2016, 13, 826-836.	2.1	8
57	Phytochemistry, micromorphology and bioactivities of Ajuga chamaepitys (L.) Schreb. (Lamiaceae,) Tj ETQq1 1 0.7 2016, 113, 35-43.	784314 rg 2.2	BT /Overlact 51
58	Perylene and coronene derivatives binding to G-rich promoter oncogene sequences efficiently reduce their expression in cancer cells. Biochimie, 2016, 125, 223-231.	2.6	21
59	Secondary Metabolites, Glandular Trichomes and Biological Activity of <i>Sideritis montana</i> L. subsp. <i>montana</i> from Central Italy. Chemistry and Biodiversity, 2016, 13, 1380-1390.	2.1	24
60	Iridoids and phenylethanoid from <i>Pedicularis kerneri</i> Dalla Torre growing in Dolomites, Italy. Natural Product Research, 2016, 30, 327-331.	1.8	27
61	Synthesis of LoganVir, a new carbocyclic nucleoside analogue. Natural Product Research, 2016, 30, 2164-2172.	1.8	3
62	Secoiridoids and other chemotaxonomically relevant compounds in <i>Pedicularis</i> : phytochemical analysis and comparison of <i>Pedicularis rostratocapitata</i> Crantz and <i>Pedicularis verticillata</i> L. from Dolomites. Natural Product Research, 2016, 30, 1698-1705.	1.8	18
63	A new approach to the mild extraction of madder dyes from lake and textile. Microchemical Journal, 2016, 126, 373-380.	4.5	24
64	Secondary metabolites from <i>Scrophularia canina</i> L Natural Product Research, 2016, 30, 1665-1669.	1.8	20
65	Anti-inflammatory effects and antioxidant activity of dihydroasparagusic acid in lipopolysaccharide-activated microglial cells. Brain Research Bulletin, 2016, 120, 151-158.	3.0	30
66	A new glucosidic phthalide from <i>Helichrysum microphyllum</i> subsp. <i>tyrrhenicum</i> from La Maddalena Island (Sardinia, Italy). Natural Product Research, 2016, 30, 789-795.	1.8	23
67	Unusual molecular pattern in Ajugoideae subfamily: the case of <i>Ajuga genevensis</i> L. from Dolomites. Natural Product Research, 2016, 30, 1098-1102.	1.8	22
68	Reassessment of <i>Melittis melissophyllum</i> L. subsp. <i>melissophyllum</i> iridoidic fraction. Natural Product Research, 2016, 30, 218-222.	1.8	14
69	Phytochemical analysis of <i>Achillea ligustica</i> All. from Lipari Island (Aeolian Islands). Natural Product Research, 2016, 30, 912-919.	1.8	29
70	Secondary metabolites with ecologic and medicinal implications in Anthemis cretica subsp. petraea from Majella National Park. AIMS Molecular Science, 2016, 3, 648-660.	0.5	8
71	Phytochemical Study of a Species with Ethnopharmacological Interest: Sideritis romana L. European Journal of Medicinal Plants, 2016, 12, 1-9.	0.5	19
72	Constituents of Melittis melissophyllum subsp. albida. Natural Product Communications, 2016, 11, 1631-1634.	0.5	7

#	Article	IF	CITATIONS
73	Phytochemical Analysis, Biological Activity, and Secretory Structures ofStachys annua(L.) L. subsp.annua(Lamiaceae) from Central Italy. Chemistry and Biodiversity, 2015, 12, 1172-1183.	2.1	31
74	Chemical composition and biological activity of the essential oil from Helichrysum microphyllum Cambess. ssp. tyrrhenicum Bacch., Brullo e Giusso growing in La Maddalena Archipelago, Sardinia Journal of Oleo Science, 2015, 64, 19-26.	1.4	28
75	Essential oil chemotypification and secretory structures of the neglected vegetableÂ <i>Smyrnium olusatrum</i> L. (Apiaceae) growing in central Italy. Flavour and Fragrance Journal, 2015, 30, 139-159.	2.6	47
76	Antioxidant and α -glucosidase inhibitory activities of <i>Achillea tenorii</i> . Pharmaceutical Biology, 2015, 53, 1505-1510.	2.9	45
77	Iridoid glucosides from Pentas lanceolata (Forssk.) Deflers growing on the Island of Sardinia. Plant Systematics and Evolution, 2015, 301, 685-690.	0.9	19
78	Essential oil composition, polar compounds, glandular trichomes and biological activity of Hyssopus officinalis subsp. aristatus (Godr.) Nyman from central Italy. Industrial Crops and Products, 2015, 77, 353-363.	5.2	61
79	Targeting G-Quadruplex DNA Structures by EMICORON Has a Strong Antitumor Efficacy against Advanced Models of Human Colon Cancer. Molecular Cancer Therapeutics, 2015, 14, 2541-2551.	4.1	27
80	Polar compounds from <i>Parentucellia viscosa</i> (L.) Caruel from Sardinia. Natural Product Research, 2015, 29, 602-606.	1.8	19
81	Monoterpenoids glycosides content from two Mediterranean populations ofCrucianella maritimaL Natural Product Research, 2014, 28, 586-588.	1.8	8
82	Design and synthesis of a new dimeric xanthone derivative: enhancement of G-quadruplex selectivity and telomere damage. Organic and Biomolecular Chemistry, 2014, 12, 9572-9582.	2.8	14
83	Volatile compounds from <i>Achillea tenorii</i> (Grande) growing in the Majella National Park (Italy) Natural Product Research, 2014, 28, 1699-1704.	1.8	12
84	Characterization of Secondary Metabolites, Biological Activity and Glandular Trichomes of <i>Stachys tymphaea</i> <scp>Hausskn</scp> . from the Monti Sibillini National Park (Central) Tj ETQq0 0 0 rgBT	/Qværlock	1\$5Tf 50 29
85	Phytochemical analysis, biological evaluation and micromorphological study of Stachys alopecuros (L.) Benth. subsp. divulsa (Ten.) Grande endemic to central Apennines, Italy. Fìtoterapì¢, 2013, 90, 94-103.	2.2	53
86	Polar constituents composition of endemic <i>Sideritis italica</i> (MILL.) GREUTER et BURTER from Central Italy. Natural Product Research, 2013, 27, 1408-1412.	1.8	29
87	Total Synthesis of Taspine and a Symmetrical Analogue: Study of Binding to Gâ€Quadruplex DNA by ESIâ€MS. European Journal of Organic Chemistry, 2013, 2013, 191-196.	2.4	5
88	Phytochemical composition of polar fraction of <i>Stachys germanica</i> L <i>. subsp. salviifolia</i> (<i>Ten</i> .) <i>Gams</i> , a typical plant of Majella National Park. Natural Product Research, 2013, 27, 190-193.	1.8	29
89	A new flavonoid and other polar compounds fromGaleopsis angustifoliaEhrh. ex Hoffm Natural Product Research, 2013, 27, 412-416.	1.8	10
90	Antioxidant and antiproliferative activity of <i>Hypericum hircinum</i> L. subsp. <i>majus</i> (Aiton) N. Robson essential oil. Natural Product Research, 2013, 27, 862-868.	1.8	73

#	Article	IF	CITATIONS
91	Xanthene and Xanthone Derivatives as G-Quadruplex Stabilizing Ligands. Molecules, 2013, 18, 13446-13470.	3.8	14
92	Aromatic Core Extension in the Series of N yclic Bay‧ubstituted Perylene Gâ€Quadruplex Ligands: Increased Telomere Damage, Antitumor Activity, and Strong Selectivity for Neoplastic over Healthy Cells. ChemMedChem, 2012, 7, 2144-2154.	3.2	33
93	Phytochemical analysis of <i>Plantago sempervirens</i> from Majella National Park. Natural Product Research, 2012, 26, 2035-2039.	1.8	20
94	N-Cyclic Bay-Substituted Perylene G-Quadruplex Ligands Have Selective Antiproliferative Effects on Cancer Cells and Induce Telomere Damage. Journal of Medicinal Chemistry, 2011, 54, 1140-1156.	6.4	51
95	Study of binding affinity and selectivity of perylene and coronene derivatives towards duplex and quadruplex DNA by ESIâ€MS. Journal of Mass Spectrometry, 2009, 44, 530-540.	1.6	58
96	Liposomes from a new chiral cationic lipid based on iridoidic template. Natural Product Research, 2007, 21, 1221-1227.	1.8	3
97	Chemotaxonomy of iridoids inLinaria vulgaris. Natural Product Research, 2007, 21, 1212-1216.	1.8	16
98	Endemic species of sardo-corso-balearic area: molecular composition and biological assay of Teucrium. Natural Product Research, 2007, 21, 1061-1066.	1.8	5
99	The occurrence of phenyl propanoid glycosides in endemic <i>Teucrium</i> species. Natural Product Research, 2007, 21, 814-818.	1.8	10
100	Synthesis and spectroscopic properties of highly water-soluble perylene derivatives. Tetrahedron, 2007, 63, 7858-7865.	1.9	45
101	Specific interactions with intra- and intermolecular G-quadruplex DNA structures by hydrosoluble coronene derivatives: A new class of telomerase inhibitors. Bioorganic and Medicinal Chemistry, 2007, 15, 1848-1858.	3.0	55
102	New highly hydrosoluble and not self-aggregated perylene derivatives with three and four polar side-chains as G-quadruplex telomere targeting agents and telomerase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2007, 17, 2515-2522.	2.2	40
103	Monoterpenoids fromStachys glutinosaL Natural Product Research, 2006, 20, 648-652.	1.8	25
104	The recovery of biophenols from wastewaters of olive oil production. Natural Product Research, 2006, 20, 259-264.	1.8	7
105	Total synthesis of anthocyanidinsviaHeck reaction. Natural Product Research, 2006, 20, 93-97.	1.8	20
106	Natural and synthetic G-quadruplex interactive berberine derivatives. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 1707-1711.	2.2	202
107	The variability of composition of the volatile fraction of olive oil. Natural Product Research, 2006, 20, 475-478.	1.8	4
108	A comparative chemotaxonomic study onVinca sardoastearn andVinca difformispourret. Natural Product Research, 2005, 19, 615-617.	1.8	5

#	Article	IF	CITATIONS
109	Glycosidic Monoterpenes fromLinaria Capraria. Natural Product Research, 2004, 18, 241-246.	1.8	14
110	Phytochemical characters ofteucrium marumfrom Sardinia: an endemic plant. Natural Product Research, 2004, 18, 557-564.	1.8	11
111	New hydrosoluble perylene and coronene derivatives. Tetrahedron Letters, 2004, 45, 9015-9020.	1.4	50
112	Acid Rearrangement of Secoiridoids Related to Oleuropein and Secologanin. European Journal of Organic Chemistry, 2003, 2003, 4349-4354.	2.4	10
113	A new synthesis of flavonoids via Heck reaction. Tetrahedron Letters, 2003, 44, 9107-9109.	1.4	39
114	Monoterpene Alkaloids from Argylia Radiata. Natural Product Research, 2002, 16, 77-80.	0.4	4
115	Neuraminic acid — Structure, Chemistry, Biological Activity. Studies in Natural Products Chemistry, 2002, , 103-154.	1.8	2
116	Perylene diimides with different side chains are selective in inducing different G-Quadruplex DNA structures and in inhibiting telomerase. Bioorganic and Medicinal Chemistry Letters, 2002, 12, 2527-2533.	2.2	74
117	Synthesis of Aucubovir II, a New Carbocyclic Nucleoside Analog. European Journal of Organic Chemistry, 2001, 2001, 1331-1334.	2.4	9
118	Chiral Synthons from the Iridoid Glucoside Antirrhinoside â^' Synthesis of a Carbocyclic Homonucleoside Analogue. European Journal of Organic Chemistry, 2001, 2001, 4061-4066.	2.4	16
119	Synthesis of a carbocyclic sialic acid analogue for the inhibition of influenza virus neuraminidase. Carbohydrate Research, 2001, 332, 23-31.	2.3	26
120	Aromatic sialic acid analogues as potential inhibitors of influenza virus neuraminidase. Il Farmaco, 2001, 56, 305-309.	0.9	5
121	Microcomponents of olive oil—III. Glucosides of 2(3,4-dihydroxy-phenyl)ethanol. Food Chemistry, 1998, 63, 461-464.	8.2	71
122	8-epi-Muralioside, an Iridoid Glucoside from Linaria arcusangeli. Journal of Natural Products, 1997, 60, 366-367.	3.0	9
123	Synthesis of a New Carbocyclic Nucleoside Analog. Tetrahedron Letters, 1997, 38, 6433-6436.	1.4	13
124	Iridoids from endemic sardinian Linaria species. Phytochemistry, 1996, 42, 89-91.	2.9	22
125	Iridoids of Rauwolfia grandifloraâ~†. Phytochemistry, 1994, 35, 1485-1487.	2.9	24
126	Isolation of cornoside from Olea europaea and its transformation into halleridone. Phytochemistry, 1993, 32, 455-457.	2.9	60

#	Article	IF	CITATIONS
127	Synthesis of Models Related to Taspine. Synthetic Communications, 1991, 21, 849-858.	2.1	8
128	Selective Formylation of Diphenols. Synthetic Communications, 1990, 20, 2565-2572.	2.1	16
129	Iridoids in the Flora of Italy; Part 111. Kickxioside, A New Iridoid Glucoside fromKickxia spuria. Planta Medica, 1987, 53, 295-297.	1.3	17
130	Radiatoside, a New Bisiridoid from Argylia radiata. Journal of Natural Products, 1986, 49, 519-521.	3.0	9
131	Iridoid and Phenypropanoid Glycosides from New Sources. Journal of Natural Products, 1984, 47, 901-902.	3.0	29
132	1H and13CNMR data of C-6 epimeric iridoids. Magnetic Resonance in Chemistry, 1983, 21, 460-461.	0.7	15
133	Isolation of 6-epimonomelittoside from Tecoma heptaphylla and its conversion into monomelittoside. Phytochemistry, 1983, 22, 1189-1191.	2.9	16
134	Partial synthesis of isoeucommiol, a new cyclop entenoid-tetrol. Tetrahedron, 1977, 33, 851-854.	1.9	14