Per Winkel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1735710/publications.pdf

Version: 2024-02-01

257101 205818 3,377 64 24 48 h-index citations g-index papers 69 69 69 6134 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	When and how should multiple imputation be used for handling missing data in randomised clinical trials $\hat{a} \in \mathbb{C}$ a practical guide with flowcharts. BMC Medical Research Methodology, 2017, 17, 162.	1.4	1,400
2	Restricting volumes of resuscitation fluid in adults with septic shock after initial management: the CLASSIC randomised, parallel-group, multicentre feasibility trial. Intensive Care Medicine, 2016, 42, 1695-1705.	3.9	292
3	Cerebral near infrared spectroscopy oximetry in extremely preterm infants: phase II randomised clinical trial. BMJ, The, 2015, 350, g7635-g7635.	3.0	224
4	Neurologic Function and Health-Related Quality of Life in Patients Following Targeted Temperature Management at 33°C vs 36°C After Out-of-Hospital Cardiac Arrest. JAMA Neurology, 2015, 72, 634.	4.5	150
5	High serum YKL-40 concentration is associated with cardiovascular and all-cause mortality in patients with stable coronary artery disease. European Heart Journal, 2009, 30, 1066-1072.	1.0	148
6	Factors Contributing to Intra-Individual Variation of Serum Constituents: 2. Effects of Exercise and Diet on Variation of Serum Constituents in Healthy Subjects. Clinical Chemistry, 1973, 19, 1380-1383.	1.5	77
7	Factors Contributing to Intra-Individual Variation of Serum Constituents: 1. Within-Day Variation of Serum Constituents in Healthy Subjects. Clinical Chemistry, 1973, 19, 1374-1379.	1.5	72
8	Cardiac rehabilitation versus usual care for patients treated with catheter ablation for atrial fibrillation: Results of the randomized CopenHeartRFA trial. American Heart Journal, 2016, 181, 120-129.	1.2	70
9	Clarithromycin for stable coronary heart disease increases all-cause and cardiovascular mortality and cerebrovascular morbidity over 10years in the CLARICOR randomised, blinded clinical trial. International Journal of Cardiology, 2015, 182, 459-465.	0.8	67
10	The SafeBoosC II randomized trial: treatment guided by near-infrared spectroscopy reduces cerebral hypoxia without changing early biomarkers of brain injury. Pediatric Research, 2016, 79, 528-535.	1.1	63
11	Effect of antenatal education in small classes versus standard auditorium-based lectures on use of pain relief during labour and of obstetric interventions: results from the randomised NEWBORN trial. BMJ Open, 2016, 6, e010761.	0.8	54
12	Therapeutic hypothermia for acute ischaemic stroke. Results of a European multicentre, randomised, phase III clinical trial. European Stroke Journal, 2019, 4, 254-262.	2.7	48
13	Comprehensive cardiac rehabilitation improves outcome for patients with implantable cardioverter defibrillator. Findings from the COPE-ICD randomised clinical trial. European Journal of Cardiovascular Nursing, 2015, 14, 34-44.	0.4	43
14	Quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: the multicentre, double-blind, randomised tolerability and efficacy of antipsychotics (TEA) trial. Lancet Psychiatry,the, 2017, 4, 605-618.	3.7	40
15	Long-term outcomes in patients with septic shock transfused at a lower versus a higher haemoglobin threshold: the TRISS randomised, multicentre clinical trial. Intensive Care Medicine, 2016, 42, 1685-1694.	3.9	38
16	Prolonged-release melatonin versus placebo for benzodiazepine discontinuation in patients with schizophrenia or bipolar disorder: A randomised, placebo-controlled, blinded trial. World Journal of Biological Psychiatry, 2016, 17, 514-524.	1.3	37
17	Early biomarkers of brain injury and cerebral hypo- and hyperoxia in the SafeBoosC II trial. PLoS ONE, 2017, 12, e0173440.	1.1	37
18	Pregnancy associated plasma protein-A as a marker for myocardial infarction and death in patients with stable coronary artery disease: A prognostic study within the CLARICOR Trial. Atherosclerosis, 2011, 214, 203-208.	0.4	34

#	Article	IF	CITATIONS
19	Agreement between public register and adjudication committee outcome in a cardiovascular randomized clinical trial. American Heart Journal, 2014, 168, 197-204.e4.	1.2	34
20	10‥ear Associations Between Tumor Necrosis Factor Receptors 1 and 2 and Cardiovascular Events in Patients With Stable Coronary Heart Disease: A CLARICOR (Effect of Clarithromycin on Mortality and) Tj ETQq0	0 0 _{1.6} BT /	Overlock 10 Ti
	Association, 2018, 7, .		
21	High-sensitivity C-reactive protein and N-terminal pro-B-type natriuretic peptide in patients with stable coronary artery disease: a prognostic study within the CLARICOR Trial. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 52-62.	0.6	30
22	Feedback in group psychotherapy for eating disorders: A randomized clinical trial Journal of Consulting and Clinical Psychology, 2017, 85, 484-494.	1.6	30
23	Low vs high hemoglobin trigger for transfusion in vascular surgery: a randomized clinical feasibility trial. Blood, 2019, 133, 2639-2650.	0.6	30
24	Excess Sudden Cardiac Deaths after Short-Term Clarithromycin Administration in the CLARICOR Trial: Why Is This So, and Why Are Statins Protective. Cardiology, 2011, 118, 63-67.	0.6	27
25	Early physical training and psycho-educational intervention for patients undergoing coronary artery bypass grafting. The SheppHeart randomized 2 \tilde{A} — 2 factorial clinical pilot trial. European Journal of Cardiovascular Nursing, 2016, 15, 425-437.	0.4	24
26	Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. BMJ Evidence-Based Medicine, 2021, 26, 121-126.	1.7	23
27	Risk stratification in stable coronary artery disease is possible at cardiac troponin levels below conventional detection and is improved by use of N-terminal pro-B-type natriuretic peptide. European Journal of Preventive Cardiology, 2014, 21, 1275-1284.	0.8	22
28	Cathepsin B and S as markers for cardiovascular risk and all-cause mortality in patients with stable coronary heart disease during 10 years: a CLARICOR trial sub-study. Atherosclerosis, 2018, 278, 97-102.	0.4	22
29	Power estimations for non-primary outcomes in randomised clinical trials. BMJ Open, 2019, 9, e027092.	0.8	20
30	Prognosis and Reclassification by YKLâ€40 in Stable Coronary Artery Disease. Journal of the American Heart Association, 2020, 9, e014634.	1.6	20
31	Osteoprotegerin independently predicts mortality in patients with stable coronary artery disease: The CLARICOR trial. Scandinavian Journal of Clinical and Laboratory Investigation, 2014, 74, 657-664.	0.6	18
32	Sexual rehabilitation for cardiac patients with erectile dysfunction: a randomised clinical trial. Heart, 2019, 105, 775-782.	1.2	16
33	Good interobserver agreement was attainable on outcome adjudication in patients with stable coronary heart disease. Journal of Clinical Epidemiology, 2012, 65, 444-453.	2.4	15
34	Simple, lowâ€cost groupâ€counselling programme vs treatment as usual for patients with newly notified occupational hand eczema—Exploratory analyses of effects on knowledge, behaviour and personal resources of the randomized PREVEX clinical trial. Contact Dermatitis, 2018, 79, 127-135.	0.8	13
35	Predictors for major cardiovascular outcomes in stable ischaemic heart disease (PREMAC): statistical analysis plan for data originating from the CLARICOR (clarithromycin for patients with stable) Tj ETQq1 1 0.784	3140:gBT/	'Ov ed ock 10 T
36	Third-wave cognitive therapy versus mentalisation-based treatment for major depressive disorder: a randomised clinical trial. BMJ Open, 2014, 4, e004903-e004903.	0.8	11

#	Article	IF	CITATIONS
37	SheppHeartCABG trial—comprehensive early rehabilitation after coronary artery bypass grafting: a protocol for a randomised clinical trial. BMJ Open, 2017, 7, e013038.	0.8	11
38	Circulating endostatin as a risk factor for cardiovascular events in patients with stable coronary heart disease: A CLARICOR trial sub-study. Atherosclerosis, 2019, 284, 202-208.	0.4	11
39	Serum osteoprotegerin as a long-term predictor for patients with stable coronary artery disease and its association with diabetes and statin treatment: A CLARICOR trial 10-year follow-up substudy. Atherosclerosis, 2020, 301, 8-14.	0.4	9
40	Statistical analysis plan for the EuroHYP-1 trial: European multicentre, randomised, phase III clinical trial of the therapeutic hypothermia plus best medical treatment versus best medical treatment alone for acute ischaemic stroke. Trials, 2017, 18, 573.	0.7	7
41	Prognostic value of routinely available data in patients with stable coronary heart disease. A 10-year follow-up of patients sampled at random times during their disease course. Open Heart, 2018, 5, e000808.	0.9	7
42	Pregnancy Associated Plasma Protein-A as a Cardiovascular Risk Marker in Patients with Stable Coronary Heart Disease During 10 Years Follow-Up—A CLARICOR Trial Sub-Study. Journal of Clinical Medicine, 2020, 9, 265.	1.0	7
43	No effect of escitalopram versus placebo on brain-derived neurotrophic factor in healthy individuals: a randomised trial. Acta Neuropsychiatrica, 2016, 28, 101-109.	1.0	6
44	Internet-based self-help therapy with FearFighterâ,,¢ versus no intervention for anxiety disorders in adults: study protocol for a randomised controlled trial. Trials, 2016, 17, 525.	0.7	6
45	The Clinical Significance of Classifications of Cirrhosis. A Comparison between Conventional Criteria and Numerical Taxonomy. Scandinavian Journal of Gastroenterology, 1976, 11, 33-40.	0.6	5
46	Effect of escitalopram versus placebo on $GR\hat{l}_{\pm}$ messenger RNA expression in peripheral blood cells of healthy individuals with a family history of depression $\hat{a}\in$ a secondary outcome analysis from the randomized AGENDA trial. Nordic Journal of Psychiatry, 2016, 70, 297-302.	0.7	4
47	Multivariate analysis and expert systems. Scandinavian Journal of Clinical and Laboratory Investigation, 1994, 54, 12-24.	0.6	3
48	Prognostic value of 12 novel cardiological biomarkers in stable coronary artery disease. A 10-year follow-up of the placebo group of the Copenhagen CLARICOR trial. BMJ Open, 2020, 10, e033720.	0.8	2
49	Introduction– on Quality of Health Care in General. , 0, , 1-7.		2
50	Control Charts for Autocorrelated Data., 0,, 92-109.		1
51	Risk-Adjusted Control Charts., 0,, 149-163.		1
52	Shewhart Control Charts. , 0, , 37-77.		0
53	Internet-based therapy with FearFighter for anxiety disorders: a randomised clinical trial. Nordic Journal of Psychiatry, 2020, 74, 518-524.	0.7	0
54	A screening method to spot biomarkers that may warn of serious events in a chronic disease– illustrated by cardiological CLARICOR trial data. Clinical Chemistry and Laboratory Medicine, 2021, 59, 1852-1860.	1.4	O

#	Article	IF	Citations
55	Appendix A– Basic Statistical Concepts. , 0, , 216-250.		О
56	Appendix B–X andS Chart with Variable Sample Size. , 0, , 251-253.		O
57	Appendix C– Moving Range Estimator of the Standard Deviation of an AR (1) Process. , 0, , 254-255.		O
58	Theory of Statistical Process Control., 0,, 9-36.		O
59	Time-Weighted Control Charts. , 0, , 78-91.		O
60	Tools for Risk Adjustment. , 0, , 111-148.		0
61	Risk-Adjusted Comparison of Healthcare Providers. , 0, , 164-181.		O
62	Learning Curves. , 0, , 183-194.		0
63	Assessing the Quality of Clinical Processes. , 0, , 195-215.		O
64	Statistics in Practice., 0,, 264-264.		0