Cholachat Rujikiatkamjorn

List of Publications by Citations

 $\textbf{Source:} \ \text{https://exaly.com/author-pdf/1737024/cholachat-rujikiatkamjorn-publications-by-citations.pdf}$

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132 papers

3,524 citations

33 h-index

54 g-index

146 ext. papers

4,035 ext. citations

avg, IF

5.72 L-index

#	Paper	IF	Citations
132	Advanced Rail Geotechnology - Ballasted Track		157
131	Field Assessment of the Performance of a Ballasted Rail Track with and without Geosynthetics. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2010 , 136, 907-917	3.4	147
130	Behavior of Fresh and Fouled Railway Ballast Subjected to Direct Shear Testing: Discrete Element Simulation. <i>International Journal of Geomechanics</i> , 2014 , 14, 34-44	3.1	133
129	DEM simulation of the behaviour of geogrid stabilised ballast fouled with coal. <i>Computers and Geotechnics</i> , 2014 , 55, 224-231	4.4	127
128	Analytical and Numerical Modeling of Soft Soil Stabilized by Prefabricated Vertical Drains Incorporating Vacuum Preloading. <i>International Journal of Geomechanics</i> , 2005 , 5, 114-124	3.1	113
127	Analytical and numerical solutions for a single vertical drain including the effects of vacuum preloading. <i>Canadian Geotechnical Journal</i> , 2005 , 42, 994-1014	3.2	108
126	Behavior of geogrid-reinforced ballast under various levels of fouling. <i>Geotextiles and Geomembranes</i> , 2011 , 29, 313-322	5.2	103
125	Radial consolidation of clay using compressibility indices and varying horizontal permeability. <i>Canadian Geotechnical Journal</i> , 2005 , 42, 1330-1341	3.2	93
124	Deformation of Coal Fouled Ballast Stabilized with Geogrid under Cyclic Load. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013 , 139, 1275-1289	3.4	83
123	Behaviour of clay-fouled ballast under drained triaxial testing. <i>Geotechnique</i> , 2013 , 63, 410-419	3.4	82
122	Soft ground improvement via vertical drains and vacuum assisted preloading. <i>Geotextiles and Geomembranes</i> , 2012 , 30, 16-23	5.2	82
121	Performance and Prediction of Vacuum Combined Surcharge Consolidation at Port of Brisbane. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2011 , 137, 1009-1018	3.4	82
120	Assessing the Potential of Internal Erosion and Suffusion of Granular Soils. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2011 , 137, 550-554	3.4	81
119	Coupled discrete elementfinite difference method for analysing the load-deformation behaviour of a single stone column in soft soil. <i>Computers and Geotechnics</i> , 2015 , 63, 267-278	4.4	80
118	Numerical Solution of Stone ColumnImproved Soft Soil Considering Arching, Clogging, and Smear Effects. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013 , 139, 377-394	3.4	72
117	2D and 3D Numerical Modeling of Combined Surcharge and Vacuum Preloading with Vertical Drains. <i>International Journal of Geomechanics</i> , 2008 , 8, 144-156	3.1	65
116	The Role of Ballast-Fouling Characteristics on the Drainage Capacity of Rail Substructure. Geotechnical Testing Journal, 2012, 35, 104107	1.3	62

115	A theoretical and experimental study on the behaviour of lignosulfonate-treated sandy silt. <i>Computers and Geotechnics</i> , 2014 , 61, 316-327	4.4	58
114	Automatic Classification of Ground-Penetrating-Radar Signals for Railway-Ballast Assessment. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011 , 49, 3961-3972	8.1	58
113	A new parameter for classification and evaluation of railway ballast fouling. <i>Canadian Geotechnical Journal</i> , 2011 , 48, 322-326	3.2	52
112	Analytical solutions and design curves for vacuum-assisted consolidation with both vertical and horizontal drainage. <i>Canadian Geotechnical Journal</i> , 2007 , 44, 188-200	3.2	48
111	Geometrical Method for Evaluating the Internal Instability of Granular Filters Based on Constriction Size Distribution. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2015 , 141, 04015045	53.4	46
110	Experimental and Discrete Element Modeling of Geocell-Stabilized Subballast Subjected to Cyclic Loading. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2016 , 142, 04015100	3.4	46
109	Discrete element modelling of lateral displacement of a granular assembly under cyclic loading. <i>Computers and Geotechnics</i> , 2015 , 69, 474-484	4.4	44
108	Analytical Solutions for a Single Vertical Drain with Vacuum and Time-Dependent Surcharge Preloading in Membrane and Membraneless Systems. <i>International Journal of Geomechanics</i> , 2012 , 12, 27-42	3.1	43
107	From theory to practice in track geomechanics (Australian perspective for synthetic inclusions. <i>Transportation Geotechnics</i> , 2014 , 1, 171-187	4	42
106	Vertical drain consolidation with non-Darcian flow and void-ratio-dependent compressibility and permeability. <i>Geotechnique</i> , 2012 , 62, 985-997	3.4	42
105	Laboratory study of small-strain behavior of a compacted silty sand. <i>Canadian Geotechnical Journal</i> , 2013 , 50, 179-188	3.2	41
104	Modelling geogrid-reinforced railway ballast using the discrete element method. <i>Transportation Geotechnics</i> , 2016 , 8, 86-102	4	39
103	Simulation Ballasted Track Behavior: Numerical Treatment and Field Application. <i>International Journal of Geomechanics</i> , 2017 , 17, 04016130	3.1	38
102	Large-Strain Vacuum-Assisted Consolidation with Non-Darcian Radial Flow Incorporating Varying Permeability and Compressibility. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2017 , 143, 04016088	3.4	38
101	Numerical modelling of soft soil stabilized by vertical drains, combining surcharge and vacuum preloading for a storage yard. <i>Canadian Geotechnical Journal</i> , 2007 , 44, 326-342	3.2	36
100	Micromechanics-Based Investigation of Fouled Ballast Using Large-Scale Triaxial Tests and Discrete Element Modeling. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2017 , 143, 040160	g9 1	35
99	Evaluation of Smear Zone Extent Surrounding Mandrel Driven Vertical Drains Using the Cavity Expansion Theory. <i>International Journal of Geomechanics</i> , 2008 , 8, 355-365	3.1	33
98	Analysis of Soil Disturbance Associated with Mandrel-Driven Prefabricated Vertical Drains Using an Elliptical Cavity Expansion Theory. <i>International Journal of Geomechanics</i> , 2010 , 10, 53-64	3.1	32

97	Model track studies on fouled ballast using ground penetrating radar and multichannel analysis of surface wave. <i>Journal of Applied Geophysics</i> , 2011 , 74, 175-184	1.7	32
96	Effectiveness of partially penetrating vertical drains under a combined surcharge and vacuum preloading. <i>Canadian Geotechnical Journal</i> , 2011 , 48, 970-983	3.2	30
95	Stabilization of track substructure with geo-inclusions experimental evidence and DEM simulation. <i>International Journal of Rail Transportation</i> , 2017 , 5, 63-86	2.1	28
94	Class A Prediction of the Behavior of Soft Estuarine Soil Foundation Stabilized by Short Vertical Drains beneath a Rail Track. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2010 , 136, 686-696	3.4	28
93	Modeling the Performance of Stone Column R einforced Soft Ground under Static and Cyclic Loads. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2016 , 142, 04015067	3.4	27
92	Hydraulic conductivity of saturated granular soils determined using a constriction-based technique. <i>Canadian Geotechnical Journal</i> , 2012 , 49, 607-613	3.2	27
91	Radial consolidation model incorporating the effects of vacuum preloading and non-Darcian flow. <i>Geotechnique</i> , 2013 , 63, 1060-1073	3.4	27
90	Analytical solution and numerical simulation of vacuum consolidation by vertical drains beneath circular embankments. <i>Computers and Geotechnics</i> , 2016 , 80, 83-96	4.4	27
89	Optimisation of coal washBlag blend as a structural fill. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , 2015 , 168, 33-44	1	26
88	Analytical solution for radial consolidation considering soil structure characteristics. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 947-960	3.2	26
87	Soft soil foundation improved by vacuum and surcharge loading. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , 2012 , 165, 87-96	1	26
86	Analytical and Numerical Modeling of Consolidation by Vertical Drain beneath a Circular Embankment. <i>International Journal of Geomechanics</i> , 2008 , 8, 199-206	3.1	26
85	A Laboratory Study on the Shear Behavior of Mixtures of Coal Wash and Steel Furnace Slag as Potential Structural Fill. <i>Geotechnical Testing Journal</i> , 2015 , 38, 20140047	1.3	26
84	Modeling the Stone Column Behavior in Soft Ground with Special Emphasis on Lateral Deformation. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2017 , 143, 04017016	3.4	25
83	Design procedure for vertical drains considering a linear variation of lateral permeability within the smear zone. <i>Canadian Geotechnical Journal</i> , 2009 , 46, 270-280	3.2	25
82	Soil disturbance analysis due to vertical drain installation. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2015 , 168, 236-246	0.9	24
81	Use of Geogrids and Recycled Rubber in Railroad Infrastructure for Enhanced Performance. <i>Geosciences (Switzerland)</i> , 2019 , 9, 30	2.7	24
80	A study of the geogridsubballast interface via experimental evaluation and discrete element modelling. <i>Granular Matter</i> , 2017 , 19, 1	2.6	23

(2019-2009)

79	Experimental Investigation on Effectiveness of a Vertical Drain under Cyclic Loads. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2009 , 135, 835-839	3.4	23
78	Final state of soils under vacuum preloading. Canadian Geotechnical Journal, 2012, 49, 729-739	3.2	22
77	Conceptual model describing smear zone caused by mandrel action. <i>Geotechnique</i> , 2013 , 63, 1377-1388	3.4	21
76	Sustainable soil improvement via vacuum preloading. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , 2010 , 163, 31-42	1	21
75	Using a seismic survey to measure the shear modulus of clean and fouled ballast. <i>Geomechanics and Geoengineering</i> , 2010 , 5, 117-126	1.4	21
74	Stone ColumnBtabilized Soft-Soil Performance Influenced by Clogging and Lateral Deformation: Laboratory and Numerical Evaluation. <i>International Journal of Geomechanics</i> , 2018 , 18, 04018058	3.1	20
73	Radial consolidation of soft soil under cyclic loads. <i>Computers and Geotechnics</i> , 2013 , 50, 1-5	4.4	20
7 ²	Compaction of coal wash to optimise its utilisation as water-front reclamation fill. <i>Geomechanics and Geoengineering</i> , 2013 , 8, 36-45	1.4	19
71	Laboratory Investigation of the Seepage Induced Response of Granular Soils Under Static and Cyclic Loading. <i>Geotechnical Testing Journal</i> , 2016 , 39, 20150288	1.3	19
70	Experimental simulation and mathematical modelling of clogging in stone column. <i>Canadian Geotechnical Journal</i> , 2018 , 55, 427-436	3.2	18
69	Drained and Undrained Shear Behavior of Compacted Coal Wash. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2016 , 142, 04016006	3.4	18
68	Laboratory and Finite-Element Investigation of Soil Disturbance Associated with the Installation of Mandrel-Driven Prefabricated Vertical Drains. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2012 , 138, 295-308	3.4	18
67	Numerical analysis of bearing reinforcement earth (BRE) wall. <i>Geotextiles and Geomembranes</i> , 2012 , 32, 28-37	5.2	17
66	Review of mehods of analysis for the use of vacuum preloading and vertical drains for soft clay improvement. <i>Geomechanics and Geoengineering</i> , 2010 , 5, 223-236	1.4	17
65	Class A and C predictions for Ballina trial embankment with vertical drains using standard test data from industry and large diameter test specimens. <i>Computers and Geotechnics</i> , 2018 , 93, 232-246	4.4	17
64	Improved performance of ballasted tracks under impact loading by recycled rubber mats. <i>Transportation Geotechnics</i> , 2019 , 20, 100239	4	16
63	Analytical model for vacuum consolidation incorporating soil disturbance caused by mandrel-driven drains. <i>Canadian Geotechnical Journal</i> , 2017 , 54, 547-560	3.2	16
62	Compaction, degradation and deformation characteristics of an energy absorbing matrix. Transportation Geotechnics, 2019, 19, 74-83	4	16

61	Model Test and Theoretical Analysis for Soft Soil Foundations Improved by Prefabricated Vertical Drains. <i>International Journal of Geomechanics</i> , 2017 , 17, 04016045	3.1	15
60	Improved Performance of Ballasted Rail Tracks Using Plastics and Rubber Inclusions. <i>Procedia Engineering</i> , 2017 , 189, 207-214		14
59	Current research into ballasted rail tracks: model tests and their practical implications. <i>Australian Journal of Structural Engineering</i> , 2017 , 18, 204-220	1.4	14
58	Performance of marine clay stabilised with vacuum pressure: Based on Queensland experience. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2019 , 11, 598-611	5.3	14
57	Improved performance of geosynthetics enhanced ballast: laboratory and numerical studies. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , 2018 , 171, 202-222	1	12
56	Analysis of the Behaviour of Stone Column Stabilized Soft Ground Supporting Transport Infrastructure. <i>Procedia Engineering</i> , 2016 , 143, 347-354		11
55	Influence of biodegradable natural fibre drains on the radial consolidation of soft soil. <i>Computers and Geotechnics</i> , 2016 , 78, 171-180	4.4	11
54	Radial consolidation response upon the application and removal of vacuum and fill loading. <i>Canadian Geotechnical Journal</i> , 2015 , 52, 2156-2162	3.2	10
53	Shear strength of a vegetated soil incorporating both root reinforcement and suction. <i>Transportation Geotechnics</i> , 2019 , 18, 72-82	4	10
52	Track Stabilisation with Geosynthetics and Geodrains, and Performance Verification through Field Monitoring and Numerical Modelling. <i>International Journal of Railway Technology</i> , 2012 , 1, 195-219		9
51	The role of compaction energy on the small strain properties of a compacted silty sand subjected to drying wetting cycles. <i>Geotechnique</i> , 2015 , 65, 717-727	3.4	8
50	Radial consolidation characteristics of soft undisturbed clay based on large specimens. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2018 , 10, 1037-1045	5.3	8
49	Automatic classification of GPR signals 2010,		8
48	Consolidation of Estuarine Marine Clays for Coastal Reclamation Using Vacuum and Surcharge Loading 2014 ,		7
47	Analytical Solutions for Filtration Process Based on Constriction Size Concept. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013 , 139, 1049-1061	3.4	7
46	Behaviour of lignosulfonate-treated soil under cyclic loading. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , 2016 , 169, 109-119	1	6
45	Radial consolidation modelling incorporating the effect of a smear zone for a multilayer soil with downdrag caused by mandrel action. <i>Canadian Geotechnical Journal</i> , 2010 , 47, 1024-1035	3.2	6
44	An Analytical Model of PVD-assisted Soft Ground Consolidation. <i>Procedia Engineering</i> , 2016 , 143, 1376	-1383	6

Characterization of Compacted Coal Wash As Structural Fill Material 2012, 5 43 Effects of Partially Penetrating Prefabricated Vertical Drains and Loading Patterns on Vacuum 42 Consolidation 2008, Laboratory Evaluation of Coefficient of Radial Consolidation Based on Pore-Water-Pressure 41 1.3 5 Dissipation and Settlement. Geotechnical Testing Journal, 2013, 36, 20120032 Influence of Particle Gradation and Shape on the Performance of Stone Columns in Soft Clay. 40 1.3 Geotechnical Testing Journal, 2018, 41, 20160234 Pore pressure based method to quantify smear around a vertical drain. Geotechnique Letters, 2016, 1.7 39 5 6.211-215 Performance Monitoring of Rail Tracks Stabilized by Geosynthetics and Shock Mats: Case Studies at 38 4 Bulli and Singleton in Australia 2013, Stabilization of Ballasted Rail Tracks and Underlying Soft Formation Soils with Geosynthetic Grids 37 4 and Drains 2006, 143 Three-Dimensional Numerical Modeling of Soft Soil Consolidation Improved by Prefabricated 36 Vertical Drains 2006, 161 Soft Soil Foundation Improved by Vacuum and Surcharge Preloading at Ballina Bypass, Australia 35 4 2009, Environmental Sustainability of Soft Soil Improvement via Vacuum and Surcharge Preloading 2014, 34 Performance Improvement of Railway Ballast Using Shock Mats and Synthetic Grids 2012, 33 3 Discussion of Assessing the Potential of Internal Erosion and Suffusion of Granular Soils by Buddhima Indraratna, Vo Trong Nguyen, and Cholachat Rujikiatkamjorn. Journal of Geotechnical 32 3.4 and Geoenvironmental Engineering - ASCE, 2012, 138, 772-773 Foundation behaviour below an embankment on soft soils. Proceedings of the Institution of Civil 31 0.9 3 Engineers: Geotechnical Engineering, 2008, 161, 259-267 An Evaluation of Fouled Ballast in a Laboratory Model Track Using Ground Penetrating Radar. 30 1.3 Geotechnical Testing Journal, 2010, 33, 103045 Closure to Modeling the Stone Column Behavior in Soft Ground with Special Emphasis on Lateral Deformation by Sudip Basack, Buddhima Indraratna, Cholachat Rujikiatkamjorn, and Firman 29 2 3.4 Siahaan. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2018, 144, 07018008 Aspects Related to the Small Strain Shear Modulus Behavior of Compacted Soils Subjected to 28 Wetting and Drying 2014, Use of Geosynthetics in Railways Including Geocomposites and Vertical Drains 2011, 27 2 Discussion of Assessing the Potential of Internal Erosion and Suffusion of Granular Soils by Buddhima Indraratna, Vo Trong Nguyen, and Cholachat Rujikiatkamjorn. Journal of Geotechnical 26 3.4 2 and Geoenvironmental Engineering - ASCE, **2012**, 138, 773-775

25	Analytical solutions for a single vertical drain with time-dependent vacuum combined surcharge preloading in membrane and membraneless systems. <i>IOP Conference Series: Materials Science and Engineering</i> , 2010 , 10, 012117	0.4	2
24	Analysis of Radial Vacuum-Assisted Consolidation Using 3D Finite Element Method 2007 ,		2
23	DEM MODELLING OF GEOCELL-STABILISED SUB-BALLAST UNDER CYCLIC LOADING. <i>International Journal of GEOMATE</i> , 2017 , 12,	1.6	2
22	Small Strain Behaviour of a Compacted Subgrade Soil. <i>Procedia Engineering</i> , 2016 , 143, 260-267		2
21	Geotechnical characteristics of a Rubber Intermixed Ballast System. Acta Geotechnica,1	4.9	2
20	Study on the Interface Behavior of a Geosynthetics-Reinforced Fouled Ballast Using the Discrete Element Method 2016 ,		1
19	Analytical Solutions for Filtration Process Based on the Constriction Size Concept 2014 ,		1
18	Characterization of Smear Zone Caused by Mandrel Action 2015 ,		1
17	Briefing: Effect of drain installation patterns on rate of consolidation. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , 2015 , 168, 236-245	1	1
16	Ground Improvement at the Port of Brisbane, Australia Using Vertical Drains and Vacuum Assisted Preloading 2013 ,		1
15	Investigation on effectiveness of a prefabricated vertical drain during cyclic loading. <i>IOP Conference Series: Materials Science and Engineering</i> , 2010 , 10, 012091	0.4	1
14	Nonlinear Analysis for a Single Vertical Drain Including the Effects of Preloading Considering the Compressibility and Permeability of the Soil 2010 ,		1
13	Consolidation of Ground with Prefabricated Vertical Drains Combined with Time-Dependent Surcharge Loading in Membrane System 2012 ,		1
12	Closure to Assessing the Potential of Internal Erosion and Suffusion of Granular Soils Dy Buddhima Indraratna, Vo Trong Nguyen, and Cholachat Rujikiatkamjorn. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2012 , 138, 775-775	3.4	1
11	3D Numerical Modeling of Hexagonal Wire Mesh Reinforced Embankment on Soft Bangkok Clay 2012 ,		1
10	Soft Clay Stabilization with Geosynthetic Vertical Drains beneath Road and Railway Embankments: A Critical Review of Analytical Solutions and Numerical Analysis 2007 ,		1
9	Modelling of soft ground consolidation via combined surcharge and vacuum preloading 2008 , 43-53		1
8	Soft Ground ImprovementTheoretical, Experimental, Numerical and Field Studies. <i>Developments in Geotechnical Engineering</i> , 2019 , 183-216	0.4	1

LIST OF PUBLICATIONS

7	Shear behaviour of subgrade soil with reference to varying initial shear stress and plasticity index. <i>Acta Geotechnica</i> ,1	4.9	1
6	Closure to Micromechanics-Based Investigation of Fouled Ballast Using Large-Scale Triaxial Tests and Discrete Element Modeling By Ngoc Trung Ngo, Buddhima Indraratna, and Cholachat Rujikiatkamjorn. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2017 , 143, 07017027	3.4	
5	Closure to D eformation of Coal Fouled Ballast Stabilized with Geogrid under Cyclic Load [b y Buddhima Indraratna, Ngoc Trung Ngo, and Cholachat Rujikiatkamjorn. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2014 , 140, 07014011	3.4	
4	Reply to the discussion by Wang and Dallo on Hydraulic conductivity of saturated granular soils determined using a constriction-based technique Appears in the Canadian Geotechnical Journal, 49(10): 1221 1222 [doi:10.1139/t2012-078] Canadian Geotechnical Journal, 2012, 49, 1223-1224	3.2	
3	Reply to the discussion by T.A. Tran and T. Mitachi on "Analytical and numerical solutions for a single vertical drain including the effects of vacuum preloading". <i>Canadian Geotechnical Journal</i> , 2006 , 43, 1404-1405	3.2	
2	Improvement of Soft Clays Using Vacuum-Assisted Consolidation Method 2006 , 1		

Finite element simulation of mandrel penetration in a normally consolidated soil **2008**, 287-292