

# Nobuyuki Kobayashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1738090/publications.pdf>

Version: 2024-02-01

25  
papers

392  
citations

933447

10  
h-index

794594

19  
g-index

28  
all docs

28  
docs citations

28  
times ranked

572  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuroimaging-derived brain age is associated with life satisfaction in cognitively unimpaired elderly: A community-based study. <i>Translational Psychiatry</i> , 2022, 12, 25.	4.8	10
2	Suppressors of Cytokine Signaling Are Decreased in Major Depressive Disorder Patients. <i>Journal of Personalized Medicine</i> , 2022, 12, 1040.	2.5	6
3	Blood DNA Methylation Levels in the WNT5A Gene Promoter Region: A Potential Biomarker for Agitation in Subjects with Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1601-1611.	2.6	3
4	Activating transcription factor 3 (ATF3) as a perspective biomarker of Crohn's disease. <i>European Journal of Inflammation</i> , 2020, 18, 205873922092979.	0.5	0
5	Increased blood COASY DNA methylation levels a potential biomarker for early pathology of Alzheimer's disease. <i>Scientific Reports</i> , 2020, 10, 12217.	3.3	17
6	Cooperative activation of the human herpesvirus 6B U79/80 early gene promoter by immediate-early proteins IE1B and IE2B. <i>Microbiology and Immunology</i> , 2020, 64, 747-761.	1.4	0
7	Human Herpesvirus 6B Greatly Increases Risk of Depression by Activating Hypothalamic-Pituitary-Adrenal Axis during Latent Phase of Infection. <i>IScience</i> , 2020, 23, 101187.	4.1	26
8	Attenuation of human herpesvirus 6B reactivation by aging. <i>Journal of Medical Virology</i> , 2019, 91, 1335-1341.	5.0	5
9	Clinical significance of cancer-related fatigue in multiple myeloma patients. <i>International Journal of Hematology</i> , 2018, 108, 580-587.	1.6	9
10	Increased interleukin-1 $\beta$ and basic fibroblast growth factor levels in the cerebrospinal fluid during human herpesvirus-6B (HHV-6B) encephalitis. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 706-711.	2.1	9
11	Genetic association between <i>RAGE</i> polymorphisms and Alzheimer's disease and Lewy body dementias in a Japanese cohort: a case-control study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1241-1246.	2.7	5
12	Genetic Association between Presenilin 2 Polymorphisms and Alzheimer's Disease and Dementia of Lewy Body Type in a Japanese Population. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 90-97.	1.3	2
13	Development of Biomarkers Based on DNA Methylation in the NCAPH2/LMF2 Promoter Region for Diagnosis of Alzheimer's Disease and Amnesic Mild Cognitive Impairment. <i>PLoS ONE</i> , 2016, 11, e0146449.	2.5	29
14	Usefulness of DNA Methylation Levels in COASY and SPINT1 Gene Promoter Regions as Biomarkers in Diagnosis of Alzheimer's Disease and Amnesic Mild Cognitive Impairment. <i>PLoS ONE</i> , 2016, 11, e0168816.	2.5	26
15	Human herpesvirus 6 and 7 are biomarkers for fatigue, which distinguish between physiological fatigue and pathological fatigue. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 424-430.	2.1	26
16	DNA methylation in the NCAPH2/LMF2 promoter region is associated with hippocampal atrophy in Alzheimer's disease and amnesic mild cognitive impairment patients. <i>Neuroscience Letters</i> , 2016, 629, 33-37.	2.1	21
17	Caregiver burden and fatigue in caregivers of people with dementia: Measuring human herpesvirus (HHV)-6 and -7 DNA levels in saliva. <i>Archives of Gerontology and Geriatrics</i> , 2016, 66, 42-48.	3.0	26
18	Evaluation of fatigue state with virus-related novel biomarkers in obstructive lung diseases. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
19	Clinical Significance of Reactivation of Salivary HHV-6 and HHV-7 in Multiple Myeloma Treated with Novel Agents. <i>Blood</i> , 2016, 128, 5633-5633.	1.4	0
20	Association between DNA Methylation of the BDNF Promoter Region and Clinical Presentation in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 64-73.	1.8	65
21	Plasma BDNF levels are correlated with aggressiveness in patients with amnesic mild cognitive impairment or Alzheimer disease. <i>Journal of Neural Transmission</i> , 2014, 121, 433-441.	2.8	36
22	Increase in the IgG avidity index due to herpes simplex virus type 1 reactivation and its relationship with cognitive function in amnesic mild cognitive impairment and Alzheimer's disease. <i>Biochemical and Biophysical Research Communications</i> , 2013, 430, 907-911.	2.1	62
23	Novel Gene Therapy Viral Vector Using Non-Oncogenic Lymphotropic Herpesvirus. <i>PLoS ONE</i> , 2013, 8, e56027.	2.5	2
24	Association between Neurotrophin-3 Polymorphisms and Executive Function in Japanese Patients with Amnesic Mild Cognitive Impairment and Mild Alzheimer Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 190-197.	1.5	7
25	Studies on clinical use and effectiveness of atypical antipsychotic agents. <i>International Clinical Psychopharmacology</i> , 2006, 21, A5.	1.7	0